

Information technology — Universal Multiple-Octet Coded Character Set (UCS) —

L2/04-021

AMENDMENT 1: Glagolitic, Coptic, Georgian and other characters

Page 1, Clause 1 Scope

In the note, update the Unicode Standard version from 4.0 to 4.1.

Page 2, Clause 3 Normative references

Update the reference to the Unicode Bidirectional Algorithm and the Unicode Normalization Forms as follows:

Unicode Standard Annex, UAX#9, The Unicode Bidirectional Algorithm, Version 4.1.0, [date TBD].

Unicode Standard Annex, UAX#15, Unicode Normalization Forms, Version 4.1.0, [date TBD].

Page 2, Clause Terms and definitions

Insert the following text as sub-clause 4.1 and update all other sub-clause number accordingly.

4.1 Base character

A graphic character that does not graphically combine with preceding characters.

Page 14, Sub-clause 20.3 Alternate Format Characters

Add the following entries to the character list:

0603 ARABIC SIGN SAFHA
10A3F KHAROSHITHI VIRAMA

Page 15, Sub-clause 20.4 Variation selectors

Replace the paragraph after the first note by the following text:

Variation selectors following other base characters and any non base characters have no effect on the selection of the graphic symbol for that character.

Page 21, Sub-clause 27.1 Source references for CJK Unified Ideographs

After the enumeration of the ChuNom V sources add the following:

The Unicode U source is:

U0 The Unicode Standard 4.0-2003

In the following paragraph, change “11-lines header” by “12-lines header”.

In the file description add a 9th field as following:

- 9th field: Unicode U source (U0-hhhh).

After the paragraph describing the format “The format definition uses ... appear as shown.”, add a new note (the existing 2nd note is renamed NOTE 3):

NOTE 2 – The original source references in the Hanja K4 source (PKS 5700-3:1998) are described using a single decimal index. For better consistency with the other sources, those indexes are converted into hexadecimal values in the source reference file. Unlike the other hexadecimal values, they do not decompose in row, column values.

Provide a new source reference file including the U source information, with changes according to resolutions WG2 M44.7, 44.8 and 44.9, (the following text is identical to the first edition of ISO/IEC 10646:2003, but is linked to the new file):

[Click on this highlighted text to access the reference file.](#)

NOTE 2 – The content is also available as a separate viewable file in the same file directory as this document. The file is named: “CJKU_SR.txt”.

Page 22, Sub-clause 27.2 Source reference presentation for BMP Unified Ideographs.

In last paragraph, replace the following sentence:

The second line shows the coded representation in decimal notation which comprises two digits for section number followed by two digits for position number.

by:

The second line shows the coded representation in decimal notation which comprises two digits for sec-

tion number followed by two digits for position number except for the K4 source where it shows the original decimal source as a single 4 digit value.

Page 22, Sub-clause 27.3 Source references for CJK Compatibility Ideographs

Provide a new source reference file with changes according to the resolution WG2 M44.8, (the following text is identical to the first edition of ISO/IEC 10646:2003, but is linked to the new file):

[Click on this highlighted text to access the reference file.](#)

NOTE – The content is also available as a separate viewable file in the same file directory as this document. The file is named: "CJKC_SR.txt".

Page 26, Clause 29 Structure of the Basic Multilingual Plane

At the bottom of Figure 4, add a new note before the existing note which is renamed NOTE 2:

NOTE 1 – Tai Lue is also known as Xishuang Banna Dai.

Page 30-1348 Clause 33, Code Tables and list of character names

1. Modifications to existing tables

Insert the additional character glyphs and names at the indicated positions in the tables given below, the character names replacing the existing entries which read "(This position shall not be used)". The table numbers are affected by the insertion of new tables (see below) preceding these modified tables. (The table numbers corresponding to the 1st edition of ISO/IEC 10646:2003 are mentioned in parenthesis.)

Plane 00

- Table 6 - Row 01-2: Latin Extended B (6)
- Table 9 - Row 03: Combining Diacritical Marks (9)
- Table 10 - Row 03: Greek and Coptic (10)
- Table 12 - Row 04: Cyrillic (12)
- Table 16 - Row 06: Arabic (16)
- Table 21 - Row 09: Devanagari (20)
- Table 26 - Row 0B: Tamil (25)
- Table 36 - Row 10: Georgian (35)
- Table 60 - Row 1D: Phonetic Extensions (57)
- Table 66 - Row 20: General Punctuation (62)
- Table 68 - Row 20: Currency Symbols (64)
- Table 69 - Row 20: Combining Diacritical Marks for Symbols (65)
- Table 70 - Row 21: Letterlike Symbols (66)
- Table 76 - Row 23: Miscellaneous Technical (72)
- Table 83 - Row 26: Miscellaneous Symbols (79)
- Table 84 - Row 26: Miscellaneous Symbols (80)
- Table 87 - Row 27: Miscellaneous Mathematical Symbols-A (83)
- Table 95 - Row 2B: Miscellaneous Symbols and Arrows (91)

Plane 01

Table 198 - Row D6: Mathematical Alphanumeric Symbols (183)

These tables contained new characters and names at the following code positions:

0237-0238, 0359-035C, 03FC-03FF, 04F6-04F7, 060B, 061E, 0659-065C, 097D, 0BB6, 10F9-10FA, 10FC, 1D6C-1D79, 2055-2056, 2058-205E, 20B2-20B3, 20EB, 213C, 214C, 23D1-23D9, 2618, 267E-267F, 2692-269C, 26A2-26B1, 27C0-27C2, 2B0E-2B13, 1D6A4-1D6A5

In the CJK Unified Ideographs code table, insert K Hanja content for the following entries:

Row/Cell Hex code	C G- Hanzi	-T	J Kanji	K Hanja	V ChuNom
054/020			嘖	嘖	
3614			3-5C35 3-6021	4-0028 4-0040	

Row/Cell Hex code	C G- Hanzi	-T	J Kanji	K Hanja	V ChuNom
059/032			𪛗	𪛗	
3B20	5-4A32 5-4218	3-5473 3-5283		4-006A 0-0106	

Row/Cell Hex code	C G- Hanzi	-T	J Kanji	K Hanja	V ChuNom
085/121			𪛘	𪛘	
5579	1-7C2E 0-9214			4-001F 4-0031	

Row/Cell Hex code	C G- Hanzi	-T	J Kanji	K Hanja	V ChuNom
092/033			𪛙	𪛙	
5C21	E-277C E-0792	3-6525 3-6905		4-004F 4-0079	

Row/Cell Hex code	C G- Hanzi	-T	J Kanji	K Hanja	V ChuNom
103/037			勝	勝	
6725	E-2D3E E-1329	3-6633 3-7019		4-00B5 4-0181	

Row/Cell Hex code	C G- Hanzi -T	J Kanji	K Hanja	V ChuNom
109/164	灩		灩	
6DA4	0-3553 0-2151		4-0062 4-0098	

2. New tables.

Insert the following additional tables and adjust the numbering of the existing tables that follow. When correctly applied, all tables will be arranged by ascending code position.

Plane 00

- Table 19 - Row 07: Arabic Supplement
- Table 57 - Row 19: Tai Lue
- Table 59 - Row 1A: Buginese
- Table 61 - Row 1D: Combining Diacritical Marks Supplement
- Table 97 - Row 2C: Glagolitic
- Table 98 - Row 2C: Coptic
- Table 99 - Row 2D: Georgian Supplement
- Table 100 - Row 2E: Supplemental Punctuation
- Table 126 - Row A8: Syloti Nagri
- Table 127 - Row A8: Phags-pa

Plane 01

- Table 179 - Row 01: Ancient Greek Numbers
- Table 183 - Row 03: Old Persian
- Table 188 - Row 0A: Kharoshthi
- Table 193 - Row D2: Ancient Greek Musical Notation

These tables add new characters and names at the following code positions:

0750-076A, 1980-19A9, 19B0-19B6, 19BC-19CC, 19CE-19D9, 19DE-19DF, 1A00-1A1B, 1A1E-1A1F, 1DC0-1DC1, 2C00-2C2E, 2C30-2C5E, 2C80-2C9A, 2CA0-2CBF, 2D00-2D25, 2E00-2E17, A800-A82B, A840-A873, 10140-10189, 103A0-103C3, 103C8-103D5, 10A00-10A03, 10A05-10A06, 10A0C-10A13, 10A15-10A17, 10A19-10A33, 10A38-10A3A, 10A3F-10A47, 10A50-10A58, 1D200-1D245

Page 1349, Annex A.1

In the list of collection numbers and names, after

111 YIJING HEXAGRAM SYMBOLS

insert new entries as follows:

112 ARABIC SUPPLEMENT	0750-077F
113 TAI LUE	1980-19DF
114 BUGINESE	1A00-1A1F
115 COMBINING DIACRITICAL MARKS SUPPLEMENT	1DC0-1DFF
116 GLAGOLITIC	2C00-2C5F
117 COPTIC	03E2-03EF 2C80-2CCF
118 GEORGIAN SUPPLEMENT	2D00-2D2F

119 SUPPLEMENTAL PUNCTUATION	2E00-2E7F
120 SYLOTI NAGRI	A800-A82F
121 PHAGS-PA	A840-A87F

after

1014 TAI XUAN JING SYMBOLS

insert new entries as follows:

1015 ANCIENT GREEK NUMBERS	10140-1018F
1016 OLD PERSIAN	103A0-103DF
1017 KHAROSHTHI	10A00-10A5F
1018 ANCIENT GREEK MUSICAL NOTATION	1D200-1D24F

Page 1351, annex A.1

In the list of collections numbers and names, after

305 UNICODE 4.0 See A6.3 *

insert the new entry:

306 UNICODE 4.1 See A6.4 *

Under Note 1, after “104”, add “,113, 114, 115, 120.”. Replace “and 1005” by “1005, 1017 and 1018”.

In the alphabetical list of keywords in Note 4, add collections “112” to the entry “Arabic”;

Add collection “115” to the entries “Combining” and “Diacritical Marks”;

Add collection “117” to the entry “Coptic”;

Add collection “118” to the entry “Georgian”;

Add collection “119” to the entry “Punctuation”;

Add collection “1004” to the entry “Musical symbols”;

Add collections “1009” and “1015” to the entry “Number”.

In the alphabetical list of keywords, insert the following entries:

Ancient Greek	1015 1018
Buginese	114
Glagolitic	116
Kharoshthi	1017
Musical notation	1018
Old Persian	1016
Phags-pa	121
Syloti Nagri	120
Tai Lue	113

Page 1352, Annex A.2.1

In the list of blocks in the BMP, insert the following new entries:

ARABIC SUPPLEMENT	0750-077F
-------------------	-----------

TAI LUE	1980-19DF
BUGINESE	1A00-1A1F
COMBINING DIACRITICAL MARKS SUPPLEMENT	1DC0-1DFF
GLAGOLITIC	2C00-2C5F
COPTIC	2C80-2CCF
GEORGIAN SUPPLEMENT	2D00-2D2F
SUPPLEMENTAL PUNCTUATION	2E00-2E7F
SYLOTI NAGRI	A800-A82F
PHAGS-PA	A840-A87F

27	C0-C2
2B	0E-13
2C	00-2E 30-5E 80-9A A0-BF
2D	00-25
2E	00-17
A8	00-2B 40-73

Plane 01Row Positions (cells)

01	40-89
03	A0-C3 C8-D5
0A	00-03 05-06 0C-13 15-17 19-33 38-3A 3F-47 50-58
D2	00-45
D6	A4-A5

Page 1353, Annex A.2.2

In the list of blocks in the SMP, insert the following new entries:

ANCIENT GREEK NUMBERS	10140-1018F
OLD PERSIAN	103A0-103DF
KHAROSHTHI	10A00-10A5F
ANCIENT GREEK MUSICAL NOTATION	1D200-1D24F

Page 1357, annex A.6.2 304 UNICODE 3.2

Change the text of the first paragraph as follows:

304 The fixed collection UNICODE 3.2 consists of fixed collections from clauses A.1 and A.6 and several ranges of code positions arranged by plane as follows.

Page 1357, annex A.6 Unicode Collections

At the end of Annex A.6 add new clause A.6.4 as follows.

A.6.4 306 UNICODE 4.1

306 The fixed collection UNICODE 4.1 consists of a fixed collection from A.6 and several ranges of code positions. The collection list is arranged by planes as follows.

Plane 00-10Collection number and name

305 UNICODE 4.0

Plane 00Row Positions (cells)

02	37-38
03	59-5C FC-FF
04	F6-F7
06	0B 1E 59-5C
07	50-6A
09	7D
0B	B6
10	F9-FA FC
19	80-A9 B0-B6 BC-CC CE-D9 DE-DF
1A	00-1B 1E-1F
1D	6C-79 C0-C1
20	55-56 58-5E B2-B3 EB
21	3C 4C
23	D1-D9
26	18 7E-7F 92-9C A2-B1

Page 1358, Annex B.1 List of all combining characters

In the first paragraph, after "(0300 to 036F)," add "COMBINING DIACRITICAL MARKS SUPPLEMENT (1DC0 to 1DFF),".

In B.1, List of all combining characters, insert the following new entries:

0659	ARABIC ZWARAKAY
065A	ARABIC VOWEL SIGN SMALL V ABOVE
065B	ARABIC VOWEL SIGN INVERTED SMALL V ABOVE
065C	ARABIC VOWEL SIGN DOT BELOW
19BC	TAI LUE VOWEL SIGN A
19BD	TAI LUE VOWEL SIGN AA
19BE	TAI LUE VOWEL SIGN II
19BF	TAI LUE VOWEL SIGN U
19C0	TAI LUE VOWEL SIGN UU
19C1	TAI LUE VOWEL SIGN EE
19C2	TAI LUE VOWEL SIGN E
19C3	TAI LUE VOWEL SIGN OO
19C4	TAI LUE VOWEL SIGN O
19C5	TAI LUE VOWEL SIGN UE
19C6	TAI LUE VOWEL SIGN AY
19C7	TAI LUE VOWEL SIGN AAY
19C8	TAI LUE VOWEL SIGN UY
19C9	TAI LUE VOWEL SIGN OUY
19CA	TAI LUE VOWEL SIGN OY
19CB	TAI LUE VOWEL SIGN UEY
19CC	TAI LUE VOWEL SIGN IY
19CE	TAI LUE TONE MARK-1
19CF	TAI LUE TONE MARK-2
1A17	BUGINESE VOWEL SIGN I
1A18	BUGINESE VOWEL SIGN U
1A19	BUGINESE VOWEL SIGN E
1A1A	BUGINESE VOWEL SIGN O
1A1B	BUGINESE VOWEL SIGN AE
A802	SYLOTI NAGRI SIGN DVISVARA
A806	SYLOTI NAGRI SIGN HASANTA
A80B	SYLOTI NAGRI SIGN ANUSVARA
A823	SYLOTI NAGRI VOWEL SIGN A
A824	SYLOTI NAGRI VOWEL SIGN I
A825	SYLOTI NAGRI VOWEL SIGN U
A826	SYLOTI NAGRI VOWEL SIGN E
A827	SYLOTI NAGRI VOWEL SIGN OO
10A01	KHAROSHTHI VOWEL SIGN I
10A02	KHAROSHTHI VOWEL SIGN U

10A03 KHAROSHTHI VOWEL SIGN VOCALIC R
 10A05 KHAROSHTHI VOWEL SIGN E
 10A06 KHAROSHTHI VOWEL SIGN O
 10A0C KHAROSHTHI VOWEL LENGTH MARK
 10A0D KHAROSHTHI SIGN DOUBLE RING BELOW
 10A0E KHAROSHTHI SIGN ANUSVARA
 10A0F KHAROSHTHI SIGN VISARGA
 10A38 KHAROSHTHI SIGN BAR ABOVE
 10A39 KHAROSHTHI SIGN CAUDA
 10A3A KHAROSHTHI SIGN DOT BELOW
 1D242 COMBINING GREEK MUSICAL TRISEME
 1D243 COMBINING GREEK MUSICAL TETRASEME
 1D244 COMBINING GREEK MUSICAL PENTASEME

Page 1371, Annex E.1 Mathematical symbols

Change the clause title to say “Mathematical symbols and paired characters”

In the list of characters, insert the following new characters:

2E02 LEFT SUBSTITUTION BRACKET
 2E03 RIGHT SUBSTITUTION BRACKET
 2E04 LEFT DOTTED SUBSTITUTION BRACKET
 2E05 RIGHT DOTTED SUBSTITUTION BRACKET
 2E09 LEFT TRANSPOSITION BRACKET
 2E0A RIGHT TRANSPOSITION BRACKET

Page 1376, Annex F.2 Script-specific format characters

Add a new sub-clause F.2.6

F.2.6 Kharoshthi virama

KHAROSHTHI VIRAMA (10A3F): This character suppresses the inherent vowel of the Kharoshthi consonant to which it is applied.

Page 1377, Annex F.5 Subtending format characters

Insert the following entry in the list of characters:

0603 ARABIC SIGN SAFHA

Page 1379, Annex G

Insert each of the new character name entries at the appropriate position, ordered alphabetically by the character name, in the list of character names in Annex G. These new names are provided in a machine-readable format that is accessible as a link to this document.

[Click on this highlighted text to access the file containing the new names.](#)

NOTE – The content is also available as a separate viewable file in the same file directory as this document. The file is named: “Am1names.txt”.

Table 6 - Rows 01-02: Latin Extended-B

	01F	020	021	022	023	024
0	ĵ 01F0	À 0200	Ř 0210	η 0220	Ō 0230	
1	DZ 01F1	à 0201	ř 0211	ɥ 0221	ō 0231	
2	Dz 01F2	Â 0202	Ř 0212	8 0222	Ȳ 0232	
3	dz 01F3	â 0203	ř 0213	8 0223	ȳ 0233	
4	Ĝ 01F4	È 0204	Û 0214	Z 0224	ł 0234	
5	ĝ 01F5	è 0205	û 0215	z 0225	ŋ 0235	
6	Hu 01F6	Ê 0206	Û 0216	À 0226	ł 0236	
7	Ɔ 01F7	ê 0207	û 0217	à 0227	J 0237	
8	Ñ 01F8	Ï 0208	Ş 0218	Ɔ 0228	th 0238	
9	ñ 01F9	ï 0209	ş 0219	ç 0229		
A	Á 01FA	Î 020A	Ț 021A	Ō 022A		
B	á 01FB	î 020B	ț 021B	ō 022B		
C	Æ 01FC	Ò 020C	Ɔ 021C	Ō 022C		
D	æ 01FD	ò 020D	Ɔ 021D	ō 022D		
E	Ø 01FE	Ô 020E	Ĥ 021E	Ò 022E		
F	ø 01FF	ô 020F	ĥ 021F	ó 022F		

G = 00
P = 00

Table 6 - Rows 01-02: Latin Extended-B

HEX	NAME	HEX	NAME
01F0	LATIN SMALL LETTER J WITH CARON	024D	(This position shall not be used)
01F1	LATIN CAPITAL LETTER DZ	024E	(This position shall not be used)
01F2	LATIN CAPITAL LETTER D WITH SMALL LETTER Z	024F	(This position shall not be used)
01F3	LATIN SMALL LETTER DZ		
01F4	LATIN CAPITAL LETTER G WITH ACUTE		
01F5	LATIN SMALL LETTER G WITH ACUTE		
01F6	LATIN CAPITAL LETTER HWAIR		
01F7	LATIN CAPITAL LETTER WYNN		
01F8	LATIN CAPITAL LETTER N WITH GRAVE		
01F9	LATIN SMALL LETTER N WITH GRAVE		
01FA	LATIN CAPITAL LETTER A WITH RING ABOVE AND ACUTE		
01FB	LATIN SMALL LETTER A WITH RING ABOVE AND ACUTE		
01FC	LATIN CAPITAL LETTER AE WITH ACUTE (ash) *		
01FD	LATIN SMALL LETTER AE WITH ACUTE (ash) *		
01FE	LATIN CAPITAL LETTER O WITH STROKE AND ACUTE		
01FF	LATIN SMALL LETTER O WITH STROKE AND ACUTE		
0200	LATIN CAPITAL LETTER A WITH DOUBLE GRAVE		
0201	LATIN SMALL LETTER A WITH DOUBLE GRAVE		
0202	LATIN CAPITAL LETTER A WITH INVERTED BREVE		
0203	LATIN SMALL LETTER A WITH INVERTED BREVE		
0204	LATIN CAPITAL LETTER E WITH DOUBLE GRAVE		
0205	LATIN SMALL LETTER E WITH DOUBLE GRAVE		
0206	LATIN CAPITAL LETTER E WITH INVERTED BREVE		
0207	LATIN SMALL LETTER E WITH INVERTED BREVE		
0208	LATIN CAPITAL LETTER I WITH DOUBLE GRAVE		
0209	LATIN SMALL LETTER I WITH DOUBLE GRAVE		
020A	LATIN CAPITAL LETTER I WITH INVERTED BREVE		
020B	LATIN SMALL LETTER I WITH INVERTED BREVE		
020C	LATIN CAPITAL LETTER O WITH DOUBLE GRAVE		
020D	LATIN SMALL LETTER O WITH DOUBLE GRAVE		
020E	LATIN CAPITAL LETTER O WITH INVERTED BREVE		
020F	LATIN SMALL LETTER O WITH INVERTED BREVE		
0210	LATIN CAPITAL LETTER R WITH DOUBLE GRAVE		
0211	LATIN SMALL LETTER R WITH DOUBLE GRAVE		
0212	LATIN CAPITAL LETTER R WITH INVERTED BREVE		
0213	LATIN SMALL LETTER R WITH INVERTED BREVE		
0214	LATIN CAPITAL LETTER U WITH DOUBLE GRAVE		
0215	LATIN SMALL LETTER U WITH DOUBLE GRAVE		
0216	LATIN CAPITAL LETTER U WITH INVERTED BREVE		
0217	LATIN SMALL LETTER U WITH INVERTED BREVE		
0218	LATIN CAPITAL LETTER S WITH COMMA BELOW *		
0219	LATIN SMALL LETTER S WITH COMMA BELOW *		
021A	LATIN CAPITAL LETTER T WITH COMMA BELOW *		
021B	LATIN SMALL LETTER T WITH COMMA BELOW *		
021C	LATIN CAPITAL LETTER YOGH		
021D	LATIN SMALL LETTER YOGH		
021E	LATIN CAPITAL LETTER H WITH CARON		
021F	LATIN SMALL LETTER H WITH CARON		
0220	LATIN CAPITAL LETTER N WITH LONG RIGHT LEG		
0221	LATIN SMALL LETTER D WITH CURL		
0222	LATIN CAPITAL LETTER OU		
0223	LATIN SMALL LETTER OU		
0224	LATIN CAPITAL LETTER Z WITH HOOK		
0225	LATIN SMALL LETTER Z WITH HOOK		
0226	LATIN CAPITAL LETTER A WITH DOT ABOVE		
0227	LATIN SMALL LETTER A WITH DOT ABOVE		
0228	LATIN CAPITAL LETTER E WITH CEDILLA		
0229	LATIN SMALL LETTER E WITH CEDILLA		
022A	LATIN CAPITAL LETTER O WITH DIAERESIS AND MACRON		
022B	LATIN SMALL LETTER O WITH DIAERESIS AND MACRON		
022C	LATIN CAPITAL LETTER O WITH TILDE AND MACRON		
022D	LATIN SMALL LETTER O WITH TILDE AND MACRON		
022E	LATIN CAPITAL LETTER O WITH DOT ABOVE		
022F	LATIN SMALL LETTER O WITH DOT ABOVE		
0230	LATIN CAPITAL LETTER O WITH DOT ABOVE AND MACRON		
0231	LATIN SMALL LETTER O WITH DOT ABOVE AND MACRON		
0232	LATIN CAPITAL LETTER Y WITH MACRON		
0233	LATIN SMALL LETTER Y WITH MACRON		
0234	LATIN SMALL LETTER L WITH CURL		
0235	LATIN SMALL LETTER N WITH CURL		
0236	LATIN SMALL LETTER T WITH CURL		
0237	LATIN SMALL LETTER DOTLESS J		
0238	LATIN SMALL LETTER TH WITH STRIKETHROUGH		
0239	(This position shall not be used)		
023A	(This position shall not be used)		
023B	(This position shall not be used)		
023C	(This position shall not be used)		
023D	(This position shall not be used)		
023E	(This position shall not be used)		
023F	(This position shall not be used)		
0240	(This position shall not be used)		
0241	(This position shall not be used)		
0242	(This position shall not be used)		
0243	(This position shall not be used)		
0244	(This position shall not be used)		
0245	(This position shall not be used)		
0246	(This position shall not be used)		
0247	(This position shall not be used)		
0248	(This position shall not be used)		
0249	(This position shall not be used)		
024A	(This position shall not be used)		
024B	(This position shall not be used)		
024C	(This position shall not be used)		

Group 00

Plane 00

Row 01

Table 9 - Row 03: Combining Diacritical Marks

	030	031	032	033	034	035	036
0	0300	0310	0320	0330	0340	0350	0360
1	0301	0311	0321	0331	0341	0351	0361
2	0302	0312	0322	0332	0342	0352	0362
3	0303	0313	0323	0333	0343	0353	a
4	0304	0314	0324	0334	0344	0354	e
5	0305	0315	0325	0335	0345	0355	i
6	0306	0316	0326	0336	0346	0356	o
7	0307	0317	0327	0337	0347	0357	u
8	0308	0318	0328	0338	0348	0358	c
9	0309	0319	0329	0339	0349	0359	d
A	030A	031A	032A	033A	034A	035A	h
B	030B	031B	032B	033B	034B	035B	m
C	030C	031C	032C	033C	034C	035C	r
D	030D	031D	032D	033D	034D	035D	t
E	030E	031E	032E	033E	034E	035E	v
F	030F	031F	032F	033F	034F	035F	x

G = 00
P = 00

Table 9 - Row 03: Combining Diacritical Marks

HEX	NAME	HEX	NAME
0300	COMBINING GRAVE ACCENT (Varia)	035D	COMBINING DOUBLE BREVE
0301	COMBINING ACUTE ACCENT (Oxia, Tonos)	035E	COMBINING DOUBLE MACRON
0302	COMBINING CIRCUMFLEX ACCENT	035F	COMBINING DOUBLE MACRON BELOW
0303	COMBINING TILDE	0360	COMBINING DOUBLE TILDE
0304	COMBINING MACRON	0361	COMBINING DOUBLE INVERTED BREVE
0305	COMBINING OVERLINE	0362	COMBINING DOUBLE RIGHTWARDS ARROW BELOW
0306	COMBINING BREVE (Vrachy)	0363	COMBINING LATIN SMALL LETTER A
0307	COMBINING DOT ABOVE	0364	COMBINING LATIN SMALL LETTER E
0308	COMBINING DIAERESIS (Dialytika)	0365	COMBINING LATIN SMALL LETTER I
0309	COMBINING HOOK ABOVE	0366	COMBINING LATIN SMALL LETTER O
030A	COMBINING RING ABOVE	0367	COMBINING LATIN SMALL LETTER U
030B	COMBINING DOUBLE ACUTE ACCENT	0368	COMBINING LATIN SMALL LETTER C
030C	COMBINING CARON	0369	COMBINING LATIN SMALL LETTER D
030D	COMBINING VERTICAL LINE ABOVE	036A	COMBINING LATIN SMALL LETTER H
030E	COMBINING DOUBLE VERTICAL LINE ABOVE	036B	COMBINING LATIN SMALL LETTER M
030F	COMBINING DOUBLE GRAVE ACCENT	036C	COMBINING LATIN SMALL LETTER R
0310	COMBINING CANDRABINDU	036D	COMBINING LATIN SMALL LETTER T
0311	COMBINING INVERTED BREVE	036E	COMBINING LATIN SMALL LETTER V
0312	COMBINING TURNED COMMA ABOVE	036F	COMBINING LATIN SMALL LETTER X
0313	COMBINING COMMA ABOVE (Psi)		
0314	COMBINING REVERSED COMMA ABOVE (Dasia)		
0315	COMBINING COMMA ABOVE RIGHT		
0316	COMBINING GRAVE ACCENT BELOW		
0317	COMBINING ACUTE ACCENT BELOW		
0318	COMBINING LEFT TACK BELOW		
0319	COMBINING RIGHT TACK BELOW		
031A	COMBINING LEFT ANGLE ABOVE		
031B	COMBINING HORN		
031C	COMBINING LEFT HALF RING BELOW		
031D	COMBINING UP TACK BELOW		
031E	COMBINING DOWN TACK BELOW		
031F	COMBINING PLUS SIGN BELOW		
0320	COMBINING MINUS SIGN BELOW		
0321	COMBINING PALATALIZED HOOK BELOW		
0322	COMBINING RETROFLEX HOOK BELOW		
0323	COMBINING DOT BELOW		
0324	COMBINING DIAERESIS BELOW		
0325	COMBINING RING BELOW		
0326	COMBINING COMMA BELOW		
0327	COMBINING CEDILLA		
0328	COMBINING OGONEK		
0329	COMBINING VERTICAL LINE BELOW		
032A	COMBINING BRIDGE BELOW		
032B	COMBINING INVERTED DOUBLE ARCH BELOW		
032C	COMBINING CARON BELOW		
032D	COMBINING CIRCUMFLEX ACCENT BELOW		
032E	COMBINING BREVE BELOW		
032F	COMBINING INVERTED BREVE BELOW		
0330	COMBINING TILDE BELOW		
0331	COMBINING MACRON BELOW		
0332	COMBINING LOW LINE		
0333	COMBINING DOUBLE LOW LINE		
0334	COMBINING TILDE OVERLAY		
0335	COMBINING SHORT STROKE OVERLAY		
0336	COMBINING LONG STROKE OVERLAY		
0337	COMBINING SHORT SOLIDUS OVERLAY		
0338	COMBINING LONG SOLIDUS OVERLAY		
0339	COMBINING RIGHT HALF RING BELOW		
033A	COMBINING INVERTED BRIDGE BELOW		
033B	COMBINING SQUARE BELOW		
033C	COMBINING SEAGULL BELOW		
033D	COMBINING X ABOVE		
033E	COMBINING VERTICAL TILDE		
033F	COMBINING DOUBLE OVERLINE		
0340	COMBINING GRAVE TONE MARK (Vietnamese)		
0341	COMBINING ACUTE TONE MARK (Vietnamese)		
0342	COMBINING GREEK PERISPOMENI		
0343	COMBINING GREEK KORONIS		
0344	COMBINING GREEK DIALYTIKA TONOS		
0345	COMBINING GREEK YPOGRAMMENI		
0346	COMBINING BRIDGE ABOVE		
0347	COMBINING EQUALS SIGN BELOW		
0348	COMBINING DOUBLE VERTICAL LINE BELOW		
0349	COMBINING LEFT ANGLE BELOW		
034A	COMBINING NOT TILDE ABOVE		
034B	COMBINING HOMOTHETIC ABOVE		
034C	COMBINING ALMOST EQUAL TO ABOVE		
034D	COMBINING LEFT RIGHT ARROW BELOW		
034E	COMBINING UPWARDS ARROW BELOW		
034F	COMBINING GRAPHEME JOINER		
0350	COMBINING RIGHT ARROWHEAD ABOVE		
0351	COMBINING LEFT HALF RING ABOVE		
0352	COMBINING FERMATA		
0353	COMBINING X BELOW		
0354	COMBINING LEFT ARROWHEAD BELOW		
0355	COMBINING RIGHT ARROWHEAD BELOW		
0356	COMBINING RIGHT ARROWHEAD AND UP ARROWHEAD BELOW		
0357	COMBINING RIGHT HALF RING ABOVE		
0358	(This position shall not be used)		
0359	COMBINING ASTERISK BELOW		
035A	COMBINING DOUBLE RING BELOW		
035B	COMBINING ZIGZAG ABOVE		
035C	COMBINING DOUBLE BREVE BELOW		

Group 00

Plane 00

Row 03

Table 10 - Row 03: Greek and Coptic

	037	038	039	03A	03B	03C	03D	03E	03F
0			ΐ 0390	Π 03A0	Û 03B0	π 03C0	β 03D0	ϣ 03E0	κ 03F0
1			Α 0391	Ρ 03A1	α 03B1	ρ 03C1	ϑ 03D1	ϣ 03E1	ϱ 03F1
2			Β 0392		β 03B2	ς 03C2	Υ 03D2	ϣ 03E2	Ϸ 03F2
3			Γ 0393	Σ 03A3	γ 03B3	σ 03C3	Υ 03D3	ϣ 03E3	ι 03F3
4	΄ 0374	΄ 0384	Δ 0394	Τ 03A4	δ 03B4	τ 03C4	ÿ 03D4	ϥ 03E4	Θ 03F4
5	΄ 0375	΄ 0385	Ε 0395	Υ 03A5	ε 03B5	υ 03C5	φ 03D5	ϥ 03E5	€ 03F5
6		À 0386	Ζ 0396	Φ 03A6	ζ 03B6	φ 03C6	ω 03D6	ϣ 03E6	ε 03F6
7		· 0387	Η 0397	Χ 03A7	η 03B7	χ 03C7	ϣ 03D7	ϣ 03E7	Ϸ 03F7
8		Έ 0388	Θ 0398	Ψ 03A8	θ 03B8	ψ 03C8	Ϸ 03D8	ϣ 03E8	Ϸ 03F8
9		Ή 0389	Ι 0399	Ω 03A9	ι 03B9	ω 03C9	Ϸ 03D9	ϣ 03E9	Ϸ 03F9
A	΄ 037A	Ή 038A	Κ 039A	Ϊ 03AA	κ 03BA	ϊ 03CA	Σ 03DA	Χ 03EA	Μ 03FA
B			Λ 039B	ÿ 03AB	λ 03BB	ÿ 03CB	ς 03DB	ϣ 03EB	Ϸ 03FB
C		Ό 038C	Μ 039C	ά 03AC	μ 03BC	ό 03CC	Ϸ 03DC	Ϸ 03EC	Ϸ 03FC
D			Ν 039D	έ 03AD	ν 03BD	ύ 03CD	Ϸ 03DD	Ϸ 03ED	Ϸ 03FD
E	΄ 037E	Ή 038E	Ξ 039E	ή 03AE	ξ 03BE	ώ 03CE	Ϸ 03DE	Ϸ 03EE	Ϸ 03FE
F		Ό 038F	Ο 039F	ί 03AF	ο 03BF		Ϸ 03DF	Ϸ 03EF	Ϸ 03FF

G = 00
P = 00

Table 10 - Row 03: Greek and Coptic





HEX	NAME	HEX	NAME
0370	(This position shall not be used)	03CD	GREEK SMALL LETTER UPSILON WITH TONOS
0371	(This position shall not be used)	03CE	GREEK SMALL LETTER OMEGA WITH TONOS
0372	(This position shall not be used)	03CF	(This position shall not be used)
0373	(This position shall not be used)	03D0	GREEK BETA SYMBOL
0374	GREEK NUMERAL SIGN (Dexia kerai)	03D1	GREEK THETA SYMBOL
0375	GREEK LOWER NUMERAL SIGN (Aristeri kerai)	03D2	GREEK UPSILON WITH HOOK SYMBOL
0376	(This position shall not be used)	03D3	GREEK UPSILON WITH ACUTE AND HOOK SYMBOL
0377	(This position shall not be used)	03D4	GREEK UPSILON WITH DIAERESIS AND HOOK SYMBOL
0378	(This position shall not be used)	03D5	GREEK PHI SYMBOL
0379	(This position shall not be used)	03D6	GREEK PI SYMBOL
037A	GREEK YPOGEGRAMMENI	03D7	GREEK KAI SYMBOL
037B	(This position shall not be used)	03D8	GREEK LETTER ARCHAIC KOPPA *
037C	(This position shall not be used)	03D9	GREEK SMALL LETTER ARCHAIC KOPPA *
037D	(This position shall not be used)	03DA	GREEK LETTER STIGMA
037E	GREEK QUESTION MARK (Erotimatiko)	03DB	GREEK SMALL LETTER STIGMA
037F	(This position shall not be used)	03DC	GREEK LETTER DIGAMMA
0380	(This position shall not be used)	03DD	GREEK SMALL LETTER DIGAMMA
0381	(This position shall not be used)	03DE	GREEK LETTER KOPPA
0382	(This position shall not be used)	03DF	GREEK SMALL LETTER KOPPA
0383	(This position shall not be used)	03E0	GREEK LETTER SAMPI
0384	GREEK TONOS	03E1	GREEK SMALL LETTER SAMPI
0385	GREEK DIALYTIKA TONOS	03E2	COPTIC CAPITAL LETTER SHEI
0386	GREEK CAPITAL LETTER ALPHA WITH TONOS	03E3	COPTIC SMALL LETTER SHEI
0387	GREEK ANO TELEIA	03E4	COPTIC CAPITAL LETTER FEI
0388	GREEK CAPITAL LETTER EPSILON WITH TONOS	03E5	COPTIC SMALL LETTER FEI
0389	GREEK CAPITAL LETTER ETA WITH TONOS	03E6	COPTIC CAPITAL LETTER KHEI
038A	GREEK CAPITAL LETTER IOTA WITH TONOS	03E7	COPTIC SMALL LETTER KHEI
038B	(This position shall not be used)	03E8	COPTIC CAPITAL LETTER HORI
038C	GREEK CAPITAL LETTER OMICRON WITH TONOS	03E9	COPTIC SMALL LETTER HORI
038D	(This position shall not be used)	03EA	COPTIC CAPITAL LETTER GANGIA
038E	GREEK CAPITAL LETTER UPSILON WITH TONOS	03EB	COPTIC SMALL LETTER GANGIA
038F	GREEK CAPITAL LETTER OMEGA WITH TONOS	03EC	COPTIC CAPITAL LETTER SHIMA
0390	GREEK SMALL LETTER IOTA WITH DIALYTIKA AND TONOS	03ED	COPTIC SMALL LETTER SHIMA
0391	GREEK CAPITAL LETTER ALPHA	03EE	COPTIC CAPITAL LETTER DEI
0392	GREEK CAPITAL LETTER BETA	03EF	COPTIC SMALL LETTER DEI
0393	GREEK CAPITAL LETTER GAMMA	03F0	GREEK KAPPA SYMBOL
0394	GREEK CAPITAL LETTER DELTA	03F1	GREEK RHO SYMBOL
0395	GREEK CAPITAL LETTER EPSILON	03F2	GREEK LUNATE SIGMA SYMBOL
0396	GREEK CAPITAL LETTER ZETA	03F3	GREEK LETTER YOT
0397	GREEK CAPITAL LETTER ETA	03F4	GREEK CAPITAL THETA SYMBOL
0398	GREEK CAPITAL LETTER THETA	03F5	GREEK LUNATE EPSILON SYMBOL
0399	GREEK CAPITAL LETTER IOTA	03F6	GREEK REVERSED LUNATE EPSILON SYMBOL
039A	GREEK CAPITAL LETTER KAPPA	03F7	GREEK CAPITAL LETTER SHO
039B	GREEK CAPITAL LETTER LAMDA	03F8	GREEK SMALL LETTER SHO
039C	GREEK CAPITAL LETTER MU	03F9	GREEK CAPITAL LUNATE SIGMA SYMBOL
039D	GREEK CAPITAL LETTER NU	03FA	GREEK CAPITAL LETTER SAN
039E	GREEK CAPITAL LETTER XI	03FB	GREEK SMALL LETTER SAN
039F	GREEK CAPITAL LETTER OMICRON	03FC	GREEK RHO WITH STROKE SYMBOL
03A0	GREEK CAPITAL LETTER PI	03FD	REVERSED GREEK CAPITAL LUNATE SIGMA SYMBOL
03A1	GREEK CAPITAL LETTER RHO	03FE	DOTTED GREEK CAPITAL LUNATE SIGMA SYMBOL
03A2	(This position shall not be used)	03FF	REVERSED DOTTED GREEK CAPITAL LUNATE SIGMA SYMBOL
03A3	GREEK CAPITAL LETTER SIGMA		
03A4	GREEK CAPITAL LETTER TAU		
03A5	GREEK CAPITAL LETTER UPSILON		
03A6	GREEK CAPITAL LETTER PHI		
03A7	GREEK CAPITAL LETTER CHI		
03A8	GREEK CAPITAL LETTER PSI		
03A9	GREEK CAPITAL LETTER OMEGA		
03AA	GREEK CAPITAL LETTER IOTA WITH DIALYTIKA		
03AB	GREEK CAPITAL LETTER UPSILON WITH DIALYTIKA		
03AC	GREEK SMALL LETTER ALPHA WITH TONOS		
03AD	GREEK SMALL LETTER EPSILON WITH TONOS		
03AE	GREEK SMALL LETTER ETA WITH TONOS		
03AF	GREEK SMALL LETTER IOTA WITH TONOS		
03B0	GREEK SMALL LETTER UPSILON WITH DIALYTIKA AND TONOS		
03B1	GREEK SMALL LETTER ALPHA		
03B2	GREEK SMALL LETTER BETA		
03B3	GREEK SMALL LETTER GAMMA		
03B4	GREEK SMALL LETTER DELTA		
03B5	GREEK SMALL LETTER EPSILON		
03B6	GREEK SMALL LETTER ZETA		
03B7	GREEK SMALL LETTER ETA		
03B8	GREEK SMALL LETTER THETA		
03B9	GREEK SMALL LETTER IOTA		
03BA	GREEK SMALL LETTER KAPPA		
03BB	GREEK SMALL LETTER LAMDA		
03BC	GREEK SMALL LETTER MU		
03BD	GREEK SMALL LETTER NU		
03BE	GREEK SMALL LETTER XI		
03BF	GREEK SMALL LETTER OMICRON		
03C0	GREEK SMALL LETTER PI		
03C1	GREEK SMALL LETTER RHO		
03C2	GREEK SMALL LETTER FINAL SIGMA		
03C3	GREEK SMALL LETTER SIGMA		
03C4	GREEK SMALL LETTER TAU		
03C5	GREEK SMALL LETTER UPSILON		
03C6	GREEK SMALL LETTER PHI		
03C7	GREEK SMALL LETTER CHI		
03C8	GREEK SMALL LETTER PSI		
03C9	GREEK SMALL LETTER OMEGA		
03CA	GREEK SMALL LETTER IOTA WITH DIALYTIKA		
03CB	GREEK SMALL LETTER UPSILON WITH DIALYTIKA		
03CC	GREEK SMALL LETTER OMICRON WITH TONOS		

Group 00

Plane 00

Row 03

Table 12 - Row 04: Cyrillic

	048	049	04A	04B	04C	04D	04E	04F
0	Ѕ 0480	Г 0490	К 04A0	У 04B0	І 04C0	Ӑ 04D0	З 04E0	ӱ 04F0
1	Ѕ 0481	Г 0491	к 04A1	у 04B1	Ӗ 04C1	ӓ 04D1	з 04E1	ӱ 04F1
2	Ѕ 0482	Ғ 0492	Ң 04A2	Х 04B2	ӗ 04C2	Ӑ 04D2	Й 04E2	ӱ 04F2
3	Ѕ 0483	Ғ 0493	Ң 04A3	х 04B3	Ӗ 04C3	ӓ 04D3	й 04E3	ӱ 04F3
4	Ѕ 0484	Ӗ 0494	Н 04A4	Ц 04B4	Ӗ 04C4	Ӑ 04D4	Й 04E4	ӱ 04F4
5	Ѕ 0485	Ӗ 0495	н 04A5	ц 04B5	Ӗ 04C5	ӓ 04D5	й 04E5	ӱ 04F5
6	Ѕ 0486	Ӗ 0496	Ӗ 04A6	ӱ 04B6	Ӗ 04C6	Ӑ 04D6	Ӑ 04E6	Ӗ 04F6
7		Ӗ 0497	Ӗ 04A7	ӱ 04B7	Ӗ 04C7	ӓ 04D7	ӓ 04E7	Ӗ 04F7
8	Ӗ 0488	Ӗ 0498	Ӗ 04A8	ӱ 04B8	Ӗ 04C8	ӓ 04D8	ӓ 04E8	Ӗ 04F8
9	Ӗ 0489	Ӗ 0499	Ӗ 04A9	ӱ 04B9	Ӗ 04C9	ӓ 04D9	ӓ 04E9	Ӗ 04F9
A	Ӗ 048A	Ӗ 049A	Ӗ 04AA	Ӗ 04BA	Ӗ 04CA	Ӗ 04DA	Ӗ 04EA	
B	Ӗ 048B	Ӗ 049B	Ӗ 04AB	Ӗ 04BB	Ӗ 04CB	Ӗ 04DB	Ӗ 04EB	
C	Ӗ 048C	Ӗ 049C	Ӗ 04AC	Ӗ 04BC	Ӗ 04CC	Ӗ 04DC	Ӗ 04EC	
D	Ӗ 048D	Ӗ 049D	Ӗ 04AD	Ӗ 04BD	Ӗ 04CD	Ӗ 04DD	Ӗ 04ED	
E	Ӗ 048E	Ӗ 049E	Ӗ 04AE	Ӗ 04BE	Ӗ 04CE	Ӗ 04DE	Ӗ 04EE	
F	Ӗ 048F	Ӗ 049F	Ӗ 04AF	Ӗ 04BF		Ӗ 04DF	Ӗ 04EF	

G = 00
P = 00

Table 12 - Row 04: Cyrillic




















































HEX	NAME	HEX	NAME
0480	CYRILLIC CAPITAL LETTER KOPPA	04DD	CYRILLIC SMALL LETTER ZHE WITH DIAERESIS
0481	CYRILLIC SMALL LETTER KOPPA	04DE	CYRILLIC CAPITAL LETTER ZE WITH DIAERESIS
0482	CYRILLIC THOUSANDS SIGN	04DF	CYRILLIC SMALL LETTER ZE WITH DIAERESIS
0483	COMBINING CYRILLIC TITLO	04E0	CYRILLIC CAPITAL LETTER ABKHASIAN DZE
0484	COMBINING CYRILLIC PALATALIZATION	04E1	CYRILLIC SMALL LETTER ABKHASIAN DZE
0485	COMBINING CYRILLIC DASIA PNEUMATA	04E2	CYRILLIC CAPITAL LETTER I WITH MACRON
0486	COMBINING CYRILLIC PSILI PNEUMATA	04E3	CYRILLIC SMALL LETTER I WITH MACRON
0487	(This position shall not be used)	04E4	CYRILLIC CAPITAL LETTER I WITH DIAERESIS
0488	COMBINING CYRILLIC HUNDRED THOUSANDS SIGN	04E5	CYRILLIC SMALL LETTER I WITH DIAERESIS
0489	COMBINING CYRILLIC MILLIONS SIGN	04E6	CYRILLIC CAPITAL LETTER O WITH DIAERESIS
048A	CYRILLIC CAPITAL LETTER SHORT I WITH TAIL	04E7	CYRILLIC SMALL LETTER O WITH DIAERESIS
048B	CYRILLIC SMALL LETTER SHORT I WITH TAIL	04E8	CYRILLIC CAPITAL LETTER BARRED O
048C	CYRILLIC CAPITAL LETTER SEMISOFT SIGN	04E9	CYRILLIC SMALL LETTER BARRED O
048D	CYRILLIC SMALL LETTER SEMISOFT SIGN	04EA	CYRILLIC CAPITAL LETTER BARRED O WITH DIAERESIS
048E	CYRILLIC CAPITAL LETTER ER WITH TICK	04EB	CYRILLIC SMALL LETTER BARRED O WITH DIAERESIS
048F	CYRILLIC SMALL LETTER ER WITH TICK	04EC	CYRILLIC CAPITAL LETTER E WITH DIAERESIS
0490	CYRILLIC CAPITAL LETTER GHE WITH UPTURN	04ED	CYRILLIC SMALL LETTER E WITH DIAERESIS
0491	CYRILLIC SMALL LETTER GHE WITH UPTURN	04EE	CYRILLIC CAPITAL LETTER U WITH MACRON
0492	CYRILLIC CAPITAL LETTER GHE WITH STROKE	04EF	CYRILLIC SMALL LETTER U WITH MACRON
0493	CYRILLIC SMALL LETTER GHE WITH STROKE	04F0	CYRILLIC CAPITAL LETTER U WITH DIAERESIS
0494	CYRILLIC CAPITAL LETTER GHE WITH MIDDLE HOOK	04F1	CYRILLIC SMALL LETTER U WITH DIAERESIS
0495	CYRILLIC SMALL LETTER GHE WITH MIDDLE HOOK	04F2	CYRILLIC CAPITAL LETTER U WITH DOUBLE ACUTE
0496	CYRILLIC CAPITAL LETTER ZHE WITH DESCENDER	04F3	CYRILLIC SMALL LETTER U WITH DOUBLE ACUTE
0497	CYRILLIC SMALL LETTER ZHE WITH DESCENDER	04F4	CYRILLIC CAPITAL LETTER CHE WITH DIAERESIS
0498	CYRILLIC CAPITAL LETTER ZHE WITH DESCENDER	04F5	CYRILLIC SMALL LETTER CHE WITH DIAERESIS
0499	CYRILLIC SMALL LETTER ZE WITH DESCENDER	04F6	CYRILLIC CAPITAL LETTER GHE WITH DESCENDER
049A	CYRILLIC CAPITAL LETTER KA WITH DESCENDER	04F7	CYRILLIC SMALL LETTER GHE WITH DESCENDER
049B	CYRILLIC SMALL LETTER KA WITH DESCENDER	04F8	CYRILLIC CAPITAL LETTER YERU WITH DIAERESIS
049C	CYRILLIC CAPITAL LETTER KA WITH VERTICAL STROKE	04F9	CYRILLIC SMALL LETTER YERU WITH DIAERESIS
049D	CYRILLIC SMALL LETTER KA WITH VERTICAL STROKE	04FA	(This position shall not be used)
049E	CYRILLIC CAPITAL LETTER KA WITH STROKE	04FB	(This position shall not be used)
049F	CYRILLIC SMALL LETTER KA WITH STROKE	04FC	(This position shall not be used)
04A0	CYRILLIC CAPITAL LETTER BASHKIR KA	04FD	(This position shall not be used)
04A1	CYRILLIC SMALL LETTER BASHKIR KA	04FE	(This position shall not be used)
04A2	CYRILLIC CAPITAL LETTER EN WITH DESCENDER	04FF	(This position shall not be used)
04A3	CYRILLIC SMALL LETTER EN WITH DESCENDER		
04A4	CYRILLIC CAPITAL LIGATURE EN GHE		
04A5	CYRILLIC SMALL LIGATURE EN GHE		
04A6	CYRILLIC CAPITAL LETTER PE WITH MIDDLE HOOK (Abkhasian)		
04A7	CYRILLIC SMALL LETTER PE WITH MIDDLE HOOK (Abkhasian)		
04A8	CYRILLIC CAPITAL LETTER ABKHASIAN HA		
04A9	CYRILLIC SMALL LETTER ABKHASIAN HA		
04AA	CYRILLIC CAPITAL LETTER ES WITH DESCENDER		
04AB	CYRILLIC SMALL LETTER ES WITH DESCENDER		
04AC	CYRILLIC CAPITAL LETTER TE WITH DESCENDER		
04AD	CYRILLIC SMALL LETTER TE WITH DESCENDER		
04AE	CYRILLIC CAPITAL LETTER STRAIGHT U		
04AF	CYRILLIC SMALL LETTER STRAIGHT U		
04B0	CYRILLIC CAPITAL LETTER STRAIGHT U WITH STROKE		
04B1	CYRILLIC SMALL LETTER STRAIGHT U WITH STROKE		
04B2	CYRILLIC CAPITAL LETTER HA WITH DESCENDER		
04B3	CYRILLIC SMALL LETTER HA WITH DESCENDER		
04B4	CYRILLIC CAPITAL LIGATURE TE TSE (Abkhasian)		
04B5	CYRILLIC SMALL LIGATURE TE TSE (Abkhasian)		
04B6	CYRILLIC CAPITAL LETTER CHE WITH DESCENDER		
04B7	CYRILLIC SMALL LETTER CHE WITH DESCENDER		
04B8	CYRILLIC CAPITAL LETTER CHE WITH VERTICAL STROKE		
04B9	CYRILLIC SMALL LETTER CHE WITH VERTICAL STROKE		
04BA	CYRILLIC CAPITAL LETTER SHHA		
04BB	CYRILLIC SMALL LETTER SHHA		
04BC	CYRILLIC CAPITAL LETTER ABKHASIAN CHE		
04BD	CYRILLIC SMALL LETTER ABKHASIAN CHE		
04BE	CYRILLIC CAPITAL LETTER ABKHASIAN CHE WITH DESCENDER		
04BF	CYRILLIC SMALL LETTER ABKHASIAN CHE WITH DESCENDER		
04C0	CYRILLIC LETTER PALOCHKA		
04C1	CYRILLIC CAPITAL LETTER ZHE WITH BREVE		
04C2	CYRILLIC SMALL LETTER ZHE WITH BREVE		
04C3	CYRILLIC CAPITAL LETTER KA WITH HOOK		
04C4	CYRILLIC SMALL LETTER KA WITH HOOK		
04C5	CYRILLIC CAPITAL LETTER EL WITH TAIL		
04C6	CYRILLIC SMALL LETTER EL WITH TAIL		
04C7	CYRILLIC CAPITAL LETTER EN WITH HOOK		
04C8	CYRILLIC SMALL LETTER EN WITH HOOK		
04C9	CYRILLIC CAPITAL LETTER EN WITH TAIL		
04CA	CYRILLIC SMALL LETTER EN WITH TAIL		
04CB	CYRILLIC CAPITAL LETTER KHAKASSIAN CHE		
04CC	CYRILLIC SMALL LETTER KHAKASSIAN CHE		
04CD	CYRILLIC CAPITAL LETTER EM WITH TAIL		
04CE	CYRILLIC SMALL LETTER EM WITH TAIL		
04CF	(This position shall not be used)		
04D0	CYRILLIC CAPITAL LETTER A WITH BREVE		
04D1	CYRILLIC SMALL LETTER A WITH BREVE		
04D2	CYRILLIC CAPITAL LETTER A WITH DIAERESIS		
04D3	CYRILLIC SMALL LETTER A WITH DIAERESIS		
04D4	CYRILLIC CAPITAL LIGATURE A IE		
04D5	CYRILLIC SMALL LIGATURE A IE		
04D6	CYRILLIC CAPITAL LETTER IE WITH BREVE		
04D7	CYRILLIC SMALL LETTER IE WITH BREVE		
04D8	CYRILLIC CAPITAL LETTER SCHWA		
04D9	CYRILLIC SMALL LETTER SCHWA		
04DA	CYRILLIC CAPITAL LETTER SCHWA WITH DIAERESIS		
04DB	CYRILLIC SMALL LETTER SCHWA WITH DIAERESIS		
04DC	CYRILLIC CAPITAL LETTER ZHE WITH DIAERESIS		

Group 00

Plane 00

Row 04

Table 16 - Row 06: Arabic

	060	061	062	063	064	065	066	067
0	 0600	 0610		 0630	 0640	 0650	 0660	 0670
1	 0601	 0611	 0621	 0631	 0641	 0651	 0661	 0671
2	 0602	 0612	 0622	 0632	 0642	 0652	 0662	 0672
3	 0603	 0613	 0623	 0633	 0643	 0653	 0663	 0673
4		 0614	 0624	 0634	 0644	 0654	 0664	 0674
5		 0615	 0625	 0635	 0645	 0655	 0665	 0675
6			 0626	 0636	 0646	 0656	 0666	 0676
7			 0627	 0637	 0647	 0657	 0667	 0677
8			 0628	 0638	 0648	 0658	 0668	 0678
9			 0629	 0639	 0649	 0659	 0669	 0679
A			 062A	 063A	 064A	 065A	 066A	 067A
B	 060B	 061B	 062B		 064B	 065B	 066B	 067B
C	 060C		 062C		 064C	 065C	 066C	 067C
D	 060D		 062D		 064D		 066D	 067D
E	 060E	 061E	 062E		 064E		 066E	 067E
F	 060F	 061F	 062F		 064F		 066F	 067F

G = 00
P = 00

Table 16 - Row 06: Arabic

HEX	NAME	HEX	NAME
0600	ARABIC NUMBER SIGN	065D	(This position shall not be used)
0601	ARABIC SIGN SANAH	065E	(This position shall not be used)
0602	ARABIC FOOTNOTE MARKER	065F	(This position shall not be used)
0603	ARABIC SIGN SAFHA	0660	ARABIC-INDIC DIGIT ZERO
0604	(This position shall not be used)	0661	ARABIC-INDIC DIGIT ONE
0605	(This position shall not be used)	0662	ARABIC-INDIC DIGIT TWO
0606	(This position shall not be used)	0663	ARABIC-INDIC DIGIT THREE
0607	(This position shall not be used)	0664	ARABIC-INDIC DIGIT FOUR
0608	(This position shall not be used)	0665	ARABIC-INDIC DIGIT FIVE
0609	(This position shall not be used)	0666	ARABIC-INDIC DIGIT SIX
060A	(This position shall not be used)	0667	ARABIC-INDIC DIGIT SEVEN
060B	AFGHANI SIGN	0668	ARABIC-INDIC DIGIT EIGHT
060C	ARABIC COMMA	0669	ARABIC-INDIC DIGIT NINE
060D	ARABIC DATE SEPARATOR	066A	ARABIC PERCENT SIGN
060E	ARABIC POETIC VERSE SIGN	066B	ARABIC DECIMAL SEPARATOR
060F	ARABIC SIGN MISRA	066C	ARABIC THOUSANDS SEPARATOR
0610	ARABIC SIGN SALLALLAHOU ALAYHE WASSALLAM	066D	ARABIC FIVE POINTED STAR
0611	ARABIC SIGN ALAYHE ASSALLAM	066E	ARABIC LETTER DOTLESS BEH
0612	ARABIC SIGN RAHMATULLAH ALAYHE	066F	ARABIC LETTER DOTLESS QAF
0613	ARABIC SIGN RADI ALLAHOU ANHU	0670	ARABIC LETTER SUPERSCRIPT ALEF
0614	ARABIC SIGN TAKHALLUS	0671	ARABIC LETTER ALEF WASLA
0615	ARABIC SMALL HIGH TAH	0672	ARABIC LETTER ALEF WITH WAVY HAMZA ABOVE
0616	(This position shall not be used)	0673	ARABIC LETTER ALEF WITH WAVY HAMZA BELOW
0617	(This position shall not be used)	0674	ARABIC LETTER HIGH HAMZA
0618	(This position shall not be used)	0675	ARABIC LETTER HIGH HAMZA ALEF
0619	(This position shall not be used)	0676	ARABIC LETTER HIGH HAMZA WAW
061A	(This position shall not be used)	0677	ARABIC LETTER U WITH HAMZA ABOVE
061B	ARABIC SEMICOLON	0678	ARABIC LETTER HIGH HAMZA YEH
061C	(This position shall not be used)	0679	ARABIC LETTER TTEH
061D	(This position shall not be used)	067A	ARABIC LETTER TTEHEH
061E	ARABIC TRIPLE DOT PUNCTUATION MARK	067B	ARABIC LETTER BEEH
061F	ARABIC QUESTION MARK	067C	ARABIC LETTER TEH WITH RING
0620	(This position shall not be used)	067D	ARABIC LETTER TEH WITH THREE DOTS ABOVE DOWNWARDS
0621	ARABIC LETTER HAMZA	067E	ARABIC LETTER PEH
0622	ARABIC LETTER ALEF WITH MADDA ABOVE	067F	ARABIC LETTER TEHEH
0623	ARABIC LETTER ALEF WITH HAMZA ABOVE		
0624	ARABIC LETTER WAW WITH HAMZA ABOVE		
0625	ARABIC LETTER ALEF WITH HAMZA BELOW		
0626	ARABIC LETTER YEH WITH HAMZA ABOVE		
0627	ARABIC LETTER ALEF		
0628	ARABIC LETTER BEH		
0629	ARABIC LETTER TEH MARBUTA		
062A	ARABIC LETTER TEH		
062B	ARABIC LETTER THEH		
062C	ARABIC LETTER JEEM		
062D	ARABIC LETTER HAH		
062E	ARABIC LETTER KHAH		
062F	ARABIC LETTER DAL		
0630	ARABIC LETTER THAL		
0631	ARABIC LETTER REH		
0632	ARABIC LETTER ZAIN		
0633	ARABIC LETTER SEEN		
0634	ARABIC LETTER SHEEN		
0635	ARABIC LETTER SAD		
0636	ARABIC LETTER DAD		
0637	ARABIC LETTER TAH		
0638	ARABIC LETTER ZAH		
0639	ARABIC LETTER AIN		
063A	ARABIC LETTER GHAIN		
063B	(This position shall not be used)		
063C	(This position shall not be used)		
063D	(This position shall not be used)		
063E	(This position shall not be used)		
063F	(This position shall not be used)		
0640	ARABIC TATWEEL		
0641	ARABIC LETTER FEH		
0642	ARABIC LETTER QAF		
0643	ARABIC LETTER KAF		
0644	ARABIC LETTER LAM		
0645	ARABIC LETTER MEEM		
0646	ARABIC LETTER NOON		
0647	ARABIC LETTER HEH		
0648	ARABIC LETTER WAW		
0649	ARABIC LETTER ALEF MAKSURA		
064A	ARABIC LETTER YEH		
064B	ARABIC FATHATAN		
064C	ARABIC DAMMATAN		
064D	ARABIC KASRATAN		
064E	ARABIC FATHA		
064F	ARABIC DAMMA		
0650	ARABIC KASRA		
0651	ARABIC SHADDA		
0652	ARABIC SUKUN		
0653	ARABIC MADDAAH ABOVE		
0654	ARABIC HAMZA ABOVE		
0655	ARABIC HAMZA BELOW		
0656	ARABIC SUBSCRIPT ALEF		
0657	ARABIC INVERTED DAMMA		
0658	ARABIC MARK NOON GHUNNA		
0659	ARABIC ZWARAKAY		
065A	ARABIC VOWEL SIGN SMALL V ABOVE		
065B	ARABIC VOWEL SIGN INVERTED SMALL V ABOVE		
065C	ARABIC VOWEL SIGN DOT BELOW		

Group 00

Plane 00

Row 06

Table 19 - Row 07: Arabic Supplement

	075	076	077
0	ب 0750	ف 0760	
1	ث 0751	ف 0761	
2	پ 0752	ک 0762	
3	ت 0753	ث 0763	
4	ن 0754	ک 0764	
5	ب 0755	م 0765	
6	ت 0756	م 0766	
7	خ 0757	ن 0767	
8	چ 0758	ن 0768	
9	ط 0759	ن 0769	
A	د 075A	ل 076A	
B	ر 075B		
C	س 075C		
D	ع 075D		
E	غ 075E		
F	غ 075F		

G = 00
P = 00

Table 19 - Row 07: Arabic Supplement

HEX	NAME	HEX	NAME
0750	ARABIC LETTER BEH WITH THREE DOTS HORIZONTALLY BELOW		
0751	ARABIC LETTER BEH WITH DOT BELOW AND THREE DOTS ABOVE		
0752	ARABIC LETTER BEH WITH THREE DOTS POINTING UPWARDS BELOW		
0753	ARABIC LETTER BEH WITH THREE DOTS POINTING UPWARDS BELOW AND TWO DOTS ABOVE		
0754	ARABIC LETTER BEH WITH TWO DOTS BELOW AND DOT ABOVE		
0755	ARABIC LETTER BEH WITH INVERTED SMALL V BELOW		
0756	ARABIC LETTER BEH WITH SMALL V		
0757	ARABIC LETTER HAH WITH TWO DOTS ABOVE		
0758	ARABIC LETTER HAH WITH THREE DOTS POINTING UPWARDS BELOW		
0759	ARABIC LETTER DAL WITH TWO DOTS VERTICALLY BELOW AND SMALL TAH		
075A	ARABIC LETTER DAL WITH INVERTED SMALL V BELOW		
075B	ARABIC LETTER REH WITH STROKE		
075C	ARABIC LETTER SEEN WITH FOUR DOTS ABOVE		
075D	ARABIC LETTER AIN WITH TWO DOTS ABOVE		
075E	ARABIC LETTER AIN WITH THREE DOTS POINTING DOWNWARDS ABOVE		
075F	ARABIC LETTER AIN WITH TWO DOTS VERTICALLY ABOVE		
0760	ARABIC LETTER FEH WITH TWO DOTS BELOW		
0761	ARABIC LETTER FEH WITH THREE DOTS POINTING UPWARDS BELOW		
0762	ARABIC LETTER KEHEH WITH DOT ABOVE		
0763	ARABIC LETTER KEHEH WITH THREE DOTS ABOVE		
0764	ARABIC LETTER KEHEH WITH THREE DOTS POINTING UPWARDS BELOW		
0765	ARABIC LETTER MEEM WITH DOT ABOVE		
0766	ARABIC LETTER MEEM WITH DOT BELOW		
0767	ARABIC LETTER NOON WITH TWO DOTS BELOW AND DOT ABOVE		
0768	ARABIC LETTER NOON WITH DOT ABOVE AND SMALL TAH		
0769	ARABIC LETTER NOON WITH SMALL V		
076A	ARABIC LETTER LAM WITH BAR		
076B	(This position shall not be used)		
076C	(This position shall not be used)		
076D	(This position shall not be used)		
076E	(This position shall not be used)		
076F	(This position shall not be used)		
0770	(This position shall not be used)		
0771	(This position shall not be used)		
0772	(This position shall not be used)		
0773	(This position shall not be used)		
0774	(This position shall not be used)		
0775	(This position shall not be used)		
0776	(This position shall not be used)		
0777	(This position shall not be used)		
0778	(This position shall not be used)		
0779	(This position shall not be used)		
077A	(This position shall not be used)		
077B	(This position shall not be used)		
077C	(This position shall not be used)		
077D	(This position shall not be used)		
077E	(This position shall not be used)		
077F	(This position shall not be used)		

Group 00

Plane 00

Row 07

Table 21 - Row 09: Devanagari

	090	091	092	093	094	095	096	097
0		ऐ 0910	ठ 0920	र 0930	ी 0940	ॐ 0950	ऋ 0960	◌ 0970
1	ँ 0901	ऑ 0911	ड 0921	ऱ 0931	ु 0941	ं 0951	ृ 0961	
2	ं 0902	ओ 0912	ढ 0922	ल 0932	ॠ 0942	ॡ 0952	ॢ 0962	
3	ः 0903	ओ 0913	ण 0923	ळ 0933	ॣ 0943	े 0953	॥ 0963	
4	ऐ 0904	औ 0914	त 0924	ळ 0934	॥ 0944	े 0954	। 0964	
5	अ 0905	क 0915	थ 0925	व 0935	ँ 0945		॥ 0965	
6	आ 0906	ख 0916	द 0926	श 0936	े 0946		० 0966	
7	इ 0907	ग 0917	ध 0927	ष 0937	े 0947		१ 0967	
8	ई 0908	घ 0918	न 0928	स 0938	ै 0948	ॠ 0958	२ 0968	
9	उ 0909	ङ 0919	न 0929	ह 0939	ॉ 0949	ख 0959	३ 0969	
A	ऊ 090A	च 091A	प 092A		ो 094A	ग 095A	४ 096A	
B	ॠ 090B	छ 091B	फ 092B		ो 094B	ज 095B	५ 096B	
C	ॡ 090C	ज 091C	ब 092C	ः 093C	ौ 094C	ड 095C	६ 096C	
D	ँ 090D	झ 091D	भ 092D	ऽ 093D	् 094D	ढ 095D	७ 096D	?
E	ऐ 090E	ज 091E	म 092E	ा 093E		फ़ 095E	८ 096E	
F	ए 090F	ट 091F	य 092F	ि 093F		य़ 095F	९ 096F	

G = 00
P = 00

Table 21 - Row 09: Devanagari

HEX	NAME	HEX	NAME
0900	(This position shall not be used)	095D	DEVANAGARI LETTER RHA
0901	DEVANAGARI SIGN CANDRABINDU	095E	DEVANAGARI LETTER FA
0902	DEVANAGARI SIGN ANUSVARA	095F	DEVANAGARI LETTER YYA
0903	DEVANAGARI SIGN VISARGA	0960	DEVANAGARI LETTER VOCALIC RR
0904	DEVANAGARI LETTER SHORT A	0961	DEVANAGARI LETTER VOCALIC LL
0905	DEVANAGARI LETTER A	0962	DEVANAGARI VOWEL SIGN VOCALIC L
0906	DEVANAGARI LETTER AA	0963	DEVANAGARI VOWEL SIGN VOCALIC LL
0907	DEVANAGARI LETTER I	0964	DEVANAGARI DANDA
0908	DEVANAGARI LETTER II	0965	DEVANAGARI DOUBLE DANDA
0909	DEVANAGARI LETTER U	0966	DEVANAGARI DIGIT ZERO
090A	DEVANAGARI LETTER UU	0967	DEVANAGARI DIGIT ONE
090B	DEVANAGARI LETTER VOCALIC R	0968	DEVANAGARI DIGIT TWO
090C	DEVANAGARI LETTER VOCALIC L	0969	DEVANAGARI DIGIT THREE
090D	DEVANAGARI LETTER CANDRA E	096A	DEVANAGARI DIGIT FOUR
090E	DEVANAGARI LETTER SHORT E	096B	DEVANAGARI DIGIT FIVE
090F	DEVANAGARI LETTER E	096C	DEVANAGARI DIGIT SIX
0910	DEVANAGARI LETTER AI	096D	DEVANAGARI DIGIT SEVEN
0911	DEVANAGARI LETTER CANDRA O	096E	DEVANAGARI DIGIT EIGHT
0912	DEVANAGARI LETTER SHORT O	096F	DEVANAGARI DIGIT NINE
0913	DEVANAGARI LETTER O	0970	DEVANAGARI ABBREVIATION SIGN
0914	DEVANAGARI LETTER AU	0971	(This position shall not be used)
0915	DEVANAGARI LETTER KA	0972	(This position shall not be used)
0916	DEVANAGARI LETTER KHA	0973	(This position shall not be used)
0917	DEVANAGARI LETTER GA	0974	(This position shall not be used)
0918	DEVANAGARI LETTER GHA	0975	(This position shall not be used)
0919	DEVANAGARI LETTER NGA	0976	(This position shall not be used)
091A	DEVANAGARI LETTER CA	0977	(This position shall not be used)
091B	DEVANAGARI LETTER CHA	0978	(This position shall not be used)
091C	DEVANAGARI LETTER JA	0979	(This position shall not be used)
091D	DEVANAGARI LETTER JHA	097A	(This position shall not be used)
091E	DEVANAGARI LETTER NYA	097B	(This position shall not be used)
091F	DEVANAGARI LETTER TTA	097C	(This position shall not be used)
0920	DEVANAGARI LETTER TTHA	097D	DEVANAGARI GLOTTAL STOP
0921	DEVANAGARI LETTER DDA	097E	(This position shall not be used)
0922	DEVANAGARI LETTER DDHA	097F	(This position shall not be used)
0923	DEVANAGARI LETTER NNA		
0924	DEVANAGARI LETTER TA		
0925	DEVANAGARI LETTER THA		
0926	DEVANAGARI LETTER DA		
0927	DEVANAGARI LETTER DHA		
0928	DEVANAGARI LETTER NA		
0929	DEVANAGARI LETTER NNNA		
092A	DEVANAGARI LETTER PA		
092B	DEVANAGARI LETTER PHA		
092C	DEVANAGARI LETTER BA		
092D	DEVANAGARI LETTER BHA		
092E	DEVANAGARI LETTER MA		
092F	DEVANAGARI LETTER YA		
0930	DEVANAGARI LETTER RA		
0931	DEVANAGARI LETTER RRA		
0932	DEVANAGARI LETTER LA		
0933	DEVANAGARI LETTER LLA		
0934	DEVANAGARI LETTER LLLA		
0935	DEVANAGARI LETTER VA		
0936	DEVANAGARI LETTER SHA		
0937	DEVANAGARI LETTER SSA		
0938	DEVANAGARI LETTER SA		
0939	DEVANAGARI LETTER HA		
093A	(This position shall not be used)		
093B	(This position shall not be used)		
093C	DEVANAGARI SIGN NUKTA		
093D	DEVANAGARI SIGN AVAGRAHA		
093E	DEVANAGARI VOWEL SIGN AA		
093F	DEVANAGARI VOWEL SIGN I		
0940	DEVANAGARI VOWEL SIGN II		
0941	DEVANAGARI VOWEL SIGN U		
0942	DEVANAGARI VOWEL SIGN UU		
0943	DEVANAGARI VOWEL SIGN VOCALIC R		
0944	DEVANAGARI VOWEL SIGN VOCALIC RR		
0945	DEVANAGARI VOWEL SIGN CANDRA E		
0946	DEVANAGARI VOWEL SIGN SHORT E		
0947	DEVANAGARI VOWEL SIGN E		
0948	DEVANAGARI VOWEL SIGN AI		
0949	DEVANAGARI VOWEL SIGN CANDRA O		
094A	DEVANAGARI VOWEL SIGN SHORT O		
094B	DEVANAGARI VOWEL SIGN O		
094C	DEVANAGARI VOWEL SIGN AU		
094D	DEVANAGARI SIGN VIRAMA		
094E	(This position shall not be used)		
094F	(This position shall not be used)		
0950	DEVANAGARI OM		
0951	DEVANAGARI STRESS SIGN UDATTA		
0952	DEVANAGARI STRESS SIGN ANUDATTA		
0953	DEVANAGARI GRAVE ACCENT		
0954	DEVANAGARI ACUTE ACCENT		
0955	(This position shall not be used)		
0956	(This position shall not be used)		
0957	(This position shall not be used)		
0958	DEVANAGARI LETTER QA		
0959	DEVANAGARI LETTER KHHA		
095A	DEVANAGARI LETTER GHHA		
095B	DEVANAGARI LETTER ZA		
095C	DEVANAGARI LETTER DDHA		

Group 00

Plane 00

Row 09

Table 26 - Row 0B: Tamil

	0B8	0B9	0BA	0BB	0BC	0BD	0BE	0BF
0		ஐ 0B90		ர 0BB0	ீ 0BC0			ய 0BF0
1				ற 0BB1	ு 0BC1			ள 0BF1
2	ஃ 0B82	ஔ 0B92		ல 0BB2	ூ 0BC2			சு 0BF2
3	ஃ 0B83	ஔ 0B93	ண 0BA3	ள 0BB3				உ 0BF3
4		ஔ 0B94	த 0BA4	ழ 0BB4				மீ 0BF4
5	அ 0B85	க 0B95		வ 0BB5				ஶ 0BF5
6	ஆ 0B86			ய 0BB6	ெ 0BC6			யு 0BF6
7	இ 0B87			ஷ 0BB7	ே 0BC7	ள 0BD7	க 0BE7	எ 0BF7
8	ஈ 0B88		ந 0BA8	ஸ 0BB8	ை 0BC8		உ 0BE8	ஷை 0BF8
9	உ 0B89	ங 0B99	ன 0BA9	ஹ 0BB9			ந 0BE9	நீ 0BF9
A	ஊ 0B8A	ச 0B9A	ப 0BAA		ொ 0BCA		சு 0BEA	நீ 0BFA
B					ோ 0BCB		ரு 0BEB	
C		ஐ 0B9C			ெள 0BCC		சு 0BEC	
D					ஃ 0BCD		எ 0BED	
E	எ 0B8E	ஞ 0B9E	ம 0BAE	ா 0BBE			அ 0BEE	
F	ஏ 0B8F	ட 0B9F	ய 0BAF	ி 0BBF			சு 0BEF	

G = 00
P = 00

Table 26 - Row 0B: Tamil

HEX	NAME	HEX	NAME
0B80	(This position shall not be used)	0BDD	(This position shall not be used)
0B81	(This position shall not be used)	0BDE	(This position shall not be used)
0B82	TAMIL SIGN ANUSVARA	0BDF	(This position shall not be used)
0B83	TAMIL SIGN VISARGA	0BE0	(This position shall not be used)
0B84	(This position shall not be used)	0BE1	(This position shall not be used)
0B85	TAMIL LETTER A	0BE2	(This position shall not be used)
0B86	TAMIL LETTER AA	0BE3	(This position shall not be used)
0B87	TAMIL LETTER I	0BE4	(This position shall not be used)
0B88	TAMIL LETTER II	0BE5	(This position shall not be used)
0B89	TAMIL LETTER U	0BE6	(This position shall not be used)
0B8A	TAMIL LETTER UU	0BE7	TAMIL DIGIT ONE
0B8B	(This position shall not be used)	0BE8	TAMIL DIGIT TWO
0B8C	(This position shall not be used)	0BE9	TAMIL DIGIT THREE
0B8D	(This position shall not be used)	0BEA	TAMIL DIGIT FOUR
0B8E	TAMIL LETTER E	0BEB	TAMIL DIGIT FIVE
0B8F	TAMIL LETTER EE	0BEC	TAMIL DIGIT SIX
0B90	TAMIL LETTER AI	0BED	TAMIL DIGIT SEVEN
0B91	(This position shall not be used)	0BEE	TAMIL DIGIT EIGHT
0B92	TAMIL LETTER O	0BEF	TAMIL DIGIT NINE
0B93	TAMIL LETTER OO	0BF0	TAMIL NUMBER TEN
0B94	TAMIL LETTER AU	0BF1	TAMIL NUMBER ONE HUNDRED
0B95	TAMIL LETTER KA	0BF2	TAMIL NUMBER ONE THOUSAND
0B96	(This position shall not be used)	0BF3	TAMIL DAY SIGN (Naal)
0B97	(This position shall not be used)	0BF4	TAMIL MONTH SIGN (Maatham)
0B98	(This position shall not be used)	0BF5	TAMIL YEAR SIGN (Varudam)
0B99	TAMIL LETTER NGA	0BF6	TAMIL DEBIT SIGN (Patru)
0B9A	TAMIL LETTER CA	0BF7	TAMIL CREDIT SIGN (Varavu)
0B9B	(This position shall not be used)	0BF8	TAMIL AS ABOVE SIGN (Merpadi)
0B9C	TAMIL LETTER JA	0BF9	TAMIL RUPEE SIGN (Rupai)
0B9D	(This position shall not be used)	0BFA	TAMIL NUMBER SIGN (Enn)
0B9E	TAMIL LETTER NYA	0BFB	(This position shall not be used)
0B9F	TAMIL LETTER TTA	0BFC	(This position shall not be used)
0BA0	(This position shall not be used)	0BFD	(This position shall not be used)
0BA1	(This position shall not be used)	0BFE	(This position shall not be used)
0BA2	(This position shall not be used)	0BFF	(This position shall not be used)
0BA3	TAMIL LETTER NNA		
0BA4	TAMIL LETTER TA		
0BA5	(This position shall not be used)		
0BA6	(This position shall not be used)		
0BA7	(This position shall not be used)		
0BA8	TAMIL LETTER NA		
0BA9	TAMIL LETTER NNNA		
0BAA	TAMIL LETTER PA		
0BAB	(This position shall not be used)		
0BAC	(This position shall not be used)		
0BAD	(This position shall not be used)		
0BAE	TAMIL LETTER MA		
0BAF	TAMIL LETTER YA		
0BB0	TAMIL LETTER RA		
0BB1	TAMIL LETTER RRA		
0BB2	TAMIL LETTER LA		
0BB3	TAMIL LETTER LLA		
0BB4	TAMIL LETTER LLLA		
0BB5	TAMIL LETTER VA		
0BB6	TAMIL LETTER SHA		
0BB7	TAMIL LETTER SSA		
0BB8	TAMIL LETTER SA		
0BB9	TAMIL LETTER HA		
0BBA	(This position shall not be used)		
0BBB	(This position shall not be used)		
0BBC	(This position shall not be used)		
0BBD	(This position shall not be used)		
0BBE	TAMIL VOWEL SIGN AA		
0BBF	TAMIL VOWEL SIGN I		
0BC0	TAMIL VOWEL SIGN II		
0BC1	TAMIL VOWEL SIGN U		
0BC2	TAMIL VOWEL SIGN UU		
0BC3	(This position shall not be used)		
0BC4	(This position shall not be used)		
0BC5	(This position shall not be used)		
0BC6	TAMIL VOWEL SIGN E		
0BC7	TAMIL VOWEL SIGN EE		
0BC8	TAMIL VOWEL SIGN AI		
0BC9	(This position shall not be used)		
0BCA	TAMIL VOWEL SIGN O		
0BCB	TAMIL VOWEL SIGN OO		
0BCC	TAMIL VOWEL SIGN AU		
0BCD	TAMIL SIGN VIRAMA		
0BCE	(This position shall not be used)		
0BCF	(This position shall not be used)		
0BD0	(This position shall not be used)		
0BD1	(This position shall not be used)		
0BD2	(This position shall not be used)		
0BD3	(This position shall not be used)		
0BD4	(This position shall not be used)		
0BD5	(This position shall not be used)		
0BD6	(This position shall not be used)		
0BD7	TAMIL AU LENGTH MARK		
0BD8	(This position shall not be used)		
0BD9	(This position shall not be used)		
0BDA	(This position shall not be used)		
0BDB	(This position shall not be used)		
0BDC	(This position shall not be used)		

Group 00

Plane 00

Row 0B

Table 36 - Row 10: Georgian

	10A	10B	10C	10D	10E	10F
0	Ⴀ 10A0	Ⴁ 10B0	Ⴂ 10C0	Ⴃ 10D0	Ⴄ 10E0	Ⴅ 10F0
1	Ⴆ 10A1	Ⴇ 10B1	Ⴈ 10C1	Ⴉ 10D1	Ⴊ 10E1	Ⴋ 10F1
2	Ⴌ 10A2	Ⴍ 10B2	Ⴎ 10C2	Ⴏ 10D2	Ⴐ 10E2	Ⴑ 10F2
3	Ⴒ 10A3	Ⴓ 10B3	Ⴔ 10C3	Ⴕ 10D3	Ⴖ 10E3	Ⴗ 10F3
4	Ⴘ 10A4	Ⴙ 10B4	Ⴚ 10C4	Ⴛ 10D4	Ⴜ 10E4	Ⴝ 10F4
5	Ⴟ 10A5	Ⴡ 10B5	Ⴢ 10C5	Ⴣ 10D5	Ⴤ 10E5	Ⴥ 10F5
6	჆ 10A6	Ⴧ 10B6		჉ 10D6	჊ 10E6	჋ 10F6
7	჌ 10A7	Ⴭ 10B7		჏ 10D7	ა 10E7	ბ 10F7
8	გ 10A8	დ 10B8		ვ 10D8	ზ 10E8	თ 10F8
9	კ 10A9	ლ 10B9		ნ 10D9	ო 10E9	პ 10F9
A	ჟ 10AA	რ 10BA		ს 10DA	ტ 10EA	უ 10FA
B	ქ 10AB	ღ 10BB		ყ 10DB	შ 10EB	ჩ 10FB
C	ჭ 10AC	ხ 10BC		ჯ 10DC	ჰ 10EC	ჱ 10FC
D	ჳ 10AD	ჴ 10BD		ჵ 10DD	ჶ 10ED	
E	ჸ 10AE	ჹ 10BE		ჺ 10DE	჻ 10EE	
F	ჽ 10AF	ჾ 10BF		ჿ 10DF	ჰ 10EF	

G = 00
P = 00

Table 36 - Row 10: Georgian

HEX	NAME	HEX	NAME
10A0	GEORGIAN CAPITAL LETTER AN (Khutsuri)	10FD	(This position shall not be used)
10A1	GEORGIAN CAPITAL LETTER BAN (Khutsuri)	10FE	(This position shall not be used)
10A2	GEORGIAN CAPITAL LETTER GAN (Khutsuri)	10FF	(This position shall not be used)
10A3	GEORGIAN CAPITAL LETTER DON (Khutsuri)		
10A4	GEORGIAN CAPITAL LETTER EN (Khutsuri)		
10A5	GEORGIAN CAPITAL LETTER VIN (Khutsuri)		
10A6	GEORGIAN CAPITAL LETTER ZEN (Khutsuri)		
10A7	GEORGIAN CAPITAL LETTER TAN (Khutsuri)		
10A8	GEORGIAN CAPITAL LETTER IN (Khutsuri)		
10A9	GEORGIAN CAPITAL LETTER KAN (Khutsuri)		
10AA	GEORGIAN CAPITAL LETTER LAS (Khutsuri)		
10AB	GEORGIAN CAPITAL LETTER MAN (Khutsuri)		
10AC	GEORGIAN CAPITAL LETTER NAR (Khutsuri)		
10AD	GEORGIAN CAPITAL LETTER ON (Khutsuri)		
10AE	GEORGIAN CAPITAL LETTER PAR (Khutsuri)		
10AF	GEORGIAN CAPITAL LETTER ZHAR (Khutsuri)		
10B0	GEORGIAN CAPITAL LETTER RAE (Khutsuri)		
10B1	GEORGIAN CAPITAL LETTER SAN (Khutsuri)		
10B2	GEORGIAN CAPITAL LETTER TAR (Khutsuri)		
10B3	GEORGIAN CAPITAL LETTER UN (Khutsuri)		
10B4	GEORGIAN CAPITAL LETTER PHAR (Khutsuri)		
10B5	GEORGIAN CAPITAL LETTER KHAR (Khutsuri)		
10B6	GEORGIAN CAPITAL LETTER GHAN (Khutsuri)		
10B7	GEORGIAN CAPITAL LETTER QAR (Khutsuri)		
10B8	GEORGIAN CAPITAL LETTER SHIN (Khutsuri)		
10B9	GEORGIAN CAPITAL LETTER CHIN (Khutsuri)		
10BA	GEORGIAN CAPITAL LETTER CAN (Khutsuri)		
10BB	GEORGIAN CAPITAL LETTER JIL (Khutsuri)		
10BC	GEORGIAN CAPITAL LETTER CIL (Khutsuri)		
10BD	GEORGIAN CAPITAL LETTER CHAR (Khutsuri)		
10BE	GEORGIAN CAPITAL LETTER XAN (Khutsuri)		
10BF	GEORGIAN CAPITAL LETTER JHAN (Khutsuri)		
10C0	GEORGIAN CAPITAL LETTER HAE (Khutsuri)		
10C1	GEORGIAN CAPITAL LETTER HE (Khutsuri)		
10C2	GEORGIAN CAPITAL LETTER HIE (Khutsuri)		
10C3	GEORGIAN CAPITAL LETTER WE (Khutsuri)		
10C4	GEORGIAN CAPITAL LETTER HAR (Khutsuri)		
10C5	GEORGIAN CAPITAL LETTER HOE (Khutsuri)		
10C6	(This position shall not be used)		
10C7	(This position shall not be used)		
10C8	(This position shall not be used)		
10C9	(This position shall not be used)		
10CA	(This position shall not be used)		
10CB	(This position shall not be used)		
10CC	(This position shall not be used)		
10CD	(This position shall not be used)		
10CE	(This position shall not be used)		
10CF	(This position shall not be used)		
10D0	GEORGIAN LETTER AN		
10D1	GEORGIAN LETTER BAN		
10D2	GEORGIAN LETTER GAN		
10D3	GEORGIAN LETTER DON		
10D4	GEORGIAN LETTER EN		
10D5	GEORGIAN LETTER VIN		
10D6	GEORGIAN LETTER ZEN		
10D7	GEORGIAN LETTER TAN		
10D8	GEORGIAN LETTER IN		
10D9	GEORGIAN LETTER KAN		
10DA	GEORGIAN LETTER LAS		
10DB	GEORGIAN LETTER MAN		
10DC	GEORGIAN LETTER NAR		
10DD	GEORGIAN LETTER ON		
10DE	GEORGIAN LETTER PAR		
10DF	GEORGIAN LETTER ZHAR		
10E0	GEORGIAN LETTER RAE		
10E1	GEORGIAN LETTER SAN		
10E2	GEORGIAN LETTER TAR		
10E3	GEORGIAN LETTER UN		
10E4	GEORGIAN LETTER PHAR		
10E5	GEORGIAN LETTER KHAR		
10E6	GEORGIAN LETTER GHAN		
10E7	GEORGIAN LETTER QAR		
10E8	GEORGIAN LETTER SHIN		
10E9	GEORGIAN LETTER CHIN		
10EA	GEORGIAN LETTER CAN		
10EB	GEORGIAN LETTER JIL		
10EC	GEORGIAN LETTER CIL		
10ED	GEORGIAN LETTER CHAR		
10EE	GEORGIAN LETTER XAN		
10EF	GEORGIAN LETTER JHAN		
10F0	GEORGIAN LETTER HAE		
10F1	GEORGIAN LETTER HE		
10F2	GEORGIAN LETTER HIE		
10F3	GEORGIAN LETTER WE		
10F4	GEORGIAN LETTER HAR		
10F5	GEORGIAN LETTER HOE		
10F6	GEORGIAN LETTER FI		
10F7	GEORGIAN LETTER YN		
10F8	GEORGIAN LETTER ELIFI		
10F9	GEORGIAN LETTER TURNED GAN		
10FA	GEORGIAN LETTER AIN		
10FB	GEORGIAN PARAGRAPH SEPARATOR		
10FC	MODIFIER LETTER GEORGIAN NAR		

Group 00

Plane 00

Row 10

Table 57 - Row 19: Tai Lue

	198	199	19A	19B	19C	19D
0	ꨀ 1980	ꨁ 1990	ꨂ 19A0	ꨃ 19B0	ꨄ 19C0	ꨅ 19D0
1	ꨆ 1981	ꨇ 1991	ꨈ 19A1	ꨉ 19B1	ꨊ 19C1	ꨋ 19D1
2	ꨌ 1982	ꨍ 1992	ꨎ 19A2	ꨏ 19B2	ꨐ 19C2	ꨑ 19D2
3	ꨒ 1983	ꨓ 1993	ꨔ 19A3	ꨕ 19B3	ꨖ 19C3	ꨗ 19D3
4	ꨘ 1984	ꨙ 1994	ꨚ 19A4	ꨛ 19B4	ꨜ 19C4	ꨝ 19D4
5	ꨞ 1985	ꨟ 1995	ꨠ 19A5	ꨡ 19B5	ꨢ 19C5	ꨣ 19D5
6	ꨤ 1986	ꨥ 1996	ꨦ 19A6	ꨧ 19B6	ꨨ 19C6	ꨩ 19D6
7	ꨪ 1987	ꨫ 1997	ꨬ 19A7		ꨭ 19C7	ꨮ 19D7
8	ꨰ 1988	ꨱ 1998	ꨲ 19A8		ꨳ 19C8	ꨴ 19D8
9	ꨵ 1989	ꨶ 1999	꨷ 19A9		꨸ 19C9	꨹ 19D9
A	꨺ 198A	꨻ 199A			꨼ 19CA	
B	꨽ 198B	꨾ 199B			꨿ 19CB	
C	ꩀ 198C	ꩁ 199C		ꩂ 19BC	ꩃ 19CC	
D	ꩄ 198D	ꩅ 199D		ꩆ 19BD		
E	ꩈ 198E	ꩉ 199E		ꩊ 19BE	ꩋ 19CE	ꩌ 19DE
F	ꩍ 198F	꩎ 199F		꩏ 19BF	꩐ 19CF	꩑ 19DF

G = 00
P = 00

Table 57 - Row 19: Tai Lue

HEX	NAME	HEX	NAME
1980	TAI LUE LETTER HIGH QA	19DD	(This position shall not be used)
1981	TAI LUE LETTER LOW QA	19DE	TAI LUE SIGN LE
1982	TAI LUE LETTER HIGH KA	19DF	TAI LUE SIGN LEW
1983	TAI LUE LETTER LOW KA		
1984	TAI LUE LETTER HIGH XA		
1985	TAI LUE LETTER LOW XA		
1986	TAI LUE LETTER HIGH NGA		
1987	TAI LUE LETTER LOW NGA		
1988	TAI LUE LETTER HIGH TSA		
1989	TAI LUE LETTER LOW CA		
198A	TAI LUE LETTER HIGH SA		
198B	TAI LUE LETTER LOW SA		
198C	TAI LUE LETTER HIGH YA		
198D	TAI LUE LETTER LOW YA		
198E	TAI LUE LETTER HIGH TA		
198F	TAI LUE LETTER LOW TA		
1990	TAI LUE LETTER HIGH THA		
1991	TAI LUE LETTER LOW THA		
1992	TAI LUE LETTER HIGH NA		
1993	TAI LUE LETTER LOW NA		
1994	TAI LUE LETTER HIGH PA		
1995	TAI LUE LETTER LOW PA		
1996	TAI LUE LETTER HIGH PHA		
1997	TAI LUE LETTER LOW PHA		
1998	TAI LUE LETTER HIGH MA		
1999	TAI LUE LETTER LOW MA		
199A	TAI LUE LETTER HIGH FA		
199B	TAI LUE LETTER LOW FA		
199C	TAI LUE LETTER HIGH VA		
199D	TAI LUE LETTER LOW VA		
199E	TAI LUE LETTER HIGH LA		
199F	TAI LUE LETTER LOW LA		
19A0	TAI LUE LETTER HIGH HA		
19A1	TAI LUE LETTER LOW HA		
19A2	TAI LUE LETTER HIGH DA		
19A3	TAI LUE LETTER LOW DA		
19A4	TAI LUE LETTER HIGH BA		
19A5	TAI LUE LETTER LOW BA		
19A6	TAI LUE LETTER HIGH KVA		
19A7	TAI LUE LETTER LOW KVA		
19A8	TAI LUE LETTER HIGH XVA		
19A9	TAI LUE LETTER LOW XVA		
19AA	(This position shall not be used)		
19AB	(This position shall not be used)		
19AC	(This position shall not be used)		
19AD	(This position shall not be used)		
19AE	(This position shall not be used)		
19AF	(This position shall not be used)		
19B0	TAI LUE LETTER FINAL V		
19B1	TAI LUE LETTER FINAL NG		
19B2	TAI LUE LETTER FINAL N		
19B3	TAI LUE LETTER FINAL M		
19B4	TAI LUE LETTER FINAL K		
19B5	TAI LUE LETTER FINAL D		
19B6	TAI LUE LETTER FINAL B		
19B7	(This position shall not be used)		
19B8	(This position shall not be used)		
19B9	(This position shall not be used)		
19BA	(This position shall not be used)		
19BB	(This position shall not be used)		
19BC	TAI LUE VOWEL SIGN A		
19BD	TAI LUE VOWEL SIGN AA		
19BE	TAI LUE VOWEL SIGN II		
19BF	TAI LUE VOWEL SIGN U		
19C0	TAI LUE VOWEL SIGN UU		
19C1	TAI LUE VOWEL SIGN EE		
19C2	TAI LUE VOWEL SIGN E		
19C3	TAI LUE VOWEL SIGN OO		
19C4	TAI LUE VOWEL SIGN O		
19C5	TAI LUE VOWEL SIGN UE		
19C6	TAI LUE VOWEL SIGN AY		
19C7	TAI LUE VOWEL SIGN AAY		
19C8	TAI LUE VOWEL SIGN UY		
19C9	TAI LUE VOWEL SIGN OUY		
19CA	TAI LUE VOWEL SIGN OY		
19CB	TAI LUE VOWEL SIGN UEY		
19CC	TAI LUE VOWEL SIGN IY		
19CD	(This position shall not be used)		
19CE	TAI LUE TONE MARK-1		
19CF	TAI LUE TONE MARK-2		
19D0	TAI LUE DIGIT ZERO		
19D1	TAI LUE DIGIT ONE		
19D2	TAI LUE DIGIT TWO		
19D3	TAI LUE DIGIT THREE		
19D4	TAI LUE DIGIT FOUR		
19D5	TAI LUE DIGIT FIVE		
19D6	TAI LUE DIGIT SIX		
19D7	TAI LUE DIGIT SEVEN		
19D8	TAI LUE DIGIT EIGHT		
19D9	TAI LUE DIGIT NINE		
19DA	(This position shall not be used)		
19DB	(This position shall not be used)		
19DC	(This position shall not be used)		

Group 00

Plane 00

Row 19

Table 59 - Row 1A: Buginese

	1A0	1A1
0	 1A00	 1A10
1	 1A01	 1A11
2	 1A02	 1A12
3	 1A03	 1A13
4	 1A04	 1A14
5	 1A05	 1A15
6	 1A06	 1A16
7	 1A07	 1A17
8	 1A08	 1A18
9	 1A09	 1A19
A	 1A0A	 1A1A
B	 1A0B	 1A1B
C	 1A0C	
D	 1A0D	
E	 1A0E	 1A1E
F	 1A0F	 1A1F

G = 00
P = 00

Table 59 - Row 1A: Buginese

HEX	NAME	HEX	NAME
1A00	BUGINESE LETTER KA		
1A01	BUGINESE LETTER GA		
1A02	BUGINESE LETTER NGA		
1A03	BUGINESE LETTER NGKA		
1A04	BUGINESE LETTER PA		
1A05	BUGINESE LETTER BA		
1A06	BUGINESE LETTER MA		
1A07	BUGINESE LETTER MPA		
1A08	BUGINESE LETTER TA		
1A09	BUGINESE LETTER DA		
1A0A	BUGINESE LETTER NA		
1A0B	BUGINESE LETTER NRA		
1A0C	BUGINESE LETTER CA		
1A0D	BUGINESE LETTER JA		
1A0E	BUGINESE LETTER NYA		
1A0F	BUGINESE LETTER NYCA		
1A10	BUGINESE LETTER YA		
1A11	BUGINESE LETTER RA		
1A12	BUGINESE LETTER LA		
1A13	BUGINESE LETTER VA		
1A14	BUGINESE LETTER SA		
1A15	BUGINESE LETTER A		
1A16	BUGINESE LETTER HA		
1A17	BUGINESE VOWEL SIGN I		
1A18	BUGINESE VOWEL SIGN U		
1A19	BUGINESE VOWEL SIGN E		
1A1A	BUGINESE VOWEL SIGN O		
1A1B	BUGINESE VOWEL SIGN AE		
1A1C	(This position shall not be used)		
1A1D	(This position shall not be used)		
1A1E	BUGINESE PALLAWA		
1A1F	BUGINESE END OF SECTION		

Group 00

Plane 00

Row 1A

Table 60 - Row 1D: Phonetic Extensions

	1D0	1D1	1D2	1D3	1D4	1D5	1D6	1D7
0	A 1D00	Ɔ 1D10	V 1D20	D 1D30	T 1D40	m 1D50	φ 1D60	𐌆 1D70
1	Æ 1D01	Ɔ 1D11	W 1D21	E 1D31	U 1D41	η 1D51	χ 1D61	𐌆 1D71
2	æ 1D02	Ɔ 1D12	Z 1D22	Ǝ 1D32	W 1D42	o 1D52	i 1D62	𐌆 1D72
3	B 1D03	Ø 1D13	Ɔ 1D23	G 1D33	a 1D43	Ɔ 1D53	r 1D63	𐌆 1D73
4	C 1D04	∞ 1D14	Ɔ 1D24	H 1D34	a 1D44	∩ 1D54	u 1D64	𐌆 1D74
5	D 1D05	ɳ 1D15	𐌆 1D25	I 1D35	a 1D45	∩ 1D55	v 1D65	𐌆 1D75
6	Ð 1D06	∩ 1D16	Γ 1D26	J 1D36	æ 1D46	p 1D56	β 1D66	𐌆 1D76
7	E 1D07	∩ 1D17	Λ 1D27	K 1D37	b 1D47	t 1D57	γ 1D67	𐌆 1D77
8	Ɔ 1D08	P 1D18	Π 1D28	L 1D38	d 1D48	u 1D58	q 1D68	𐌆 1D78
9	İ 1D09	Я 1D19	P 1D29	M 1D39	e 1D49	Ɔ 1D59	φ 1D69	𐌆 1D79
A	J 1D0A	Я 1D1A	Ψ 1D2A	N 1D3A	ə 1D4A	w 1D5A	χ 1D6A	
B	K 1D0B	T 1D1B	Л 1D2B	И 1D3B	ε 1D4B	v 1D5B	œ 1D6B	
C	Ł 1D0C	U 1D1C	A 1D2C	O 1D3C	з 1D4C	𐌆 1D5C	𐌆 1D6C	
D	M 1D0D	∩ 1D1D	Æ 1D2D	ɳ 1D3D	g 1D4D	β 1D5D	𐌆 1D6D	
E	И 1D0E	ü 1D1E	B 1D2E	P 1D3E	ı 1D4E	γ 1D5E	𐌆 1D6E	
F	O 1D0F	∩ 1D1F	B 1D2F	R 1D3F	k 1D4F	δ 1D5F	𐌆 1D6F	

G = 00
P = 00

Table 60 - Row 1D: Phonetic Extensions

HEX	NAME	HEX	NAME
1D00	LATIN LETTER SMALL CAPITAL A	1D5D	MODIFIER LETTER SMALL BETA
1D01	LATIN LETTER SMALL CAPITAL AE	1D5E	MODIFIER LETTER SMALL GREEK GAMMA
1D02	LATIN SMALL LETTER TURNED AE	1D5F	MODIFIER LETTER SMALL DELTA
1D03	LATIN LETTER SMALL CAPITAL BARRED B	1D60	MODIFIER LETTER SMALL GREEK PHI
1D04	LATIN LETTER SMALL CAPITAL C	1D61	MODIFIER LETTER SMALL CHI
1D05	LATIN LETTER SMALL CAPITAL D	1D62	LATIN SUBSCRIPT SMALL LETTER I
1D06	LATIN LETTER SMALL CAPITAL ETH	1D63	LATIN SUBSCRIPT SMALL LETTER R
1D07	LATIN LETTER SMALL CAPITAL E	1D64	LATIN SUBSCRIPT SMALL LETTER U
1D08	LATIN SMALL LETTER TURNED OPEN E	1D65	LATIN SUBSCRIPT SMALL LETTER V
1D09	LATIN SMALL LETTER TURNED I	1D66	GREEK SUBSCRIPT SMALL LETTER BETA
1D0A	LATIN LETTER SMALL CAPITAL J	1D67	GREEK SUBSCRIPT SMALL LETTER GAMMA
1D0B	LATIN LETTER SMALL CAPITAL K	1D68	GREEK SUBSCRIPT SMALL LETTER RHO
1D0C	LATIN LETTER SMALL CAPITAL L WITH STROKE	1D69	GREEK SUBSCRIPT SMALL LETTER PHI
1D0D	LATIN LETTER SMALL CAPITAL M	1D6A	GREEK SUBSCRIPT SMALL LETTER CHI
1D0E	LATIN LETTER SMALL CAPITAL REVERSED N	1D6B	LATIN SMALL LETTER UE
1D0F	LATIN LETTER SMALL CAPITAL O	1D6C	LATIN SMALL LETTER B WITH MIDDLE TILDE
1D10	LATIN LETTER SMALL CAPITAL OPEN O	1D6D	LATIN SMALL LETTER D WITH MIDDLE TILDE
1D11	LATIN SMALL LETTER SIDEWAYS O	1D6E	LATIN SMALL LETTER F WITH MIDDLE TILDE
1D12	LATIN SMALL LETTER SIDEWAYS OPEN O	1D6F	LATIN SMALL LETTER M WITH MIDDLE TILDE
1D13	LATIN SMALL LETTER SIDEWAYS O WITH STROKE	1D70	LATIN SMALL LETTER N WITH MIDDLE TILDE
1D14	LATIN SMALL LETTER TURNED OE	1D71	LATIN SMALL LETTER P WITH MIDDLE TILDE
1D15	LATIN LETTER SMALL CAPITAL OU	1D72	LATIN SMALL LETTER R WITH MIDDLE TILDE
1D16	LATIN SMALL LETTER TOP HALF O	1D73	LATIN SMALL LETTER R WITH FISHHOOK AND MIDDLE TILDE
1D17	LATIN SMALL LETTER BOTTOM HALF O	1D74	LATIN SMALL LETTER S WITH MIDDLE TILDE
1D18	LATIN LETTER SMALL CAPITAL P	1D75	LATIN SMALL LETTER T WITH MIDDLE TILDE
1D19	LATIN LETTER SMALL CAPITAL REVERSED R	1D76	LATIN SMALL LETTER Z WITH MIDDLE TILDE
1D1A	LATIN LETTER SMALL CAPITAL TURNED R	1D77	LATIN SMALL LETTER TURNED G
1D1B	LATIN LETTER SMALL CAPITAL T	1D78	MODIFIER LETTER CYRILLIC EN
1D1C	LATIN LETTER SMALL CAPITAL U	1D79	LATIN LETTER INSULAR G
1D1D	LATIN SMALL LETTER SIDEWAYS U	1D7A	(This position shall not be used)
1D1E	LATIN SMALL LETTER SIDEWAYS DIAERESIZED U	1D7B	(This position shall not be used)
1D1F	LATIN SMALL LETTER SIDEWAYS TURNED M	1D7C	(This position shall not be used)
1D20	LATIN LETTER SMALL CAPITAL V	1D7D	(This position shall not be used)
1D21	LATIN LETTER SMALL CAPITAL W	1D7E	(This position shall not be used)
1D22	LATIN LETTER SMALL CAPITAL Z	1D7F	(This position shall not be used)
1D23	LATIN LETTER SMALL CAPITAL EZH		
1D24	LATIN LETTER VOICED LARYNGEAL SPIRANT		
1D25	LATIN LETTER AIN		
1D26	GREEK LETTER SMALL CAPITAL GAMMA		
1D27	GREEK LETTER SMALL CAPITAL LAMDA		
1D28	GREEK LETTER SMALL CAPITAL PI		
1D29	GREEK LETTER SMALL CAPITAL RHO		
1D2A	GREEK LETTER SMALL CAPITAL PSI		
1D2B	CYRILLIC LETTER SMALL CAPITAL EL		
1D2C	MODIFIER LETTER CAPITAL A		
1D2D	MODIFIER LETTER CAPITAL AE		
1D2E	MODIFIER LETTER CAPITAL B		
1D2F	MODIFIER LETTER CAPITAL BARRED B		
1D30	MODIFIER LETTER CAPITAL D		
1D31	MODIFIER LETTER CAPITAL E		
1D32	MODIFIER LETTER CAPITAL REVERSED E		
1D33	MODIFIER LETTER CAPITAL G		
1D34	MODIFIER LETTER CAPITAL H		
1D35	MODIFIER LETTER CAPITAL I		
1D36	MODIFIER LETTER CAPITAL J		
1D37	MODIFIER LETTER CAPITAL K		
1D38	MODIFIER LETTER CAPITAL L		
1D39	MODIFIER LETTER CAPITAL M		
1D3A	MODIFIER LETTER CAPITAL N		
1D3B	MODIFIER LETTER CAPITAL REVERSED N		
1D3C	MODIFIER LETTER CAPITAL O		
1D3D	MODIFIER LETTER CAPITAL OU		
1D3E	MODIFIER LETTER CAPITAL P		
1D3F	MODIFIER LETTER CAPITAL R		
1D40	MODIFIER LETTER CAPITAL T		
1D41	MODIFIER LETTER CAPITAL U		
1D42	MODIFIER LETTER CAPITAL W		
1D43	MODIFIER LETTER SMALL A		
1D44	MODIFIER LETTER SMALL TURNED A		
1D45	MODIFIER LETTER SMALL ALPHA		
1D46	MODIFIER LETTER SMALL TURNED AE		
1D47	MODIFIER LETTER SMALL B		
1D48	MODIFIER LETTER SMALL D		
1D49	MODIFIER LETTER SMALL E		
1D4A	MODIFIER LETTER SMALL SCHWA		
1D4B	MODIFIER LETTER SMALL OPEN E		
1D4C	MODIFIER LETTER SMALL TURNED OPEN E		
1D4D	MODIFIER LETTER SMALL G		
1D4E	MODIFIER LETTER SMALL TURNED I		
1D4F	MODIFIER LETTER SMALL K		
1D50	MODIFIER LETTER SMALL M		
1D51	MODIFIER LETTER SMALL ENG		
1D52	MODIFIER LETTER SMALL O		
1D53	MODIFIER LETTER SMALL OPEN O		
1D54	MODIFIER LETTER SMALL TOP HALF O		
1D55	MODIFIER LETTER SMALL BOTTOM HALF O		
1D56	MODIFIER LETTER SMALL P		
1D57	MODIFIER LETTER SMALL T		
1D58	MODIFIER LETTER SMALL U		
1D59	MODIFIER LETTER SMALL SIDEWAYS U		
1D5A	MODIFIER LETTER SMALL TURNED M		
1D5B	MODIFIER LETTER SMALL V		
1D5C	MODIFIER LETTER SMALL AIN		

Group 00

Plane 00

Row 1D

Table 61 - Row 1D: Combining Diacritical Marks Supplement

	1DC	1DD	1DE	1DF
0	 1DC0			
1	 1DC1			
2				
3				
4				
5				
6				
7				
8				
9				
A				
B				
C				
D				
E				
F				

G = 00
P = 00

Table 61 - Row 1D: Combining Diacritical Marks Supplement

HEX	NAME	HEX	NAME
1DC0	COMBINING DOTTED GRAVE ACCENT		
1DC1	COMBINING DOTTED ACUTE ACCENT		
1DC2	(This position shall not be used)		
1DC3	(This position shall not be used)		
1DC4	(This position shall not be used)		
1DC5	(This position shall not be used)		
1DC6	(This position shall not be used)		
1DC7	(This position shall not be used)		
1DC8	(This position shall not be used)		
1DC9	(This position shall not be used)		
1DCA	(This position shall not be used)		
1DCB	(This position shall not be used)		
1DCC	(This position shall not be used)		
1DCD	(This position shall not be used)		
1DCE	(This position shall not be used)		
1DCF	(This position shall not be used)		
1DD0	(This position shall not be used)		
1DD1	(This position shall not be used)		
1DD2	(This position shall not be used)		
1DD3	(This position shall not be used)		
1DD4	(This position shall not be used)		
1DD5	(This position shall not be used)		
1DD6	(This position shall not be used)		
1DD7	(This position shall not be used)		
1DD8	(This position shall not be used)		
1DD9	(This position shall not be used)		
1DDA	(This position shall not be used)		
1ddb	(This position shall not be used)		
1DDC	(This position shall not be used)		
1DDD	(This position shall not be used)		
1DDE	(This position shall not be used)		
1DDF	(This position shall not be used)		
1DE0	(This position shall not be used)		
1DE1	(This position shall not be used)		
1DE2	(This position shall not be used)		
1DE3	(This position shall not be used)		
1DE4	(This position shall not be used)		
1DE5	(This position shall not be used)		
1DE6	(This position shall not be used)		
1DE7	(This position shall not be used)		
1DE8	(This position shall not be used)		
1DE9	(This position shall not be used)		
1DEA	(This position shall not be used)		
1DEB	(This position shall not be used)		
1DEC	(This position shall not be used)		
1DED	(This position shall not be used)		
1DEE	(This position shall not be used)		
1DEF	(This position shall not be used)		
1DF0	(This position shall not be used)		
1DF1	(This position shall not be used)		
1DF2	(This position shall not be used)		
1DF3	(This position shall not be used)		
1DF4	(This position shall not be used)		
1DF5	(This position shall not be used)		
1DF6	(This position shall not be used)		
1DF7	(This position shall not be used)		
1DF8	(This position shall not be used)		
1DF9	(This position shall not be used)		
1DFA	(This position shall not be used)		
1DFB	(This position shall not be used)		
1DFC	(This position shall not be used)		
1DFD	(This position shall not be used)		
1DFE	(This position shall not be used)		
1DFF	(This position shall not be used)		

Group 00

Plane 00

Row 1D

Table 66 - Row 20: General Punctuation

	200	201	202	203	204	205	206
0		— 2010	† 2020	‰ 2030	⤿ 2040	⤿ 2050	
1			‡ 2021	‰ 2031	∕ 2041	⌘ 2051	
2		— 2012	● 2022	′ 2032	⌘⌘ 2042	% 2052	
3		— 2013	▶ 2023	” 2033	■ 2043	~ 2053	
4		— 2014	• 2024	”” 2034	/ 2044	⤿ 2054	
5		— 2015	•• 2025	∖ 2035	[2045	⌘ 2055	
6		∥ 2016	••• 2026	””” 2036] 2046	⋮ 2056	
7		≡ 2017	• 2027	”””” 2037	?? 2047	”””” 2057	
8		‘ 2018		^ 2038	?! 2048	⋮ 2058	
9		’ 2019		< 2039	!? 2049	⋮ 2059	
A		,		> 203A	7 204A	⋮ 205A	
B		‘ 201B		⊗ 203B	¶ 204B	⋮ 205B	
C		“ 201C		!! 203C	◐ 204C	⋮ 205C	
D		” 201D		! 203D	◑ 204D	⋮ 205D	
E		”” 201E		— 203E	⌘ 204E	⋮ 205E	
F		““ 201F		⤿ 203F	• 204F		

G = 00
P = 00

Table 66 - Row 20: General Punctuation

HEX	NAME	HEX	NAME
2000	EN QUAD	205D	TRICOLON
2001	EM QUAD	205E	VERTICAL FOUR DOTS
2002	EN SPACE	205F	MEDIUM MATHEMATICAL SPACE
2003	EM SPACE	2060	WORD JOINER
2004	THREE-PER-EM SPACE	2061	FUNCTION APPLICATION
2005	FOUR-PER-EM SPACE	2062	INVISIBLE TIMES
2006	SIX-PER-EM SPACE	2063	INVISIBLE SEPARATOR
2007	FIGURE SPACE	2064	(This position shall not be used)
2008	PUNCTUATION SPACE	2065	(This position shall not be used)
2009	THIN SPACE	2066	(This position shall not be used)
200A	HAIR SPACE	2067	(This position shall not be used)
200B	ZERO WIDTH SPACE	2068	(This position shall not be used)
200C	ZERO WIDTH NON-JOINER	2069	(This position shall not be used)
200D	ZERO WIDTH JOINER	206A	INHIBIT SYMMETRIC SWAPPING
200E	LEFT-TO-RIGHT MARK	206B	ACTIVATE SYMMETRIC SWAPPING
200F	RIGHT-TO-LEFT MARK	206C	INHIBIT ARABIC FORM SHAPING
2010	HYPHEN	206D	ACTIVATE ARABIC FORM SHAPING
2011	NON-BREAKING HYPHEN	206E	NATIONAL DIGIT SHAPES
2012	FIGURE DASH	206F	NOMINAL DIGIT SHAPES
2013	EN DASH		
2014	EM DASH		
2015	HORIZONTAL BAR		
2016	DOUBLE VERTICAL LINE		
2017	DOUBLE LOW LINE		
2018	LEFT SINGLE QUOTATION MARK		
2019	RIGHT SINGLE QUOTATION MARK		
201A	SINGLE LOW-9 QUOTATION MARK		
201B	SINGLE HIGH-REVERSED-9 QUOTATION MARK		
201C	LEFT DOUBLE QUOTATION MARK		
201D	RIGHT DOUBLE QUOTATION MARK		
201E	DOUBLE LOW-9 QUOTATION MARK		
201F	DOUBLE HIGH-REVERSED-9 QUOTATION MARK		
2020	DAGGER		
2021	DOUBLE DAGGER		
2022	BULLET		
2023	TRIANGULAR BULLET		
2024	ONE DOT LEADER		
2025	TWO DOT LEADER		
2026	HORIZONTAL ELLIPSIS		
2027	HYPHENATION POINT		
2028	LINE SEPARATOR		
2029	PARAGRAPH SEPARATOR		
202A	LEFT-TO-RIGHT EMBEDDING		
202B	RIGHT-TO-LEFT EMBEDDING		
202C	POP DIRECTIONAL FORMATTING		
202D	LEFT-TO-RIGHT OVERRIDE		
202E	RIGHT-TO-LEFT OVERRIDE		
202F	NARROW NO-BREAK SPACE		
2030	PER MILLE SIGN		
2031	PER TENTH THOUSAND SIGN		
2032	PRIME		
2033	DOUBLE PRIME		
2034	TRIPLE PRIME		
2035	REVERSED PRIME		
2036	REVERSED DOUBLE PRIME		
2037	REVERSED TRIPLE PRIME		
2038	CARET		
2039	SINGLE LEFT-POINTING ANGLE QUOTATION MARK		
203A	SINGLE RIGHT-POINTING ANGLE QUOTATION MARK		
203B	REFERENCE MARK		
203C	DOUBLE EXCLAMATION MARK		
203D	INTERROBANG		
203E	OVERLINE		
203F	UNDERTIE (Enotikon)		
2040	CHARACTER TIE		
2041	CARET INSERTION POINT		
2042	ASTERISM		
2043	HYPHEN BULLET		
2044	FRACTION SLASH		
2045	LEFT SQUARE BRACKET WITH QUILL		
2046	RIGHT SQUARE BRACKET WITH QUILL		
2047	DOUBLE QUESTION MARK		
2048	QUESTION EXCLAMATION MARK		
2049	EXCLAMATION QUESTION MARK		
204A	TIRONIAN SIGN ET		
204B	REVERSED PILCROW SIGN		
204C	BLACK LEFTWARDS BULLET		
204D	BLACK RIGHTWARDS BULLET		
204E	LOW ASTERISK		
204F	REVERSED SEMICOLON		
2050	CLOSE UP		
2051	TWO ASTERISKS ALIGNED VERTICALLY		
2052	COMMERCIAL MINUS SIGN		
2053	SWUNG DASH		
2054	INVERTED UNDERTIE		
2055	FLOWER PUNCTUATION MARK		
2056	THREE DOT PUNCTUATION		
2057	QUADRUPLE PRIME		
2058	FOUR DOT PUNCTUATION		
2059	FIVE DOT PUNCTUATION		
205A	TWO DOT PUNCTUATION		
205B	FOUR DOT MARK		
205C	DOTTED CROSS		

Group 00

Plane 00

Row 20

Table 68 - Row 20: Currency Symbols

	20A	20B	20C
0	€ 20A0	₪ 20B0	
1	₯ 20A1	₱ 20B1	
2	₣ 20A2	₱ 20B2	
3	₣ 20A3	₱ 20B3	
4	£ 20A4		
5	₯ 20A5		
6	₯ 20A6		
7	Pts 20A7		
8	Rs 20A8		
9	₯ 20A9		
A	₯ 20AA		
B	₯ 20AB		
C	€ 20AC		
D	₣ 20AD		
E	₣ 20AE		
F	₯ 20AF		

G = 00
P = 00

Table 68 - Row 20: Currency Symbols

HEX	NAME	HEX	NAME
20A0	EURO-CURRENCY SIGN		
20A1	COLON SIGN		
20A2	CRUZEIRO SIGN		
20A3	FRENCH FRANC SIGN		
20A4	LIRA SIGN		
20A5	MILL SIGN		
20A6	NAIRA SIGN		
20A7	PESETA SIGN		
20A8	RUPEE SIGN		
20A9	WON SIGN		
20AA	NEW SHEQEL SIGN		
20AB	DONG SIGN		
20AC	EURO SIGN		
20AD	KIP SIGN		
20AE	TUGRIK SIGN		
20AF	DRACHMA SIGN		
20B0	GERMAN PENNY SIGN		
20B1	PESO SIGN		
20B2	GUARANI SIGN		
20B3	AUSTRAL SIGN		
20B4	(This position shall not be used)		
20B5	(This position shall not be used)		
20B6	(This position shall not be used)		
20B7	(This position shall not be used)		
20B8	(This position shall not be used)		
20B9	(This position shall not be used)		
20BA	(This position shall not be used)		
20BB	(This position shall not be used)		
20BC	(This position shall not be used)		
20BD	(This position shall not be used)		
20BE	(This position shall not be used)		
20BF	(This position shall not be used)		
20C0	(This position shall not be used)		
20C1	(This position shall not be used)		
20C2	(This position shall not be used)		
20C3	(This position shall not be used)		
20C4	(This position shall not be used)		
20C5	(This position shall not be used)		
20C6	(This position shall not be used)		
20C7	(This position shall not be used)		
20C8	(This position shall not be used)		
20C9	(This position shall not be used)		
20CA	(This position shall not be used)		
20CB	(This position shall not be used)		
20CC	(This position shall not be used)		
20CD	(This position shall not be used)		
20CE	(This position shall not be used)		
20CF	(This position shall not be used)		

Group 00

Plane 00

Row 20

Table 69 - Row 20: Combining Diacritical Marks for Symbols

	20D	20E	20F
0	 20D0	 20E0	
1	 20D1	 20E1	
2	 20D2	 20E2	
3	 20D3	 20E3	
4	 20D4	 20E4	
5	 20D5	 20E5	
6	 20D6	 20E6	
7	 20D7	 20E7	
8	 20D8	 20E8	
9	 20D9	 20E9	
A	 20DA	 20EA	
B	 20DB	 20EB	
C	 20DC		
D	 20DD		
E	 20DE		
F	 20DF		

G = 00
P = 00

Table 69 - Row 20: Combining Diacritical Marks for Symbols

HEX	NAME	HEX	NAME
20D0	COMBINING LEFT HARPOON ABOVE		
20D1	COMBINING RIGHT HARPOON ABOVE		
20D2	COMBINING LONG VERTICAL LINE OVERLAY		
20D3	COMBINING SHORT VERTICAL LINE OVERLAY		
20D4	COMBINING ANTICLOCKWISE ARROW ABOVE		
20D5	COMBINING CLOCKWISE ARROW ABOVE		
20D6	COMBINING LEFT ARROW ABOVE		
20D7	COMBINING RIGHT ARROW ABOVE		
20D8	COMBINING RING OVERLAY		
20D9	COMBINING CLOCKWISE RING OVERLAY		
20DA	COMBINING ANTICLOCKWISE RING OVERLAY		
20DB	COMBINING THREE DOTS ABOVE		
20DC	COMBINING FOUR DOTS ABOVE		
20DD	COMBINING ENCLOSING CIRCLE		
20DE	COMBINING ENCLOSING SQUARE		
20DF	COMBINING ENCLOSING DIAMOND		
20E0	COMBINING ENCLOSING CIRCLE BACKSLASH		
20E1	COMBINING LEFT RIGHT ARROW ABOVE		
20E2	COMBINING ENCLOSING SCREEN		
20E3	COMBINING ENCLOSING KEYCAP		
20E4	COMBINING ENCLOSING UPWARD POINTING TRIANGLE		
20E5	COMBINING REVERSE SOLIDUS OVERLAY		
20E6	COMBINING DOUBLE VERTICAL STROKE OVERLAY		
20E7	COMBINING ANNUITY SYMBOL		
20E8	COMBINING TRIPLE UNDERDOT		
20E9	COMBINING WIDE BRIDGE ABOVE		
20EA	COMBINING LEFTWARDS ARROW OVERLAY		
20EB	COMBINING LONG DOUBLE SOLIDUS OVERLAY		
20EC	(This position shall not be used)		
20ED	(This position shall not be used)		
20EE	(This position shall not be used)		
20EF	(This position shall not be used)		
20F0	(This position shall not be used)		
20F1	(This position shall not be used)		
20F2	(This position shall not be used)		
20F3	(This position shall not be used)		
20F4	(This position shall not be used)		
20F5	(This position shall not be used)		
20F6	(This position shall not be used)		
20F7	(This position shall not be used)		
20F8	(This position shall not be used)		
20F9	(This position shall not be used)		
20FA	(This position shall not be used)		
20FB	(This position shall not be used)		
20FC	(This position shall not be used)		
20FD	(This position shall not be used)		
20FE	(This position shall not be used)		
20FF	(This position shall not be used)		

Group 00

Plane 00

Row 20

Table 70 - Row 21: Letterlike Symbols

	210	211	212	213	214
0	<i>q/c</i> 2100	<i>J</i> 2110	SM 2120	<i>E</i> 2130	Σ 2140
1	<i>q/s</i> 2101	<i>J</i> 2111	TEL 2121	<i>F</i> 2131	\mathfrak{G} 2141
2	\mathbb{C} 2102	<i>L</i> 2112	TM 2122	\mathfrak{H} 2132	\mathfrak{I} 2142
3	$^{\circ}\text{C}$ 2103	<i>l</i> 2113	\mathfrak{V} 2123	<i>M</i> 2133	\mathfrak{J} 2143
4	\mathfrak{E} 2104	\mathfrak{B} 2114	\mathfrak{Z} 2124	<i>e</i> 2134	\mathfrak{A} 2144
5	<i>%</i> 2105	\mathfrak{N} 2115	\mathfrak{Z} 2125	\mathfrak{X} 2135	\mathfrak{D} 2145
6	<i>%u</i> 2106	\mathfrak{N}_o 2116	Ω 2126	\mathfrak{C} 2136	<i>d</i> 2146
7	\mathfrak{E} 2107	\mathfrak{P} 2117	\mathfrak{U} 2127	\mathfrak{L} 2137	<i>e</i> 2147
8	\mathfrak{D} 2108	\mathfrak{S} 2118	\mathfrak{Z} 2128	\mathfrak{C} 2138	<i>ii</i> 2148
9	$^{\circ}\text{F}$ 2109	\mathfrak{P} 2119	\mathfrak{r} 2129	i 2139	<i>j</i> 2149
A	<i>g</i> 210A	\mathfrak{Q} 211A	\mathfrak{K} 212A	\mathfrak{O} 213A	\mathfrak{P} 214A
B	<i>H</i> 210B	<i>R</i> 211B	\mathfrak{A} 212B	FAX 213B	\mathfrak{S} 214B
C	\mathfrak{H} 210C	\mathfrak{R} 211C	<i>B</i> 212C	π 213C	\mathfrak{P} 214C
D	\mathfrak{H} 210D	\mathfrak{R} 211D	\mathfrak{C} 212D	γ 213D	
E	<i>h</i> 210E	\mathfrak{R} 211E	<i>e</i> 212E	\mathfrak{C} 213E	
F	<i>h</i> 210F	\mathfrak{R} 211F	<i>e</i> 212F	\mathfrak{C} 213F	

G = 00
P = 00

Table 70 - Row 21: Letterlike Symbols

HEX	NAME	HEX	NAME
2100	ACCOUNT OF		
2101	ADDRESSED TO THE SUBJECT		
2102	DOUBLE-STRUCK CAPITAL C		
2103	DEGREE CELSIUS		
2104	CENTRE LINE SYMBOL		
2105	CARE OF		
2106	CADA UNA		
2107	EULER CONSTANT		
2108	SCRUPLE		
2109	DEGREE FAHRENHEIT		
210A	SCRIPT SMALL G		
210B	SCRIPT CAPITAL H		
210C	BLACK-LETTER CAPITAL H		
210D	DOUBLE-STRUCK CAPITAL H		
210E	PLANCK CONSTANT		
210F	PLANCK CONSTANT OVER TWO PI		
2110	SCRIPT CAPITAL I		
2111	BLACK-LETTER CAPITAL I		
2112	SCRIPT CAPITAL L		
2113	SCRIPT SMALL L		
2114	L B BAR SYMBOL		
2115	DOUBLE-STRUCK CAPITAL N		
2116	NUMERO SIGN		
2117	SOUND RECORDING COPYRIGHT		
2118	SCRIPT CAPITAL P		
2119	DOUBLE-STRUCK CAPITAL P		
211A	DOUBLE-STRUCK CAPITAL Q		
211B	SCRIPT CAPITAL R		
211C	BLACK-LETTER CAPITAL R		
211D	DOUBLE-STRUCK CAPITAL R		
211E	PRESCRIPTION TAKE		
211F	RESPONSE		
2120	SERVICE MARK		
2121	TELEPHONE SIGN		
2122	TRADE MARK SIGN		
2123	VERSICLE		
2124	DOUBLE-STRUCK CAPITAL Z		
2125	OUNCE SIGN		
2126	OHM SIGN		
2127	INVERTED OHM SIGN		
2128	BLACK-LETTER CAPITAL Z		
2129	TURNED GREEK SMALL LETTER IOTA		
212A	KELVIN SIGN		
212B	ANGSTROM SIGN		
212C	SCRIPT CAPITAL B		
212D	BLACK-LETTER CAPITAL C		
212E	ESTIMATED SYMBOL		
212F	SCRIPT SMALL E		
2130	SCRIPT CAPITAL E		
2131	SCRIPT CAPITAL F		
2132	TURNED CAPITAL F		
2133	SCRIPT CAPITAL M		
2134	SCRIPT SMALL O		
2135	ALEF SYMBOL		
2136	BET SYMBOL		
2137	GIMEL SYMBOL		
2138	DALET SYMBOL		
2139	INFORMATION SOURCE		
213A	ROTATED CAPITAL Q		
213B	FACSIMILE SIGN		
213C	DOUBLE-STRUCK SMALL PI		
213D	DOUBLE-STRUCK SMALL GAMMA		
213E	DOUBLE-STRUCK CAPITAL GAMMA		
213F	DOUBLE-STRUCK CAPITAL PI		
2140	DOUBLE-STRUCK N-ARY SUMMATION		
2141	TURNED SANS-SERIF CAPITAL G		
2142	TURNED SANS-SERIF CAPITAL L		
2143	REVERSED SANS-SERIF CAPITAL L		
2144	TURNED SANS-SERIF CAPITAL Y		
2145	DOUBLE-STRUCK ITALIC CAPITAL D		
2146	DOUBLE-STRUCK ITALIC SMALL D		
2147	DOUBLE-STRUCK ITALIC SMALL E		
2148	DOUBLE-STRUCK ITALIC SMALL I		
2149	DOUBLE-STRUCK ITALIC SMALL J		
214A	PROPERTY LINE		
214B	TURNED AMPERSAND		
214C	PER SIGN		
214D	(This position shall not be used)		
214E	(This position shall not be used)		
214F	(This position shall not be used)		

Group 00

Plane 00

Row 21

Table 76 - Row 23: Miscellaneous Technical

	238	239	23A	23B	23C	23D	23E	23F
0	 2380	 2390	 23A0	 23B0	 23C0	 23D0		
1	 2381	 2391	 23A1	 23B1	 23C1	 23D1		
2	 2382	 2392	 23A2	 23B2	 23C2	 23D2		
3	 2383	 2393	 23A3	 23B3	 23C3	 23D3		
4	 2384	 2394	 23A4	 23B4	 23C4	 23D4		
5	 2385	 2395	 23A5	 23B5	 23C5	 23D5		
6	 2386	 2396	 23A6	 23B6	 23C6	 23D6		
7	 2387	 2397	 23A7	 23B7	 23C7	 23D7		
8	 2388	 2398	 23A8	 23B8	 23C8	 23D8		
9	 2389	 2399	 23A9	 23B9	 23C9	 23D9		
A	 238A	 239A	 23AA	 23BA	 23CA			
B	 238B	 239B	 23AB	 23BB	 23CB			
C	 238C	 239C	 23AC	 23BC	 23CC			
D	 238D	 239D	 23AD	 23BD	 23CD			
E	 238E	 239E	 23AE	 23BE	 23CE			
F	 238F	 239F	 23AF	 23BF	 23CF			

G = 00
P = 00

Table 76 - Row 23: Miscellaneous Technical

HEX	NAME	HEX	NAME
2380	INSERTION SYMBOL	23DD	(This position shall not be used)
2381	CONTINUOUS UNDERLINE SYMBOL	23DE	(This position shall not be used)
2382	DISCONTINUOUS UNDERLINE SYMBOL	23DF	(This position shall not be used)
2383	EMPHASIS SYMBOL	23E0	(This position shall not be used)
2384	COMPOSITION SYMBOL	23E1	(This position shall not be used)
2385	WHITE SQUARE WITH CENTRE VERTICAL LINE	23E2	(This position shall not be used)
2386	ENTER SYMBOL	23E3	(This position shall not be used)
2387	ALTERNATIVE KEY SYMBOL	23E4	(This position shall not be used)
2388	HELM SYMBOL	23E5	(This position shall not be used)
2389	CIRCLED HORIZONTAL BAR WITH NOTCH (pause)	23E6	(This position shall not be used)
238A	CIRCLED TRIANGLE DOWN (break)	23E7	(This position shall not be used)
238B	BROKEN CIRCLE WITH NORTHWEST ARROW (escape)	23E8	(This position shall not be used)
238C	UNDO SYMBOL	23E9	(This position shall not be used)
238D	MONOSTABLE SYMBOL	23EA	(This position shall not be used)
238E	HYSTERESIS SYMBOL	23EB	(This position shall not be used)
238F	OPEN-CIRCUIT-OUTPUT H-TYPE SYMBOL	23EC	(This position shall not be used)
2390	OPEN-CIRCUIT-OUTPUT L-TYPE SYMBOL	23ED	(This position shall not be used)
2391	PASSIVE-PULL-DOWN-OUTPUT SYMBOL	23EE	(This position shall not be used)
2392	PASSIVE-PULL-UP-OUTPUT SYMBOL	23EF	(This position shall not be used)
2393	DIRECT CURRENT SYMBOL FORM TWO	23F0	(This position shall not be used)
2394	SOFTWARE-FUNCTION SYMBOL	23F1	(This position shall not be used)
2395	APL FUNCTIONAL SYMBOL QUAD	23F2	(This position shall not be used)
2396	DECIMAL SEPARATOR KEY SYMBOL	23F3	(This position shall not be used)
2397	PREVIOUS PAGE	23F4	(This position shall not be used)
2398	NEXT PAGE	23F5	(This position shall not be used)
2399	PRINT SCREEN SYMBOL	23F6	(This position shall not be used)
239A	CLEAR SCREEN SYMBOL	23F7	(This position shall not be used)
239B	LEFT PARENTHESIS UPPER HOOK	23F8	(This position shall not be used)
239C	LEFT PARENTHESIS EXTENSION	23F9	(This position shall not be used)
239D	LEFT PARENTHESIS LOWER HOOK	23FA	(This position shall not be used)
239E	RIGHT PARENTHESIS UPPER HOOK	23FB	(This position shall not be used)
239F	RIGHT PARENTHESIS EXTENSION	23FC	(This position shall not be used)
23A0	RIGHT PARENTHESIS LOWER HOOK	23FD	(This position shall not be used)
23A1	LEFT SQUARE BRACKET UPPER CORNER	23FE	(This position shall not be used)
23A2	LEFT SQUARE BRACKET EXTENSION	23FF	(This position shall not be used)
23A3	LEFT SQUARE BRACKET LOWER CORNER		
23A4	RIGHT SQUARE BRACKET UPPER CORNER		
23A5	RIGHT SQUARE BRACKET EXTENSION		
23A6	RIGHT SQUARE BRACKET LOWER CORNER		
23A7	LEFT CURLY BRACKET UPPER HOOK		
23A8	LEFT CURLY BRACKET MIDDLE PIECE		
23A9	LEFT CURLY BRACKET LOWER HOOK		
23AA	CURLY BRACKET EXTENSION		
23AB	RIGHT CURLY BRACKET UPPER HOOK		
23AC	RIGHT CURLY BRACKET MIDDLE PIECE		
23AD	RIGHT CURLY BRACKET LOWER HOOK		
23AE	INTEGRAL EXTENSION		
23AF	HORIZONTAL LINE EXTENSION		
23B0	UPPER LEFT OR LOWER RIGHT CURLY BRACKET SECTION		
23B1	UPPER RIGHT OR LOWER LEFT CURLY BRACKET SECTION		
23B2	SUMMATION TOP		
23B3	SUMMATION BOTTOM		
23B4	TOP SQUARE BRACKET		
23B5	BOTTOM SQUARE BRACKET		
23B6	BOTTOM SQUARE BRACKET OVER TOP SQUARE BRACKET		
23B7	RADICAL SYMBOL BOTTOM		
23B8	LEFT VERTICAL BOX LINE		
23B9	RIGHT VERTICAL BOX LINE		
23BA	HORIZONTAL SCAN LINE-1		
23BB	HORIZONTAL SCAN LINE-3		
23BC	HORIZONTAL SCAN LINE-7		
23BD	HORIZONTAL SCAN LINE-9		
23BE	DENTISTRY SYMBOL LIGHT VERTICAL AND TOP RIGHT		
23BF	DENTISTRY SYMBOL LIGHT VERTICAL AND BOTTOM RIGHT		
23C0	DENTISTRY SYMBOL LIGHT VERTICAL WITH CIRCLE		
23C1	DENTISTRY SYMBOL LIGHT DOWN AND HORIZONTAL WITH CIRCLE		
23C2	DENTISTRY SYMBOL LIGHT UP AND HORIZONTAL WITH CIRCLE		
23C3	DENTISTRY SYMBOL LIGHT VERTICAL WITH TRIANGLE		
23C4	DENTISTRY SYMBOL LIGHT DOWN AND HORIZONTAL WITH TRIANGLE		
23C5	DENTISTRY SYMBOL LIGHT UP AND HORIZONTAL WITH TRIANGLE		
23C6	DENTISTRY SYMBOL LIGHT VERTICAL AND WAVE		
23C7	DENTISTRY SYMBOL LIGHT DOWN AND HORIZONTAL WITH WAVE		
23C8	DENTISTRY SYMBOL LIGHT UP AND HORIZONTAL WITH WAVE		
23C9	DENTISTRY SYMBOL LIGHT DOWN AND HORIZONTAL		
23CA	DENTISTRY SYMBOL LIGHT UP AND HORIZONTAL		
23CB	DENTISTRY SYMBOL LIGHT VERTICAL AND TOP LEFT		
23CC	DENTISTRY SYMBOL LIGHT VERTICAL AND BOTTOM LEFT		
23CD	SQUARE FOOT		
23CE	RETURN SYMBOL		
23CF	EJECT SYMBOL		
23D0	VERTICAL LINE EXTENSION		
23D1	METRICAL BREVE		
23D2	METRICAL LONG OVER SHORT		
23D3	METRICAL SHORT OVER LONG		
23D4	METRICAL LONG OVER TWO SHORTS		
23D5	METRICAL TWO SHORTS OVER LONG		
23D6	METRICAL TWO SHORTS JOINED		
23D7	METRICAL TRISEME		
23D8	METRICAL TETRASEME		
23D9	METRICAL PENTASEME		
23DA	(This position shall not be used)		
23DB	(This position shall not be used)		
23DC	(This position shall not be used)		

Group 00

Plane 00

Row 23

Table 83 - Row 26: Miscellaneous Symbols

	260	261	262	263	264	265	266	267
0	 2600	 2610	 2620	 2630	 2640	 2650	 2660	 2670
1	 2601	 2611	 2621	 2631	 2641	 2651	 2661	 2671
2	 2602	 2612	 2622	 2632	 2642	 2652	 2662	 2672
3	 2603	 2613	 2623	 2633	 2643	 2653	 2663	 2673
4	 2604	 2614	 2624	 2634	 2644	 2654	 2664	 2674
5	 2605	 2615	 2625	 2635	 2645	 2655	 2665	 2675
6	 2606	 2616	 2626	 2636	 2646	 2656	 2666	 2676
7	 2607	 2617	 2627	 2637	 2647	 2657	 2667	 2677
8	 2608	 2618	 2628	 2638	 2648	 2658	 2668	 2678
9	 2609	 2619	 2629	 2639	 2649	 2659	 2669	 2679
A	 260A	 261A	 262A	 263A	 264A	 265A	 266A	 267A
B	 260B	 261B	 262B	 263B	 264B	 265B	 266B	 267B
C	 260C	 261C	 262C	 263C	 264C	 265C	 266C	 267C
D	 260D	 261D	 262D	 263D	 264D	 265D	 266D	 267D
E	 260E	 261E	 262E	 263E	 264E	 265E	 266E	 267E
F	 260F	 261F	 262F	 263F	 264F	 265F	 266F	 267F

G = 00
P = 00

Table 83 - Row 26: Miscellaneous Symbols

HEX	NAME	HEX	NAME
2600	BLACK SUN WITH RAYS	265D	BLACK CHESS BISHOP
2601	CLOUD	265E	BLACK CHESS KNIGHT
2602	UMBRELLA	265F	BLACK CHESS PAWN
2603	SNOWMAN	2660	BLACK SPADE SUIT
2604	COMET	2661	WHITE HEART SUIT
2605	BLACK STAR	2662	WHITE DIAMOND SUIT
2606	WHITE STAR	2663	BLACK CLUB SUIT
2607	LIGHTNING	2664	WHITE SPADE SUIT
2608	THUNDERSTORM	2665	BLACK HEART SUIT
2609	SUN	2666	BLACK DIAMOND SUIT
260A	ASCENDING NODE	2667	WHITE CLUB SUIT
260B	DESCENDING NODE	2668	HOT SPRINGS
260C	CONJUNCTION	2669	QUARTER NOTE
260D	OPPOSITION	266A	EIGHTH NOTE
260E	BLACK TELEPHONE	266B	BEAMED EIGHTH NOTES
260F	WHITE TELEPHONE	266C	BEAMED SIXTEENTH NOTES
2610	BALLOT BOX	266D	MUSIC FLAT SIGN
2611	BALLOT BOX WITH CHECK	266E	MUSIC NATURAL SIGN
2612	BALLOT BOX WITH X	266F	MUSIC SHARP SIGN
2613	SALTIRE	2670	WEST SYRIAC CROSS
2614	UMBRELLA WITH RAIN DROPS	2671	EAST SYRIAC CROSS
2615	HOT BEVERAGE	2672	UNIVERSAL RECYCLING SYMBOL
2616	WHITE SHOJI PIECE	2673	RECYCLING SYMBOL FOR TYPE-1 PLASTICS (pete)
2617	BLACK SHOJI PIECE	2674	RECYCLING SYMBOL FOR TYPE-2 PLASTICS (hdpe)
2618	SHAMROCK	2675	RECYCLING SYMBOL FOR TYPE-3 PLASTICS (pvc)
2619	REVERSED ROTATED FLORAL HEART BULLET	2676	RECYCLING SYMBOL FOR TYPE-4 PLASTICS (ldpe)
261A	BLACK LEFT POINTING INDEX	2677	RECYCLING SYMBOL FOR TYPE-5 PLASTICS (pp)
261B	BLACK RIGHT POINTING INDEX	2678	RECYCLING SYMBOL FOR TYPE-6 PLASTICS (ps)
261C	WHITE LEFT POINTING INDEX	2679	RECYCLING SYMBOL FOR TYPE-7 PLASTICS (other)
261D	WHITE UP POINTING INDEX	267A	RECYCLING SYMBOL FOR GENERIC MATERIALS
261E	WHITE RIGHT POINTING INDEX	267B	BLACK UNIVERSAL RECYCLING SYMBOL
261F	WHITE DOWN POINTING INDEX	267C	RECYCLED PAPER SYMBOL
2620	SKULL AND CROSSBONES	267D	PARTIALLY-RECYCLED PAPER SYMBOL
2621	CAUTION SIGN	267E	PERMANENT PAPER SIGN
2622	RADIOACTIVE SIGN	267F	WHEELCHAIR SYMBOL
2623	BIOHAZARD SIGN		
2624	CADUCEUS		
2625	ANKH		
2626	ORTHODOX CROSS		
2627	CHI RHO		
2628	CROSS OF LORRAINE		
2629	CROSS OF JERUSALEM		
262A	STAR AND CRESCENT		
262B	FARSI SYMBOL		
262C	ADI SHAKTI		
262D	HAMMER AND SICKLE		
262E	PEACE SYMBOL		
262F	YIN YANG		
2630	TRIGRAM FOR HEAVEN		
2631	TRIGRAM FOR LAKE		
2632	TRIGRAM FOR FIRE		
2633	TRIGRAM FOR THUNDER		
2634	TRIGRAM FOR WIND		
2635	TRIGRAM FOR WATER		
2636	TRIGRAM FOR MOUNTAIN		
2637	TRIGRAM FOR EARTH		
2638	WHEEL OF DHARMA		
2639	WHITE FROWNING FACE		
263A	WHITE SMILING FACE		
263B	BLACK SMILING FACE		
263C	WHITE SUN WITH RAYS		
263D	FIRST QUARTER MOON		
263E	LAST QUARTER MOON		
263F	MERCURY		
2640	FEMALE SIGN		
2641	EARTH		
2642	MALE SIGN		
2643	JUPITER		
2644	SATURN		
2645	URANUS		
2646	NEPTUNE		
2647	PLUTO		
2648	ARIES		
2649	TAURUS		
264A	GEMINI		
264B	CANCER		
264C	LEO		
264D	VIRGO		
264E	LIBRA		
264F	SCORPIUS		
2650	SAGITTARIUS		
2651	CAPRICORN		
2652	AQUARIUS		
2653	PISCES		
2654	WHITE CHESS KING		
2655	WHITE CHESS QUEEN		
2656	WHITE CHESS ROOK		
2657	WHITE CHESS BISHOP		
2658	WHITE CHESS KNIGHT		
2659	WHITE CHESS PAWN		
265A	BLACK CHESS KING		
265B	BLACK CHESS QUEEN		
265C	BLACK CHESS ROOK		

Group 00

Plane 00

Row 26

Table 84 - Row 26: Miscellaneous Symbols

	268	269	26A	26B	26C	26D	26E	26F
0	 2680	 2690	 26A0	 26B0				
1	 2681	 2691	 26A1	 26B1				
2	 2682	 2692	 26A2					
3	 2683	 2693	 26A3					
4	 2684	 2694	 26A4					
5	 2685	 2695	 26A5					
6	 2686	 2696	 26A6					
7	 2687	 2697	 26A7					
8	 2688	 2698	 26A8					
9	 2689	 2699	 26A9					
A	 268A	 269A	 26AA					
B	 268B	 269B	 26AB					
C	 268C	 269C	 26AC					
D	 268D		 26AD					
E	 268E		 26AE					
F	 268F		 26AF					

G = 00
P = 00

Table 84 - Row 26: Miscellaneous Symbols

HEX	NAME	HEX	NAME
2680	DIE FACE-1	26DD	(This position shall not be used)
2681	DIE FACE-2	26DE	(This position shall not be used)
2682	DIE FACE-3	26DF	(This position shall not be used)
2683	DIE FACE-4	26E0	(This position shall not be used)
2684	DIE FACE-5	26E1	(This position shall not be used)
2685	DIE FACE-6	26E2	(This position shall not be used)
2686	WHITE CIRCLE WITH DOT RIGHT	26E3	(This position shall not be used)
2687	WHITE CIRCLE WITH TWO DOTS	26E4	(This position shall not be used)
2688	BLACK CIRCLE WITH WHITE DOT RIGHT	26E5	(This position shall not be used)
2689	BLACK CIRCLE WITH TWO WHITE DOTS	26E6	(This position shall not be used)
268A	MONOGRAM FOR YANG	26E7	(This position shall not be used)
268B	MONOGRAM FOR YIN	26E8	(This position shall not be used)
268C	DIGRAM FOR GREATER YANG	26E9	(This position shall not be used)
268D	DIGRAM FOR LESSER YIN	26EA	(This position shall not be used)
268E	DIGRAM FOR LESSER YANG	26EB	(This position shall not be used)
268F	DIGRAM FOR GREATER YIN	26EC	(This position shall not be used)
2690	WHITE FLAG	26ED	(This position shall not be used)
2691	BLACK FLAG	26EE	(This position shall not be used)
2692	HAMMER AND CHISEL	26EF	(This position shall not be used)
2693	ANCHOR	26F0	(This position shall not be used)
2694	CROSSED SWORDS	26F1	(This position shall not be used)
2695	ROD OF AESCLEPIUS	26F2	(This position shall not be used)
2696	SCALES	26F3	(This position shall not be used)
2697	ALEMBIC	26F4	(This position shall not be used)
2698	FLOWER	26F5	(This position shall not be used)
2699	GEAR	26F6	(This position shall not be used)
269A	STAFF OF HERMES	26F7	(This position shall not be used)
269B	ATOM SYMBOL	26F8	(This position shall not be used)
269C	FLEUR-DE-LIS	26F9	(This position shall not be used)
269D	(This position shall not be used)	26FA	(This position shall not be used)
269E	(This position shall not be used)	26FB	(This position shall not be used)
269F	(This position shall not be used)	26FC	(This position shall not be used)
26A0	WARNING SIGN	26FD	(This position shall not be used)
26A1	HIGH VOLTAGE SIGN	26FE	(This position shall not be used)
26A2	DOUBLED FEMALE SIGN	26FF	(This position shall not be used)
26A3	DOUBLED MALE SIGN		
26A4	INTERLOCKED FEMALE AND MALE SIGN		
26A5	MALE AND FEMALE SIGN		
26A6	MALE WITH STROKE SIGN		
26A7	MALE WITH STROKE AND MALE AND FEMALE SIGN		
26A8	VERTICAL MALE WITH STROKE SIGN		
26A9	HORIZONTAL MALE WITH STROKE SIGN		
26AA	MEDIUM WHITE CIRCLE		
26AB	MEDIUM BLACK CIRCLE		
26AC	MEDIUM SMALL WHITE CIRCLE		
26AD	MARRIAGE SYMBOL		
26AE	DIVORCE SYMBOL		
26AF	UNMARRIED PARTNERSHIP SYMBOL		
26B0	COFFIN		
26B1	FUNERAL URN		
26B2	(This position shall not be used)		
26B3	(This position shall not be used)		
26B4	(This position shall not be used)		
26B5	(This position shall not be used)		
26B6	(This position shall not be used)		
26B7	(This position shall not be used)		
26B8	(This position shall not be used)		
26B9	(This position shall not be used)		
26BA	(This position shall not be used)		
26BB	(This position shall not be used)		
26BC	(This position shall not be used)		
26BD	(This position shall not be used)		
26BE	(This position shall not be used)		
26BF	(This position shall not be used)		
26C0	(This position shall not be used)		
26C1	(This position shall not be used)		
26C2	(This position shall not be used)		
26C3	(This position shall not be used)		
26C4	(This position shall not be used)		
26C5	(This position shall not be used)		
26C6	(This position shall not be used)		
26C7	(This position shall not be used)		
26C8	(This position shall not be used)		
26C9	(This position shall not be used)		
26CA	(This position shall not be used)		
26CB	(This position shall not be used)		
26CC	(This position shall not be used)		
26CD	(This position shall not be used)		
26CE	(This position shall not be used)		
26CF	(This position shall not be used)		
26D0	(This position shall not be used)		
26D1	(This position shall not be used)		
26D2	(This position shall not be used)		
26D3	(This position shall not be used)		
26D4	(This position shall not be used)		
26D5	(This position shall not be used)		
26D6	(This position shall not be used)		
26D7	(This position shall not be used)		
26D8	(This position shall not be used)		
26D9	(This position shall not be used)		
26DA	(This position shall not be used)		
26DB	(This position shall not be used)		
26DC	(This position shall not be used)		

Group 00

Plane 00

Row 26

Table 87 - Row 27: Miscellaneous Mathematical Symbols-A

	27C	27D	27E
0	 27C0	 27D0	 27E0
1	 27C1	 27D1	 27E1
2	 27C2	 27D2	 27E2
3		 27D3	 27E3
4		 27D4	 27E4
5		 27D5	 27E5
6		 27D6	 27E6
7		 27D7	 27E7
8		 27D8	 27E8
9		 27D9	 27E9
A		 27DA	 27EA
B		 27DB	 27EB
C		 27DC	
D		 27DD	
E		 27DE	
F		 27DF	

G = 00
P = 00

Table 87 - Row 27: Miscellaneous Mathematical Symbols-A

HEX	NAME	HEX	NAME
27C0	THREE DIMENSIONAL ANGLE		
27C1	WHITE TRIANGLE CONTAINING SMALL WHITE TRIANGLE		
27C2	PERPENDICULAR		
27C3	(This position shall not be used)		
27C4	(This position shall not be used)		
27C5	(This position shall not be used)		
27C6	(This position shall not be used)		
27C7	(This position shall not be used)		
27C8	(This position shall not be used)		
27C9	(This position shall not be used)		
27CA	(This position shall not be used)		
27CB	(This position shall not be used)		
27CC	(This position shall not be used)		
27CD	(This position shall not be used)		
27CE	(This position shall not be used)		
27CF	(This position shall not be used)		
27D0	WHITE DIAMOND WITH CENTRED DOT		
27D1	AND WITH DOT		
27D2	ELEMENT OF OPENING UPWARDS		
27D3	LOWER RIGHT CORNER WITH DOT		
27D4	UPPER LEFT CORNER WITH DOT		
27D5	LEFT OUTER JOIN		
27D6	RIGHT OUTER JOIN		
27D7	FULL OUTER JOIN		
27D8	LARGE UP TACK		
27D9	LARGE DOWN TACK		
27DA	LEFT AND RIGHT DOUBLE TURNSTILE		
27DB	LEFT AND RIGHT TACK		
27DC	LEFT MULTIMAP		
27DD	LONG RIGHT TACK		
27DE	LONG LEFT TACK		
27DF	UP TACK WITH CIRCLE ABOVE		
27E0	LOZENGE DIVIDED BY HORIZONTAL RULE		
27E1	WHITE CONCAVE-SIDED DIAMOND		
27E2	WHITE CONCAVE-SIDED DIAMOND WITH LEFTWARDS TICK		
27E3	WHITE CONCAVE-SIDED DIAMOND WITH RIGHTWARDS TICK		
27E4	WHITE SQUARE WITH LEFTWARDS TICK		
27E5	WHITE SQUARE WITH RIGHTWARDS TICK		
27E6	MATHEMATICAL LEFT WHITE SQUARE BRACKET		
27E7	MATHEMATICAL RIGHT WHITE SQUARE BRACKET		
27E8	MATHEMATICAL LEFT ANGLE BRACKET		
27E9	MATHEMATICAL RIGHT ANGLE BRACKET		
27EA	MATHEMATICAL LEFT DOUBLE ANGLE BRACKET		
27EB	MATHEMATICAL RIGHT DOUBLE ANGLE BRACKET		
27EC	(This position shall not be used)		
27ED	(This position shall not be used)		
27EE	(This position shall not be used)		
27EF	(This position shall not be used)		

Group 00

Plane 00

Row 27

Table 95 - Row 2B: Miscellaneous Symbols and Arrows

	2B0	2B1	2B2	2B3	2B4	2B5	2B6	2B7
0	 2B00	 2B10						
1	 2B01	 2B11						
2	 2B02	 2B12						
3	 2B03	 2B13						
4	 2B04							
5	 2B05							
6	 2B06							
7	 2B07							
8	 2B08							
9	 2B09							
A	 2B0A							
B	 2B0B							
C	 2B0C							
D	 2B0D							
E	 2B0E							
F	 2B0F							

G = 00
P = 00

Table 95 - Row 2B: Miscellaneous Symbols and Arrows

HEX	NAME	HEX	NAME
2B00	NORTH EAST WHITE ARROW	2B5D	(This position shall not be used)
2B01	NORTH WEST WHITE ARROW	2B5E	(This position shall not be used)
2B02	SOUTH EAST WHITE ARROW	2B5F	(This position shall not be used)
2B03	SOUTH WEST WHITE ARROW	2B60	(This position shall not be used)
2B04	LEFT RIGHT WHITE ARROW	2B61	(This position shall not be used)
2B05	LEFTWARDS BLACK ARROW	2B62	(This position shall not be used)
2B06	UPWARDS BLACK ARROW	2B63	(This position shall not be used)
2B07	DOWNWARDS BLACK ARROW	2B64	(This position shall not be used)
2B08	NORTH EAST BLACK ARROW	2B65	(This position shall not be used)
2B09	NORTH WEST BLACK ARROW	2B66	(This position shall not be used)
2B0A	SOUTH EAST BLACK ARROW	2B67	(This position shall not be used)
2B0B	SOUTH WEST BLACK ARROW	2B68	(This position shall not be used)
2B0C	LEFT RIGHT BLACK ARROW	2B69	(This position shall not be used)
2B0D	UP DOWN BLACK ARROW	2B6A	(This position shall not be used)
2B0E	RIGHTWARDS ARROW WITH TIP DOWNWARDS	2B6B	(This position shall not be used)
2B0F	RIGHTWARDS ARROW WITH TIP UPWARDS	2B6C	(This position shall not be used)
2B10	LEFTWARDS ARROW WITH TIP DOWNWARDS	2B6D	(This position shall not be used)
2B11	LEFTWARDS ARROW WITH TIP UPWARDS	2B6E	(This position shall not be used)
2B12	SQUARE WITH TOP HALF BLACK	2B6F	(This position shall not be used)
2B13	SQUARE WITH BOTTOM HALF BLACK	2B70	(This position shall not be used)
2B14	(This position shall not be used)	2B71	(This position shall not be used)
2B15	(This position shall not be used)	2B72	(This position shall not be used)
2B16	(This position shall not be used)	2B73	(This position shall not be used)
2B17	(This position shall not be used)	2B74	(This position shall not be used)
2B18	(This position shall not be used)	2B75	(This position shall not be used)
2B19	(This position shall not be used)	2B76	(This position shall not be used)
2B1A	(This position shall not be used)	2B77	(This position shall not be used)
2B1B	(This position shall not be used)	2B78	(This position shall not be used)
2B1C	(This position shall not be used)	2B79	(This position shall not be used)
2B1D	(This position shall not be used)	2B7A	(This position shall not be used)
2B1E	(This position shall not be used)	2B7B	(This position shall not be used)
2B1F	(This position shall not be used)	2B7C	(This position shall not be used)
2B20	(This position shall not be used)	2B7D	(This position shall not be used)
2B21	(This position shall not be used)	2B7E	(This position shall not be used)
2B22	(This position shall not be used)	2B7F	(This position shall not be used)
2B23	(This position shall not be used)		
2B24	(This position shall not be used)		
2B25	(This position shall not be used)		
2B26	(This position shall not be used)		
2B27	(This position shall not be used)		
2B28	(This position shall not be used)		
2B29	(This position shall not be used)		
2B2A	(This position shall not be used)		
2B2B	(This position shall not be used)		
2B2C	(This position shall not be used)		
2B2D	(This position shall not be used)		
2B2E	(This position shall not be used)		
2B2F	(This position shall not be used)		
2B30	(This position shall not be used)		
2B31	(This position shall not be used)		
2B32	(This position shall not be used)		
2B33	(This position shall not be used)		
2B34	(This position shall not be used)		
2B35	(This position shall not be used)		
2B36	(This position shall not be used)		
2B37	(This position shall not be used)		
2B38	(This position shall not be used)		
2B39	(This position shall not be used)		
2B3A	(This position shall not be used)		
2B3B	(This position shall not be used)		
2B3C	(This position shall not be used)		
2B3D	(This position shall not be used)		
2B3E	(This position shall not be used)		
2B3F	(This position shall not be used)		
2B40	(This position shall not be used)		
2B41	(This position shall not be used)		
2B42	(This position shall not be used)		
2B43	(This position shall not be used)		
2B44	(This position shall not be used)		
2B45	(This position shall not be used)		
2B46	(This position shall not be used)		
2B47	(This position shall not be used)		
2B48	(This position shall not be used)		
2B49	(This position shall not be used)		
2B4A	(This position shall not be used)		
2B4B	(This position shall not be used)		
2B4C	(This position shall not be used)		
2B4D	(This position shall not be used)		
2B4E	(This position shall not be used)		
2B4F	(This position shall not be used)		
2B50	(This position shall not be used)		
2B51	(This position shall not be used)		
2B52	(This position shall not be used)		
2B53	(This position shall not be used)		
2B54	(This position shall not be used)		
2B55	(This position shall not be used)		
2B56	(This position shall not be used)		
2B57	(This position shall not be used)		
2B58	(This position shall not be used)		
2B59	(This position shall not be used)		
2B5A	(This position shall not be used)		
2B5B	(This position shall not be used)		
2B5C	(This position shall not be used)		

Group 00

Plane 00

Row 2B

Table 97 - Row 2C: Glagolitic

HEX	NAME	HEX	NAME
2C00	GLAGOLITIC CAPITAL LETTER AZU	2C5D	GLAGOLITIC SMALL LETTER TROKUSTASTI AZU
2C01	GLAGOLITIC CAPITAL LETTER BUKY	2C5E	GLAGOLITIC SMALL LETTER LATINATE MYSLITE
2C02	GLAGOLITIC CAPITAL LETTER VEDE	2C5F	(This position shall not be used)
2C03	GLAGOLITIC CAPITAL LETTER GLAGOLI		
2C04	GLAGOLITIC CAPITAL LETTER DOBRO		
2C05	GLAGOLITIC CAPITAL LETTER YESTU		
2C06	GLAGOLITIC CAPITAL LETTER ZHIVETE		
2C07	GLAGOLITIC CAPITAL LETTER DZELO		
2C08	GLAGOLITIC CAPITAL LETTER ZEMLJA		
2C09	GLAGOLITIC CAPITAL LETTER IZHE		
2C0A	GLAGOLITIC CAPITAL LETTER INITIAL IZHE		
2C0B	GLAGOLITIC CAPITAL LETTER I		
2C0C	GLAGOLITIC CAPITAL LETTER DERVI		
2C0D	GLAGOLITIC CAPITAL LETTER KAKO		
2C0E	GLAGOLITIC CAPITAL LETTER LJUDIJE		
2C0F	GLAGOLITIC CAPITAL LETTER MYSLITE		
2C10	GLAGOLITIC CAPITAL LETTER NASHI		
2C11	GLAGOLITIC CAPITAL LETTER ONU		
2C12	GLAGOLITIC CAPITAL LETTER POKOJI		
2C13	GLAGOLITIC CAPITAL LETTER RITSI		
2C14	GLAGOLITIC CAPITAL LETTER SLOVO		
2C15	GLAGOLITIC CAPITAL LETTER TVRIDO		
2C16	GLAGOLITIC CAPITAL LETTER UKU		
2C17	GLAGOLITIC CAPITAL LETTER FRITU		
2C18	GLAGOLITIC CAPITAL LETTER HERU		
2C19	GLAGOLITIC CAPITAL LETTER OTU		
2C1A	GLAGOLITIC CAPITAL LETTER PE		
2C1B	GLAGOLITIC CAPITAL LETTER SHTA		
2C1C	GLAGOLITIC CAPITAL LETTER TSI		
2C1D	GLAGOLITIC CAPITAL LETTER CHRIVI		
2C1E	GLAGOLITIC CAPITAL LETTER SHA		
2C1F	GLAGOLITIC CAPITAL LETTER YERU		
2C20	GLAGOLITIC CAPITAL LETTER YERI		
2C21	GLAGOLITIC CAPITAL LETTER YATI		
2C22	GLAGOLITIC CAPITAL LETTER SPIDERY HA		
2C23	GLAGOLITIC CAPITAL LETTER JU		
2C24	GLAGOLITIC CAPITAL LETTER SMALL YUS		
2C25	GLAGOLITIC CAPITAL LETTER SMALL YUS WITH TAIL		
2C26	GLAGOLITIC CAPITAL LETTER YO		
2C27	GLAGOLITIC CAPITAL LETTER IOTATED SMALL YUS		
2C28	GLAGOLITIC CAPITAL LETTER BIG YUS		
2C29	GLAGOLITIC CAPITAL LETTER IOTATED BIG YUS		
2C2A	GLAGOLITIC CAPITAL LETTER FITA		
2C2B	GLAGOLITIC CAPITAL LETTER IZHITSA		
2C2C	GLAGOLITIC CAPITAL LETTER SHTAPIC		
2C2D	GLAGOLITIC CAPITAL LETTER TROKUSTASTI AZU		
2C2E	GLAGOLITIC CAPITAL LETTER LATINATE MYSLITE		
2C2F	(This position shall not be used)		
2C30	GLAGOLITIC SMALL LETTER AZU		
2C31	GLAGOLITIC SMALL LETTER BUKY		
2C32	GLAGOLITIC SMALL LETTER VEDE		
2C33	GLAGOLITIC SMALL LETTER GLAGOLI		
2C34	GLAGOLITIC SMALL LETTER DOBRO		
2C35	GLAGOLITIC SMALL LETTER YESTU		
2C36	GLAGOLITIC SMALL LETTER ZHIVETE		
2C37	GLAGOLITIC SMALL LETTER DZELO		
2C38	GLAGOLITIC SMALL LETTER ZEMLJA		
2C39	GLAGOLITIC SMALL LETTER IZHE		
2C3A	GLAGOLITIC SMALL LETTER INITIAL IZHE		
2C3B	GLAGOLITIC SMALL LETTER I		
2C3C	GLAGOLITIC SMALL LETTER DERVI		
2C3D	GLAGOLITIC SMALL LETTER KAKO		
2C3E	GLAGOLITIC SMALL LETTER LJUDIJE		
2C3F	GLAGOLITIC SMALL LETTER MYSLITE		
2C40	GLAGOLITIC SMALL LETTER NASHI		
2C41	GLAGOLITIC SMALL LETTER ONU		
2C42	GLAGOLITIC SMALL LETTER POKOJI		
2C43	GLAGOLITIC SMALL LETTER RITSI		
2C44	GLAGOLITIC SMALL LETTER SLOVO		
2C45	GLAGOLITIC SMALL LETTER TVRIDO		
2C46	GLAGOLITIC SMALL LETTER UKU		
2C47	GLAGOLITIC SMALL LETTER FRITU		
2C48	GLAGOLITIC SMALL LETTER HERU		
2C49	GLAGOLITIC SMALL LETTER OTU		
2C4A	GLAGOLITIC SMALL LETTER PE		
2C4B	GLAGOLITIC SMALL LETTER SHTA		
2C4C	GLAGOLITIC SMALL LETTER TSI		
2C4D	GLAGOLITIC SMALL LETTER CHRIVI		
2C4E	GLAGOLITIC SMALL LETTER SHA		
2C4F	GLAGOLITIC SMALL LETTER YERU		
2C50	GLAGOLITIC SMALL LETTER YERI		
2C51	GLAGOLITIC SMALL LETTER YATI		
2C52	GLAGOLITIC SMALL LETTER SPIDERY HA		
2C53	GLAGOLITIC SMALL LETTER YU		
2C54	GLAGOLITIC SMALL LETTER SMALL YUS		
2C55	GLAGOLITIC SMALL LETTER SMALL YUS WITH TAIL		
2C56	GLAGOLITIC SMALL LETTER YO		
2C57	GLAGOLITIC SMALL LETTER IOTATED SMALL YUS		
2C58	GLAGOLITIC SMALL LETTER BIG YUS		
2C59	GLAGOLITIC SMALL LETTER IOTATED BIG YUS		
2C5A	GLAGOLITIC SMALL LETTER FITA		
2C5B	GLAGOLITIC SMALL LETTER IZHITSA		
2C5C	GLAGOLITIC SMALL LETTER SHTAPIC		

Group 00

Plane 00

Row 2C

Table 98 - Row 2C: Coptic

	2C8	2C9	2CA	2CB	2CC
0	Ⲁ 2C80	Ⲑ 2C90	ⲁ 2CA0	ⲡ 2CB0	
1	Ⲃ 2C81	Ⲓ 2C91	ⲃ 2CA1	ⲓ 2CB1	
2	Ⲅ 2C82	Ⲕ 2C92	ⲅ 2CA2	ⲕ 2CB2	
3	Ⲇ 2C83	ⲕ 2C93	ⲇ 2CA3	Ⲕ 2CB3	
4	Ⲉ 2C84	ⲓ 2C94	ⲉ 2CA4	ⲕ 2CB4	
5	Ⲋ 2C85	ⲕ 2C95	ⲋ 2CA5	ⲕ 2CB5	
6	Ⲍ 2C86	Ⲏ 2C96	ⲍ 2CA6	Ⲏ 2CB6	
7	ⲏ 2C87	ⲕ 2C97	Ⲉ 2CA7	ⲕ 2CB7	
8	ⲑ 2C88	ⲕ 2C98	ⲉ 2CA8	ⲕ 2CB8	
9	ⲓ 2C89	ⲕ 2C99	ⲉ 2CA9	ⲕ 2CB9	
A	ⲕ 2C8A	ⲕ 2C9A	ⲕ 2CAA	ⲕ 2CBA	
B	Ⲍ 2C8B		Ⲍ 2CAB	ⲕ 2CBB	
C	ⲕ 2C8C		ⲕ 2CAC	ⲕ 2CBC	
D	Ⲏ 2C8D		Ⲏ 2CAD	ⲕ 2CBD	
E	ⲏ 2C8E		ⲏ 2CAE	ⲕ 2CBE	
F	ⲑ 2C8F		ⲑ 2CAF	ⲕ 2CBF	

G = 00
P = 00

Table 98 - Row 2C: Coptic

HEX	NAME	HEX	NAME
2C80	COPTIC CAPITAL LETTER ALFA		
2C81	COPTIC CAPITAL LETTER VIDA		
2C82	COPTIC CAPITAL LETTER GAMMA		
2C83	COPTIC CAPITAL LETTER DALDA		
2C84	COPTIC CAPITAL LETTER EIE		
2C85	COPTIC CAPITAL LETTER SOU		
2C86	COPTIC CAPITAL LETTER ZATA		
2C87	COPTIC CAPITAL LETTER HATE		
2C88	COPTIC CAPITAL LETTER THETHE		
2C89	COPTIC CAPITAL LETTER IAUDA		
2C8A	COPTIC CAPITAL LETTER KAPA		
2C8B	COPTIC CAPITAL LETTER LAULA		
2C8C	COPTIC CAPITAL LETTER MI		
2C8D	COPTIC CAPITAL LETTER NI		
2C8E	COPTIC CAPITAL LETTER KSI		
2C8F	COPTIC CAPITAL LETTER O		
2C90	COPTIC CAPITAL LETTER PI		
2C91	COPTIC CAPITAL LETTER RO		
2C92	COPTIC CAPITAL LETTER SIMA		
2C93	COPTIC CAPITAL LETTER TAU		
2C94	COPTIC CAPITAL LETTER UA		
2C95	COPTIC CAPITAL LETTER FI		
2C96	COPTIC CAPITAL LETTER KHI		
2C97	COPTIC CAPITAL LETTER PSI		
2C98	COPTIC CAPITAL LETTER OOU		
2C99	COPTIC CAPITAL LETTER AKHMMIC KHEI		
2C9A	COPTIC CAPITAL LETTER RO WITH STROKE		
2C9B	(This position shall not be used)		
2C9C	(This position shall not be used)		
2C9D	(This position shall not be used)		
2C9E	(This position shall not be used)		
2C9F	(This position shall not be used)		
2CA0	COPTIC SMALL LETTER ALFA		
2CA1	COPTIC SMALL LETTER VIDA		
2CA2	COPTIC SMALL LETTER GAMMA		
2CA3	COPTIC SMALL LETTER DALDA		
2CA4	COPTIC SMALL LETTER EIE		
2CA5	COPTIC SMALL LETTER SOU		
2CA6	COPTIC SMALL LETTER ZATA		
2CA7	COPTIC SMALL LETTER HATE		
2CA8	COPTIC SMALL LETTER THETHE		
2CA9	COPTIC SMALL LETTER IAUDA		
2CAA	COPTIC SMALL LETTER KAPA		
2CAB	COPTIC SMALL LETTER LAULA		
2CAC	COPTIC SMALL LETTER MI		
2CAD	COPTIC SMALL LETTER NI		
2CAE	COPTIC SMALL LETTER KSI		
2CAF	COPTIC SMALL LETTER O		
2CB0	COPTIC SMALL LETTER PI		
2CB1	COPTIC SMALL LETTER RO		
2CB2	COPTIC SMALL LETTER SIMA		
2CB3	COPTIC SMALL LETTER TAU		
2CB4	COPTIC SMALL LETTER UA		
2CB5	COPTIC SMALL LETTER FI		
2CB6	COPTIC SMALL LETTER KHI		
2CB7	COPTIC SMALL LETTER PSI		
2CB8	COPTIC SMALL LETTER OOU		
2CB9	COPTIC SMALL LETTER AKHMMIC KHEI		
2CBA	COPTIC SMALL LETTER RO WITH STROKE		
2CBB	COPTIC SYMBOL MI RO		
2CBC	COPTIC SYMBOL KHI RO		
2CBD	COPTIC SYMBOL KHRISTOS		
2CBE	COPTIC FULL STOP		
2CBF	COPTIC FRACTION ONE HALF		
2CC0	(This position shall not be used)		
2CC1	(This position shall not be used)		
2CC2	(This position shall not be used)		
2CC3	(This position shall not be used)		
2CC4	(This position shall not be used)		
2CC5	(This position shall not be used)		
2CC6	(This position shall not be used)		
2CC7	(This position shall not be used)		
2CC8	(This position shall not be used)		
2CC9	(This position shall not be used)		
2CCA	(This position shall not be used)		
2CCB	(This position shall not be used)		
2CCC	(This position shall not be used)		
2CCD	(This position shall not be used)		
2CCE	(This position shall not be used)		
2CCF	(This position shall not be used)		

Group 00

Plane 00

Row 2C

Table 99 - Row 2D: Georgian Supplement

	2D0	2D1	2D2
0	Ⴒ 2D00	Ⴓ 2D10	Ⴔ 2D20
1	Ⴕ 2D01	Ⴖ 2D11	Ⴗ 2D21
2	Ⴘ 2D02	Ⴙ 2D12	Ⴚ 2D22
3	Ⴛ 2D03	Ⴜ 2D13	Ⴝ 2D23
4	Ⴞ 2D04	Ⴟ 2D14	Ⴀ 2D24
5	Ⴁ 2D05	Ⴂ 2D15	Ⴃ 2D25
6	Ⴄ 2D06	Ⴅ 2D16	
7	Ⴆ 2D07	Ⴇ 2D17	
8	Ⴈ 2D08	Ⴉ 2D18	
9	Ⴋ 2D09	Ⴌ 2D19	
A	Ⴍ 2D0A	Ⴎ 2D1A	
B	Ⴐ 2D0B	Ⴑ 2D1B	
C	Ⴓ 2D0C	Ⴔ 2D1C	
D	Ⴖ 2D0D	Ⴗ 2D1D	
E	Ⴙ 2D0E	Ⴚ 2D1E	
F	Ⴝ 2D0F	Ⴞ 2D1F	

G = 00
P = 00

Table 99 - Row 2D: Georgian Supplement

HEX	NAME	HEX	NAME
2D00	GEORGIAN SMALL LETTER AN (Khutsuri)		
2D01	GEORGIAN SMALL LETTER BAN (Khutsuri)		
2D02	GEORGIAN SMALL LETTER GAN (Khutsuri)		
2D03	GEORGIAN SMALL LETTER DON (Khutsuri)		
2D04	GEORGIAN SMALL LETTER EN (Khutsuri)		
2D05	GEORGIAN SMALL LETTER VIN (Khutsuri)		
2D06	GEORGIAN SMALL LETTER ZEN (Khutsuri)		
2D07	GEORGIAN SMALL LETTER TAN (Khutsuri)		
2D08	GEORGIAN SMALL LETTER IN (Khutsuri)		
2D09	GEORGIAN SMALL LETTER KAN (Khutsuri)		
2D0A	GEORGIAN SMALL LETTER LAS (Khutsuri)		
2D0B	GEORGIAN SMALL LETTER MAN (Khutsuri)		
2D0C	GEORGIAN SMALL LETTER NAR (Khutsuri)		
2D0D	GEORGIAN SMALL LETTER ON (Khutsuri)		
2D0E	GEORGIAN SMALL LETTER PAR (Khutsuri)		
2D0F	GEORGIAN SMALL LETTER ZHAR (Khutsuri)		
2D10	GEORGIAN SMALL LETTER RAE (Khutsuri)		
2D11	GEORGIAN SMALL LETTER SAN (Khutsuri)		
2D12	GEORGIAN SMALL LETTER TAR (Khutsuri)		
2D13	GEORGIAN SMALL LETTER UN (Khutsuri)		
2D14	GEORGIAN SMALL LETTER PHAR (Khutsuri)		
2D15	GEORGIAN SMALL LETTER KHAR (Khutsuri)		
2D16	GEORGIAN SMALL LETTER GHAN (Khutsuri)		
2D17	GEORGIAN SMALL LETTER QAR (Khutsuri)		
2D18	GEORGIAN SMALL LETTER SHIN (Khutsuri)		
2D19	GEORGIAN SMALL LETTER CHIN (Khutsuri)		
2D1A	GEORGIAN SMALL LETTER CAN (Khutsuri)		
2D1B	GEORGIAN SMALL LETTER JIL (Khutsuri)		
2D1C	GEORGIAN SMALL LETTER CIL (Khutsuri)		
2D1D	GEORGIAN SMALL LETTER CHAR (Khutsuri)		
2D1E	GEORGIAN SMALL LETTER XAN (Khutsuri)		
2D1F	GEORGIAN SMALL LETTER JHAN (Khutsuri)		
2D20	GEORGIAN SMALL LETTER HAE (Khutsuri)		
2D21	GEORGIAN SMALL LETTER HE (Khutsuri)		
2D22	GEORGIAN SMALL LETTER HIE (Khutsuri)		
2D23	GEORGIAN SMALL LETTER WE (Khutsuri)		
2D24	GEORGIAN SMALL LETTER HAR (Khutsuri)		
2D25	GEORGIAN SMALL LETTER HOE (Khutsuri)		
2D26	(This position shall not be used)		
2D27	(This position shall not be used)		
2D28	(This position shall not be used)		
2D29	(This position shall not be used)		
2D2A	(This position shall not be used)		
2D2B	(This position shall not be used)		
2D2C	(This position shall not be used)		
2D2D	(This position shall not be used)		
2D2E	(This position shall not be used)		
2D2F	(This position shall not be used)		

Group 00

Plane 00

Row 2D

Table 100 - Row 2E: Supplemental Punctuation

	2E0	2E1	2E2	2E3	2E4	2E5	2E6	2E7
0	 2E00	 2E10						
1	 2E01	 2E11						
2	 2E02	 2E12						
3	 2E03	 2E13						
4	 2E04	 2E14						
5	 2E05	 2E15						
6	 2E06	 2E16						
7	 2E07	 2E17						
8	 2E08							
9	 2E09							
A	 2E0A							
B	 2E0B							
C	 2E0C							
D	 2E0D							
E	 2E0E							
F	 2E0F							

G = 00
P = 00

Table 100 - Row 2E: Supplemental Punctuation

HEX	NAME	HEX	NAME
2E00	RIGHT ANGLE SUBSTITUTION MARKER	2E5D	(This position shall not be used)
2E01	RIGHT ANGLE DOTTED SUBSTITUTION MARKER	2E5E	(This position shall not be used)
2E02	LEFT SUBSTITUTION BRACKET	2E5F	(This position shall not be used)
2E03	RIGHT SUBSTITUTION BRACKET	2E60	(This position shall not be used)
2E04	LEFT DOTTED SUBSTITUTION BRACKET	2E61	(This position shall not be used)
2E05	RIGHT DOTTED SUBSTITUTION BRACKET	2E62	(This position shall not be used)
2E06	RAISED INTERPOLATION MARKER	2E63	(This position shall not be used)
2E07	RAISED DOTTED INTERPOLATION MARKER	2E64	(This position shall not be used)
2E08	DOTTED TRANSPOSITION MARKER	2E65	(This position shall not be used)
2E09	LEFT TRANSPOSITION BRACKET	2E66	(This position shall not be used)
2E0A	RIGHT TRANSPOSITION BRACKET	2E67	(This position shall not be used)
2E0B	RAISED SQUARE	2E68	(This position shall not be used)
2E0C	RAISED SMALL DIAGONAL UPPER LEFT TO LOWER RIGHT	2E69	(This position shall not be used)
2E0D	RAISED SMALL DIAGONAL LOWER LEFT TO UPPER RIGHT	2E6A	(This position shall not be used)
2E0E	EDITORIAL CORONIS	2E6B	(This position shall not be used)
2E0F	PARAGRAPHOS	2E6C	(This position shall not be used)
2E10	FORKED PARAGRAPHOS	2E6D	(This position shall not be used)
2E11	REVERSED FORKED PARAGRAPHOS	2E6E	(This position shall not be used)
2E12	HYPODIASTOLE	2E6F	(This position shall not be used)
2E13	DOTTED OBELOS	2E70	(This position shall not be used)
2E14	DOWNWARDS ANCORA	2E71	(This position shall not be used)
2E15	UPWARDS ANCORA	2E72	(This position shall not be used)
2E16	DOTTED RIGHT-POINTING ANGLE	2E73	(This position shall not be used)
2E17	DOUBLE OBLIQUE HYPHEN	2E74	(This position shall not be used)
2E18	(This position shall not be used)	2E75	(This position shall not be used)
2E19	(This position shall not be used)	2E76	(This position shall not be used)
2E1A	(This position shall not be used)	2E77	(This position shall not be used)
2E1B	(This position shall not be used)	2E78	(This position shall not be used)
2E1C	(This position shall not be used)	2E79	(This position shall not be used)
2E1D	(This position shall not be used)	2E7A	(This position shall not be used)
2E1E	(This position shall not be used)	2E7B	(This position shall not be used)
2E1F	(This position shall not be used)	2E7C	(This position shall not be used)
2E20	(This position shall not be used)	2E7D	(This position shall not be used)
2E21	(This position shall not be used)	2E7E	(This position shall not be used)
2E22	(This position shall not be used)	2E7F	(This position shall not be used)
2E23	(This position shall not be used)		
2E24	(This position shall not be used)		
2E25	(This position shall not be used)		
2E26	(This position shall not be used)		
2E27	(This position shall not be used)		
2E28	(This position shall not be used)		
2E29	(This position shall not be used)		
2E2A	(This position shall not be used)		
2E2B	(This position shall not be used)		
2E2C	(This position shall not be used)		
2E2D	(This position shall not be used)		
2E2E	(This position shall not be used)		
2E2F	(This position shall not be used)		
2E30	(This position shall not be used)		
2E31	(This position shall not be used)		
2E32	(This position shall not be used)		
2E33	(This position shall not be used)		
2E34	(This position shall not be used)		
2E35	(This position shall not be used)		
2E36	(This position shall not be used)		
2E37	(This position shall not be used)		
2E38	(This position shall not be used)		
2E39	(This position shall not be used)		
2E3A	(This position shall not be used)		
2E3B	(This position shall not be used)		
2E3C	(This position shall not be used)		
2E3D	(This position shall not be used)		
2E3E	(This position shall not be used)		
2E3F	(This position shall not be used)		
2E40	(This position shall not be used)		
2E41	(This position shall not be used)		
2E42	(This position shall not be used)		
2E43	(This position shall not be used)		
2E44	(This position shall not be used)		
2E45	(This position shall not be used)		
2E46	(This position shall not be used)		
2E47	(This position shall not be used)		
2E48	(This position shall not be used)		
2E49	(This position shall not be used)		
2E4A	(This position shall not be used)		
2E4B	(This position shall not be used)		
2E4C	(This position shall not be used)		
2E4D	(This position shall not be used)		
2E4E	(This position shall not be used)		
2E4F	(This position shall not be used)		
2E50	(This position shall not be used)		
2E51	(This position shall not be used)		
2E52	(This position shall not be used)		
2E53	(This position shall not be used)		
2E54	(This position shall not be used)		
2E55	(This position shall not be used)		
2E56	(This position shall not be used)		
2E57	(This position shall not be used)		
2E58	(This position shall not be used)		
2E59	(This position shall not be used)		
2E5A	(This position shall not be used)		
2E5B	(This position shall not be used)		
2E5C	(This position shall not be used)		

Group 00

Plane 00

Row 2E

Table 126 - Row A8: Syloti Nagri

	A80	A81	A82
0	𑌀 A800	𑌁 A810	𑌂 A820
1	𑌃 A801	𑌄 A811	𑌅 A821
2	𑌆 A802	𑌇 A812	𑌈 A822
3	𑌉 A803	𑌊 A813	𑌋 A823
4	𑌌 A804	𑌍 A814	𑌎 A824
5	𑌏 A805	𑌐 A815	𑌑 A825
6	𑌒 A806	𑌓 A816	𑌔 A826
7	𑌕 A807	𑌖 A817	𑌗 A827
8	𑌘 A808	𑌙 A818	𑌚 A828
9	𑌛 A809	𑌜 A819	𑌝 A829
A	𑌞 A80A	𑌟 A81A	𑌠 A82A
B	𑌡 A80B	𑌢 A81B	𑌣 A82B
C	𑌤 A80C	𑌥 A81C	
D	𑌧 A80D	𑌨 A81D	
E	𑌩 A80E	𑌪 A81E	
F	𑌬 A80F	𑌭 A81F	

G = 00
P = 00

Table 126 - Row A8: Syloti Nagri

HEX	NAME	HEX	NAME
A800	SYLOTI NAGRI LETTER A		
A801	SYLOTI NAGRI LETTER I		
A802	SYLOTI NAGRI SIGN DVISVARA		
A803	SYLOTI NAGRI LETTER U		
A804	SYLOTI NAGRI LETTER E		
A805	SYLOTI NAGRI LETTER O		
A806	SYLOTI NAGRI SIGN HASANTA		
A807	SYLOTI NAGRI LETTER KO		
A808	SYLOTI NAGRI LETTER KHO		
A809	SYLOTI NAGRI LETTER GO		
A80A	SYLOTI NAGRI LETTER GHO		
A80B	SYLOTI NAGRI SIGN ANUSVARA		
A80C	SYLOTI NAGRI LETTER CO		
A80D	SYLOTI NAGRI LETTER CHO		
A80E	SYLOTI NAGRI LETTER JO		
A80F	SYLOTI NAGRI LETTER JHO		
A810	SYLOTI NAGRI LETTER TTO		
A811	SYLOTI NAGRI LETTER TTHO		
A812	SYLOTI NAGRI LETTER DDO		
A813	SYLOTI NAGRI LETTER DDHO		
A814	SYLOTI NAGRI LETTER TO		
A815	SYLOTI NAGRI LETTER THO		
A816	SYLOTI NAGRI LETTER DO		
A817	SYLOTI NAGRI LETTER DHO		
A818	SYLOTI NAGRI LETTER NO		
A819	SYLOTI NAGRI LETTER PO		
A81A	SYLOTI NAGRI LETTER PHO		
A81B	SYLOTI NAGRI LETTER BO		
A81C	SYLOTI NAGRI LETTER BHO		
A81D	SYLOTI NAGRI LETTER MO		
A81E	SYLOTI NAGRI LETTER RO		
A81F	SYLOTI NAGRI LETTER LO		
A820	SYLOTI NAGRI LETTER RRO		
A821	SYLOTI NAGRI LETTER SO		
A822	SYLOTI NAGRI LETTER HO		
A823	SYLOTI NAGRI VOWEL SIGN A		
A824	SYLOTI NAGRI VOWEL SIGN I		
A825	SYLOTI NAGRI VOWEL SIGN U		
A826	SYLOTI NAGRI VOWEL SIGN E		
A827	SYLOTI NAGRI VOWEL SIGN OO		
A828	SYLOTI NAGRI POETRY MARK-1		
A829	SYLOTI NAGRI POETRY MARK-2		
A82A	SYLOTI NAGRI POETRY MARK-3		
A82B	SYLOTI NAGRI POETRY MARK-4		
A82C	(This position shall not be used)		
A82D	(This position shall not be used)		
A82E	(This position shall not be used)		
A82F	(This position shall not be used)		

Group 00

Plane 00

Row A8

Table 127 - Row A8: Phags-pa

	A84	A85	A86	A87
0	 A840	 A850	 A860	 A870
1	 A841	 A851	 A861	 A871
2	 A842	 A852	 A862	 A872
3	 A843	 A853	 A863	 A873
4	 A844	 A854	 A864	
5	 A845	 A855	 A865	
6	 A846	 A856	 A866	
7	 A847	 A857	 A867	
8	 A848	 A858	 A868	
9	 A849	 A859	 A869	
A	 A84A	 A85A	 A86A	
B	 A84B	 A85B	 A86B	
C	 A84C	 A85C	 A86C	
D	 A84D	 A85D	 A86D	
E	 A84E	 A85E	 A86E	
F	 A84F	 A85F	 A86F	

G = 00
P = 00

Table 127 - Row A8: Phags-pa

HEX	NAME	HEX	NAME
A840	PHAGS-PA LETTER KA		
A841	PHAGS-PA LETTER KHA		
A842	PHAGS-PA LETTER GA		
A843	PHAGS-PA LETTER NGA		
A844	PHAGS-PA LETTER CA		
A845	PHAGS-PA LETTER CHA		
A846	PHAGS-PA LETTER JA		
A847	PHAGS-PA LETTER NYA		
A848	PHAGS-PA LETTER TTA		
A849	PHAGS-PA LETTER TTHA		
A84A	PHAGS-PA LETTER DDA		
A84B	PHAGS-PA LETTER NNA		
A84C	PHAGS-PA LETTER TA		
A84D	PHAGS-PA LETTER THA		
A84E	PHAGS-PA LETTER DA		
A84F	PHAGS-PA LETTER NA		
A850	PHAGS-PA LETTER PA		
A851	PHAGS-PA LETTER PHA		
A852	PHAGS-PA LETTER BA		
A853	PHAGS-PA LETTER MA		
A854	PHAGS-PA LETTER TSA		
A855	PHAGS-PA LETTER TSHA		
A856	PHAGS-PA LETTER DZA		
A857	PHAGS-PA LETTER WA		
A858	PHAGS-PA LETTER ZHA		
A859	PHAGS-PA LETTER ZA		
A85A	PHAGS-PA LETTER -A		
A85B	PHAGS-PA LETTER YA		
A85C	PHAGS-PA LETTER RA		
A85D	PHAGS-PA LETTER LA		
A85E	PHAGS-PA LETTER SHA		
A85F	PHAGS-PA LETTER SA		
A860	PHAGS-PA LETTER HA		
A861	PHAGS-PA LETTER A		
A862	PHAGS-PA LETTER QA		
A863	PHAGS-PA LETTER XA		
A864	PHAGS-PA LETTER FA		
A865	PHAGS-PA LETTER GGA		
A866	PHAGS-PA SUBJOINED LETTER WA		
A867	PHAGS-PA SUBJOINED LETTER YA		
A868	PHAGS-PA SUBJOINED LETTER RA		
A869	PHAGS-PA SUPERFIXED LETTER RA		
A86A	PHAGS-PA LETTER I		
A86B	PHAGS-PA LETTER U		
A86C	PHAGS-PA LETTER E		
A86D	PHAGS-PA LETTER O		
A86E	PHAGS-PA LETTER EE		
A86F	PHAGS-PA LETTER CANDRABINDU		
A870	PHAGS-PA SINGLE HEAD MARK		
A871	PHAGS-PA DOUBLE HEAD MARK		
A872	PHAGS-PA MARK SHAD		
A873	PHAGS-PA MARK DOUBLE SHAD		
A874	(This position shall not be used)		
A875	(This position shall not be used)		
A876	(This position shall not be used)		
A877	(This position shall not be used)		
A878	(This position shall not be used)		
A879	(This position shall not be used)		
A87A	(This position shall not be used)		
A87B	(This position shall not be used)		
A87C	(This position shall not be used)		
A87D	(This position shall not be used)		
A87E	(This position shall not be used)		
A87F	(This position shall not be used)		

Group 00

Plane 00

Row A8

Table 179 - Row 01: Ancient Greek Numbers

	1014	1015	1016	1017	1018
0	☾ 10140	Δ Σ 10150	Σ 10160	Ϡ 10170	Ϟ 10180
1	☾ 10141	Ϡ Σ 10151	Ϡ 10161	Υ 10171	⋮ 10181
2	⋮ 10142	⋮ Σ 10152	Λ 10162	Ϟ 10172	Ϡ 10182
3	⋮ 10143	Ϡ Σ 10153	Υ 10163	⋮ 10173	Ϡ 10183
4	Ϡ 10144	Χ Σ 10154	Ϡ 10164	⋮ M Δ 10174	⋮ 10184
5	Ϡ 10145	⋮ Σ 10155	Ϡ 10165	⋮ 10175	∞ 10185
6	Ϡ 10146	⋮ Σ 10156	Ϡ 10166	⋮ 10176	⋮ 10186
7	⋮ 10147	⋮ M 10157	Ϡ 10167	ω 10177	⋮ 10187
8	⋮ 10148	⋮ 10158	⋮ 10168	⋮ 10178	⋮ 10188
9	⋮ 10149	⋮ 10159	⋮ 10169	⋮ 10179	⋮ 10189
A	⋮ 1014A	⋮ 1015A	⋮ 1016A	⋮ 1017A	
B	⋮ 1014B	⋮ 1015B	⋮ 1016B	⋮ 1017B	
C	⋮ 1014C	⋮ 1015C	⋮ 1016C	⋮ 1017C	
D	⋮ 1014D	⋮ 1015D	⋮ 1016D	⋮ 1017D	
E	⋮ 1014E	⋮ 1015E	⋮ 1016E	⋮ 1017E	
F	⋮ 1014F	⋮ 1015F	⋮ 1016F	⋮ 1017F	

G = 00
P = 01

Table 179 - Row 01: Ancient Greek Numbers

HEX	NAME	HEX	NAME
10140	GREEK ACROPHONIC ATTIC ONE QUARTER		
10141	GREEK ACROPHONIC ATTIC ONE HALF		
10142	GREEK ACROPHONIC ATTIC ONE DRACHMA		
10143	GREEK ACROPHONIC ATTIC FIVE		
10144	GREEK ACROPHONIC ATTIC FIFTY		
10145	GREEK ACROPHONIC ATTIC FIVE HUNDRED		
10146	GREEK ACROPHONIC ATTIC FIVE THOUSAND		
10147	GREEK ACROPHONIC ATTIC FIFTY THOUSAND		
10148	GREEK ACROPHONIC ATTIC FIVE TALENTS		
10149	GREEK ACROPHONIC ATTIC TEN TALENTS		
1014A	GREEK ACROPHONIC ATTIC FIFTY TALENTS		
1014B	GREEK ACROPHONIC ATTIC ONE HUNDRED TALENTS		
1014C	GREEK ACROPHONIC ATTIC FIVE HUNDRED TALENTS		
1014D	GREEK ACROPHONIC ATTIC ONE THOUSAND TALENTS		
1014E	GREEK ACROPHONIC ATTIC FIVE THOUSAND TALENTS		
1014F	GREEK ACROPHONIC ATTIC FIVE STATERS		
10150	GREEK ACROPHONIC ATTIC TEN STATERS		
10151	GREEK ACROPHONIC ATTIC FIFTY STATERS		
10152	GREEK ACROPHONIC ATTIC ONE HUNDRED STATERS		
10153	GREEK ACROPHONIC ATTIC FIVE HUNDRED STATERS		
10154	GREEK ACROPHONIC ATTIC ONE THOUSAND STATERS		
10155	GREEK ACROPHONIC ATTIC TEN THOUSAND STATERS		
10156	GREEK ACROPHONIC ATTIC FIFTY THOUSAND STATERS		
10157	GREEK ACROPHONIC ATTIC TEN MNAS		
10158	GREEK ACROPHONIC HERAEUM ONE PLETHRON		
10159	GREEK ACROPHONIC THESPIAN ONE		
1015A	GREEK ACROPHONIC HERMIONE ONE		
1015B	GREEK ACROPHONIC EPIDAUREAN TWO		
1015C	GREEK ACROPHONIC THESPIAN TWO		
1015D	GREEK ACROPHONIC CYRENAIC TWO DRACHMAS		
1015E	GREEK ACROPHONIC EPIDAUREAN TWO DRACHMAS		
1015F	GREEK ACROPHONIC TROEZENIAN FIVE		
10160	GREEK ACROPHONIC TROEZENIAN TEN		
10161	GREEK ACROPHONIC TROEZENIAN TEN ALTERNATE FORM		
10162	GREEK ACROPHONIC HERMIONIAN TEN		
10163	GREEK ACROPHONIC MESSENIAN TEN		
10164	GREEK ACROPHONIC THESPIAN TEN		
10165	GREEK ACROPHONIC THESPIAN THIRTY		
10166	GREEK ACROPHONIC TROEZENIAN FIFTY		
10167	GREEK ACROPHONIC TROEZENIAN FIFTY ALTERNATE FORM		
10168	GREEK ACROPHONIC HERMIONIAN FIFTY		
10169	GREEK ACROPHONIC THESPIAN FIFTY		
1016A	GREEK ACROPHONIC THESPIAN ONE HUNDRED		
1016B	GREEK ACROPHONIC THESPIAN THREE HUNDRED		
1016C	GREEK ACROPHONIC EPIDAUREAN FIVE HUNDRED		
1016D	GREEK ACROPHONIC TROEZENIAN FIVE HUNDRED		
1016E	GREEK ACROPHONIC THESPIAN FIVE HUNDRED		
1016F	GREEK ACROPHONIC CARYSTIAN FIVE HUNDRED		
10170	GREEK ACROPHONIC NAXIAN FIVE HUNDRED		
10171	GREEK ACROPHONIC THESPIAN ONE THOUSAND		
10172	GREEK ACROPHONIC THESPIAN FIVE THOUSAND		
10173	GREEK ACROPHONIC DELPHIC FIVE MNAS		
10174	GREEK ACROPHONIC STRATIAN FIFTY MNAS		
10175	GREEK ONE HALF SIGN		
10176	GREEK ONE HALF SIGN ALTERNATE FORM		
10177	GREEK TWO THIRDS SIGN		
10178	GREEK THREE QUARTERS SIGN		
10179	GREEK YEAR SIGN		
1017A	GREEK TALENT SIGN		
1017B	GREEK DRACHMA SIGN		
1017C	GREEK OBOL SIGN		
1017D	GREEK TWO OBOLS SIGN		
1017E	GREEK THREE OBOLS SIGN		
1017F	GREEK FOUR OBOLS SIGN		
10180	GREEK FIVE OBOLS SIGN		
10181	GREEK METRETES SIGN		
10182	GREEK KYATHOS BASE SIGN		
10183	GREEK LITRA SIGN		
10184	GREEK OUNKIA SIGN		
10185	GREEK XESTES SIGN		
10186	GREEK ARTABE SIGN		
10187	GREEK AROURA SIGN		
10188	GREEK GRAMMA SIGN		
10189	GREEK TRYBLION BASE SIGN		
1018A	(This position shall not be used)		
1018B	(This position shall not be used)		
1018C	(This position shall not be used)		
1018D	(This position shall not be used)		
1018E	(This position shall not be used)		
1018F	(This position shall not be used)		

Group 00

Plane 01

Row 01

Table 183 - Row 03: Old Persian

	103A	103B	103C	103D
0	 103A0	 103B0	 103C0	 103D0
1	 103A1	 103B1	 103C1	 103D1
2	 103A2	 103B2	 103C2	 103D2
3	 103A3	 103B3	 103C3	 103D3
4	 103A4	 103B4		 103D4
5	 103A5	 103B5		 103D5
6	 103A6	 103B6		
7	 103A7	 103B7		
8	 103A8	 103B8	 103C8	
9	 103A9	 103B9	 103C9	
A	 103AA	 103BA	 103CA	
B	 103AB	 103BB	 103CB	
C	 103AC	 103BC	 103CC	
D	 103AD	 103BD	 103CD	
E	 103AE	 103BE	 103CE	
F	 103AF	 103BF	 103CF	

G = 00
P = 01

Table 183 - Row 03: Old Persian

HEX	NAME	HEX	NAME
103A0	OLD PERSIAN SIGN A		
103A1	OLD PERSIAN SIGN I		
103A2	OLD PERSIAN SIGN U		
103A3	OLD PERSIAN SIGN KA		
103A4	OLD PERSIAN SIGN KU		
103A5	OLD PERSIAN SIGN GA		
103A6	OLD PERSIAN SIGN GU		
103A7	OLD PERSIAN SIGN XA		
103A8	OLD PERSIAN SIGN CA		
103A9	OLD PERSIAN SIGN JA		
103AA	OLD PERSIAN SIGN JI		
103AB	OLD PERSIAN SIGN TA		
103AC	OLD PERSIAN SIGN TU		
103AD	OLD PERSIAN SIGN DA		
103AE	OLD PERSIAN SIGN DI		
103AF	OLD PERSIAN SIGN DU		
103B0	OLD PERSIAN SIGN THA		
103B1	OLD PERSIAN SIGN PA		
103B2	OLD PERSIAN SIGN BA		
103B3	OLD PERSIAN SIGN FA		
103B4	OLD PERSIAN SIGN NA		
103B5	OLD PERSIAN SIGN NU		
103B6	OLD PERSIAN SIGN MA		
103B7	OLD PERSIAN SIGN MI		
103B8	OLD PERSIAN SIGN MU		
103B9	OLD PERSIAN SIGN YA		
103BA	OLD PERSIAN SIGN VA		
103BB	OLD PERSIAN SIGN VI		
103BC	OLD PERSIAN SIGN RA		
103BD	OLD PERSIAN SIGN RU		
103BE	OLD PERSIAN SIGN LA		
103BF	OLD PERSIAN SIGN SA		
103C0	OLD PERSIAN SIGN ZA		
103C1	OLD PERSIAN SIGN SHA		
103C2	OLD PERSIAN SIGN SSA		
103C3	OLD PERSIAN SIGN HA		
103C4	(This position shall not be used)		
103C5	(This position shall not be used)		
103C6	(This position shall not be used)		
103C7	(This position shall not be used)		
103C8	OLD PERSIAN SIGN AURAMAZDAA		
103C9	OLD PERSIAN SIGN AURAMAZDAA-2		
103CA	OLD PERSIAN SIGN AURAMAZDAAHA		
103CB	OLD PERSIAN SIGN XSHAAYATHIYA		
103CC	OLD PERSIAN SIGN DAHYAAUSH		
103CD	OLD PERSIAN SIGN DAHYAAUSH-2		
103CE	OLD PERSIAN SIGN BAGA		
103CF	OLD PERSIAN SIGN BUUMISH		
103D0	OLD PERSIAN WORD DIVIDER		
103D1	OLD PERSIAN NUMBER ONE		
103D2	OLD PERSIAN NUMBER TWO		
103D3	OLD PERSIAN NUMBER TEN		
103D4	OLD PERSIAN NUMBER TWENTY		
103D5	OLD PERSIAN NUMBER HUNDRED		
103D6	(This position shall not be used)		
103D7	(This position shall not be used)		
103D8	(This position shall not be used)		
103D9	(This position shall not be used)		
103DA	(This position shall not be used)		
103DB	(This position shall not be used)		
103DC	(This position shall not be used)		
103DD	(This position shall not be used)		
103DE	(This position shall not be used)		
103DF	(This position shall not be used)		

Group 00

Plane 01

Row 03

Table 188 - Row 0A: Kharoshthi

	10A0	10A1	10A2	10A3	10A4	10A5
0	𑀀 10A00	𑀁 10A10	𑀂 10A20	𑀃 10A30	𑀄 10A40	𑀅 10A50
1	𑀆 10A01	𑀇 10A11	𑀈 10A21	𑀉 10A31	𑀊 10A41	𑀋 10A51
2	𑀌 10A02	𑀍 10A12	𑀎 10A22	𑀏 10A32	𑀐 10A42	𑀑 10A52
3	𑀒 10A03	𑀓 10A13	𑀔 10A23	𑀕 10A33	𑀖 10A43	𑀗 10A53
4			𑀘 10A24		𑀙 10A44	𑀚 10A54
5	𑀛 10A05	𑀜 10A15	𑀝 10A25		𑀞 10A45	𑀟 10A55
6	𑀠 10A06	𑀡 10A16	𑀢 10A26		𑀣 10A46	𑀤 10A56
7		𑀥 10A17	𑀦 10A27		𑀧 10A47	𑀨 10A57
8			𑀩 10A28	𑀪 10A38		𑀫 10A58
9		𑀬 10A19	𑀭 10A29	𑀮 10A39		
A		𑀯 10A1A	𑀰 10A2A	𑀱 10A3A		
B		𑀲 10A1B	𑀳 10A2B			
C	𑀴 10A0C	𑀵 10A1C	𑀶 10A2C			
D	𑀷 10A0D	𑀸 10A1D	𑀹 10A2D			
E	𑀺 10A0E	𑀻 10A1E	𑀼 10A2E			
F	𑀽 10A0F	𑀾 10A1F	𑀿 10A2F	𑀿 10A3F		

G = 00
P = 01

Table 188 - Row 0A: Kharoshthi























HEX	NAME	HEX	NAME
10A00	KHAROSHTHI LETTER A	10A5D	(This position shall not be used)
10A01	KHAROSHTHI VOWEL SIGN I	10A5E	(This position shall not be used)
10A02	KHAROSHTHI VOWEL SIGN U	10A5F	(This position shall not be used)
10A03	KHAROSHTHI VOWEL SIGN VOCALIC R		
10A04	(This position shall not be used)		
10A05	KHAROSHTHI VOWEL SIGN E		
10A06	KHAROSHTHI VOWEL SIGN O		
10A07	(This position shall not be used)		
10A08	(This position shall not be used)		
10A09	(This position shall not be used)		
10A0A	(This position shall not be used)		
10A0B	(This position shall not be used)		
10A0C	KHAROSHTHI VOWEL LENGTH MARK		
10A0D	KHAROSHTHI SIGN DOUBLE RING BELOW		
10A0E	KHAROSHTHI SIGN ANUSVARA		
10A0F	KHAROSHTHI SIGN VISARGA		
10A10	KHAROSHTHI LETTER KA		
10A11	KHAROSHTHI LETTER KHA		
10A12	KHAROSHTHI LETTER GA		
10A13	KHAROSHTHI LETTER GHA		
10A14	(This position shall not be used)		
10A15	KHAROSHTHI LETTER CA		
10A16	KHAROSHTHI LETTER CHA		
10A17	KHAROSHTHI LETTER JA		
10A18	(This position shall not be used)		
10A19	KHAROSHTHI LETTER NYA		
10A1A	KHAROSHTHI LETTER TTA		
10A1B	KHAROSHTHI LETTER TTHA		
10A1C	KHAROSHTHI LETTER DDA		
10A1D	KHAROSHTHI LETTER DDHA		
10A1E	KHAROSHTHI LETTER NNA		
10A1F	KHAROSHTHI LETTER TA		
10A20	KHAROSHTHI LETTER THA		
10A21	KHAROSHTHI LETTER DA		
10A22	KHAROSHTHI LETTER DHA		
10A23	KHAROSHTHI LETTER NA		
10A24	KHAROSHTHI LETTER PA		
10A25	KHAROSHTHI LETTER PHA		
10A26	KHAROSHTHI LETTER BA		
10A27	KHAROSHTHI LETTER BHA		
10A28	KHAROSHTHI LETTER MA		
10A29	KHAROSHTHI LETTER YA		
10A2A	KHAROSHTHI LETTER RA		
10A2B	KHAROSHTHI LETTER LA		
10A2C	KHAROSHTHI LETTER VA		
10A2D	KHAROSHTHI LETTER SHA		
10A2E	KHAROSHTHI LETTER SSA		
10A2F	KHAROSHTHI LETTER SA		
10A30	KHAROSHTHI LETTER ZA		
10A31	KHAROSHTHI LETTER HA		
10A32	KHAROSHTHI LETTER KKA		
10A33	KHAROSHTHI LETTER TTTHA		
10A34	(This position shall not be used)		
10A35	(This position shall not be used)		
10A36	(This position shall not be used)		
10A37	(This position shall not be used)		
10A38	KHAROSHTHI SIGN BAR ABOVE		
10A39	KHAROSHTHI SIGN CAUDA		
10A3A	KHAROSHTHI SIGN DOT BELOW		
10A3B	(This position shall not be used)		
10A3C	(This position shall not be used)		
10A3D	(This position shall not be used)		
10A3E	(This position shall not be used)		
10A3F	KHAROSHTHI VIRAMA		
10A40	KHAROSHTHI DIGIT ONE		
10A41	KHAROSHTHI DIGIT TWO		
10A42	KHAROSHTHI DIGIT THREE		
10A43	KHAROSHTHI DIGIT FOUR		
10A44	KHAROSHTHI NUMBER TEN		
10A45	KHAROSHTHI NUMBER TWENTY		
10A46	KHAROSHTHI NUMBER ONE HUNDRED		
10A47	KHAROSHTHI NUMBER ONE THOUSAND		
10A48	(This position shall not be used)		
10A49	(This position shall not be used)		
10A4A	(This position shall not be used)		
10A4B	(This position shall not be used)		
10A4C	(This position shall not be used)		
10A4D	(This position shall not be used)		
10A4E	(This position shall not be used)		
10A4F	(This position shall not be used)		
10A50	KHAROSHTHI PUNCTUATION DOT		
10A51	KHAROSHTHI PUNCTUATION SMALL CIRCLE		
10A52	KHAROSHTHI PUNCTUATION CIRCLE		
10A53	KHAROSHTHI PUNCTUATION CRESCENT BAR		
10A54	KHAROSHTHI PUNCTUATION MANGALAM		
10A55	KHAROSHTHI PUNCTUATION LOTUS		
10A56	KHAROSHTHI PUNCTUATION DANDA		
10A57	KHAROSHTHI PUNCTUATION DOUBLE DANDA		
10A58	KHAROSHTHI PUNCTUATION LINES		
10A59	(This position shall not be used)		
10A5A	(This position shall not be used)		
10A5B	(This position shall not be used)		
10A5C	(This position shall not be used)		

Group 00

Plane 01

Row 0A

Table 193 - Row D2: Ancient Greek Musical Notation

	1D20	1D21	1D22	1D23	1D24
0	 1D200	 1D210	 1D220	 1D230	 1D240
1	 1D201	 1D211	 1D221	 1D231	 1D241
2	 1D202	 1D212	 1D222	 1D232	 1D242
3	 1D203	 1D213	 1D223	 1D233	 1D243
4	 1D204	 1D214	 1D224	 1D234	 1D244
5	 1D205	 1D215	 1D225	 1D235	 1D245
6	 1D206	 1D216	 1D226	 1D236	
7	 1D207	 1D217	 1D227	 1D237	
8	 1D208	 1D218	 1D228	 1D238	
9	 1D209	 1D219	 1D229	 1D239	
A	 1D20A	 1D21A	 1D22A	 1D23A	
B	 1D20B	 1D21B	 1D22B	 1D23B	
C	 1D20C	 1D21C	 1D22C	 1D23C	
D	 1D20D	 1D21D	 1D22D	 1D23D	
E	 1D20E	 1D21E	 1D22E	 1D23E	
F	 1D20F	 1D21F	 1D22F	 1D23F	

G = 00
P = 01

Table 193 - Row D2: Ancient Greek Musical Notation

HEX	NAME	HEX	NAME
1D200	GREEK VOCAL NOTATION SYMBOL-1		
1D201	GREEK VOCAL NOTATION SYMBOL-2		
1D202	GREEK VOCAL NOTATION SYMBOL-3		
1D203	GREEK VOCAL NOTATION SYMBOL-4		
1D204	GREEK VOCAL NOTATION SYMBOL-5		
1D205	GREEK VOCAL NOTATION SYMBOL-6		
1D206	GREEK VOCAL NOTATION SYMBOL-7		
1D207	GREEK VOCAL NOTATION SYMBOL-8		
1D208	GREEK VOCAL NOTATION SYMBOL-9		
1D209	GREEK VOCAL NOTATION SYMBOL-10		
1D20A	GREEK VOCAL NOTATION SYMBOL-11		
1D20B	GREEK VOCAL NOTATION SYMBOL-12		
1D20C	GREEK VOCAL NOTATION SYMBOL-13		
1D20D	GREEK VOCAL NOTATION SYMBOL-14		
1D20E	GREEK VOCAL NOTATION SYMBOL-15		
1D20F	GREEK VOCAL NOTATION SYMBOL-16		
1D210	GREEK VOCAL NOTATION SYMBOL-17		
1D211	GREEK VOCAL NOTATION SYMBOL-18		
1D212	GREEK VOCAL NOTATION SYMBOL-19		
1D213	GREEK VOCAL NOTATION SYMBOL-20		
1D214	GREEK VOCAL NOTATION SYMBOL-21		
1D215	GREEK VOCAL NOTATION SYMBOL-22		
1D216	GREEK VOCAL NOTATION SYMBOL-23		
1D217	GREEK VOCAL NOTATION SYMBOL-24		
1D218	GREEK VOCAL NOTATION SYMBOL-50		
1D219	GREEK VOCAL NOTATION SYMBOL-51		
1D21A	GREEK VOCAL NOTATION SYMBOL-52		
1D21B	GREEK VOCAL NOTATION SYMBOL-53		
1D21C	GREEK VOCAL NOTATION SYMBOL-54		
1D21D	GREEK INSTRUMENTAL NOTATION SYMBOL-1		
1D21E	GREEK INSTRUMENTAL NOTATION SYMBOL-2		
1D21F	GREEK INSTRUMENTAL NOTATION SYMBOL-4		
1D220	GREEK INSTRUMENTAL NOTATION SYMBOL-5		
1D221	GREEK INSTRUMENTAL NOTATION SYMBOL-7		
1D222	GREEK INSTRUMENTAL NOTATION SYMBOL-8		
1D223	GREEK INSTRUMENTAL NOTATION SYMBOL-11		
1D224	GREEK INSTRUMENTAL NOTATION SYMBOL-12		
1D225	GREEK INSTRUMENTAL NOTATION SYMBOL-13		
1D226	GREEK INSTRUMENTAL NOTATION SYMBOL-14		
1D227	GREEK INSTRUMENTAL NOTATION SYMBOL-17		
1D228	GREEK INSTRUMENTAL NOTATION SYMBOL-18		
1D229	GREEK INSTRUMENTAL NOTATION SYMBOL-19		
1D22A	GREEK INSTRUMENTAL NOTATION SYMBOL-23		
1D22B	GREEK INSTRUMENTAL NOTATION SYMBOL-24		
1D22C	GREEK INSTRUMENTAL NOTATION SYMBOL-25		
1D22D	GREEK INSTRUMENTAL NOTATION SYMBOL-26		
1D22E	GREEK INSTRUMENTAL NOTATION SYMBOL-27		
1D22F	GREEK INSTRUMENTAL NOTATION SYMBOL-29		
1D230	GREEK INSTRUMENTAL NOTATION SYMBOL-30		
1D231	GREEK INSTRUMENTAL NOTATION SYMBOL-32		
1D232	GREEK INSTRUMENTAL NOTATION SYMBOL-36		
1D233	GREEK INSTRUMENTAL NOTATION SYMBOL-37		
1D234	GREEK INSTRUMENTAL NOTATION SYMBOL-38		
1D235	GREEK INSTRUMENTAL NOTATION SYMBOL-39		
1D236	GREEK INSTRUMENTAL NOTATION SYMBOL-40		
1D237	GREEK INSTRUMENTAL NOTATION SYMBOL-42		
1D238	GREEK INSTRUMENTAL NOTATION SYMBOL-43		
1D239	GREEK INSTRUMENTAL NOTATION SYMBOL-45		
1D23A	GREEK INSTRUMENTAL NOTATION SYMBOL-47		
1D23B	GREEK INSTRUMENTAL NOTATION SYMBOL-48		
1D23C	GREEK INSTRUMENTAL NOTATION SYMBOL-49		
1D23D	GREEK INSTRUMENTAL NOTATION SYMBOL-50		
1D23E	GREEK INSTRUMENTAL NOTATION SYMBOL-51		
1D23F	GREEK INSTRUMENTAL NOTATION SYMBOL-52		
1D240	GREEK INSTRUMENTAL NOTATION SYMBOL-53		
1D241	GREEK INSTRUMENTAL NOTATION SYMBOL-54		
1D242	COMBINING GREEK MUSICAL TRISEME		
1D243	COMBINING GREEK MUSICAL TETRASEME		
1D244	COMBINING GREEK MUSICAL PENTASEME		
1D245	GREEK MUSICAL LEIMMA		
1D246	(This position shall not be used)		
1D247	(This position shall not be used)		
1D248	(This position shall not be used)		
1D249	(This position shall not be used)		
1D24A	(This position shall not be used)		
1D24B	(This position shall not be used)		
1D24C	(This position shall not be used)		
1D24D	(This position shall not be used)		
1D24E	(This position shall not be used)		
1D24F	(This position shall not be used)		

Group 00

Plane 01

Row D2

Table 198 - Row D6: Mathematical Alphanumeric Symbols

	1D61	1D62	1D63	1D64	1D65	1D66	1D67	1D68	1D69	1D6A	1D6B
0	<i>I</i> 1D610	<i>Y</i> 1D620	<i>o</i> 1D630	E 1D640	U 1D650	<i>k</i> 1D660	A 1D670	Q 1D680	<i>g</i> 1D690	<i>w</i> 1D6A0	I 1D6B0
1	J 1D611	Z 1D621	<i>p</i> 1D631	F 1D641	V 1D651	<i>l</i> 1D661	B 1D671	R 1D681	<i>h</i> 1D691	<i>x</i> 1D6A1	K 1D6B1
2	K 1D612	<i>a</i> 1D622	<i>q</i> 1D632	G 1D642	W 1D652	<i>m</i> 1D662	C 1D672	S 1D682	<i>i</i> 1D692	<i>y</i> 1D6A2	Λ 1D6B2
3	L 1D613	<i>b</i> 1D623	<i>r</i> 1D633	H 1D643	X 1D653	<i>n</i> 1D663	D 1D673	T 1D683	<i>j</i> 1D693	<i>z</i> 1D6A3	M 1D6B3
4	M 1D614	<i>c</i> 1D624	<i>s</i> 1D634	<i>l</i> 1D644	Y 1D654	<i>o</i> 1D664	E 1D674	U 1D684	<i>k</i> 1D694	<i>ι</i> 1D6A4	N 1D6B4
5	N 1D615	<i>d</i> 1D625	<i>t</i> 1D635	J 1D645	Z 1D655	<i>p</i> 1D665	F 1D675	V 1D685	<i>l</i> 1D695	<i>Ƶ</i> 1D6A5	Ξ 1D6B5
6	O 1D616	<i>e</i> 1D626	<i>u</i> 1D636	K 1D646	<i>a</i> 1D656	<i>q</i> 1D666	G 1D676	W 1D686	<i>m</i> 1D696		O 1D6B6
7	P 1D617	<i>f</i> 1D627	<i>v</i> 1D637	L 1D647	<i>b</i> 1D657	<i>r</i> 1D667	H 1D677	X 1D687	<i>n</i> 1D697		Π 1D6B7
8	Q 1D618	<i>g</i> 1D628	<i>w</i> 1D638	M 1D648	<i>c</i> 1D658	<i>s</i> 1D668	I 1D678	Y 1D688	<i>o</i> 1D698	Α 1D6A8	P 1D6B8
9	R 1D619	<i>h</i> 1D629	<i>x</i> 1D639	N 1D649	<i>d</i> 1D659	<i>t</i> 1D669	J 1D679	Z 1D689	<i>p</i> 1D699	B 1D6A9	Θ 1D6B9
A	S 1D61A	<i>i</i> 1D62A	<i>y</i> 1D63A	O 1D64A	<i>e</i> 1D65A	<i>u</i> 1D66A	K 1D67A	A 1D68A	<i>q</i> 1D69A	Γ 1D6AA	Σ 1D6BA
B	T 1D61B	<i>j</i> 1D62B	<i>z</i> 1D63B	P 1D64B	<i>f</i> 1D65B	<i>v</i> 1D66B	L 1D67B	<i>b</i> 1D68B	<i>r</i> 1D69B	Δ 1D6AB	Τ 1D6BB
C	U 1D61C	<i>k</i> 1D62C	A 1D63C	Q 1D64C	<i>g</i> 1D65C	<i>w</i> 1D66C	M 1D67C	<i>c</i> 1D68C	<i>s</i> 1D69C	E 1D6AC	Υ 1D6BC
D	V 1D61D	<i>l</i> 1D62D	B 1D63D	R 1D64D	<i>h</i> 1D65D	<i>x</i> 1D66D	N 1D67D	<i>d</i> 1D68D	<i>t</i> 1D69D	Z 1D6AD	Φ 1D6BD
E	W 1D61E	<i>m</i> 1D62E	C 1D63E	S 1D64E	<i>i</i> 1D65E	<i>y</i> 1D66E	O 1D67E	<i>e</i> 1D68E	<i>u</i> 1D69E	H 1D6AE	X 1D6BE
F	X 1D61F	<i>n</i> 1D62F	D 1D63F	T 1D64F	<i>j</i> 1D65F	<i>z</i> 1D66F	P 1D67F	<i>f</i> 1D68F	<i>v</i> 1D69F	⊖ 1D6AF	Ψ 1D6BF

G = 00
P = 01

Table 198 - Row D6: Mathematical Alphanumeric Symbols

HEX	NAME	HEX	NAME
1D610	MATHEMATICAL SANS-SERIF ITALIC CAPITAL I	1D66D	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL X
1D611	MATHEMATICAL SANS-SERIF ITALIC CAPITAL J	1D66E	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL Y
1D612	MATHEMATICAL SANS-SERIF ITALIC CAPITAL K	1D66F	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL Z
1D613	MATHEMATICAL SANS-SERIF ITALIC CAPITAL L	1D670	MATHEMATICAL MONOSPACE CAPITAL A
1D614	MATHEMATICAL SANS-SERIF ITALIC CAPITAL M	1D671	MATHEMATICAL MONOSPACE CAPITAL B
1D615	MATHEMATICAL SANS-SERIF ITALIC CAPITAL N	1D672	MATHEMATICAL MONOSPACE CAPITAL C
1D616	MATHEMATICAL SANS-SERIF ITALIC CAPITAL O	1D673	MATHEMATICAL MONOSPACE CAPITAL D
1D617	MATHEMATICAL SANS-SERIF ITALIC CAPITAL P	1D674	MATHEMATICAL MONOSPACE CAPITAL E
1D618	MATHEMATICAL SANS-SERIF ITALIC CAPITAL Q	1D675	MATHEMATICAL MONOSPACE CAPITAL F
1D619	MATHEMATICAL SANS-SERIF ITALIC CAPITAL R	1D676	MATHEMATICAL MONOSPACE CAPITAL G
1D61A	MATHEMATICAL SANS-SERIF ITALIC CAPITAL S	1D677	MATHEMATICAL MONOSPACE CAPITAL H
1D61B	MATHEMATICAL SANS-SERIF ITALIC CAPITAL T	1D678	MATHEMATICAL MONOSPACE CAPITAL I
1D61C	MATHEMATICAL SANS-SERIF ITALIC CAPITAL U	1D679	MATHEMATICAL MONOSPACE CAPITAL J
1D61D	MATHEMATICAL SANS-SERIF ITALIC CAPITAL V	1D67A	MATHEMATICAL MONOSPACE CAPITAL K
1D61E	MATHEMATICAL SANS-SERIF ITALIC CAPITAL W	1D67B	MATHEMATICAL MONOSPACE CAPITAL L
1D61F	MATHEMATICAL SANS-SERIF ITALIC CAPITAL X	1D67C	MATHEMATICAL MONOSPACE CAPITAL M
1D620	MATHEMATICAL SANS-SERIF ITALIC CAPITAL Y	1D67D	MATHEMATICAL MONOSPACE CAPITAL N
1D621	MATHEMATICAL SANS-SERIF ITALIC CAPITAL Z	1D67E	MATHEMATICAL MONOSPACE CAPITAL O
1D622	MATHEMATICAL SANS-SERIF ITALIC SMALL A	1D67F	MATHEMATICAL MONOSPACE CAPITAL P
1D623	MATHEMATICAL SANS-SERIF ITALIC SMALL B	1D680	MATHEMATICAL MONOSPACE CAPITAL Q
1D624	MATHEMATICAL SANS-SERIF ITALIC SMALL C	1D681	MATHEMATICAL MONOSPACE CAPITAL R
1D625	MATHEMATICAL SANS-SERIF ITALIC SMALL D	1D682	MATHEMATICAL MONOSPACE CAPITAL S
1D626	MATHEMATICAL SANS-SERIF ITALIC SMALL E	1D683	MATHEMATICAL MONOSPACE CAPITAL T
1D627	MATHEMATICAL SANS-SERIF ITALIC SMALL F	1D684	MATHEMATICAL MONOSPACE CAPITAL U
1D628	MATHEMATICAL SANS-SERIF ITALIC SMALL G	1D685	MATHEMATICAL MONOSPACE CAPITAL V
1D629	MATHEMATICAL SANS-SERIF ITALIC SMALL H	1D686	MATHEMATICAL MONOSPACE CAPITAL W
1D62A	MATHEMATICAL SANS-SERIF ITALIC SMALL I	1D687	MATHEMATICAL MONOSPACE CAPITAL X
1D62B	MATHEMATICAL SANS-SERIF ITALIC SMALL J	1D688	MATHEMATICAL MONOSPACE CAPITAL Y
1D62C	MATHEMATICAL SANS-SERIF ITALIC SMALL K	1D689	MATHEMATICAL MONOSPACE CAPITAL Z
1D62D	MATHEMATICAL SANS-SERIF ITALIC SMALL L	1D68A	MATHEMATICAL MONOSPACE SMALL A
1D62E	MATHEMATICAL SANS-SERIF ITALIC SMALL M	1D68B	MATHEMATICAL MONOSPACE SMALL B
1D62F	MATHEMATICAL SANS-SERIF ITALIC SMALL N	1D68C	MATHEMATICAL MONOSPACE SMALL C
1D630	MATHEMATICAL SANS-SERIF ITALIC SMALL O	1D68D	MATHEMATICAL MONOSPACE SMALL D
1D631	MATHEMATICAL SANS-SERIF ITALIC SMALL P	1D68E	MATHEMATICAL MONOSPACE SMALL E
1D632	MATHEMATICAL SANS-SERIF ITALIC SMALL Q	1D68F	MATHEMATICAL MONOSPACE SMALL F
1D633	MATHEMATICAL SANS-SERIF ITALIC SMALL R	1D690	MATHEMATICAL MONOSPACE SMALL G
1D634	MATHEMATICAL SANS-SERIF ITALIC SMALL S	1D691	MATHEMATICAL MONOSPACE SMALL H
1D635	MATHEMATICAL SANS-SERIF ITALIC SMALL T	1D692	MATHEMATICAL MONOSPACE SMALL I
1D636	MATHEMATICAL SANS-SERIF ITALIC SMALL U	1D693	MATHEMATICAL MONOSPACE SMALL J
1D637	MATHEMATICAL SANS-SERIF ITALIC SMALL V	1D694	MATHEMATICAL MONOSPACE SMALL K
1D638	MATHEMATICAL SANS-SERIF ITALIC SMALL W	1D695	MATHEMATICAL MONOSPACE SMALL L
1D639	MATHEMATICAL SANS-SERIF ITALIC SMALL X	1D696	MATHEMATICAL MONOSPACE SMALL M
1D63A	MATHEMATICAL SANS-SERIF ITALIC SMALL Y	1D697	MATHEMATICAL MONOSPACE SMALL N
1D63B	MATHEMATICAL SANS-SERIF ITALIC SMALL Z	1D698	MATHEMATICAL MONOSPACE SMALL O
1D63C	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL A	1D699	MATHEMATICAL MONOSPACE SMALL P
1D63D	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL B	1D69A	MATHEMATICAL MONOSPACE SMALL Q
1D63E	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL C	1D69B	MATHEMATICAL MONOSPACE SMALL R
1D63F	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL D	1D69C	MATHEMATICAL MONOSPACE SMALL S
1D640	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL E	1D69D	MATHEMATICAL MONOSPACE SMALL T
1D641	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL F	1D69E	MATHEMATICAL MONOSPACE SMALL U
1D642	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL G	1D69F	MATHEMATICAL MONOSPACE SMALL V
1D643	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL H	1D6A0	MATHEMATICAL MONOSPACE SMALL W
1D644	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL I	1D6A1	MATHEMATICAL MONOSPACE SMALL X
1D645	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL J	1D6A2	MATHEMATICAL MONOSPACE SMALL Y
1D646	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL K	1D6A3	MATHEMATICAL MONOSPACE SMALL Z
1D647	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL L	1D6A4	MATHEMATICAL ITALIC SMALL DOTLESS I
1D648	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL M	1D6A5	MATHEMATICAL ITALIC SMALL DOTLESS J
1D649	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL N	1D6A6	(This position shall not be used)
1D64A	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL O	1D6A7	(This position shall not be used)
1D64B	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL P	1D6A8	MATHEMATICAL BOLD CAPITAL ALPHA
1D64C	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL Q	1D6A9	MATHEMATICAL BOLD CAPITAL BETA
1D64D	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL R	1D6AA	MATHEMATICAL BOLD CAPITAL GAMMA
1D64E	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL S	1D6AB	MATHEMATICAL BOLD CAPITAL DELTA
1D64F	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL T	1D6AC	MATHEMATICAL BOLD CAPITAL EPSILON
1D650	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL U	1D6AD	MATHEMATICAL BOLD CAPITAL ZETA
1D651	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL V	1D6AE	MATHEMATICAL BOLD CAPITAL ETA
1D652	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL W	1D6AF	MATHEMATICAL BOLD CAPITAL THETA
1D653	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL X	1D6B0	MATHEMATICAL BOLD CAPITAL IOTA
1D654	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL Y	1D6B1	MATHEMATICAL BOLD CAPITAL KAPPA
1D655	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL Z	1D6B2	MATHEMATICAL BOLD CAPITAL LAMDA
1D656	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL A	1D6B3	MATHEMATICAL BOLD CAPITAL MU
1D657	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL B	1D6B4	MATHEMATICAL BOLD CAPITAL NU
1D658	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL C	1D6B5	MATHEMATICAL BOLD CAPITAL XI
1D659	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL D	1D6B6	MATHEMATICAL BOLD CAPITAL OMICRON
1D65A	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL E	1D6B7	MATHEMATICAL BOLD CAPITAL PI
1D65B	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL F	1D6B8	MATHEMATICAL BOLD CAPITAL RHO
1D65C	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL G	1D6B9	MATHEMATICAL BOLD CAPITAL THETA SYMBOL
1D65D	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL H	1D6BA	MATHEMATICAL BOLD CAPITAL SIGMA
1D65E	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL I	1D6BB	MATHEMATICAL BOLD CAPITAL TAU
1D65F	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL J	1D6BC	MATHEMATICAL BOLD CAPITAL UPSILON
1D660	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL K	1D6BD	MATHEMATICAL BOLD CAPITAL PHI
1D661	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL L	1D6BE	MATHEMATICAL BOLD CAPITAL CHI
1D662	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL M	1D6BF	MATHEMATICAL BOLD CAPITAL PSI
1D663	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL N		
1D664	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL O		
1D665	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL P		
1D666	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL Q		
1D667	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL R		
1D668	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL S		
1D669	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL T		
1D66A	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL U		
1D66B	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL V		
1D66C	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL W		

Group 00

Plane 01

Row D6