

Information technology — Universal Multiple-Octet Coded Character Set (UCS) —

AMENDMENT 2: N’Ko, Phags-pa, Phoenician and other characters

Page 1, Clause 1 Scope

In the note, update the Unicode Standard version from 4.1 to 5.0.

Page 2, Clause 3 Normative references

Update the reference to the Unicode Bidirectional Algorithm and the Unicode Normalization Forms as follows:

Unicode Standard Annex, UAX#9, The Unicode Bidirectional Algorithm, Version 5.0.0, March 2006.

Unicode Standard Annex, UAX#15, Unicode Normalization Forms, Version 5.0.0, March 2006.

Page 6, Figure 1 - Entire coding space of the Universal Multiple-Octet Coded Character set

Remove the note.

Page 7, Figure 2 – Group 00 of the Universal Multiple-Octet Coded Character set

Remove the second note and rename the first note “NOTE” instead of “NOTE 1”.

Page 8, Sub-clause 6.4 Naming of characters

In the list item c), remove ‘unified’ in front of ‘ideographs’.

Replace last paragraph starting with “Guidelines to be used” with the following text:

Additional rules to be used for constructing the names of characters are given in clause 28.1.

Page 9, Clause 7 General requirement for the UCS

Make the second note normative by removing the “NOTE 2” term and by setting it as requirement b. The first note is renamed “NOTE” and the following requirements become c. and d.

Page 10, Sub-clause 9.2 Other Planes reserved for future standardization

Replace text and note by the following:

Planes 11 to FF in Group 00 and all planes in any other groups (i.e. Planes 00 to FF in Groups 01 to 7F) are permanently reserved.

Code positions in these planes do not have a mapping to the UTF-16 form (see annex C).

Page 13, Clause 18 Block names

Replace title with “Block and Collection names”. Add a sub-clause “18.1 Block names”. Add the following paragraph after last.

Rules to be used for constructing the names of blocks are given in clause 28.1.

Add the following sub-clause:

18.2 Collection names

Collections are shown in Annex A.

Rules to be used for constructing the names of collections are given in clause 28.1.

Page 14, Clause 19 Characters in bidirectional context

In the Note, replace “Unicode Standard Version 4.1” with “Unicode Standard”.

Page 14, Sub-clause 20.3 Format characters

In the list of format characters, remove the following entry:

1D159 MUSICAL SYMBOL NULL NOTEHEAD

Page 15, Sub-clause 20.4 Variation selectors

In the paragraph before Note 2, replace “table” with “list”, and remove the side borders around the description of the variant appearances for mathematical symbols.

Page 16, Sub-clause 20.4 Variation selectors

In the paragraph before Note 3, replace “table” with “list”, remove the last sentence “These combinations ... table”, and remove the side borders around the

description of the variant appearances for Mongolian.

Page 17, Sub-clause 20.4 Variation selectors

Insert the following text after the list describing the Mongolian variation sequences:

The following list provides a description of the variant appearances corresponding to the use of appropriate variation selectors with all allowed base Phags-pa characters. These variation selector sequences do not select fixed visual representation; rather, they select a representation that is reversed from the normal form predicted by the preceding character.

<u>Sequence (UID notation)</u>	<u>Description of variant appearance</u>
<A856, FE00>	PHAGS-PA LETTER reversed shaping SMALL A
<A85C, FE00>	PHAGS-PA LETTER reversed shaping HA
<A85E, FE00>	PHAGS-PA LETTER reversed shaping I
<A85F, FE00>	PHAGS-PA LETTER reversed shaping U
<A860, FE00>	PHAGS-PA LETTER reversed shaping E
<A868, FE00>	PHAGS-PA SUBJOINED LETTER reversed shaping YA

Page 23, Clause 28 Character names and annotations, sub-clause 28.1 General

Replace paragraph with following new sub-clauses 28.1.1 to 28.1.4

28.1.1 Entity names

This standard specifies names for the following entity types:

- characters
- named UCS sequence identifiers (clause 29)
- blocks (clause 18, Annex A.2)
- collections (clause A.1)

The names given by this standard to these entities shall follow the rules for name formation and name uniqueness specified in this clause. This specification applies to the entity names in the English language version of this standard.

NOTE 1 – In a version of such a standard in another language:

- a) these rules may be amended to permit names to be generated using words and syntax that are considered appropriate within that language;
- b) the entity names from this version of the standard may be replaced by equivalent unique names constructed according to the rules amended as in a) above.

NOTE 2 – Additional guidelines for constructing entity names are given in annex L for information.

28.1.2 Name formation

An entity names shall consist only of the following characters:

- LATIN CAPITAL LETTER A through LATIN CAPITAL LETTER Z,
- DIGIT ZERO through DIGIT NINE,
- SPACE,
- HYPHEN-MINUS, and
- FULL STOP if the entity being named is a collection.

The first character in an entity name shall be a Latin capital letter. The last character in an entity name shall be either a Latin capital letter or a Digit.

An entity name shall not contain two or more consecutive SPACE characters or consecutive HYPHEN-MINUS characters. A collection name shall not contain two or more consecutive FULL STOP characters.

A sequence of a SPACE followed by a HYPHEN-MINUS or a sequence of a HYPHEN-MINUS followed by a SPACE may appear only in character names or named UCS sequence identifiers.

EXAMPLE Each of the following two character names contains a consecutive SPACE and HYPHEN-MINUS:
TIBETAN LETTER -A
TIBETAN MARK BKA- SHOG YIG MGO

FULL STOP may appear only in between two alphanumeric characters (LATIN CAPITAL LETTER A through LATIN CAPITAL LETTER Z, DIGIT ZERO through DIGIT NINE) in a collection name.

EXAMPLE 1 The following collection name contains FULL STOP in between two Digits, DIGIT FOUR and DIGIT ONE:
UNICODE 4.1

EXAMPLE 2 The following collection name contains FULL STOP in between one Latin letter, LATIN CAPITAL LETTER D, and a Digit, DIGIT SEVEN:
BMP-AMD.7

28.1.3 Single name

Each entity named in this standard shall be given only one name.

NOTE – This does not preclude the informative use of name aliases or acronyms for the sake of clarity. However, the normative entity name will be unique.

28.1.4 Name uniqueness

Each entity name must also be unique within an appropriate name space, as specified here.

Block names

Block names constitute a name space. Each block name shall be unique and distinct from all other block names specified in the standard.

Collection names

Collection names constitute a name space. Each collection name shall be unique and distinct from all other collection names specified in the standard.

Character names and named UCS sequence identifiers

Character names and named UCS sequence identifiers, taken together, constitute a name space. Each character name or named UCS sequence identifier shall be unique and distinct from all other character names or named UCS sequence identifiers.

Determining uniqueness

For block names and collection names, two names shall be considered unique and distinct if they are different even when SPACE and medial HYPHEN-MINUS characters are ignored in comparison of the names.

NOTE 1 – A medial HYPHEN-MINUS is a HYPHEN-MINUS character that occurs immediately after a character other than SPACE and immediately before a character other than SPACE.

EXAMPLE 1 The following hypothetical block names would be unique and distinct:
LATIN-A
LATIN-B

EXAMPLE 2 The following hypothetical block names would not be unique and distinct:
LATIN-A
LATIN A
LATINA

For character names and named UCS sequence identifiers, two names shall be considered unique and distinct if they are different even when SPACE and medial HYPHEN-MINUS characters are ignored and even when the words "LETTER", "CHARACTER", and "DIGIT" are ignored in comparison of the names.

EXAMPLE 1 The following hypothetical character names would not be unique and distinct:
MANICHAEAN CHARACTER A
MANICHAEAN LETTER A

EXAMPLE 2 The following two actual character names are unique and distinct, because they differ by a HYPHEN-MINUS that is not a medial HYPHEN-MINUS:
TIBETAN LETTER A
TIBETAN LETTER -A

The following two character names shall be considered unique and distinct:

HANGUL JUNGSEONG OE
HANGUL JUNGSEONG O-E

NOTE 2 – These two character names are explicitly handled as an exception, because they were defined in an earlier version of this International Standard before the introduction of the name uniqueness requirement. This pair is, has been, and will be the only exception to the uniqueness rule in this International Standard.

28.1.5 Annotations

A character name or a named UCS sequence identifier may be followed by an additional explanatory statement not part of the name, and separated by a single SPACE character. These statements are in parentheses and use the Latin lower case letters a-z, digits 0-9, SPACE and HYPHEN-MINUS. A capital Latin letter A-Z may be used for word initials where required.

Such parenthetical annotations are not part of the entity names themselves, and the characters used in the annotations are not subject to the name uniqueness requirements.

A character name may also be followed by a single ASTERISK separated from the name by a single SPACE. If a parenthetical annotation is present, the ASTERISK follows the annotation and is separated from the closing parenthesis by a single SPACE.

The presence of the ASTERISK notes that additional information on the character is available in annex P of this standard.

Page 23, sub-clause 28.3 Character names and annotations for Hangul syllables

Replace the ending note as follows:

NOTE – The annex R provides the names of Hangul syllables in two formats: syllable-name and full name/annotation, both available through linked files.

Page 25, New Clause 29

Insert this new clause after Clause 28 and renumber following clauses as appropriate.

29 Named UCS Sequence Identifiers

A named UCS Sequence Identifier (USI) is a USI associated to a name following the same construction rules as for character names. These rules are given in Clause 28.

NOTE – The purpose of these named USIs is to specify sequences of characters that may be treated as single units, either in particular types of processing, in reference by standards, in listing of repertoires (such as for fonts or keyboards).

The following list provides a description of these named UCS sequence identifiers.

<u>USI</u>	<u>USI name</u>		
<0100, 0300>	LATIN CAPITAL LETTER A WITH MACRON AND GRAVE	<17D2, 178D>	KHMER CONSONANT SIGN COENG TTHO
<0101, 0300>	LATIN SMALL LETTER A WITH MACRON AND GRAVE	<17D2, 178E>	KHMER CONSONANT SIGN COENG NA
<00E1, 0328>	LATIN CAPITAL LETTER A WITH ACUTE AND OGONEK	<17D2, 178F>	KHMER CONSONANT SIGN COENG TA
<0045, 0329>	LATIN CAPITAL LETTER E WITH VERTICAL LINE BELOW	<17D2, 1790>	KHMER CONSONANT SIGN COENG THA
<0065, 0329>	LATIN SMALL LETTER E WITH VERTICAL LINE BELOW	<17D2, 1791>	KHMER CONSONANT SIGN COENG TO
<00C8, 0329>	LATIN CAPITAL LETTER E WITH VERTICAL LINE BELOW AND GRAVE	<17D2, 1792>	KHMER CONSONANT SIGN COENG THO
<00E8, 0329>	LATIN SMALL LETTER E WITH VERTICAL LINE BELOW AND GRAVE	<17D2, 1793>	KHMER CONSONANT SIGN COENG NO
<00C9, 0329>	LATIN CAPITAL LETTER E WITH VERTICAL LINE BELOW AND ACUTE	<17D2, 1794>	KHMER CONSONANT SIGN COENG BA
<00E9, 0329>	LATIN SMALL LETTER E WITH VERTICAL LINE BELOW AND ACUTE	<17D2, 1795>	KHMER CONSONANT SIGN COENG PHA
<00CA, 0304>	LATIN CAPITAL LETTER E WITH CIRCUMFLEX AND MACRON	<17D2, 1796>	KHMER CONSONANT SIGN COENG PO
<00EA, 0304>	LATIN SMALL LETTER E WITH CIRCUMFLEX AND MACRON	<17D2, 1797>	KHMER CONSONANT SIGN COENG PHO
<00CA, 030C>	LATIN CAPITAL LETTER E WITH CIRCUMFLEX AND CARON	<17D2, 1798>	KHMER CONSONANT SIGN COENG MO
<00EA, 030C>	LATIN SMALL LETTER E WITH CIRCUMFLEX AND CARON	<17D2, 1799>	KHMER CONSONANT SIGN COENG YO
<012A, 0300>	LATIN CAPITAL LETTER I WITH MACRON AND GRAVE	<17D2, 179A>	KHMER CONSONANT SIGN COENG RO
<012B, 0300>	LATIN SMALL LETTER I WITH MACRON AND GRAVE	<17D2, 179B>	KHMER CONSONANT SIGN COENG LO
<0069, 0307, 0301>	LATIN SMALL LETTER I WITH DOT ABOVE AND ACUTE	<17D2, 179C>	KHMER CONSONANT SIGN COENG VO
<006E, 0360, 0067>	LATIN SMALL LETTER NG WITH TILDE ABOVE	<17D2, 179D>	KHMER CONSONANT SIGN COENG SHA
<004F, 0329>	LATIN CAPITAL LETTER O WITH VERTICAL LINE BELOW	<17D2, 179E>	KHMER CONSONANT SIGN COENG SSA
<006F, 0329>	LATIN SMALL LETTER O WITH VERTICAL LINE BELOW	<17D2, 179F>	KHMER CONSONANT SIGN COENG SA
<00D2, 0329>	LATIN CAPITAL LETTER O WITH VERTICAL LINE BELOW AND GRAVE	<17D2, 17A0>	KHMER CONSONANT SIGN COENG HA
<00F2, 0329>	LATIN SMALL LETTER O WITH VERTICAL LINE BELOW AND GRAVE	<17D2, 17A1>	KHMER CONSONANT SIGN COENG LA
<00D3, 0329>	LATIN CAPITAL LETTER O WITH VERTICAL LINE BELOW AND ACUTE	<17D2, 17A2>	KHMER VOWEL SIGN COENG QA
<00F3, 0329>	LATIN SMALL LETTER O WITH VERTICAL LINE BELOW AND ACUTE	<17D2, 17A7>	KHMER INDEPENDENT VOWEL SIGN COENG QU
<0053, 0329>	LATIN CAPITAL LETTER S WITH VERTICAL LINE BELOW	<17D2, 17AB>	KHMER INDEPENDENT VOWEL SIGN COENG RY
<0073, 0329>	LATIN SMALL LETTER S WITH VERTICAL LINE BELOW	<17D2, 17AC>	KHMER INDEPENDENT VOWEL SIGN COENG RYY
<016A, 0300>	LATIN CAPITAL LETTER U WITH MACRON AND GRAVE	<17D2, 17AF>	KHMER INDEPENDENT VOWEL SIGN COENG QE
<016B, 0300>	LATIN SMALL LETTER U WITH MACRON AND GRAVE	<17BB 17C6>	KHMER VOWEL SIGN OM
<10E3, 0302>	GEORGIAN LETTER U-BRJGU	<17B6, 17C6>	KHMER VOWEL SIGN AAM
<17D2, 1780>	KHMER CONSONANT SIGN COENG KA	<31F7, 309A>	KATAKANA LETTER AINU P
<17D2, 1781>	KHMER CONSONANT SIGN COENG KHA	<02E5, 02E9>	MODIFIER LETTER EXTRA-HIGH EXTRA-LOW CONTOUR TONE BAR
<17D2, 1782>	KHMER CONSONANT SIGN COENG KO		
<17D2, 1783>	KHMER CONSONANT SIGN COENG KHO		
<17D2, 1784>	KHMER CONSONANT SIGN COENG NGO		
<17D2, 1785>	KHMER CONSONANT SIGN COENG CA		
<17D2, 1786>	KHMER CONSONANT SIGN COENG CHA		
<17D2, 1787>	KHMER CONSONANT SIGN COENG CO		
<17D2, 1788>	KHMER CONSONANT SIGN COENG CHO		
<17D2, 1789>	KHMER CONSONANT SIGN COENG NYO		
<17D2, 178A>	KHMER CONSONANT SIGN COENG DA		
<17D2, 178B>	KHMER CONSONANT SIGN COENG TTHA		
<17D2, 178C>	KHMER CONSONANT SIGN COENG DO		

All the allowed named UCS sequence identifiers are shown in this clause; all other such named sequences are undefined.

Page 30-1348 Clause 33, Code Tables and list of character names

1. Modifications to existing tables

Insert the additional character glyphs and names at the indicated positions in the tables given below, the character names replacing the existing entries which read “(This position shall not be used)”. The table numbers are affected by the insertion of new tables (see below) preceding these modified tables. (The table numbers corresponding to the first edition of ISO/IEC 10646:2003 are mentioned in parenthesis.)

Some of these tables also contain updated character glyphs.

Plane 00

- Table 6 - Rows 01-02: Latin Extended-B (6)*
- Table 10 - Row 03: Greek and Coptic (10)*
- Table 12 - Row 04: Cyrillic (12)*
- Table 13 - Row 05: Cyrillic Supplement (13)*
- Table 15 - Row 05: Hebrew (15)*
- Table 17 - Row 06: Arabic (17)*
- Table 29 - Row 0C: Kannada (27)*
- Table 30 - Row 0D: Malayalam (28)*

- Table 40 - Row 12: Ethiopic (38)
- Table 55 - Row 17: Khmer (52)
- Table 65 - Row 1D: Combining Diacritical Marks Supplement
- Table 73 - Row 20: Combining Diacritical Marks for Symbols (65)
- Table 74 - Row 21: Letterlike Symbols (66)
- Table 75 - Row 21: Number Forms (67)
- Table 80 - Row 23: Miscellaneous Technical (72)
- Table 88 - Row 26: Miscellaneous Symbols (80)
- Table 91 - Row 27: Miscellaneous Mathematical Symbols-A (83)
- Table 99 - Row 2B: Miscellaneous Symbols and Arrows (91)
- Table 123 - Row 33: CJK Compatibility (107)
- Table 133 - Row A7: Modifier Tone Letters

Plane 01

- Table 199 - Row 0A: Kharoshti
- Table 208 - Row D0: Byzantine Musical Symbols (176)
- Table 219 - Row D7: Mathematical Alphanumeric Symbols (185)

These tables contain new characters and names at the following code positions:

0242-024F, 037B-037D, 04CF, 04FA-04FF, 0510-0513, 05BA, 0CE2-0CE3, 0CF1-0CF2, 1DC4-1DCA, 1DFE-1DFF, 20EC-20EF, 214D-214E, 2184, 23DC-23E7, 26B2, 27C7-27CA, 2B14-2B1A, 2B20-2B23, A717-A71A, 1D7CA-1D7CB

and updated graphic symbols at the following code positions (the graphic symbol for U+1234 was inadvertently modified by ISO/IEC 10646:2003/Amd.1):

06DF-06E1, 0D66, 1234, 17D2, 33AC, 10A3F, 1D09C, 1D09F

2. New tables.

Insert the following additional tables and adjust the numbering of the existing tables that follow. When correctly applied, all tables will be arranged by ascending code position.

Plane 00

- Table 21 - Row 07: Nko
- Table 62 - Row 1B: Balinese
- Table 101 - Row 2C: Latin Extended-C
- Table 134 - Row A7: Latin Extended-D
- Table 136 - Row A8: Phags-pa

Plane 01

- Table 198 - Row 09: Phoenician
- Table 200-205 - Rows 20-23: Cuneiform
- Table 206 - Row 24: Cuneiform Numbers and Punctuation
- Table 213 - Row D3: Counting Rod Numerals

These tables add new characters and names at the following code positions:

07C0-07FA, 1B00-1B4B, 1B50-1B7C, 2C60-2C6C, 2C74-2C77, A720-A721, A840-A877, 10900-10919, 1091F, 12000-1236E, 12400-12462, 12470-12473 1D360-1D371

Page 960, Table 179 - Row D3: Tai Xuan Jing Symbols

In the name list, replace the entries for 1D300-1D305 with the following:

- 1D300 MONOGRAM FOR EARTH (ren) *
- 1D301 DIGRAM FOR HEAVENLY EARTH (tian ren) *
- 1D302 DIGRAM FOR HUMAN EARTH (di ren) *
- 1D303 DIGRAM FOR EARTHLY HEAVEN (ren tian) *
- 1D304 DIGRAM FOR EARTHLY HUMAN (ren di) *
- 1D305 DIGRAM FOR EARTH (ren ren) *

Page 1349, Annex A.1

Add a '*' (for fixed collections) to the following collection:

4 LATIN EXTENDED-B

In the list of collection numbers and names, after

127 VERTICAL FORMS

insert new entries as follows:

- | | |
|----------------------|-----------|
| 128 NKO | 07C0-07FF |
| 129 BALINESE | 1B00-1B7F |
| 130 LATIN EXTENDED-C | 2C60-2C7F |
| 131 LATIN EXTENDED-D | A720-A7FF |
| 132 PHAGS-PA | A840-A87F |

after

1018 ANCIENT GREEK MUSICAL NOTATION

insert new entries as follows:

- | | |
|--|-------------|
| 1019 PHOENICIAN | 10900-1091F |
| 1020 CUNEIFORM | 12000-123FF |
| 1021 CUNEIFORM NUMBERS AND PUNCTUATION | 12400-1247F |
| 1022 COUNTING ROD NUMERALS | 1D360-1D37F |

Page 1351, annex A.1

In the list of collections numbers and names, after

306 UNICODE 4.1 See A6.4 *

insert the new entry:

307 UNICODE 5.0 See A6.5 *

Under Note 2, after "126", add ",128".

In the alphabetical list of keywords in Note 4, insert the following entries:

- | | |
|-----------------------|-----------|
| Balinese | 129 |
| Counting Rod Numerals | 1022 |
| Cuneiform | 1020 1021 |
| NKo | 128 |
| Phags-pa | 132 |
| Phoenician | 1019 |

In the alphabetical list of keywords in Note 4, replace:

Latin 1 2 3 4 30

with:

Latin 1 2 3 4 30 130 131

Page 1352, Annex A.2.1

In the list of blocks in the BMP, insert the following new entries:

NKO	07C0-07FF
BALINESE	1B00-1B7F
LATIN EXTENDED-C	2C60-2C7F
LATIN EXTENDED-D	A720-A7FF
PHAGS-PA	A840-A87F

Page 1353, Annex A.2.2

In the list of blocks in the SMP, insert the following new entries:

PHOENICIAN	10900-1091F
CUNEIFORM	12000-123FF
CUNEIFORM NUMBERS AND PUNCTUATION	12400-1247F
COUNTING ROD NUMERALS	1D360-1D37F

Page 1356, annex A.5.1

In the definition of collection 340 COMBINED FIRST EDITION, delete the following line:

D4 C1

Page 1357, annex A.6 Unicode Collections

At the end of Annex A.6 add new clause A.6.5 as follows.

A.6.5 307 UNICODE 5.0

307 The fixed collection UNICODE 5.0 consists of a fixed collection from A.6 and several ranges of code positions. The collection list is arranged by planes as follows.

Plane 00-10

Collection number and name

306 UNICODE 4.1

Plane 00

Row Positions (cells)

02	42-4F
03	7B-7D
04	CF FA-FF
05	10-13 BA
07	C0-FA
0C	E2-E3 F1-F2
1B	00-4B 50-7C
1D	C4-CA FE-FF
20	EC-EF
21	4D-4E 84
23	DC-E7
26	B2
27	C7-CA
2B	14-1A 20-23
2C	60-6C 74-77
A7	17-1A 20-21
A8	40-77

Plane 01

Row Positions (cells)

09	00-19 1F
20-22	00-FF
23	00-6E
24	00-62 70-73
D3	60-71
D7	CA-CB

Page 1358, Annex B.1 List of all combining characters

Insert the following new entries:

05BA	HEBREW POINT HOLAM HASER FOR VAV
07EB	NKO COMBINING SHORT HIGH TONE
07EC	NKO COMBINING SHORT LOW TONE
07ED	NKO COMBINING SHORT RISING TONE
07EE	NKO COMBINING LONG DESCENDING TONE
07EF	NKO COMBINING LONG HIGH TONE
07F0	NKO COMBINING LONG LOW TONE
07F1	NKO COMBINING LONG RISING TONE
07F2	NKO COMBINING NASALIZATION MARK
07F3	NKO COMBINING DOUBLE DOT ABOVE
0CE2	KANNADA VOWEL SIGN VOCALIC L
0CE3	KANNADA VOWEL SIGN VOCALIC LL
1B00	BALINESE SIGN ULU RICEM
1B01	BALINESE SIGN ULU CANDRA
1B02	BALINESE SIGN CECEK
1B03	BALINESE SIGN SURANG
1B04	BALINESE SIGN BISAH
1B34	BALINESE SIGN REREKAN
1B35	BALINESE VOWEL SIGN TEDUNG
1B36	BALINESE VOWEL SIGN ULU
1B37	BALINESE VOWEL SIGN ULU SARI
1B38	BALINESE VOWEL SIGN SUKU
1B39	BALINESE VOWEL SIGN SUKU ILUT
1B3A	BALINESE VOWEL SIGN RA REPA
1B3B	BALINESE VOWEL SIGN RA REPA TEDUNG
1B3C	BALINESE VOWEL SIGN LA LENGA
1B3D	BALINESE VOWEL SIGN LA LENGA TEDUNG
1B3E	BALINESE VOWEL SIGN TALING
1B3F	BALINESE VOWEL SIGN TALING REPA
1B40	BALINESE VOWEL SIGN TALING TEDUNG
1B41	BALINESE VOWEL SIGN TALING REPA TEDUNG
1B42	BALINESE VOWEL SIGN PEPET
1B43	BALINESE VOWEL SIGN PEPET TEDUNG
1B44	BALINESE ADEG ADEG
1B6B	BALINESE MUSICAL SYMBOL COMBINING TEGEH
1B6C	BALINESE MUSICAL SYMBOL COMBINING ENDEP
1B6D	BALINESE MUSICAL SYMBOL COMBINING KEMPUL
1B6E	BALINESE MUSICAL SYMBOL COMBINING KEMPLI
1B6F	BALINESE MUSICAL SYMBOL COMBINING JEGOGAN
1B70	BALINESE MUSICAL SYMBOL COMBINING KEMPUL WITH JEGOGAN
1B71	BALINESE MUSICAL SYMBOL COMBINING KEMPLI WITH JEGOGAN

- 1B72 BALINESE MUSICAL SYMBOL COMBINING
BENDE
- 1B73 BALINESE MUSICAL SYMBOL COMBINING
GONG

Page 1369, Annex D.4 Mapping from UCS-4 form to UTF-8 form

In second paragraph replace ‘character’ with ‘code position’.

In second note, replace “coded character” with “code position”.

Page 1369, Annex D.5 Mapping from UTF-8 form to UCS-4 form

In the note, second paragraph, replace “coded character” with “octet”.

Page 1371, Annex E Mirrored characters in bidirectional context

In the list of characters, insert the following new entries:

- 27C8 REVERSE SOLIDUS PRECEDING SUBSET
- 27C9 SUPERSET PRECEDING SOLIDUS

Page 1379, Annex G

Insert each of the new character name entries at the appropriate position, ordered alphabetically by the character name, in the list of character names in Annex G. These new names are provided in a machine-readable format that is accessible as a link to this document.

[Click on this highlighted text to access the file containing the new names.](#)

NOTE – The content is also available as a separate viewable file in the same file directory as this document. The file is named: “Am2names.txt”.

Page 1379, Annex L

Replace introductory text and the rules 1 to 12 with the following:

The clause 28 of this standard specifies rules for name formation and name uniqueness. These rules are used in other information technology coded character set standards such as ISO/IEC 646, ISO/IEC 6937, ISO/IEC 8859, and ISO/IEC 10367. This annex provides additional guidelines for the creation of these entity names.

NOTE – These guidelines do not apply to the names of CJK Ideographs and Hangul syllables which are formed using rules specified in clause 28.2 and 28.3 respectively.

Guideline 1

The name of an entity wherever possible denotes its customary meaning (for example, the character name: PLUS SIGN or the block name: BENGALI).

Some entities, such as characters, may have a name describing shapes, not usage, (for example, the character name: UPWARDS ARROW).

The name on an entity is not intended to identify its properties or attributes, or to provide information on its linguistic characteristics, except as defined in guideline 4 below.

Guideline 2

An acronym consists of Latin capital letters A to Z and digits and is associated with a name.

Acronyms may be used in entity names where usage already exists and clarity requires it. For example, the names of control functions are coupled with an acronym.

Examples:

Name: LOCKING-SHIFT TWO RIGHT

Acronym: LS2R

Name: SOFT HYPHEN

Acronym: SHY

Name: INTERNATIONAL PHONETIC ALPHABET

Acronym: IPA

NOTE – In ISO/IEC 6429, the names of the modes have been presented in the same way as for the control functions.

Guideline 3

Character names and named UCS Sequence Identifiers only include digits 0 to 9 if spelling out the name of the corresponding digits(s) would be inappropriate.

NOTE – As an example the name of the character at position 201A is SINGLE LOW-9 QUOTATION MARK; the symbol for the digit 9 is included in this name to illustrate the shape of the character, and has no numerical significance.

Guideline 4

Character names and named UCS Sequence Identifiers are constructed from an appropriate set of the applicable terms of the following grid and ordered in the sequence of this grid. Exceptions are specified in guidelines 9 to 11. The words WITH and AND may be included for additional clarity when needed.

1	Script	5	Attribute
2	Case	6	Designation
3	Type	7	Mark(s)
4	Language	8	Qualifier

Examples of such terms:

Script	Latin, Cyrillic, Arabic
Case	capital, small
Type	letter, ligature, digit
Language	Ukrainian
Attribute	final, sharp, subscript, vulgar
Designation	customary name, name of letter
Mark	acute, ogonek, ring above, diaeresis
Qualifier	sign, symbol

Examples of names:

LATIN CAPITAL LETTER A WITH ACUTE

1 2 3 6 7

DIGIT FIVE

3 6

LEFT CURLY BRACKET

5 5 6

NOTE 1 – A ligature is a graphic symbol in which two or more other graphic symbols are imaged as a single graphic symbol.

NOTE 2 – Where a character comprises a base letter with multiple marks, the sequence of those in the name is the order in which the marks are positioned relative to the base letter, starting with the marks above the letters taken in upwards sequence, and followed by the marks below the letters taken in downwards sequence.

Guideline 5

The letters of the Latin script are represented within their name by their basic graphic symbols (A, B, C, etc.). The letters of all other scripts are represented by their transcription in the language of the first published International Standard.

Examples:

K	LATIN CAPITAL LETTER K
Ю	CYRILLIC CAPITAL LETTER YU

Guideline 6

In principle when a character of a given script is used in more than one language, no language name is specified. Exceptions are tolerated where an ambiguity would otherwise result.

Examples:

И	CYRILLIC CAPITAL LETTER I
I	CYRILLIC CAPITAL LETTER BYELORUSSIAN-UKRAINIAN I

Guideline 7

Letters that are elements of more than one script are considered different even if their shape is the same; they have different names.

Examples:

Α	LATIN CAPITAL LETTER A
Α	GREEK CAPITAL LETTER ALPHA

А	CYRILLIC CAPITAL LETTER A
---	---------------------------

Guideline 8

Where possible, named UCS Sequence Identifiers are constructed by appending the names of the constituent elements together while eliding duplicate elements. Should this process result in a name that already exists, the name is modified suitably to guarantee uniqueness among character names and named UCS Sequence Identifiers. The words WITH and AND may be included for additional clarity when needed.

Guideline 9

A character of one script used in isolation in another script, for example as a graphic symbol in relation with physical units of dimension, is considered as a character different from the character of its native script.

Example:

μ	MICRO SIGN
---	------------

Guideline 10

A number of characters have a traditional name consisting of one or two words. It is not intended to change this usage.

Examples:

'	APOSTROPHE
:	COLON
@	COMMERCIAL AT
–	LOW LINE
~	TILDE

Guideline 11

In some cases, characters of a given script, often punctuation marks, are used in another script for a different usage. In these cases the customary name reflecting the most general use is given to the character. The customary name may be followed in the list of characters of a particular standard by an explanatory statement containing the name which this character has in the script specified by this particular standard.

Example:

˘	UNDERTIE (Enotikon)
---	---------------------

Page 1394, Annex P, Additional information on characters

Insert the following new entry for 1D300-1D305 after the FFE3 entry:

- 1D300 MONOGRAM FOR EARTH,
- 1D301 DIGRAM FOR HEAVENLY EARTH,
- 1D302 DIGRAM FOR HUMAN EARTH,
- 1D303 DIGRAM FOR EARTHLY HEAVEN,
- 1D304 DIGRAM FOR EARTHLY HUMAN,

1D305 DIGRAM FOR EARTH

A Tai Xuan Jing symbol comprises a combination of three elements: tian, di and ren, and these three Chinese words usually translate to heaven, earth and human, respectively. The character names of the six Tai Xuan Jing symbols in this International Standard, however, are based on an uncommon mapping; tian for heaven, di for human, and ren for earth. Users are advised to identify these symbols by their representative glyphs or Chinese annotations but not character names.

Page 1396, Annex R

Replace text and tables with the following text and links to files:

This annex provides the names of Hangul syllables in two formats, both available through linked files:

1. Tabular arrangement showing the syllable-name of each character in the block HANGUL SYLLABLES (AC00 - D7A3). The syllable-name is the final component of the full character name, and is derived as described in clause 28.3, steps 1 to 5, which is the definitive specification of the names in that block.

The leftmost column of the table shows the cell numbers (00 - FF) of the corresponding characters. The headings of the other columns of the table show the row numbers of the characters.

NOTE 1 – The content linked to is a PDF file, using a format similar to this standard containing the tabular arrangement.

[Click on this highlighted text to access the file containing the Hangul syllable names in tabular arrangement.](#)

The content is also available as a separate viewable file in the same directory as this document. The file is named: "HangulTb.pdf".

2. The full name and annotation of the Hangul syllables are also provided in a machine-readable format that is accessible as a link to this document.

NOTE 2 – The content linked to is a plain text file, using ISO/IEC 646-IRV characters with LINE FEED as end of line mark that specifies, after a 5-lines header, as all the Hangul syllables, each line specified as follows:

- 01-04 octet: UCS-2 code position in hexadecimal notation,
- 05 octet: SPACE character,
- 06 octet until end of line: Hangul syllable with the annotation between parentheses.

[Click on this highlighted text to access the file containing the Hangul syllable names.](#)

The content is also available as a separate viewable file in the same directory as this document. The file is named: "HangulSy.txt".

Because the file "HangulSy.txt" is unchanged by this amendment, the link above is not active.

Page 1418, Annex U

Create a new informative Annex U (the former one was removed by 10646:2003/Amd1:2005) with the following title "Annex U (Informative)" and the following text:

Characters in Identifiers

A common task facing an implementer of UCS is the provision of a parsing and/or lexing engine for identifiers. Each programming language standard has its own identifier syntax; different programming languages have different conventions for the use of certain characters from the ASCII (ISO 646-IRV) range (\$, @, #, _) in identifiers. Questions as to which characters to use for syntactic purposes versus which to be allowed in identifiers, whether case-pairing should be included, normalization should be performed, and other factors enter into the picture when defining the set of permitted characters for a given identification purpose.

Unicode Consortium publishes a document "UAX 31 – Identifier and Pattern Syntax" to assist in the standard treatment of identifiers in UCS character-based parsers. Those specifications are recommended for determining the list of UCS characters suitable for use in identifiers. The document is available at <http://www.unicode.org/reports/tr31/>.

Table 6 - Rows 01-02: Latin Extended-B

	01F	020	021	022	023	024
0	ĵ 01F0	À 0200	Ř 0210	ŋ 0220	Ō 0230	Ʒ 0240
1	DZ 01F1	à 0201	ř 0211	ɖ 0221	ō 0231	ʒ 0241
2	Dz 01F2	Â 0202	Ř 0212	ɢ 0222	Ȳ 0232	ʒ 0242
3	dz 01F3	â 0203	ř 0213	ɢ 0223	ȳ 0233	Ɔ 0243
4	Ĝ 01F4	È 0204	Û 0214	Ʒ 0224	ł 0234	Ɔ 0244
5	g 01F5	è 0205	ù 0215	Ʒ 0225	ŋ 0235	Λ 0245
6	Hu 01F6	Ê 0206	Û 0216	À 0226	ł 0236	Ɔ 0246
7	Ɔ 01F7	ê 0207	û 0217	à 0227	ĵ 0237	Ɔ 0247
8	Ñ 01F8	Ì 0208	Ş 0218	Ɔ 0228	ɖ 0238	Ɔ 0248
9	ñ 01F9	ì 0209	ş 0219	Ɔ 0229	ɸ 0239	Ɔ 0249
A	Á 01FA	Î 020A	Ɔ 021A	Ō 022A	Ɔ 023A	Ɔ 024A
B	á 01FB	î 020B	Ɔ 021B	ō 022B	Ɔ 023B	Ɔ 024B
C	Æ 01FC	Ò 020C	Ɔ 021C	Ō 022C	Ɔ 023C	Ɔ 024C
D	æ 01FD	ò 020D	Ɔ 021D	ō 022D	Ɔ 023D	Ɔ 024D
E	Ø 01FE	Ô 020E	Ĥ 021E	Ò 022E	Ɔ 023E	Ɔ 024E
F	ø 01FF	ô 020F	ĥ 021F	ò 022F	Ɔ 023F	Ɔ 024F

G = 00
P = 00

Table 6 - Rows 01-02: Latin Extended-B

HEX	NAME	HEX	NAME
01F0	LATIN SMALL LETTER J WITH CARON	024D	LATIN SMALL LETTER R WITH STROKE
01F1	LATIN CAPITAL LETTER DZ	024E	LATIN CAPITAL LETTER Y WITH STROKE
01F2	LATIN CAPITAL LETTER D WITH SMALL LETTER Z	024F	LATIN SMALL LETTER Y WITH STROKE
01F3	LATIN SMALL LETTER DZ		
01F4	LATIN CAPITAL LETTER G WITH ACUTE		
01F5	LATIN SMALL LETTER G WITH ACUTE		
01F6	LATIN CAPITAL LETTER HWAIR		
01F7	LATIN CAPITAL LETTER WYNN		
01F8	LATIN CAPITAL LETTER N WITH GRAVE		
01F9	LATIN SMALL LETTER N WITH GRAVE		
01FA	LATIN CAPITAL LETTER A WITH RING ABOVE AND ACUTE		
01FB	LATIN SMALL LETTER A WITH RING ABOVE AND ACUTE		
01FC	LATIN CAPITAL LETTER AE WITH ACUTE (ash) *		
01FD	LATIN SMALL LETTER AE WITH ACUTE (ash) *		
01FE	LATIN CAPITAL LETTER O WITH STROKE AND ACUTE		
01FF	LATIN SMALL LETTER O WITH STROKE AND ACUTE		
0200	LATIN CAPITAL LETTER A WITH DOUBLE GRAVE		
0201	LATIN SMALL LETTER A WITH DOUBLE GRAVE		
0202	LATIN CAPITAL LETTER A WITH INVERTED BREVE		
0203	LATIN SMALL LETTER A WITH INVERTED BREVE		
0204	LATIN CAPITAL LETTER E WITH DOUBLE GRAVE		
0205	LATIN SMALL LETTER E WITH DOUBLE GRAVE		
0206	LATIN CAPITAL LETTER E WITH INVERTED BREVE		
0207	LATIN SMALL LETTER E WITH INVERTED BREVE		
0208	LATIN CAPITAL LETTER I WITH DOUBLE GRAVE		
0209	LATIN SMALL LETTER I WITH DOUBLE GRAVE		
020A	LATIN CAPITAL LETTER I WITH INVERTED BREVE		
020B	LATIN SMALL LETTER I WITH INVERTED BREVE		
020C	LATIN CAPITAL LETTER O WITH DOUBLE GRAVE		
020D	LATIN SMALL LETTER O WITH DOUBLE GRAVE		
020E	LATIN CAPITAL LETTER O WITH INVERTED BREVE		
020F	LATIN SMALL LETTER O WITH INVERTED BREVE		
0210	LATIN CAPITAL LETTER R WITH DOUBLE GRAVE		
0211	LATIN SMALL LETTER R WITH DOUBLE GRAVE		
0212	LATIN CAPITAL LETTER R WITH INVERTED BREVE		
0213	LATIN SMALL LETTER R WITH INVERTED BREVE		
0214	LATIN CAPITAL LETTER U WITH DOUBLE GRAVE		
0215	LATIN SMALL LETTER U WITH DOUBLE GRAVE		
0216	LATIN CAPITAL LETTER U WITH INVERTED BREVE		
0217	LATIN SMALL LETTER U WITH INVERTED BREVE		
0218	LATIN CAPITAL LETTER S WITH COMMA BELOW *		
0219	LATIN SMALL LETTER S WITH COMMA BELOW *		
021A	LATIN CAPITAL LETTER T WITH COMMA BELOW *		
021B	LATIN SMALL LETTER T WITH COMMA BELOW *		
021C	LATIN CAPITAL LETTER YOGH		
021D	LATIN SMALL LETTER YOGH		
021E	LATIN CAPITAL LETTER H WITH CARON		
021F	LATIN SMALL LETTER H WITH CARON		
0220	LATIN CAPITAL LETTER N WITH LONG RIGHT LEG		
0221	LATIN SMALL LETTER D WITH CURL		
0222	LATIN CAPITAL LETTER OU		
0223	LATIN SMALL LETTER OU		
0224	LATIN CAPITAL LETTER Z WITH HOOK		
0225	LATIN SMALL LETTER Z WITH HOOK		
0226	LATIN CAPITAL LETTER A WITH DOT ABOVE		
0227	LATIN SMALL LETTER A WITH DOT ABOVE		
0228	LATIN CAPITAL LETTER E WITH CEDILLA		
0229	LATIN SMALL LETTER E WITH CEDILLA		
022A	LATIN CAPITAL LETTER O WITH DIAERESIS AND MACRON		
022B	LATIN SMALL LETTER O WITH DIAERESIS AND MACRON		
022C	LATIN CAPITAL LETTER O WITH TILDE AND MACRON		
022D	LATIN SMALL LETTER O WITH TILDE AND MACRON		
022E	LATIN CAPITAL LETTER O WITH DOT ABOVE		
022F	LATIN SMALL LETTER O WITH DOT ABOVE		
0230	LATIN CAPITAL LETTER O WITH DOT ABOVE AND MACRON		
0231	LATIN SMALL LETTER O WITH DOT ABOVE AND MACRON		
0232	LATIN CAPITAL LETTER Y WITH MACRON		
0233	LATIN SMALL LETTER Y WITH MACRON		
0234	LATIN SMALL LETTER L WITH CURL		
0235	LATIN SMALL LETTER N WITH CURL		
0236	LATIN SMALL LETTER T WITH CURL		
0237	LATIN SMALL LETTER DOTLESS J		
0238	LATIN SMALL LETTER DB DIGRAPH		
0239	LATIN SMALL LETTER QP DIGRAPH		
023A	LATIN CAPITAL LETTER A WITH STROKE		
023B	LATIN CAPITAL LETTER C WITH STROKE		
023C	LATIN SMALL LETTER C WITH STROKE		
023D	LATIN CAPITAL LETTER L WITH BAR		
023E	LATIN CAPITAL LETTER T WITH DIAGONAL STROKE		
023F	LATIN SMALL LETTER S WITH SWASH TAIL		
0240	LATIN SMALL LETTER Z WITH SWASH TAIL		
0241	LATIN CAPITAL LETTER GLOTTAL STOP		
0242	LATIN SMALL LETTER GLOTTAL STOP		
0243	LATIN CAPITAL LETTER B WITH STROKE		
0244	LATIN CAPITAL LETTER U BAR		
0245	LATIN CAPITAL LETTER TURNED V		
0246	LATIN CAPITAL LETTER E WITH STROKE		
0247	LATIN SMALL LETTER E WITH STROKE		
0248	LATIN CAPITAL LETTER J WITH STROKE		
0249	LATIN SMALL LETTER J WITH STROKE		
024A	LATIN CAPITAL LETTER SMALL Q WITH HOOK TAIL		
024B	LATIN SMALL LETTER Q WITH HOOK TAIL		
024C	LATIN CAPITAL LETTER R WITH STROKE		

Group 00

Plane 00

Row 01

Table 10 - Row 03: Greek and Coptic

	037	038	039	03A	03B	03C	03D	03E	03F
0			í 0390	Π 03A0	ü 03B0	π 03C0	β 03D0	Ϡ 03E0	κ 03F0
1			Α 0391	Ρ 03A1	α 03B1	ρ 03C1	θ 03D1	ϡ 03E1	ϙ 03F1
2			Β 0392		β 03B2	ς 03C2	Υ 03D2	Ω 03E2	Ϙ 03F2
3			Γ 0393	Σ 03A3	γ 03B3	σ 03C3	Υ 03D3	ω 03E3	ι 03F3
4	' 0374	' 0384	Δ 0394	Τ 03A4	δ 03B4	τ 03C4	ÿ 03D4	ϣ 03E4	Θ 03F4
5	' 0375	· 0385	Ε 0395	Υ 03A5	ε 03B5	υ 03C5	φ 03D5	ϣ 03E5	Ε 03F5
6		À 0386	Ζ 0396	Φ 03A6	ζ 03B6	φ 03C6	ω 03D6	ϣ 03E6	ε 03F6
7		· 0387	Η 0397	Χ 03A7	η 03B7	χ 03C7	ϣ 03D7	ϣ 03E7	Ϡ 03F7
8		Έ 0388	Θ 0398	Ψ 03A8	θ 03B8	ψ 03C8	ϙ 03D8	ϣ 03E8	β 03F8
9		Ή 0389	Ι 0399	Ω 03A9	ι 03B9	ω 03C9	ϙ 03D9	ϣ 03E9	Ϙ 03F9
A	ι 037A	Ι 038A	Κ 039A	Ï 03AA	κ 03BA	ï 03CA	Σ 03DA	Χ 03EA	Μ 03FA
B	ϣ 037B		Λ 039B	ÿ 03AB	λ 03BB	ü 03CB	ς 03DB	Χ 03EB	Ϟ 03FB
C	ε 037C	Ό 038C	Μ 039C	ά 03AC	μ 03BC	ό 03CC	Ϝ 03DC	δ 03EC	ρ 03FC
D	ϣ 037D		Ν 039D	έ 03AD	ν 03BD	ύ 03CD	Ϝ 03DD	δ 03ED	ϣ 03FD
E	;	Υ 038E	Ξ 039E	ή 03AE	ξ 03BE	ώ 03CE	ϛ 03DE	† 03EE	Ϙ 03FE
F		Ό 038F	Ο 039F	ί 03AF	ο 03BF		ϛ 03DF	† 03EF	ϣ 03FF

G = 00
P = 00

Table 10 - Row 03: Greek and Coptic

HEX	NAME	HEX	NAME
0370	(This position shall not be used)	03CD	GREEK SMALL LETTER UPSILON WITH TONOS
0371	(This position shall not be used)	03CE	GREEK SMALL LETTER OMEGA WITH TONOS
0372	(This position shall not be used)	03CF	(This position shall not be used)
0373	(This position shall not be used)	03D0	GREEK BETA SYMBOL
0374	GREEK NUMERAL SIGN (Dexia keraia)	03D1	GREEK THETA SYMBOL
0375	GREEK LOWER NUMERAL SIGN (Aristeri keraia)	03D2	GREEK UPSILON WITH HOOK SYMBOL
0376	(This position shall not be used)	03D3	GREEK UPSILON WITH ACUTE AND HOOK SYMBOL
0377	(This position shall not be used)	03D4	GREEK UPSILON WITH DIAERESIS AND HOOK SYMBOL
0378	(This position shall not be used)	03D5	GREEK PHI SYMBOL
0379	(This position shall not be used)	03D6	GREEK PI SYMBOL
037A	GREEK YPOGEGRAMMENI	03D7	GREEK KAI SYMBOL
037B	GREEK SMALL REVERSED LUNATE SIGMA SYMBOL	03D8	GREEK LETTER ARCHAIC KOPPA *
037C	GREEK SMALL DOTTED LUNATE SIGMA SYMBOL	03D9	GREEK SMALL LETTER ARCHAIC KOPPA *
037D	GREEK SMALL REVERSED DOTTED LUNATE SIGMA SYMBOL	03DA	GREEK LETTER STIGMA
037E	GREEK QUESTION MARK (Eroimatiko)	03DB	GREEK SMALL LETTER STIGMA
037F	(This position shall not be used)	03DC	GREEK LETTER DIGAMMA
0380	(This position shall not be used)	03DD	GREEK SMALL LETTER DIGAMMA
0381	(This position shall not be used)	03DE	GREEK LETTER KOPPA
0382	(This position shall not be used)	03DF	GREEK SMALL LETTER KOPPA
0383	(This position shall not be used)	03E0	GREEK LETTER SAMPI
0384	GREEK TONOS	03E1	GREEK SMALL LETTER SAMPI
0385	GREEK DIALYTIKA TONOS	03E2	COPTIC CAPITAL LETTER SHEI
0386	GREEK CAPITAL LETTER ALPHA WITH TONOS	03E3	COPTIC SMALL LETTER SHEI
0387	GREEK ANO TELEIA	03E4	COPTIC CAPITAL LETTER FEI
0388	GREEK CAPITAL LETTER EPSILON WITH TONOS	03E5	COPTIC SMALL LETTER FEI
0389	GREEK CAPITAL LETTER ETA WITH TONOS	03E6	COPTIC CAPITAL LETTER KHEI
038A	GREEK CAPITAL LETTER IOTA WITH TONOS	03E7	COPTIC SMALL LETTER KHEI
038B	(This position shall not be used)	03E8	COPTIC CAPITAL LETTER HORI
038C	GREEK CAPITAL LETTER OMICRON WITH TONOS	03E9	COPTIC SMALL LETTER HORI
038D	(This position shall not be used)	03EA	COPTIC CAPITAL LETTER GANGIA
038E	GREEK CAPITAL LETTER UPSILON WITH TONOS	03EB	COPTIC SMALL LETTER GANGIA
038F	GREEK CAPITAL LETTER OMEGA WITH TONOS	03EC	COPTIC CAPITAL LETTER SHIMA
0390	GREEK SMALL LETTER IOTA WITH DIALYTIKA AND TONOS	03ED	COPTIC SMALL LETTER SHIMA
0391	GREEK CAPITAL LETTER ALPHA	03EE	COPTIC CAPITAL LETTER DEI
0392	GREEK CAPITAL LETTER BETA	03EF	COPTIC SMALL LETTER DEI
0393	GREEK CAPITAL LETTER GAMMA	03F0	GREEK KAPPA SYMBOL
0394	GREEK CAPITAL LETTER DELTA	03F1	GREEK RHO SYMBOL
0395	GREEK CAPITAL LETTER EPSILON	03F2	GREEK LUNATE SIGMA SYMBOL
0396	GREEK CAPITAL LETTER ZETA	03F3	GREEK LETTER YOT
0397	GREEK CAPITAL LETTER ETA	03F4	GREEK CAPITAL THETA SYMBOL
0398	GREEK CAPITAL LETTER THETA	03F5	GREEK LUNATE EPSILON SYMBOL
0399	GREEK CAPITAL LETTER IOTA	03F6	GREEK REVERSED LUNATE EPSILON SYMBOL
039A	GREEK CAPITAL LETTER KAPPA	03F7	GREEK CAPITAL LETTER SHO
039B	GREEK CAPITAL LETTER LAMDA	03F8	GREEK SMALL LETTER SHO
039C	GREEK CAPITAL LETTER MU	03F9	GREEK CAPITAL LUNATE SIGMA SYMBOL
039D	GREEK CAPITAL LETTER NU	03FA	GREEK CAPITAL LETTER SAN
039E	GREEK CAPITAL LETTER XI	03FB	GREEK SMALL LETTER SAN
039F	GREEK CAPITAL LETTER OMICRON	03FC	GREEK RHO WITH STROKE SYMBOL
03A0	GREEK CAPITAL LETTER PI	03FD	GREEK CAPITAL REVERSED LUNATE SIGMA SYMBOL
03A1	GREEK CAPITAL LETTER RHO	03FE	GREEK CAPITAL DOTTED LUNATE SIGMA SYMBOL
03A2	(This position shall not be used)	03FF	GREEK CAPITAL REVERSED DOTTED LUNATE SIGMA SYMBOL
03A3	GREEK CAPITAL LETTER SIGMA		
03A4	GREEK CAPITAL LETTER TAU		
03A5	GREEK CAPITAL LETTER UPSILON		
03A6	GREEK CAPITAL LETTER PHI		
03A7	GREEK CAPITAL LETTER CHI		
03A8	GREEK CAPITAL LETTER PSI		
03A9	GREEK CAPITAL LETTER OMEGA		
03AA	GREEK CAPITAL LETTER IOTA WITH DIALYTIKA		
03AB	GREEK CAPITAL LETTER UPSILON WITH DIALYTIKA		
03AC	GREEK SMALL LETTER ALPHA WITH TONOS		
03AD	GREEK SMALL LETTER EPSILON WITH TONOS		
03AE	GREEK SMALL LETTER ETA WITH TONOS		
03AF	GREEK SMALL LETTER IOTA WITH TONOS		
03B0	GREEK SMALL LETTER UPSILON WITH DIALYTIKA AND TONOS		
03B1	GREEK SMALL LETTER ALPHA		
03B2	GREEK SMALL LETTER BETA		
03B3	GREEK SMALL LETTER GAMMA		
03B4	GREEK SMALL LETTER DELTA		
03B5	GREEK SMALL LETTER EPSILON		
03B6	GREEK SMALL LETTER ZETA		
03B7	GREEK SMALL LETTER ETA		
03B8	GREEK SMALL LETTER THETA		
03B9	GREEK SMALL LETTER IOTA		
03BA	GREEK SMALL LETTER KAPPA		
03BB	GREEK SMALL LETTER LAMDA		
03BC	GREEK SMALL LETTER MU		
03BD	GREEK SMALL LETTER NU		
03BE	GREEK SMALL LETTER XI		
03BF	GREEK SMALL LETTER OMICRON		
03C0	GREEK SMALL LETTER PI		
03C1	GREEK SMALL LETTER RHO		
03C2	GREEK SMALL LETTER FINAL SIGMA		
03C3	GREEK SMALL LETTER SIGMA		
03C4	GREEK SMALL LETTER TAU		
03C5	GREEK SMALL LETTER UPSILON		
03C6	GREEK SMALL LETTER PHI		
03C7	GREEK SMALL LETTER CHI		
03C8	GREEK SMALL LETTER PSI		
03C9	GREEK SMALL LETTER OMEGA		
03CA	GREEK SMALL LETTER IOTA WITH DIALYTIKA		
03CB	GREEK SMALL LETTER UPSILON WITH DIALYTIKA		
03CC	GREEK SMALL LETTER OMICRON WITH TONOS		

Group 00

Plane 00

Row 03

Table 12 - Row 04: Cyrillic

	048	049	04A	04B	04C	04D	04E	04F
0	Ґ 0480	ґ 0490	ґ 04A0	ґ 04B0	І 04C0	Ӑ 04D0	ӑ 04E0	ӓ 04F0
1	ґ 0481	ґ 0491	ґ 04A1	ґ 04B1	Ӑ 04C1	ӑ 04D1	ӑ 04E1	ӓ 04F1
2	ґ 0482	ґ 0492	ґ 04A2	ґ 04B2	Ӑ 04C2	ӑ 04D2	ӑ 04E2	ӓ 04F2
3	ґ 0483	ґ 0493	ґ 04A3	ґ 04B3	Ӑ 04C3	ӑ 04D3	ӑ 04E3	ӓ 04F3
4	ґ 0484	ґ 0494	ґ 04A4	ґ 04B4	Ӑ 04C4	ӑ 04D4	ӑ 04E4	ӓ 04F4
5	ґ 0485	ґ 0495	ґ 04A5	ґ 04B5	Ӑ 04C5	ӑ 04D5	ӑ 04E5	ӓ 04F5
6	ґ 0486	Ӑ 0496	ӑ 04A6	ӑ 04B6	ӑ 04C6	ӑ 04D6	ӑ 04E6	ӑ 04F6
7		Ӑ 0497	ӑ 04A7	ӑ 04B7	ӑ 04C7	ӑ 04D7	ӑ 04E7	ӑ 04F7
8	ӑ 0488	ӑ 0498	ӑ 04A8	ӑ 04B8	ӑ 04C8	ӑ 04D8	ӑ 04E8	ӑ 04F8
9	ӑ 0489	ӑ 0499	ӑ 04A9	ӑ 04B9	ӑ 04C9	ӑ 04D9	ӑ 04E9	ӑ 04F9
A	ӑ 048A	ӑ 049A	ӑ 04AA	ӑ 04BA	ӑ 04CA	ӑ 04DA	ӑ 04EA	ӑ 04FA
B	ӑ 048B	ӑ 049B	ӑ 04AB	ӑ 04BB	ӑ 04CB	ӑ 04DB	ӑ 04EB	ӑ 04FB
C	ӑ 048C	ӑ 049C	ӑ 04AC	ӑ 04BC	ӑ 04CC	ӑ 04DC	ӑ 04EC	ӑ 04FC
D	ӑ 048D	ӑ 049D	ӑ 04AD	ӑ 04BD	ӑ 04CD	ӑ 04DD	ӑ 04ED	ӑ 04FD
E	ӑ 048E	ӑ 049E	ӑ 04AE	ӑ 04BE	ӑ 04CE	ӑ 04DE	ӑ 04EE	ӑ 04FE
F	ӑ 048F	ӑ 049F	ӑ 04AF	ӑ 04BF	ӑ 04CF	ӑ 04DF	ӑ 04EF	ӑ 04FF

G = 00
P = 00

Table 12 - Row 04: Cyrillic

HEX	NAME	HEX	NAME
0480	CYRILLIC CAPITAL LETTER KOPPA	04DD	CYRILLIC SMALL LETTER ZHE WITH DIAERESIS
0481	CYRILLIC SMALL LETTER KOPPA	04DE	CYRILLIC CAPITAL LETTER ZE WITH DIAERESIS
0482	CYRILLIC THOUSANDS SIGN	04DF	CYRILLIC SMALL LETTER ZE WITH DIAERESIS
0483	COMBINING CYRILLIC TITLO	04E0	CYRILLIC CAPITAL LETTER ABKHASIAN DZE
0484	COMBINING CYRILLIC PALATALIZATION	04E1	CYRILLIC SMALL LETTER ABKHASIAN DZE
0485	COMBINING CYRILLIC DASIA PNEUMATA	04E2	CYRILLIC CAPITAL LETTER I WITH MACRON
0486	COMBINING CYRILLIC PSILI PNEUMATA	04E3	CYRILLIC SMALL LETTER I WITH MACRON
0487	(This position shall not be used)	04E4	CYRILLIC CAPITAL LETTER I WITH DIAERESIS
0488	COMBINING CYRILLIC HUNDRED THOUSANDS SIGN	04E5	CYRILLIC SMALL LETTER I WITH DIAERESIS
0489	COMBINING CYRILLIC MILLIONS SIGN	04E6	CYRILLIC CAPITAL LETTER O WITH DIAERESIS
048A	CYRILLIC CAPITAL LETTER SHORT I WITH TAIL	04E7	CYRILLIC SMALL LETTER O WITH DIAERESIS
048B	CYRILLIC SMALL LETTER SHORT I WITH TAIL	04E8	CYRILLIC CAPITAL LETTER BARRED O
048C	CYRILLIC CAPITAL LETTER SEMISOFT SIGN	04E9	CYRILLIC SMALL LETTER BARRED O
048D	CYRILLIC SMALL LETTER SEMISOFT SIGN	04EA	CYRILLIC CAPITAL LETTER BARRED O WITH DIAERESIS
048E	CYRILLIC CAPITAL LETTER ER WITH TICK	04EB	CYRILLIC SMALL LETTER BARRED O WITH DIAERESIS
048F	CYRILLIC SMALL LETTER ER WITH TICK	04EC	CYRILLIC CAPITAL LETTER E WITH DIAERESIS
0490	CYRILLIC CAPITAL LETTER GHE WITH UPTURN	04ED	CYRILLIC SMALL LETTER E WITH DIAERESIS
0491	CYRILLIC SMALL LETTER GHE WITH UPTURN	04EE	CYRILLIC CAPITAL LETTER U WITH MACRON
0492	CYRILLIC CAPITAL LETTER GHE WITH STROKE	04EF	CYRILLIC SMALL LETTER U WITH MACRON
0493	CYRILLIC SMALL LETTER GHE WITH STROKE	04F0	CYRILLIC CAPITAL LETTER U WITH DIAERESIS
0494	CYRILLIC CAPITAL LETTER GHE WITH MIDDLE HOOK	04F1	CYRILLIC SMALL LETTER U WITH DIAERESIS
0495	CYRILLIC SMALL LETTER GHE WITH MIDDLE HOOK	04F2	CYRILLIC CAPITAL LETTER U WITH DOUBLE ACUTE
0496	CYRILLIC CAPITAL LETTER ZHE WITH DESCENDER	04F3	CYRILLIC SMALL LETTER U WITH DOUBLE ACUTE
0497	CYRILLIC SMALL LETTER ZHE WITH DESCENDER	04F4	CYRILLIC CAPITAL LETTER CHE WITH DIAERESIS
0498	CYRILLIC CAPITAL LETTER ZE WITH DESCENDER	04F5	CYRILLIC SMALL LETTER CHE WITH DIAERESIS
0499	CYRILLIC SMALL LETTER ZE WITH DESCENDER	04F6	CYRILLIC CAPITAL LETTER GHE WITH DESCENDER
049A	CYRILLIC CAPITAL LETTER KA WITH DESCENDER	04F7	CYRILLIC SMALL LETTER GHE WITH DESCENDER
049B	CYRILLIC SMALL LETTER KA WITH DESCENDER	04F8	CYRILLIC CAPITAL LETTER YERU WITH DIAERESIS
049C	CYRILLIC CAPITAL LETTER KA WITH VERTICAL STROKE	04F9	CYRILLIC SMALL LETTER YERU WITH DIAERESIS
049D	CYRILLIC SMALL LETTER KA WITH VERTICAL STROKE	04FA	CYRILLIC CAPITAL LETTER GHE WITH STROKE AND HOOK
049E	CYRILLIC CAPITAL LETTER KA WITH STROKE	04FB	CYRILLIC SMALL LETTER GHE WITH STROKE AND HOOK
049F	CYRILLIC SMALL LETTER KA WITH STROKE	04FC	CYRILLIC CAPITAL LETTER HA WITH HOOK
04A0	CYRILLIC CAPITAL LETTER BASHKIR KA	04FD	CYRILLIC SMALL LETTER HA WITH HOOK
04A1	CYRILLIC SMALL LETTER BASHKIR KA	04FE	CYRILLIC CAPITAL LETTER HA WITH STROKE
04A2	CYRILLIC CAPITAL LETTER EN WITH DESCENDER	04FF	CYRILLIC SMALL LETTER HA WITH STROKE
04A3	CYRILLIC SMALL LETTER EN WITH DESCENDER		
04A4	CYRILLIC CAPITAL LIGATURE EN GHE		
04A5	CYRILLIC SMALL LIGATURE EN GHE		
04A6	CYRILLIC CAPITAL LETTER PE WITH MIDDLE HOOK (Abkhasian)		
04A7	CYRILLIC SMALL LETTER PE WITH MIDDLE HOOK (Abkhasian)		
04A8	CYRILLIC CAPITAL LETTER ABKHASIAN HA		
04A9	CYRILLIC SMALL LETTER ABKHASIAN HA		
04AA	CYRILLIC CAPITAL LETTER ES WITH DESCENDER		
04AB	CYRILLIC SMALL LETTER ES WITH DESCENDER		
04AC	CYRILLIC CAPITAL LETTER TE WITH DESCENDER		
04AD	CYRILLIC SMALL LETTER TE WITH DESCENDER		
04AE	CYRILLIC CAPITAL LETTER STRAIGHT U		
04AF	CYRILLIC SMALL LETTER STRAIGHT U		
04B0	CYRILLIC CAPITAL LETTER STRAIGHT U WITH STROKE		
04B1	CYRILLIC SMALL LETTER STRAIGHT U WITH STROKE		
04B2	CYRILLIC CAPITAL LETTER HA WITH DESCENDER		
04B3	CYRILLIC SMALL LETTER HA WITH DESCENDER		
04B4	CYRILLIC CAPITAL LIGATURE TE TSE (Abkhasian)		
04B5	CYRILLIC SMALL LIGATURE TE TSE (Abkhasian)		
04B6	CYRILLIC CAPITAL LETTER CHE WITH DESCENDER		
04B7	CYRILLIC SMALL LETTER CHE WITH DESCENDER		
04B8	CYRILLIC CAPITAL LETTER CHE WITH VERTICAL STROKE		
04B9	CYRILLIC SMALL LETTER CHE WITH VERTICAL STROKE		
04BA	CYRILLIC CAPITAL LETTER SHHA		
04BB	CYRILLIC SMALL LETTER SHHA		
04BC	CYRILLIC CAPITAL LETTER ABKHASIAN CHE		
04BD	CYRILLIC SMALL LETTER ABKHASIAN CHE		
04BE	CYRILLIC CAPITAL LETTER ABKHASIAN CHE WITH DESCENDER		
04BF	CYRILLIC SMALL LETTER ABKHASIAN CHE WITH DESCENDER		
04C0	CYRILLIC LETTER PALOCHKA		
04C1	CYRILLIC CAPITAL LETTER ZHE WITH BREVE		
04C2	CYRILLIC SMALL LETTER ZHE WITH BREVE		
04C3	CYRILLIC CAPITAL LETTER KA WITH HOOK		
04C4	CYRILLIC SMALL LETTER KA WITH HOOK		
04C5	CYRILLIC CAPITAL LETTER EL WITH TAIL		
04C6	CYRILLIC SMALL LETTER EL WITH TAIL		
04C7	CYRILLIC CAPITAL LETTER EN WITH HOOK		
04C8	CYRILLIC SMALL LETTER EN WITH HOOK		
04C9	CYRILLIC CAPITAL LETTER EN WITH TAIL		
04CA	CYRILLIC SMALL LETTER EN WITH TAIL		
04CB	CYRILLIC CAPITAL LETTER KHAKASSIAN CHE		
04CC	CYRILLIC SMALL LETTER KHAKASSIAN CHE		
04CD	CYRILLIC CAPITAL LETTER EM WITH TAIL		
04CE	CYRILLIC SMALL LETTER EM WITH TAIL		
04CF	CYRILLIC SMALL LETTER PALOCHKA		
04D0	CYRILLIC CAPITAL LETTER A WITH BREVE		
04D1	CYRILLIC SMALL LETTER A WITH BREVE		
04D2	CYRILLIC CAPITAL LETTER A WITH DIAERESIS		
04D3	CYRILLIC SMALL LETTER A WITH DIAERESIS		
04D4	CYRILLIC CAPITAL LIGATURE A IE		
04D5	CYRILLIC SMALL LIGATURE A IE		
04D6	CYRILLIC CAPITAL LETTER IE WITH BREVE		
04D7	CYRILLIC SMALL LETTER IE WITH BREVE		
04D8	CYRILLIC CAPITAL LETTER SCHWA		
04D9	CYRILLIC SMALL LETTER SCHWA		
04DA	CYRILLIC CAPITAL LETTER SCHWA WITH DIAERESIS		
04DB	CYRILLIC SMALL LETTER SCHWA WITH DIAERESIS		
04DC	CYRILLIC CAPITAL LETTER ZHE WITH DIAERESIS		

Group 00

Plane 00

Row 04

Table 13 - Row 05: Cyrillic Supplement

	050	051	052
0	Ԁ 0500	Ԑ 0510	
1	ԁ 0501	ԑ 0511	
2	Ԃ 0502	Ԋ 0512	
3	ԃ 0503	ԋ 0513	
4	Ԅ 0504		
5	ԅ 0505		
6	Ԇ 0506		
7	ԇ 0507		
8	Ԉ 0508		
9	ԉ 0509		
A	Ԑ 050A		
B	ԑ 050B		
C	Ԓ 050C		
D	ԓ 050D		
E	Ԕ 050E		
F	ԕ 050F		

G = 00
P = 00

Table 13 - Row 05: Cyrillic Supplement

HEX	NAME	HEX	NAME
0500	CYRILLIC CAPITAL LETTER KOMI DE		
0501	CYRILLIC SMALL LETTER KOMI DE		
0502	CYRILLIC CAPITAL LETTER KOMI DJE		
0503	CYRILLIC SMALL LETTER KOMI DJE		
0504	CYRILLIC CAPITAL LETTER KOMI ZJE		
0505	CYRILLIC SMALL LETTER KOMI ZJE		
0506	CYRILLIC CAPITAL LETTER KOMI DZJE		
0507	CYRILLIC SMALL LETTER KOMI DZJE		
0508	CYRILLIC CAPITAL LETTER KOMI LJE		
0509	CYRILLIC SMALL LETTER KOMI LJE		
050A	CYRILLIC CAPITAL LETTER KOMI NJE		
050B	CYRILLIC SMALL LETTER KOMI NJE		
050C	CYRILLIC CAPITAL LETTER KOMI SJE		
050D	CYRILLIC SMALL LETTER KOMI SJE		
050E	CYRILLIC CAPITAL LETTER KOMI TJE		
050F	CYRILLIC SMALL LETTER KOMI TJE		
0510	CYRILLIC CAPITAL LETTER REVERSED ZE		
0511	CYRILLIC SMALL LETTER REVERSED ZE		
0512	CYRILLIC CAPITAL LETTER EL WITH HOOK		
0513	CYRILLIC SMALL LETTER EL WITH HOOK		
0514	(This position shall not be used)		
0515	(This position shall not be used)		
0516	(This position shall not be used)		
0517	(This position shall not be used)		
0518	(This position shall not be used)		
0519	(This position shall not be used)		
051A	(This position shall not be used)		
051B	(This position shall not be used)		
051C	(This position shall not be used)		
051D	(This position shall not be used)		
051E	(This position shall not be used)		
051F	(This position shall not be used)		
0520	(This position shall not be used)		
0521	(This position shall not be used)		
0522	(This position shall not be used)		
0523	(This position shall not be used)		
0524	(This position shall not be used)		
0525	(This position shall not be used)		
0526	(This position shall not be used)		
0527	(This position shall not be used)		
0528	(This position shall not be used)		
0529	(This position shall not be used)		
052A	(This position shall not be used)		
052B	(This position shall not be used)		
052C	(This position shall not be used)		
052D	(This position shall not be used)		
052E	(This position shall not be used)		
052F	(This position shall not be used)		

Group 00

Plane 00

Row 05

Table 15 - Row 05: Hebrew

	059	05A	05B	05C	05D	05E	05F
0		05A0	05B0	05C0	05D0	05E0	05F0
1	0591	05A1	05B1	05C1	05D1	05E1	05F1
2	0592	05A2	05B2	05C2	05D2	05E2	05F2
3	0593	05A3	05B3	05C3	05D3	05E3	05F3
4	0594	05A4	05B4	05C4	05D4	05E4	05F4
5	0595	05A5	05B5	05C5	05D5	05E5	
6	0596	05A6	05B6	05C6	05D6	05E6	
7	0597	05A7	05B7	05C7	05D7	05E7	
8	0598	05A8	05B8		05D8	05E8	
9	0599	05A9	05B9		05D9	05E9	
A	059A	05AA	05BA		05DA	05EA	
B	059B	05AB	05BB		05DB		
C	059C	05AC	05BC		05DC		
D	059D	05AD	05BD		05DD		
E	059E	05AE	05BE		05DE		
F	059F	05AF	05BF		05DF		

G = 00
P = 00

Table 15 - Row 05: Hebrew

HEX	NAME	HEX	NAME
0590	(This position shall not be used)	05ED	(This position shall not be used)
0591	HEBREW ACCENT ETNAHTA	05EE	(This position shall not be used)
0592	HEBREW ACCENT SEGOL	05EF	(This position shall not be used)
0593	HEBREW ACCENT SHALSHELET	05F0	HEBREW LIGATURE YIDDISH DOUBLE VAV
0594	HEBREW ACCENT ZAQEF QATAN	05F1	HEBREW LIGATURE YIDDISH VAV YOD
0595	HEBREW ACCENT ZAQEF GADOL	05F2	HEBREW LIGATURE YIDDISH DOUBLE YOD
0596	HEBREW ACCENT TIPEHA *	05F3	HEBREW PUNCTUATION GERESH
0597	HEBREW ACCENT REVIA	05F4	HEBREW PUNCTUATION GERSHAYIM
0598	HEBREW ACCENT ZARQA *	05F5	(This position shall not be used)
0599	HEBREW ACCENT PASHTA	05F6	(This position shall not be used)
059A	HEBREW ACCENT YETIV	05F7	(This position shall not be used)
059B	HEBREW ACCENT TEVIR	05F8	(This position shall not be used)
059C	HEBREW ACCENT GERESH	05F9	(This position shall not be used)
059D	HEBREW ACCENT GERESH MUQDAM	05FA	(This position shall not be used)
059E	HEBREW ACCENT GERSHAYIM	05FB	(This position shall not be used)
059F	HEBREW ACCENT QARNEY PARA	05FC	(This position shall not be used)
05A0	HEBREW ACCENT TELISHA GEDOLA	05FD	(This position shall not be used)
05A1	HEBREW ACCENT PAZER	05FE	(This position shall not be used)
05A2	HEBREW ACCENT ATNAH HAFUKH	05FF	(This position shall not be used)
05A3	HEBREW ACCENT MUNAH		
05A4	HEBREW ACCENT MAHAPAKH		
05A5	HEBREW ACCENT MERKHA *		
05A6	HEBREW ACCENT MERKHA KEFULA		
05A7	HEBREW ACCENT DARGA *		
05A8	HEBREW ACCENT QADMA *		
05A9	HEBREW ACCENT TELISHA QETANA		
05AA	HEBREW ACCENT YERAH BEN YOMO *		
05AB	HEBREW ACCENT OLE		
05AC	HEBREW ACCENT ILUY		
05AD	HEBREW ACCENT DEHI		
05AE	HEBREW ACCENT ZINOR		
05AF	HEBREW MARK MASORA CIRCLE		
05B0	HEBREW POINT SHEVA		
05B1	HEBREW POINT HATAF SEGOL		
05B2	HEBREW POINT HATAF PATAH		
05B3	HEBREW POINT HATAF QAMATS		
05B4	HEBREW POINT HIRIQ		
05B5	HEBREW POINT TSERE		
05B6	HEBREW POINT SEGOL		
05B7	HEBREW POINT PATAH		
05B8	HEBREW POINT QAMATS		
05B9	HEBREW POINT HOLAM		
05BA	HEBREW POINT HOLAM HASER FOR VAV		
05BB	HEBREW POINT QUBUTS		
05BC	HEBREW POINT DAGESH OR MAPIQ (or shuruq)		
05BD	HEBREW POINT METEG *		
05BE	HEBREW PUNCTUATION MAQAF		
05BF	HEBREW POINT RAPE		
05C0	HEBREW PUNCTUATION PASEQ *		
05C1	HEBREW POINT SHIN DOT		
05C2	HEBREW POINT SIN DOT		
05C3	HEBREW PUNCTUATION SOF PASUQ *		
05C4	HEBREW MARK UPPER DOT		
05C5	HEBREW MARK LOWER DOT		
05C6	HEBREW PUNCTUATION NUN HAFUKHA		
05C7	HEBREW POINT QAMATS QATAN		
05C8	(This position shall not be used)		
05C9	(This position shall not be used)		
05CA	(This position shall not be used)		
05CB	(This position shall not be used)		
05CC	(This position shall not be used)		
05CD	(This position shall not be used)		
05CE	(This position shall not be used)		
05CF	(This position shall not be used)		
05D0	HEBREW LETTER ALEF		
05D1	HEBREW LETTER BET		
05D2	HEBREW LETTER GIMEL		
05D3	HEBREW LETTER DALET		
05D4	HEBREW LETTER HE		
05D5	HEBREW LETTER VAV		
05D6	HEBREW LETTER ZAYIN		
05D7	HEBREW LETTER HET		
05D8	HEBREW LETTER TET		
05D9	HEBREW LETTER YOD		
05DA	HEBREW LETTER FINAL KAF		
05DB	HEBREW LETTER KAF		
05DC	HEBREW LETTER LAMED		
05DD	HEBREW LETTER FINAL MEM		
05DE	HEBREW LETTER MEM		
05DF	HEBREW LETTER FINAL NUN		
05E0	HEBREW LETTER NUN		
05E1	HEBREW LETTER SAMEKH		
05E2	HEBREW LETTER AYIN		
05E3	HEBREW LETTER FINAL PE		
05E4	HEBREW LETTER PE		
05E5	HEBREW LETTER FINAL TSADI		
05E6	HEBREW LETTER TSADI		
05E7	HEBREW LETTER QOF		
05E8	HEBREW LETTER RESH		
05E9	HEBREW LETTER SHIN		
05EA	HEBREW LETTER TAV		
05EB	(This position shall not be used)		
05EC	(This position shall not be used)		

Group 00

Plane 00

Row 05

Table 17 - Row 06: Arabic

	068	069	06A	06B	06C	06D	06E	06F
0	پ 0680	ڈ 0690	غ 06A0	گ 06B0	ہ 06C0	پ 06D0	۰ 06E0	۰ 06F0
1	خ 0681	ڑ 0691	ف 06A1	گ 06B1	ہ 06C1	پ 06D1	۱ 06E1	۱ 06F1
2	خ 0682	ز 0692	ب 06A2	گ 06B2	ہ 06C2	ے 06D2	۲ 06E2	۲ 06F2
3	ج 0683	ر 0693	ب 06A3	گ 06B3	تہ 06C3	ے 06D3	۳ 06E3	۳ 06F3
4	ج 0684	ر 0694	قا 06A4	گ 06B4	وہ 06C4	- 06D4	۴ 06E4	۴ 06F4
5	خ 0685	ر 0695	پ 06A5	ل 06B5	وہ 06C5	ہ 06D5	۵ 06E5	۵ 06F5
6	چ 0686	ر 0696	قا 06A6	ل 06B6	وہ 06C6	۶ 06D6	۶ 06E6	۶ 06F6
7	چ 0687	ز 0697	ف 06A7	ٹ 06B7	وہ 06C7	۷ 06D7	۷ 06E7	۷ 06F7
8	ڈ 0688	ڑ 0698	قا 06A8	پ 06B8	وہ 06C8	۸ 06D8	۸ 06E8	۸ 06F8
9	د 0689	ڑ 0699	ک 06A9	ب 06B9	وہ 06C9	۹ 06D9	۹ 06E9	۹ 06F9
A	ب 068A	بیں 069A	کا 06AA	ن 06BA	ق 06CA	۱۰ 06DA	۱۰ 06EA	۱۰ 06FA
B	ب 068B	پیں 069B	کا 06AB	ن 06BB	ق 06CB	۱۱ 06DB	۱۱ 06EB	۱۱ 06FB
C	تہ 068C	پیں 069C	کا 06AC	ن 06BC	ی 06CC	۱۲ 06DC	۱۲ 06EC	۱۲ 06FC
D	د 068D	بیں 069D	کا 06AD	ن 06BD	ی 06CD	۱۳ 06DD	۱۳ 06ED	۱۳ 06FD
E	ڈ 068E	ض 069E	پ 06AE	ہ 06BE	ی 06CE	۱۴ 06DE	۱۴ 06EE	۱۴ 06FE
F	ڈ 068F	ظ 069F	گ 06AF	پ 06BF	ف 06CF	۱۵ 06DF	۱۵ 06EF	۱۵ 06FF

G = 00
P = 00

Table 17 - Row 06: Arabic

HEX	NAME	HEX	NAME
0680	ARABIC LETTER BEHEH	06DD	ARABIC END OF AYAH
0681	ARABIC LETTER HAH WITH HAMZA ABOVE	06DE	ARABIC START OF RUB EL HIZB
0682	ARABIC LETTER HAH WITH TWO DOTS VERTICAL ABOVE	06DF	ARABIC SMALL HIGH ROUNDED ZERO
0683	ARABIC LETTER NYEH	06E0	ARABIC SMALL HIGH UPRIGHT RECTANGULAR ZERO
0684	ARABIC LETTER DYEH	06E1	ARABIC SMALL HIGH DOTLESS HEAD OF KHAH
0685	ARABIC LETTER HAH WITH THREE DOTS ABOVE	06E2	ARABIC SMALL HIGH MEEM ISOLATED FORM
0686	ARABIC LETTER TCHEH	06E3	ARABIC SMALL LOW SEEN
0687	ARABIC LETTER TCHEHEH	06E4	ARABIC SMALL HIGH MADDA
0688	ARABIC LETTER DDAL	06E5	ARABIC SMALL WAW
0689	ARABIC LETTER DAL WITH RING	06E6	ARABIC SMALL YEH
068A	ARABIC LETTER DAL WITH DOT BELOW	06E7	ARABIC SMALL HIGH YEH
068B	ARABIC LETTER DAL WITH DOT BELOW AND SMALL TAH	06E8	ARABIC SMALL HIGH NOON
068C	ARABIC LETTER DAHAL	06E9	ARABIC PLACE OF SAJDAH
068D	ARABIC LETTER DDAHAL	06EA	ARABIC EMPTY CENTRE LOW STOP
068E	ARABIC LETTER DJL	06EB	ARABIC EMPTY CENTRE HIGH STOP
068F	ARABIC LETTER DAL WITH THREE DOTS ABOVE DOWNWARDS	06EC	ARABIC ROUNDED HIGH STOP WITH FILLED CENTRE
0690	ARABIC LETTER DAL WITH FOUR DOTS ABOVE	06ED	ARABIC SMALL LOW MEEM
0691	ARABIC LETTER RREH	06EE	ARABIC LETTER DAL WITH INVERTED V
0692	ARABIC LETTER REH WITH SMALL V	06EF	ARABIC LETTER REH WITH INVERTED V
0693	ARABIC LETTER REH WITH RING	06F0	EXTENDED ARABIC-INDIC DIGIT ZERO
0694	ARABIC LETTER REH WITH DOT BELOW	06F1	EXTENDED ARABIC-INDIC DIGIT ONE
0695	ARABIC LETTER REH WITH SMALL V BELOW	06F2	EXTENDED ARABIC-INDIC DIGIT TWO
0696	ARABIC LETTER REH WITH DOT BELOW AND DOT ABOVE	06F3	EXTENDED ARABIC-INDIC DIGIT THREE
0697	ARABIC LETTER REH WITH TWO DOTS ABOVE	06F4	EXTENDED ARABIC-INDIC DIGIT FOUR
0698	ARABIC LETTER JEH	06F5	EXTENDED ARABIC-INDIC DIGIT FIVE
0699	ARABIC LETTER REH WITH FOUR DOTS ABOVE	06F6	EXTENDED ARABIC-INDIC DIGIT SIX
069A	ARABIC LETTER SEEN WITH DOT BELOW AND DOT ABOVE	06F7	EXTENDED ARABIC-INDIC DIGIT SEVEN
069B	ARABIC LETTER SEEN WITH THREE DOTS BELOW	06F8	EXTENDED ARABIC-INDIC DIGIT EIGHT
069C	ARABIC LETTER SEEN WITH THREE DOTS BELOW AND THREE DOTS ABOVE	06F9	EXTENDED ARABIC-INDIC DIGIT NINE
069D	ARABIC LETTER SAD WITH TWO DOTS BELOW	06FA	ARABIC LETTER SHEEN WITH DOT BELOW
069E	ARABIC LETTER SAD WITH THREE DOTS ABOVE	06FB	ARABIC LETTER DAD WITH DOT BELOW
069F	ARABIC LETTER TAH WITH THREE DOTS ABOVE	06FC	ARABIC LETTER GHAIN WITH DOT BELOW
06A0	ARABIC LETTER AIN WITH THREE DOTS ABOVE	06FD	ARABIC SIGN SINDHI AMPERSAND
06A1	ARABIC LETTER DOTLESS FEH	06FE	ARABIC SIGN SINDHI POSTPOSITION MEN
06A2	ARABIC LETTER FEH WITH DOT MOVED BELOW	06FF	ARABIC LETTER HEH WITH INVERTED V
06A3	ARABIC LETTER FEH WITH DOT BELOW		
06A4	ARABIC LETTER VEH		
06A5	ARABIC LETTER FEH WITH THREE DOTS BELOW		
06A6	ARABIC LETTER PEHEH		
06A7	ARABIC LETTER QAF WITH DOT ABOVE		
06A8	ARABIC LETTER QAF WITH THREE DOTS ABOVE		
06A9	ARABIC LETTER KEHEH		
06AA	ARABIC LETTER SWASH KAF		
06AB	ARABIC LETTER KAF WITH RING		
06AC	ARABIC LETTER KAF WITH DOT ABOVE		
06AD	ARABIC LETTER NG		
06AE	ARABIC LETTER KAF WITH THREE DOTS BELOW		
06AF	ARABIC LETTER GAF *		
06B0	ARABIC LETTER GAF WITH RING		
06B1	ARABIC LETTER NGOEH		
06B2	ARABIC LETTER GAF WITH TWO DOTS BELOW		
06B3	ARABIC LETTER GUEH		
06B4	ARABIC LETTER GAF WITH THREE DOTS ABOVE		
06B5	ARABIC LETTER LAM WITH SMALL V		
06B6	ARABIC LETTER LAM WITH DOT ABOVE		
06B7	ARABIC LETTER LAM WITH THREE DOTS ABOVE		
06B8	ARABIC LETTER LAM WITH THREE DOTS BELOW		
06B9	ARABIC LETTER NOON WITH DOT BELOW		
06BA	ARABIC LETTER NOON GHUNNA		
06BB	ARABIC LETTER RNOON		
06BC	ARABIC LETTER NOON WITH RING		
06BD	ARABIC LETTER NOON WITH THREE DOTS ABOVE		
06BE	ARABIC LETTER HEH DOACHASHMEE		
06BF	ARABIC LETTER TCHEH WITH DOT ABOVE		
06C0	ARABIC LETTER HEH WITH YEH ABOVE		
06C1	ARABIC LETTER HEH GOAL		
06C2	ARABIC LETTER HEH GOAL WITH HAMZA ABOVE		
06C3	ARABIC LETTER TEH MARBUTA GOAL		
06C4	ARABIC LETTER WAW WITH RING		
06C5	ARABIC LETTER KIRGHIZ OE		
06C6	ARABIC LETTER OE		
06C7	ARABIC LETTER U		
06C8	ARABIC LETTER YU		
06C9	ARABIC LETTER KIRGHIZ YU		
06CA	ARABIC LETTER WAW WITH TWO DOTS ABOVE		
06CB	ARABIC LETTER VE		
06CC	ARABIC LETTER FARSI YEH		
06CD	ARABIC LETTER YEH WITH TAIL		
06CE	ARABIC LETTER YEH WITH SMALL V		
06CF	ARABIC LETTER WAW WITH DOT ABOVE		
06D0	ARABIC LETTER E *		
06D1	ARABIC LETTER YEH WITH THREE DOTS BELOW		
06D2	ARABIC LETTER YEH BARREE		
06D3	ARABIC LETTER YEH BARREE WITH HAMZA ABOVE		
06D4	ARABIC FULL STOP		
06D5	ARABIC LETTER AE		
06D6	ARABIC SMALL HIGH LIGATURE SAD WITH LAM WITH ALEF MAKSURA		
06D7	ARABIC SMALL HIGH LIGATURE QAF WITH LAM WITH ALEF MAKSURA		
06D8	ARABIC SMALL HIGH MEEM INITIAL FORM		
06D9	ARABIC SMALL HIGH LAM ALEF		
06DA	ARABIC SMALL HIGH JEEM		
06DB	ARABIC SMALL HIGH THREE DOTS		
06DC	ARABIC SMALL HIGH SEEN		

Group 00

Plane 00

Row 06

Table 21 - Row 07: Nko

	07C	07D	07E	07F
0	0 07C0	♀ 07D0	⊥ 07E0	⋈ 07F0
1	⌋ 07C1	˘ 07D1	Δ 07E1	⋈ 07F1
2	⌋ 07C2	♀ 07D2	⊥ 07E2	⋈ 07F2
3	⌋ 07C3	F 07D3	⌋ 07E3	⋈ 07F3
4	⌋ 07C4	⌋ 07D4	⌋ 07E4	˘ 07F4
5	⌋ 07C5	b 07D5	⌋ 07E5	˘ 07F5
6	⌋ 07C6	⌋ 07D6	⊥ 07E6	⊥ 07F6
7	⌋ 07C7	⌋ 07D7	⊥ 07E7	⊥ 07F7
8	⌋ 07C8	⌋ 07D8	⌋ 07E8	⌋ 07F8
9	♀ 07C9	⌋ 07D9	⌋ 07E9	⌋ 07F9
A	⌋ 07CA	⌋ 07DA	⌋ 07EA	⌋ 07FA
B	⊥ 07CB	⊥ 07DB	⊥ 07EB	
C	⌋ 07CC	⌋ 07DC	⌋ 07EC	
D	⌋ 07CD	⌋ 07DD	⊥ 07ED	
E	⌋ 07CE	⌋ 07DE	⌋ 07EE	
F	⌋ 07CF	♀ 07DF	⌋ 07EF	

G = 00
P = 00

Table 21 - Row 07: NKo

HEX	NAME	HEX	NAME
07C0	NKO DIGIT ZERO		
07C1	NKO DIGIT ONE		
07C2	NKO DIGIT TWO		
07C3	NKO DIGIT THREE		
07C4	NKO DIGIT FOUR		
07C5	NKO DIGIT FIVE		
07C6	NKO DIGIT SIX		
07C7	NKO DIGIT SEVEN		
07C8	NKO DIGIT EIGHT		
07C9	NKO DIGIT NINE		
07CA	NKO LETTER A		
07CB	NKO LETTER EE		
07CC	NKO LETTER I		
07CD	NKO LETTER E		
07CE	NKO LETTER U		
07CF	NKO LETTER OO		
07D0	NKO LETTER O		
07D1	NKO LETTER DAGBASINNA		
07D2	NKO LETTER N		
07D3	NKO LETTER BA		
07D4	NKO LETTER PA		
07D5	NKO LETTER TA		
07D6	NKO LETTER JA		
07D7	NKO LETTER CHA		
07D8	NKO LETTER DA		
07D9	NKO LETTER RA		
07DA	NKO LETTER RRA		
07DB	NKO LETTER SA		
07DC	NKO LETTER GBA		
07DD	NKO LETTER FA		
07DE	NKO LETTER KA		
07DF	NKO LETTER LA		
07E0	NKO LETTER NA WOLOSO		
07E1	NKO LETTER MA		
07E2	NKO LETTER NYA		
07E3	NKO LETTER NA		
07E4	NKO LETTER HA		
07E5	NKO LETTER WA		
07E6	NKO LETTER YA		
07E7	NKO LETTER NYA WOLOSO		
07E8	NKO LETTER JONA JA		
07E9	NKO LETTER JONA CHA		
07EA	NKO LETTER JONA RA		
07EB	NKO COMBINING SHORT HIGH TONE		
07EC	NKO COMBINING SHORT LOW TONE		
07ED	NKO COMBINING SHORT RISING TONE		
07EE	NKO COMBINING LONG DESCENDING TONE		
07EF	NKO COMBINING LONG HIGH TONE		
07F0	NKO COMBINING LONG LOW TONE		
07F1	NKO COMBINING LONG RISING TONE		
07F2	NKO COMBINING NASALIZATION MARK		
07F3	NKO COMBINING DOUBLE DOT ABOVE		
07F4	NKO HIGH TONE APOSTROPHE		
07F5	NKO LOW TONE APOSTROPHE		
07F6	NKO SYMBOL OO DENNEN		
07F7	NKO SYMBOL GBAKURUNEN		
07F8	NKO COMMA		
07F9	NKO EXCLAMATION MARK		
07FA	NKO LAJANYALAN		
07FB	(This position shall not be used)		
07FC	(This position shall not be used)		
07FD	(This position shall not be used)		
07FE	(This position shall not be used)		
07FF	(This position shall not be used)		

Group 00

Plane 00

Row 07

Table 29 - Row 0C: Kannada

	0C8	0C9	0CA	0CB	0CC	0CD	0CE	0CF
0		ಬ 0C90	ಎ 0CA0	ಇ 0CB0	ಓ 0CC0		ಋ 0CE0	
1			ಊ 0CA1	ಋ 0CB1	ೠ 0CC1		ೡ 0CE1	ಃ 0CF1
2	ಌ 0C82	಍ 0C92	ಊ 0CA2	ಋ 0CB2	ೠ 0CC2		ೡ 0CE2	ಃ 0CF2
3	ಌ 0C83	಍ 0C93	ಊ 0CA3	ಋ 0CB3	ೠ 0CC3		ೡ 0CE3	
4		ಞ 0C94	ಠ 0CA4		ಠ 0CC4			
5	ಠ 0C85	ಠ 0C95	ಠ 0CA5	ಠ 0CB5		ಠ 0CD5		
6	ಠ 0C86	ಠ 0C96	ಠ 0CA6	ಠ 0CB6	ಠ 0CC6	ಠ 0CD6	ಠ 0CE6	
7	ಠ 0C87	ಠ 0C97	ಠ 0CA7	ಠ 0CB7	ಠ 0CC7		ಠ 0CE7	
8	ಠ 0C88	ಠ 0C98	ಠ 0CA8	ಠ 0CB8	ಠ 0CC8		ಠ 0CE8	
9	ಠ 0C89	ಠ 0C99		ಠ 0CB9			ಠ 0CE9	
A	ಠ 0C8A	ಠ 0C9A	ಠ 0CAA		ಠ 0CCA		ಠ 0CEA	
B	ಠ 0C8B	ಠ 0C9B	ಠ 0CAB		ಠ 0CCB		ಠ 0CEB	
C	ಠ 0C8C	ಠ 0C9C	ಠ 0CAC	ಠ 0CBC	ಠ 0CCC		ಠ 0CEC	
D		ಠ 0C9D	ಠ 0CAD	ಠ 0CBD	ಠ 0CCD		ಠ 0CED	
E	ಠ 0C8E	ಠ 0C9E	ಠ 0CAE	ಠ 0CBE		ಠ 0CDE	ಠ 0CEE	
F	ಠ 0C8F	ಠ 0C9F	ಠ 0CAF	ಠ 0CBF			ಠ 0CEF	

G = 00
P = 00

Table 29 - Row 0C: Kannada

HEX	NAME	HEX	NAME
0C80	(This position shall not be used)	0CDD	(This position shall not be used)
0C81	(This position shall not be used)	0CDE	KANNADA LETTER FA
0C82	KANNADA SIGN ANUSVARA	0CDF	(This position shall not be used)
0C83	KANNADA SIGN VISARGA	0CE0	KANNADA LETTER VOCALIC RR
0C84	(This position shall not be used)	0CE1	KANNADA LETTER VOCALIC LL
0C85	KANNADA LETTER A	0CE2	KANNADA VOWEL SIGN VOCALIC L
0C86	KANNADA LETTER AA	0CE3	KANNADA VOWEL SIGN VOCALIC LL
0C87	KANNADA LETTER I	0CE4	(This position shall not be used)
0C88	KANNADA LETTER II	0CE5	(This position shall not be used)
0C89	KANNADA LETTER U	0CE6	KANNADA DIGIT ZERO
0C8A	KANNADA LETTER UU	0CE7	KANNADA DIGIT ONE
0C8B	KANNADA LETTER VOCALIC R	0CE8	KANNADA DIGIT TWO
0C8C	KANNADA LETTER VOCALIC L	0CE9	KANNADA DIGIT THREE
0C8D	(This position shall not be used)	0CEA	KANNADA DIGIT FOUR
0C8E	KANNADA LETTER E	0CEB	KANNADA DIGIT FIVE
0C8F	KANNADA LETTER EE	0CEC	KANNADA DIGIT SIX
0C90	KANNADA LETTER AI	0CED	KANNADA DIGIT SEVEN
0C91	(This position shall not be used)	0CEE	KANNADA DIGIT EIGHT
0C92	KANNADA LETTER O	0CEF	KANNADA DIGIT NINE
0C93	KANNADA LETTER OO	0CF0	(This position shall not be used)
0C94	KANNADA LETTER AU	0CF1	KANNADA SIGN JIHVAMULIYA
0C95	KANNADA LETTER KA	0CF2	KANNADA SIGN UPADHMANIYA
0C96	KANNADA LETTER KHA	0CF3	(This position shall not be used)
0C97	KANNADA LETTER GA	0CF4	(This position shall not be used)
0C98	KANNADA LETTER GHA	0CF5	(This position shall not be used)
0C99	KANNADA LETTER NGA	0CF6	(This position shall not be used)
0C9A	KANNADA LETTER CA	0CF7	(This position shall not be used)
0C9B	KANNADA LETTER CHA	0CF8	(This position shall not be used)
0C9C	KANNADA LETTER JA	0CF9	(This position shall not be used)
0C9D	KANNADA LETTER JHA	0CFA	(This position shall not be used)
0C9E	KANNADA LETTER NYA	0CFB	(This position shall not be used)
0C9F	KANNADA LETTER TTA	0CFC	(This position shall not be used)
0CA0	KANNADA LETTER TTHA	0CFD	(This position shall not be used)
0CA1	KANNADA LETTER DDA	0CFE	(This position shall not be used)
0CA2	KANNADA LETTER DDHA	0CFF	(This position shall not be used)
0CA3	KANNADA LETTER NNA		
0CA4	KANNADA LETTER TA		
0CA5	KANNADA LETTER THA		
0CA6	KANNADA LETTER DA		
0CA7	KANNADA LETTER DHA		
0CA8	KANNADA LETTER NA		
0CA9	(This position shall not be used)		
0CAA	KANNADA LETTER PA		
0CAB	KANNADA LETTER PHA		
0CAC	KANNADA LETTER BA		
0CAD	KANNADA LETTER BHA		
0CAE	KANNADA LETTER MA		
0CAF	KANNADA LETTER YA		
0CB0	KANNADA LETTER RA		
0CB1	KANNADA LETTER RRA		
0CB2	KANNADA LETTER LA		
0CB3	KANNADA LETTER LLA		
0CB4	(This position shall not be used)		
0CB5	KANNADA LETTER VA		
0CB6	KANNADA LETTER SHA		
0CB7	KANNADA LETTER SSA		
0CB8	KANNADA LETTER SA		
0CB9	KANNADA LETTER HA		
0CBA	(This position shall not be used)		
0CBB	(This position shall not be used)		
0CBC	KANNADA SIGN NUKTA		
0CBD	KANNADA SIGN AVAGRAHA		
0CBE	KANNADA VOWEL SIGN AA		
0CBF	KANNADA VOWEL SIGN I		
0CC0	KANNADA VOWEL SIGN II		
0CC1	KANNADA VOWEL SIGN U		
0CC2	KANNADA VOWEL SIGN UU		
0CC3	KANNADA VOWEL SIGN VOCALIC R		
0CC4	KANNADA VOWEL SIGN VOCALIC RR		
0CC5	(This position shall not be used)		
0CC6	KANNADA VOWEL SIGN E		
0CC7	KANNADA VOWEL SIGN EE		
0CC8	KANNADA VOWEL SIGN AI		
0CC9	(This position shall not be used)		
0CCA	KANNADA VOWEL SIGN O		
0CCB	KANNADA VOWEL SIGN OO		
0CCC	KANNADA VOWEL SIGN AU		
0CCD	KANNADA SIGN VIRAMA		
0CCE	(This position shall not be used)		
0CCF	(This position shall not be used)		
0CD0	(This position shall not be used)		
0CD1	(This position shall not be used)		
0CD2	(This position shall not be used)		
0CD3	(This position shall not be used)		
0CD4	(This position shall not be used)		
0CD5	KANNADA LENGTH MARK		
0CD6	KANNADA AI LENGTH MARK		
0CD7	(This position shall not be used)		
0CD8	(This position shall not be used)		
0CD9	(This position shall not be used)		
0CDA	(This position shall not be used)		
0CDB	(This position shall not be used)		
0CDC	(This position shall not be used)		

Group 00

Plane 00

Row 0C

Table 30 - Row 0D: Malayalam

	OD0	OD1	OD2	OD3	OD4	OD5	OD6	OD7
0		ഐ OD10	ഓ OD20	ര OD30	ീ OD40		ഈ OD60	
1			ഡ OD21	റ OD31	ൂ OD41		ൠ OD61	
2	ം OD02	ഒ OD12	ഡ OD22	ല OD32	ൂ OD42			
3	ഃ OD03	ഔ OD13	ണ OD23	ള OD33	്യ OD43			
4		ൔ OD14	ത OD24	ഴ OD34				
5	അ OD05	ക OD15	ഥ OD25	വ OD35				
6	ആ OD06	ഖ OD16	ഭ OD26	ശ OD36	െ OD46		ഌ OD66	
7	ഇ OD07	ഗ OD17	ധ OD27	ഷ OD37	േ OD47	ൡ OD57	ഘ OD67	
8	ഈ OD08	ഫ OD18	ന OD28	സ OD38	ൈ OD48		ഒ OD68	
9	ഉ OD09	ബ OD19		ഹ OD39			ഓ OD69	
A	ഊ OD0A	ച OD1A	പ OD2A		ൊ OD4A		ഔ OD6A	
B	ഈ OD0B	ഛ OD1B	ഠ OD2B		ോ OD4B		ഓ OD6B	
C	ഈ OD0C	ജ OD1C	ബ OD2C		ൌ OD4C		ന OD6C	
D		ഡ OD1D	ഭ OD2D		ൂ OD4D		ൠ OD6D	
E	ഐ OD0E	ഐ OD1E	മ OD2E	ാ OD3E			വ OD6E	
F	ഐ OD0F	ട OD1F	യ OD2F	ി OD3F			ൻ OD6F	

G = 00
P = 00

Table 30 - Row 0D: Malayalam

HEX	NAME	HEX	NAME
0D00	(This position shall not be used)	0D5D	(This position shall not be used)
0D01	(This position shall not be used)	0D5E	(This position shall not be used)
0D02	MALAYALAM SIGN ANUSVARA	0D5F	(This position shall not be used)
0D03	MALAYALAM SIGN VISARGA	0D60	MALAYALAM LETTER VOCALIC RR
0D04	(This position shall not be used)	0D61	MALAYALAM LETTER VOCALIC LL
0D05	MALAYALAM LETTER A	0D62	(This position shall not be used)
0D06	MALAYALAM LETTER AA	0D63	(This position shall not be used)
0D07	MALAYALAM LETTER I	0D64	(This position shall not be used)
0D08	MALAYALAM LETTER II	0D65	(This position shall not be used)
0D09	MALAYALAM LETTER U	0D66	MALAYALAM DIGIT ZERO
0D0A	MALAYALAM LETTER UU	0D67	MALAYALAM DIGIT ONE
0D0B	MALAYALAM LETTER VOCALIC R	0D68	MALAYALAM DIGIT TWO
0D0C	MALAYALAM LETTER VOCALIC L	0D69	MALAYALAM DIGIT THREE
0D0D	(This position shall not be used)	0D6A	MALAYALAM DIGIT FOUR
0D0E	MALAYALAM LETTER E	0D6B	MALAYALAM DIGIT FIVE
0D0F	MALAYALAM LETTER EE	0D6C	MALAYALAM DIGIT SIX
0D10	MALAYALAM LETTER AI	0D6D	MALAYALAM DIGIT SEVEN
0D11	(This position shall not be used)	0D6E	MALAYALAM DIGIT EIGHT
0D12	MALAYALAM LETTER O	0D6F	MALAYALAM DIGIT NINE
0D13	MALAYALAM LETTER OO	0D70	(This position shall not be used)
0D14	MALAYALAM LETTER AU	0D71	(This position shall not be used)
0D15	MALAYALAM LETTER KA	0D72	(This position shall not be used)
0D16	MALAYALAM LETTER KHA	0D73	(This position shall not be used)
0D17	MALAYALAM LETTER GA	0D74	(This position shall not be used)
0D18	MALAYALAM LETTER GHA	0D75	(This position shall not be used)
0D19	MALAYALAM LETTER NGA	0D76	(This position shall not be used)
0D1A	MALAYALAM LETTER CA	0D77	(This position shall not be used)
0D1B	MALAYALAM LETTER CHA	0D78	(This position shall not be used)
0D1C	MALAYALAM LETTER JA	0D79	(This position shall not be used)
0D1D	MALAYALAM LETTER JHA	0D7A	(This position shall not be used)
0D1E	MALAYALAM LETTER NYA	0D7B	(This position shall not be used)
0D1F	MALAYALAM LETTER TTA	0D7C	(This position shall not be used)
0D20	MALAYALAM LETTER TTHA	0D7D	(This position shall not be used)
0D21	MALAYALAM LETTER DDA	0D7E	(This position shall not be used)
0D22	MALAYALAM LETTER DDHA	0D7F	(This position shall not be used)
0D23	MALAYALAM LETTER NNA		
0D24	MALAYALAM LETTER TA		
0D25	MALAYALAM LETTER THA		
0D26	MALAYALAM LETTER DA		
0D27	MALAYALAM LETTER DHA		
0D28	MALAYALAM LETTER NA		
0D29	(This position shall not be used)		
0D2A	MALAYALAM LETTER PA		
0D2B	MALAYALAM LETTER PHA		
0D2C	MALAYALAM LETTER BA		
0D2D	MALAYALAM LETTER BHA		
0D2E	MALAYALAM LETTER MA		
0D2F	MALAYALAM LETTER YA		
0D30	MALAYALAM LETTER RA		
0D31	MALAYALAM LETTER RRA		
0D32	MALAYALAM LETTER LA		
0D33	MALAYALAM LETTER LLA		
0D34	MALAYALAM LETTER LLLA		
0D35	MALAYALAM LETTER VA		
0D36	MALAYALAM LETTER SHA		
0D37	MALAYALAM LETTER SSA		
0D38	MALAYALAM LETTER SA		
0D39	MALAYALAM LETTER HA		
0D3A	(This position shall not be used)		
0D3B	(This position shall not be used)		
0D3C	(This position shall not be used)		
0D3D	(This position shall not be used)		
0D3E	MALAYALAM VOWEL SIGN AA		
0D3F	MALAYALAM VOWEL SIGN I		
0D40	MALAYALAM VOWEL SIGN II		
0D41	MALAYALAM VOWEL SIGN U		
0D42	MALAYALAM VOWEL SIGN UU		
0D43	MALAYALAM VOWEL SIGN VOCALIC R		
0D44	(This position shall not be used)		
0D45	(This position shall not be used)		
0D46	MALAYALAM VOWEL SIGN E		
0D47	MALAYALAM VOWEL SIGN EE		
0D48	MALAYALAM VOWEL SIGN AI		
0D49	(This position shall not be used)		
0D4A	MALAYALAM VOWEL SIGN O		
0D4B	MALAYALAM VOWEL SIGN OO		
0D4C	MALAYALAM VOWEL SIGN AU		
0D4D	MALAYALAM SIGN VIRAMA		
0D4E	(This position shall not be used)		
0D4F	(This position shall not be used)		
0D50	(This position shall not be used)		
0D51	(This position shall not be used)		
0D52	(This position shall not be used)		
0D53	(This position shall not be used)		
0D54	(This position shall not be used)		
0D55	(This position shall not be used)		
0D56	(This position shall not be used)		
0D57	MALAYALAM AU LENGTH MARK		
0D58	(This position shall not be used)		
0D59	(This position shall not be used)		
0D5A	(This position shall not be used)		
0D5B	(This position shall not be used)		
0D5C	(This position shall not be used)		

Group 00

Plane 00

Row 0D

Table 40 - Row 12: Ethiopic

	120	121	122	123	124	125	126	127
0	ሀ 1200	ሐ 1210	ሠ 1220	ሰ 1230	ቀ 1240	ቐ 1250	ቦ 1260	ተ 1270
1	ሁ 1201	ሑ 1211	ሡ 1221	ሱ 1231	ቁ 1241	ቑ 1251	ቦ 1261	ቱ 1271
2	ሂ 1202	ሒ 1212	ሓ 1222	ሰ 1232	ቂ 1242	ቑ 1252	ቦ 1262	ቲ 1272
3	ሃ 1203	ሓ 1213	ሣ 1223	ሳ 1233	ቃ 1243	ቓ 1253	ባ 1263	ታ 1273
4	ሄ 1204	ሔ 1214	ሣ 1224	ሴ 1234	ቄ 1244	ቑ 1254	ቦ 1264	ቲ 1274
5	ህ 1205	ሕ 1215	ሥ 1225	ስ 1235	ቅ 1245	ቐ 1255	ብ 1265	ት 1275
6	ሆ 1206	ሖ 1216	ሦ 1226	ሶ 1236	ቆ 1246	ቐ 1256	ቦ 1266	ቶ 1276
7	ሇ 1207	ሗ 1217	ሧ 1227	ሷ 1237	ቆ 1247		ቧ 1267	ቲ 1277
8	ለ 1208	መ 1218	ረ 1228	ሸ 1238	ቈ 1248	ቑ 1258	ሸ 1268	ቸ 1278
9	ሉ 1209	ሙ 1219	ሩ 1229	ሹ 1239			ሹ 1269	ቹ 1279
A	ሊ 120A	ሚ 121A	ሪ 122A	ሺ 123A	ቊ 124A	ቑ 125A	ሺ 126A	ቺ 127A
B	ላ 120B	ማ 121B	ራ 122B	ሻ 123B	ቋ 124B	ቑ 125B	ሻ 126B	ቻ 127B
C	ሌ 120C	ሜ 121C	ሪ 122C	ሼ 123C	ቋ 124C	ቑ 125C	ሼ 126C	ቻ 127C
D	ል 120D	ም 121D	ራ 122D	ሽ 123D	ቋ 124D	ቑ 125D	ሽ 126D	ቻ 127D
E	ሎ 120E	ሞ 121E	ራ 122E	ሾ 123E			ሾ 126E	ቻ 127E
F	ሏ 120F	ሚ 121F	ራ 122F	ሿ 123F			ሿ 126F	ቻ 127F

G = 00
P = 00

Table 40 - Row 12: Ethiopic

HEX	NAME	HEX	NAME
1200	ETHIOPIC SYLLABLE HA	125D	ETHIOPIC SYLLABLE QHWE
1201	ETHIOPIC SYLLABLE HU	125E	(This position shall not be used)
1202	ETHIOPIC SYLLABLE HI	125F	(This position shall not be used)
1203	ETHIOPIC SYLLABLE HAA	1260	ETHIOPIC SYLLABLE BA
1204	ETHIOPIC SYLLABLE HEE	1261	ETHIOPIC SYLLABLE BU
1205	ETHIOPIC SYLLABLE HE	1262	ETHIOPIC SYLLABLE BI
1206	ETHIOPIC SYLLABLE HO	1263	ETHIOPIC SYLLABLE BAA
1207	ETHIOPIC SYLLABLE HOA	1264	ETHIOPIC SYLLABLE BEE
1208	ETHIOPIC SYLLABLE LA	1265	ETHIOPIC SYLLABLE BE
1209	ETHIOPIC SYLLABLE LU	1266	ETHIOPIC SYLLABLE BO
120A	ETHIOPIC SYLLABLE LI	1267	ETHIOPIC SYLLABLE BWA
120B	ETHIOPIC SYLLABLE LAA	1268	ETHIOPIC SYLLABLE VA
120C	ETHIOPIC SYLLABLE LEE	1269	ETHIOPIC SYLLABLE VU
120D	ETHIOPIC SYLLABLE LE	126A	ETHIOPIC SYLLABLE VI
120E	ETHIOPIC SYLLABLE LO	126B	ETHIOPIC SYLLABLE VAA
120F	ETHIOPIC SYLLABLE LWA	126C	ETHIOPIC SYLLABLE VEE
1210	ETHIOPIC SYLLABLE HHA	126D	ETHIOPIC SYLLABLE VE
1211	ETHIOPIC SYLLABLE HHU	126E	ETHIOPIC SYLLABLE VO
1212	ETHIOPIC SYLLABLE HHI	126F	ETHIOPIC SYLLABLE VWA
1213	ETHIOPIC SYLLABLE HHA	1270	ETHIOPIC SYLLABLE TA
1214	ETHIOPIC SYLLABLE HHEE	1271	ETHIOPIC SYLLABLE TU
1215	ETHIOPIC SYLLABLE HHE	1272	ETHIOPIC SYLLABLE TI
1216	ETHIOPIC SYLLABLE HHO	1273	ETHIOPIC SYLLABLE TAA
1217	ETHIOPIC SYLLABLE HHWA	1274	ETHIOPIC SYLLABLE TEE
1218	ETHIOPIC SYLLABLE MA	1275	ETHIOPIC SYLLABLE TE
1219	ETHIOPIC SYLLABLE MU	1276	ETHIOPIC SYLLABLE TO
121A	ETHIOPIC SYLLABLE MI	1277	ETHIOPIC SYLLABLE TWA
121B	ETHIOPIC SYLLABLE MAA	1278	ETHIOPIC SYLLABLE CA
121C	ETHIOPIC SYLLABLE MEE	1279	ETHIOPIC SYLLABLE CU
121D	ETHIOPIC SYLLABLE ME	127A	ETHIOPIC SYLLABLE CI
121E	ETHIOPIC SYLLABLE MO	127B	ETHIOPIC SYLLABLE CAA
121F	ETHIOPIC SYLLABLE MWA	127C	ETHIOPIC SYLLABLE CEE
1220	ETHIOPIC SYLLABLE SZA	127D	ETHIOPIC SYLLABLE CE
1221	ETHIOPIC SYLLABLE SZU	127E	ETHIOPIC SYLLABLE CO
1222	ETHIOPIC SYLLABLE SZI	127F	ETHIOPIC SYLLABLE CWA
1223	ETHIOPIC SYLLABLE SZAA		
1224	ETHIOPIC SYLLABLE SZEE		
1225	ETHIOPIC SYLLABLE SZE		
1226	ETHIOPIC SYLLABLE SZO		
1227	ETHIOPIC SYLLABLE SZWA		
1228	ETHIOPIC SYLLABLE RA		
1229	ETHIOPIC SYLLABLE RU		
122A	ETHIOPIC SYLLABLE RI		
122B	ETHIOPIC SYLLABLE RAA		
122C	ETHIOPIC SYLLABLE REE		
122D	ETHIOPIC SYLLABLE RE		
122E	ETHIOPIC SYLLABLE RO		
122F	ETHIOPIC SYLLABLE RWA		
1230	ETHIOPIC SYLLABLE SA		
1231	ETHIOPIC SYLLABLE SU		
1232	ETHIOPIC SYLLABLE SI		
1233	ETHIOPIC SYLLABLE SAA		
1234	ETHIOPIC SYLLABLE SEE		
1235	ETHIOPIC SYLLABLE SE		
1236	ETHIOPIC SYLLABLE SO		
1237	ETHIOPIC SYLLABLE SWA		
1238	ETHIOPIC SYLLABLE SHA		
1239	ETHIOPIC SYLLABLE SHU		
123A	ETHIOPIC SYLLABLE SHI		
123B	ETHIOPIC SYLLABLE SHAA		
123C	ETHIOPIC SYLLABLE SHEE		
123D	ETHIOPIC SYLLABLE SHE		
123E	ETHIOPIC SYLLABLE SHO		
123F	ETHIOPIC SYLLABLE SHWA		
1240	ETHIOPIC SYLLABLE QA		
1241	ETHIOPIC SYLLABLE QU		
1242	ETHIOPIC SYLLABLE QI		
1243	ETHIOPIC SYLLABLE QAA		
1244	ETHIOPIC SYLLABLE QEE		
1245	ETHIOPIC SYLLABLE QE		
1246	ETHIOPIC SYLLABLE QO		
1247	ETHIOPIC SYLLABLE QOA		
1248	ETHIOPIC SYLLABLE QWA		
1249	(This position shall not be used)		
124A	ETHIOPIC SYLLABLE QWI		
124B	ETHIOPIC SYLLABLE QWAA		
124C	ETHIOPIC SYLLABLE QWEE		
124D	ETHIOPIC SYLLABLE QWE		
124E	(This position shall not be used)		
124F	(This position shall not be used)		
1250	ETHIOPIC SYLLABLE QHA		
1251	ETHIOPIC SYLLABLE QHU		
1252	ETHIOPIC SYLLABLE QHI		
1253	ETHIOPIC SYLLABLE QHAA		
1254	ETHIOPIC SYLLABLE QHEE		
1255	ETHIOPIC SYLLABLE QHE		
1256	ETHIOPIC SYLLABLE QHO		
1257	(This position shall not be used)		
1258	ETHIOPIC SYLLABLE QHWA		
1259	(This position shall not be used)		
125A	ETHIOPIC SYLLABLE QHWI		
125B	ETHIOPIC SYLLABLE QHWAA		
125C	ETHIOPIC SYLLABLE QHWEE		

Group 00

Plane 00

Row 12

Table 55 - Row 17: Khmer

	178	179	17A	17B	17C	17D	17E	17F
0	ក 1780	ថ 1790	ហ 17A0	ព 17B0	ៀ 17C0	័ 17D0	័ 17E0	័ 17F0
1	ខ 1781	ទ 1791	ឡ 17A1	ឌ 17B1	េ 17C1	័ 17D1	័ 17E1	័ 17F1
2	គ 1782	ធ 1792	អ 17A2	ច 17B2	ែ 17C2	័ 17D2	័ 17E2	័ 17F2
3	ឃ 1783	ន 1793	អ 17A3	ឌ 17B3	ៃ 17C3	័ 17D3	័ 17E3	័ 17F3
4	ង 1784	ប 1794	អ 17A4	KIV AQ 17B4	ៅ 17C4	័ 17D4	័ 17E4	័ 17F4
5	ច 1785	ផ 1795	ត 17A5	KIV AA 17B5	ៅ 17C5	័ 17D5	័ 17E5	័ 17F5
6	ឆ 1786	ព 1796	ឡ 17A6	ា 17B6	័ 17C6	័ 17D6	័ 17E6	័ 17F6
7	ជ 1787	ភ 1797	ឌ 17A7	័ 17B7	័ 17C7	័ 17D7	័ 17E7	័ 17F7
8	ឈ 1788	ម 1798	ឌ 17A8	័ 17B8	័ 17C8	័ 17D8	័ 17E8	័ 17F8
9	ញ 1789	យ 1799	ឌ 17A9	័ 17B9	័ 17C9	័ 17D9	័ 17E9	័ 17F9
A	ដ 178A	រ 179A	ឌ 17AA	័ 17BA	័ 17CA	័ 17DA		
B	ថ 178B	ល 179B	ប 17AB	័ 17BB	័ 17CB	័ 17DB		
C	ឌ 178C	រ 179C	ប 17AC	័ 17BC	័ 17CC	័ 17DC		
D	ផ 178D	ត 179D	ព 17AD	័ 17BD	័ 17CD	័ 17DD		
E	ណ 178E	ថ 179E	ព 17AE	័ 17BE	័ 17CE			
F	ត 178F	ស 179F	ង 17AF	័ 17BF	័ 17CF			

G = 00
P = 00

Table 55 - Row 17: Khmer

HEX	NAME	HEX	NAME
1780	KHMER LETTER KA	17DD	KHMER SIGN ATTHACAN
1781	KHMER LETTER KHA	17DE	(This position shall not be used)
1782	KHMER LETTER KO	17DF	(This position shall not be used)
1783	KHMER LETTER KHO	17E0	KHMER DIGIT ZERO
1784	KHMER LETTER NGO	17E1	KHMER DIGIT ONE
1785	KHMER LETTER CA	17E2	KHMER DIGIT TWO
1786	KHMER LETTER CHA	17E3	KHMER DIGIT THREE
1787	KHMER LETTER CO	17E4	KHMER DIGIT FOUR
1788	KHMER LETTER CHO	17E5	KHMER DIGIT FIVE
1789	KHMER LETTER NYO	17E6	KHMER DIGIT SIX
178A	KHMER LETTER DA	17E7	KHMER DIGIT SEVEN
178B	KHMER LETTER TTHA	17E8	KHMER DIGIT EIGHT
178C	KHMER LETTER DO	17E9	KHMER DIGIT NINE
178D	KHMER LETTER TTHO	17EA	(This position shall not be used)
178E	KHMER LETTER NNO	17EB	(This position shall not be used)
178F	KHMER LETTER TA	17EC	(This position shall not be used)
1790	KHMER LETTER THA	17ED	(This position shall not be used)
1791	KHMER LETTER TO	17EE	(This position shall not be used)
1792	KHMER LETTER THO	17EF	(This position shall not be used)
1793	KHMER LETTER NO	17F0	KHMER SYMBOL LEK ATTAK SON
1794	KHMER LETTER BA	17F1	KHMER SYMBOL LEK ATTAK MUOY
1795	KHMER LETTER PHA	17F2	KHMER SYMBOL LEK ATTAK PII
1796	KHMER LETTER PO	17F3	KHMER SYMBOL LEK ATTAK BEI
1797	KHMER LETTER PHO	17F4	KHMER SYMBOL LEK ATTAK BUON
1798	KHMER LETTER MO	17F5	KHMER SYMBOL LEK ATTAK PRAM
1799	KHMER LETTER YO	17F6	KHMER SYMBOL LEK ATTAK PRAM-MUOY
179A	KHMER LETTER RO	17F7	KHMER SYMBOL LEK ATTAK PRAM-PII
179B	KHMER LETTER LO	17F8	KHMER SYMBOL LEK ATTAK PRAM-BEI
179C	KHMER LETTER VO	17F9	KHMER SYMBOL LEK ATTAK PRAM-BUON
179D	KHMER LETTER SHA	17FA	(This position shall not be used)
179E	KHMER LETTER SSO	17FB	(This position shall not be used)
179F	KHMER LETTER SA	17FC	(This position shall not be used)
17A0	KHMER LETTER HA	17FD	(This position shall not be used)
17A1	KHMER LETTER LA	17FE	(This position shall not be used)
17A2	KHMER LETTER QA	17FF	(This position shall not be used)
17A3	KHMER INDEPENDENT VOWEL QAA *		
17A4	KHMER INDEPENDENT VOWEL QAA *		
17A5	KHMER INDEPENDENT VOWEL QI		
17A6	KHMER INDEPENDENT VOWEL QII		
17A7	KHMER INDEPENDENT VOWEL QU		
17A8	KHMER INDEPENDENT VOWEL QUK		
17A9	KHMER INDEPENDENT VOWEL QUU		
17AA	KHMER INDEPENDENT VOWEL QUUV		
17AB	KHMER INDEPENDENT VOWEL RY		
17AC	KHMER INDEPENDENT VOWEL RYY		
17AD	KHMER INDEPENDENT VOWEL LY		
17AE	KHMER INDEPENDENT VOWEL LYY		
17AF	KHMER INDEPENDENT VOWEL QE		
17B0	KHMER INDEPENDENT VOWEL QAI		
17B1	KHMER INDEPENDENT VOWEL QOO TYPE ONE		
17B2	KHMER INDEPENDENT VOWEL QOO TYPE TWO		
17B3	KHMER INDEPENDENT VOWEL QAU		
17B4	KHMER VOWEL INHERENT AQ *		
17B5	KHMER VOWEL INHERENT AA *		
17B6	KHMER VOWEL SIGN AA		
17B7	KHMER VOWEL SIGN I		
17B8	KHMER VOWEL SIGN II		
17B9	KHMER VOWEL SIGN Y		
17BA	KHMER VOWEL SIGN YY		
17BB	KHMER VOWEL SIGN U		
17BC	KHMER VOWEL SIGN UU		
17BD	KHMER VOWEL SIGN UA		
17BE	KHMER VOWEL SIGN OE		
17BF	KHMER VOWEL SIGN YA		
17C0	KHMER VOWEL SIGN IE		
17C1	KHMER VOWEL SIGN E		
17C2	KHMER VOWEL SIGN AE		
17C3	KHMER VOWEL SIGN AI		
17C4	KHMER VOWEL SIGN OO		
17C5	KHMER VOWEL SIGN AU		
17C6	KHMER SIGN NIKAHIT		
17C7	KHMER SIGN REAHMUK		
17C8	KHMER SIGN YUUKALEAPINTU		
17C9	KHMER SIGN MUUSIKATOAN		
17CA	KHMER SIGN TRIISAP		
17CB	KHMER SIGN BANTOC		
17CC	KHMER SIGN ROBAT		
17CD	KHMER SIGN TOANDAKHIAT		
17CE	KHMER SIGN KAKABAT		
17CF	KHMER SIGN AHSDA		
17D0	KHMER SIGN SAMYOK SANNYA		
17D1	KHMER SIGN VIRIAM		
17D2	KHMER SIGN COENG		
17D3	KHMER SIGN BATHAMASAT *		
17D4	KHMER SIGN KHAN		
17D5	KHMER SIGN BARIYOOSAN		
17D6	KHMER SIGN CAMNUC PII KUUH		
17D7	KHMER SIGN LEK TOO		
17D8	KHMER SIGN BEYYAL *		
17D9	KHMER SIGN PHNAEK MUAN		
17DA	KHMER SIGN KOOMUUT		
17DB	KHMER CURRENCY SYMBOL RIEL		
17DC	KHMER SIGN AVAKRAHASANYA		

Group 00

Plane 00

Row 17

Table 62 - Row 1B: Balinese

	1B0	1B1	1B2	1B3	1B4	1B5	1B6	1B7
0	ꦸꦺꦴ 1B00	ꦪꦸꦥꦺꦴ 1B10	ꦮꦸꦠꦺꦴ 1B20	ꦶꦶꦸꦺꦴ 1B30	ꦲꦸꦺꦴ 1B40	ꦸꦺꦴ 1B50	ꦶꦶꦸꦺꦴ 1B60	ꦸꦺꦴ 1B70
1	ꦸꦺꦴ 1B01	ꦪꦸꦥꦺꦴ 1B11	ꦮꦸꦠꦺꦴ 1B21	ꦶꦶꦸꦺꦴ 1B31	ꦲꦸꦺꦴ 1B41	ꦸꦺꦴ 1B51	ꦶꦶꦸꦺꦴ 1B61	ꦸꦺꦴ 1B71
2	ꦸꦺꦴ 1B02	ꦪꦸꦥꦺꦴ 1B12	ꦮꦸꦠꦺꦴ 1B22	ꦶꦶꦸꦺꦴ 1B32	ꦲꦸꦺꦴ 1B42	ꦸꦺꦴ 1B52	ꦶꦶꦸꦺꦴ 1B62	ꦸꦺꦴ 1B72
3	ꦸꦺꦴ 1B03	ꦪꦸꦥꦺꦴ 1B13	ꦮꦸꦠꦺꦴ 1B23	ꦶꦶꦸꦺꦴ 1B33	ꦲꦸꦺꦴ 1B43	ꦸꦺꦴ 1B53	ꦶꦶꦸꦺꦴ 1B63	ꦸꦺꦴ 1B73
4	ꦸꦺꦴ 1B04	ꦪꦸꦥꦺꦴ 1B14	ꦮꦸꦠꦺꦴ 1B24	ꦶꦶꦸꦺꦴ 1B34	ꦲꦸꦺꦴ 1B44	ꦸꦺꦴ 1B54	ꦶꦶꦸꦺꦴ 1B64	ꦸꦺꦴ 1B74
5	ꦸꦺꦴ 1B05	ꦪꦸꦥꦺꦴ 1B15	ꦮꦸꦠꦺꦴ 1B25	ꦶꦶꦸꦺꦴ 1B35	ꦲꦸꦺꦴ 1B45	ꦸꦺꦴ 1B55	ꦶꦶꦸꦺꦴ 1B65	ꦸꦺꦴ 1B75
6	ꦸꦺꦴ 1B06	ꦪꦸꦥꦺꦴ 1B16	ꦮꦸꦠꦺꦴ 1B26	ꦶꦶꦸꦺꦴ 1B36	ꦲꦸꦺꦴ 1B46	ꦸꦺꦴ 1B56	ꦶꦶꦸꦺꦴ 1B66	ꦸꦺꦴ 1B76
7	ꦸꦺꦴ 1B07	ꦪꦸꦥꦺꦴ 1B17	ꦮꦸꦠꦺꦴ 1B27	ꦶꦶꦸꦺꦴ 1B37	ꦲꦸꦺꦴ 1B47	ꦸꦺꦴ 1B57	ꦶꦶꦸꦺꦴ 1B67	ꦸꦺꦴ 1B77
8	ꦸꦺꦴ 1B08	ꦪꦸꦥꦺꦴ 1B18	ꦮꦸꦠꦺꦴ 1B28	ꦶꦶꦸꦺꦴ 1B38	ꦲꦸꦺꦴ 1B48	ꦸꦺꦴ 1B58	ꦶꦶꦸꦺꦴ 1B68	ꦸꦺꦴ 1B78
9	ꦸꦺꦴ 1B09	ꦪꦸꦥꦺꦴ 1B19	ꦮꦸꦠꦺꦴ 1B29	ꦶꦶꦸꦺꦴ 1B39	ꦲꦸꦺꦴ 1B49	ꦸꦺꦴ 1B59	ꦶꦶꦸꦺꦴ 1B69	ꦸꦺꦴ 1B79
A	ꦸꦺꦴ 1B0A	ꦪꦸꦥꦺꦴ 1B1A	ꦮꦸꦠꦺꦴ 1B2A	ꦶꦶꦸꦺꦴ 1B3A	ꦲꦸꦺꦴ 1B4A	ꦸꦺꦴ 1B5A	ꦶꦶꦸꦺꦴ 1B6A	ꦸꦺꦴ 1B7A
B	ꦸꦺꦴ 1B0B	ꦪꦸꦥꦺꦴ 1B1B	ꦮꦸꦠꦺꦴ 1B2B	ꦶꦶꦸꦺꦴ 1B3B	ꦲꦸꦺꦴ 1B4B	ꦸꦺꦴ 1B5B	ꦶꦶꦸꦺꦴ 1B6B	ꦸꦺꦴ 1B7B
C	ꦸꦺꦴ 1B0C	ꦪꦸꦥꦺꦴ 1B1C	ꦮꦸꦠꦺꦴ 1B2C	ꦶꦶꦸꦺꦴ 1B3C		ꦸꦺꦴ 1B5C	ꦸꦺꦴ 1B6C	ꦸꦺꦴ 1B7C
D	ꦸꦺꦴ 1B0D	ꦪꦸꦥꦺꦴ 1B1D	ꦮꦸꦠꦺꦴ 1B2D	ꦶꦶꦸꦺꦴ 1B3D		ꦸꦺꦴ 1B5D	ꦸꦺꦴ 1B6D	
E	ꦸꦺꦴ 1B0E	ꦪꦸꦥꦺꦴ 1B1E	ꦮꦸꦠꦺꦴ 1B2E	ꦶꦶꦸꦺꦴ 1B3E		ꦸꦺꦴ 1B5E	ꦸꦺꦴ 1B6E	
F	ꦸꦺꦴ 1B0F	ꦪꦸꦥꦺꦴ 1B1F	ꦮꦸꦠꦺꦴ 1B2F	ꦶꦶꦸꦺꦴ 1B3F		ꦸꦺꦴ 1B5F	ꦸꦺꦴ 1B6F	

G = 00
P = 00

Table 62 - Row 1B: Balinese














HEX	NAME	HEX	NAME
1B00	BALINESE SIGN ULU RICEM (ardhacandra)	1B5D	BALINESE CARIK PAMUNGKAH (colon)
1B01	BALINESE SIGN ULU CANDRA (candrabindu)	1B5E	BALINESE CARIK SIKI (danda)
1B02	BALINESE SIGN CECEK (anusvara)	1B5F	BALINESE CARIK PAREREN (double danda)
1B03	BALINESE SIGN SURANG (repha)	1B60	BALINESE PAMENENG (line-breaking hyphen)
1B04	BALINESE SIGN BISAH (visarga)	1B61	BALINESE MUSICAL SYMBOL DONG
1B05	BALINESE LETTER AKARA (a)	1B62	BALINESE MUSICAL SYMBOL DENG
1B06	BALINESE LETTER AKARA TEDUNG (aa)	1B63	BALINESE MUSICAL SYMBOL DUNG
1B07	BALINESE LETTER IKARA (i)	1B64	BALINESE MUSICAL SYMBOL DANG
1B08	BALINESE LETTER IKARA TEDUNG (ii)	1B65	BALINESE MUSICAL SYMBOL DANG SURANG
1B09	BALINESE LETTER UKARA (u)	1B66	BALINESE MUSICAL SYMBOL DING
1B0A	BALINESE LETTER UKARA TEDUNG (uu)	1B67	BALINESE MUSICAL SYMBOL DAENG
1B0B	BALINESE LETTER RA REPA (vocalic r)	1B68	BALINESE MUSICAL SYMBOL DEUNG
1B0C	BALINESE LETTER RA REPA TEDUNG (vocalic rr)	1B69	BALINESE MUSICAL SYMBOL DAING
1B0D	BALINESE LETTER LA LENGA (vocalic l)	1B6A	BALINESE MUSICAL SYMBOL DANG GEDE
1B0E	BALINESE LETTER LA LENGA TEDUNG (vocalic ll)	1B6B	BALINESE MUSICAL SYMBOL COMBINING TEHEH
1B0F	BALINESE LETTER EKARA (e)	1B6C	BALINESE MUSICAL SYMBOL COMBINING ENDEP
1B10	BALINESE LETTER AKARA (a)	1B6D	BALINESE MUSICAL SYMBOL COMBINING KEMPUL
1B11	BALINESE LETTER OKARA (o)	1B6E	BALINESE MUSICAL SYMBOL COMBINING KEMPLI
1B12	BALINESE LETTER OKARA TEDUNG (au)	1B6F	BALINESE MUSICAL SYMBOL COMBINING JEGOGAN
1B13	BALINESE LETTER KA	1B70	BALINESE MUSICAL SYMBOL COMBINING KEMPUL WITH JEGOGAN
1B14	BALINESE LETTER KA MAHAPRANA (kha)	1B71	BALINESE MUSICAL SYMBOL COMBINING KEMPLI WITH JEGOGAN
1B15	BALINESE LETTER GA	1B72	BALINESE MUSICAL SYMBOL COMBINING BENDE
1B16	BALINESE LETTER GA GORA (gha)	1B73	BALINESE MUSICAL SYMBOL COMBINING GONG
1B17	BALINESE LETTER NGA	1B74	BALINESE MUSICAL SYMBOL RIGHT-HAND OPEN DUG
1B18	BALINESE LETTER CA	1B75	BALINESE MUSICAL SYMBOL RIGHT-HAND OPEN DAG
1B19	BALINESE LETTER CA LACA (cha)	1B76	BALINESE MUSICAL SYMBOL RIGHT-HAND CLOSED TUK
1B1A	BALINESE LETTER JA	1B77	BALINESE MUSICAL SYMBOL RIGHT-HAND CLOSED TAK
1B1B	BALINESE LETTER JA JERA (jha)	1B78	BALINESE MUSICAL SYMBOL LEFT-HAND OPEN PANG
1B1C	BALINESE LETTER NYA	1B79	BALINESE MUSICAL SYMBOL LEFT-HAND OPEN PUNG
1B1D	BALINESE LETTER TA LATIK (tta)	1B7A	BALINESE MUSICAL SYMBOL LEFT-HAND CLOSED PLAK
1B1E	BALINESE LETTER TA MURDA MAHAPRANA (ttha)	1B7B	BALINESE MUSICAL SYMBOL LEFT-HAND CLOSED PLUK
1B1F	BALINESE LETTER DA MURDA ALPAPRANA (dda)	1B7C	BALINESE MUSICAL SYMBOL LEFT-HAND OPEN PING
1B20	BALINESE LETTER DA MURDA MAHAPRANA (ddha)	1B7D	(This position shall not be used)
1B21	BALINESE LETTER NA RAMBAT (nna)	1B7E	(This position shall not be used)
1B22	BALINESE LETTER TA	1B7F	(This position shall not be used)
1B23	BALINESE LETTER TA TAWA (tha)		
1B24	BALINESE LETTER DA		
1B25	BALINESE LETTER DA MADU (dha)		
1B26	BALINESE LETTER NA		
1B27	BALINESE LETTER PA		
1B28	BALINESE LETTER PA KAPAL (pha)		
1B29	BALINESE LETTER BA		
1B2A	BALINESE LETTER BA KEMBANG (bha)		
1B2B	BALINESE LETTER MA		
1B2C	BALINESE LETTER YA		
1B2D	BALINESE LETTER RA		
1B2E	BALINESE LETTER LA		
1B2F	BALINESE LETTER WA		
1B30	BALINESE LETTER SA SAGA (sha)		
1B31	BALINESE LETTER SA SAPA (ssa)		
1B32	BALINESE LETTER SA		
1B33	BALINESE LETTER HA		
1B34	BALINESE SIGN REREKAN (nukta)		
1B35	BALINESE VOWEL SIGN TEDUNG (aa)		
1B36	BALINESE VOWEL SIGN ULU (i)		
1B37	BALINESE VOWEL SIGN ULU SARI (ii)		
1B38	BALINESE VOWEL SIGN SUKU (u)		
1B39	BALINESE VOWEL SIGN SUKU ILUT (uu)		
1B3A	BALINESE VOWEL SIGN RA REPA (vocalic r)		
1B3B	BALINESE VOWEL SIGN RA REPA TEDUNG (vocalic rr)		
1B3C	BALINESE VOWEL SIGN LA LENGA (vocalic l)		
1B3D	BALINESE VOWEL SIGN LA LENGA TEDUNG (vocalic ll)		
1B3E	BALINESE VOWEL SIGN TALING (e)		
1B3F	BALINESE VOWEL SIGN TALING REPA (ai)		
1B40	BALINESE VOWEL SIGN TALING TEDUNG (o)		
1B41	BALINESE VOWEL SIGN TALING REPA TEDUNG (au)		
1B42	BALINESE VOWEL SIGN PEPET (ae)		
1B43	BALINESE VOWEL SIGN PEPET TEDUNG (oe)		
1B44	BALINESE ADEG ADEG (virama)		
1B45	BALINESE LETTER KAF SASAK		
1B46	BALINESE LETTER KHOT SASAK		
1B47	BALINESE LETTER TZIR SASAK		
1B48	BALINESE LETTER EF SASAK		
1B49	BALINESE LETTER VE SASAK		
1B4A	BALINESE LETTER ZAL SASAK		
1B4B	BALINESE LETTER ASYURA SASAK		
1B4C	(This position shall not be used)		
1B4D	(This position shall not be used)		
1B4E	(This position shall not be used)		
1B4F	(This position shall not be used)		
1B50	BALINESE DIGIT ZERO		
1B51	BALINESE DIGIT ONE		
1B52	BALINESE DIGIT TWO		
1B53	BALINESE DIGIT THREE		
1B54	BALINESE DIGIT FOUR		
1B55	BALINESE DIGIT FIVE		
1B56	BALINESE DIGIT SIX		
1B57	BALINESE DIGIT SEVEN		
1B58	BALINESE DIGIT EIGHT		
1B59	BALINESE DIGIT NINE		
1B5A	BALINESE PANTI (section)		
1B5B	BALINESE PAMADA (honorific section)		
1B5C	BALINESE WINDU (punctuation ring)		

Group 00

Plane 00


































Row 1B

Table 65 - Row 1D: Combining Diacritical Marks Supplement

	1DC	1DD	1DE	1DF
0	 1DC0			
1	 1DC1			
2	 1DC2			
3	 1DC3			
4	 1DC4			
5	 1DC5			
6	 1DC6			
7	 1DC7			
8	 1DC8			
9	 1DC9			
A	 1DCA			
B				
C				
D				
E				 1DFE
F				 1DFF

G = 00
P = 00

Table 73 - Row 20: Combining Diacritical Marks for Symbols

	20D	20E	20F
0	 20D0	 20E0	
1	 20D1	 20E1	
2	 20D2	 20E2	
3	 20D3	 20E3	
4	 20D4	 20E4	
5	 20D5	 20E5	
6	 20D6	 20E6	
7	 20D7	 20E7	
8	 20D8	 20E8	
9	 20D9	 20E9	
A	 20DA	 20EA	
B	 20DB	 20EB	
C	 20DC	 20EC	
D	 20DD	 20ED	
E	 20DE	 20EE	
F	 20DF	 20EF	

G = 00
P = 00

Table 73 - Row 20: Combining Diacritical Marks for Symbols


HEX	NAME	HEX	NAME
20D0	COMBINING LEFT HARPOON ABOVE		
20D1	COMBINING RIGHT HARPOON ABOVE		
20D2	COMBINING LONG VERTICAL LINE OVERLAY		
20D3	COMBINING SHORT VERTICAL LINE OVERLAY		
20D4	COMBINING ANTICLOCKWISE ARROW ABOVE		
20D5	COMBINING CLOCKWISE ARROW ABOVE		
20D6	COMBINING LEFT ARROW ABOVE		
20D7	COMBINING RIGHT ARROW ABOVE		
20D8	COMBINING RING OVERLAY		
20D9	COMBINING CLOCKWISE RING OVERLAY		
20DA	COMBINING ANTICLOCKWISE RING OVERLAY		
20DB	COMBINING THREE DOTS ABOVE		
20DC	COMBINING FOUR DOTS ABOVE		
20DD	COMBINING ENCLOSING CIRCLE		
20DE	COMBINING ENCLOSING SQUARE		
20DF	COMBINING ENCLOSING DIAMOND		
20E0	COMBINING ENCLOSING CIRCLE BACKSLASH		
20E1	COMBINING LEFT RIGHT ARROW ABOVE		
20E2	COMBINING ENCLOSING SCREEN		
20E3	COMBINING ENCLOSING KEYCAP		
20E4	COMBINING ENCLOSING UPWARD POINTING TRIANGLE		
20E5	COMBINING REVERSE SOLIDUS OVERLAY		
20E6	COMBINING DOUBLE VERTICAL STROKE OVERLAY		
20E7	COMBINING ANNUITY SYMBOL		
20E8	COMBINING TRIPLE UNDERDOT		
20E9	COMBINING WIDE BRIDGE ABOVE		
20EA	COMBINING LEFTWARDS ARROW OVERLAY		
20EB	COMBINING LONG DOUBLE SOLIDUS OVERLAY		
20EC	COMBINING RIGHTWARDS HARPOON WITH BARB DOWNWARDS		
20ED	COMBINING LEFTWARDS HARPOON WITH BARB DOWNWARDS		
20EE	COMBINING LEFT ARROW BELOW		
20EF	COMBINING RIGHT ARROW BELOW		
20F0	(This position shall not be used)		
20F1	(This position shall not be used)		
20F2	(This position shall not be used)		
20F3	(This position shall not be used)		
20F4	(This position shall not be used)		
20F5	(This position shall not be used)		
20F6	(This position shall not be used)		
20F7	(This position shall not be used)		
20F8	(This position shall not be used)		
20F9	(This position shall not be used)		
20FA	(This position shall not be used)		
20FB	(This position shall not be used)		
20FC	(This position shall not be used)		
20FD	(This position shall not be used)		
20FE	(This position shall not be used)		
20FF	(This position shall not be used)		

Group 00

Plane 00

Row 20

Table 74 - Row 21: Letterlike Symbols

	210	211	212	213	214
0	$\%c$ 2100	\mathcal{J} 2110	SM 2120	\mathcal{E} 2130	Σ 2140
1	$\%s$ 2101	\mathcal{J} 2111	TEL 2121	\mathcal{F} 2131	\mathcal{G} 2141
2	\mathcal{C} 2102	\mathcal{L} 2112	TM 2122	\mathcal{H} 2132	\mathcal{T} 2142
3	$^{\circ}\mathcal{C}$ 2103	l 2113	\mathcal{V} 2123	\mathcal{M} 2133	\mathcal{J} 2143
4	\mathcal{C} 2104	\mathcal{B} 2114	\mathcal{Z} 2124	o 2134	\mathcal{A} 2144
5	$\%o$ 2105	\mathcal{N} 2115	\mathcal{Z} 2125	\mathcal{X} 2135	\mathcal{D} 2145
6	$\%u$ 2106	\mathcal{N}_o 2116	Ω 2126	\mathcal{C} 2136	d 2146
7	\mathcal{E} 2107	\mathcal{P} 2117	\mathcal{U} 2127	\mathcal{L} 2137	e 2147
8	\mathcal{D} 2108	\mathcal{O} 2118	\mathcal{Z} 2128	\mathcal{T} 2138	i 2148
9	$^{\circ}\mathcal{F}$ 2109	\mathcal{P} 2119	\mathcal{I} 2129	\mathcal{I} 2139	j 2149
A	\mathcal{g} 210A	\mathcal{Q} 211A	\mathcal{K} 212A	\mathcal{O} 213A	\mathcal{P} 214A
B	\mathcal{H} 210B	\mathcal{R} 211B	\mathcal{A} 212B	FAX 213B	\mathcal{X} 214B
C	\mathcal{S} 210C	\mathcal{X} 211C	\mathcal{B} 212C	\mathcal{T} 213C	\mathcal{P} 214C
D	\mathcal{H} 210D	\mathcal{R} 211D	\mathcal{C} 212D	\mathcal{Y} 213D	\mathcal{A}/s 214D
E	h 210E	\mathcal{R} 211E	e 212E	\mathcal{T} 213E	\mathcal{H} 214E
F	h 210F	\mathcal{R} 211F	e 212F	\mathcal{T} 213F	

G = 00
P = 00

Table 74 - Row 21: Letterlike Symbols

HEX	NAME	HEX	NAME
2100	ACCOUNT OF		
2101	ADDRESSED TO THE SUBJECT		
2102	DOUBLE-STRUCK CAPITAL C		
2103	DEGREE CELSIUS		
2104	CENTRE LINE SYMBOL		
2105	CARE OF		
2106	CADA UNA		
2107	EULER CONSTANT		
2108	SCRUPLE		
2109	DEGREE FAHRENHEIT		
210A	SCRIPT SMALL G		
210B	SCRIPT CAPITAL H		
210C	BLACK-LETTER CAPITAL H		
210D	DOUBLE-STRUCK CAPITAL H		
210E	PLANCK CONSTANT		
210F	PLANCK CONSTANT OVER TWO PI		
2110	SCRIPT CAPITAL I		
2111	BLACK-LETTER CAPITAL I		
2112	SCRIPT CAPITAL L		
2113	SCRIPT SMALL L		
2114	L B BAR SYMBOL		
2115	DOUBLE-STRUCK CAPITAL N		
2116	NUMERO SIGN		
2117	SOUND RECORDING COPYRIGHT		
2118	SCRIPT CAPITAL P		
2119	DOUBLE-STRUCK CAPITAL P		
211A	DOUBLE-STRUCK CAPITAL Q		
211B	SCRIPT CAPITAL R		
211C	BLACK-LETTER CAPITAL R		
211D	DOUBLE-STRUCK CAPITAL R		
211E	PRESCRIPTION TAKE		
211F	RESPONSE		
2120	SERVICE MARK		
2121	TELEPHONE SIGN		
2122	TRADE MARK SIGN		
2123	VERSICLE		
2124	DOUBLE-STRUCK CAPITAL Z		
2125	OUNCE SIGN		
2126	OHM SIGN		
2127	INVERTED OHM SIGN		
2128	BLACK-LETTER CAPITAL Z		
2129	TURNED GREEK SMALL LETTER IOTA		
212A	KELVIN SIGN		
212B	ANGSTROM SIGN		
212C	SCRIPT CAPITAL B		
212D	BLACK-LETTER CAPITAL C		
212E	ESTIMATED SYMBOL		
212F	SCRIPT SMALL E		
2130	SCRIPT CAPITAL E		
2131	SCRIPT CAPITAL F		
2132	TURNED CAPITAL F		
2133	SCRIPT CAPITAL M		
2134	SCRIPT SMALL O		
2135	ALEF SYMBOL		
2136	BET SYMBOL		
2137	GIMEL SYMBOL		
2138	DALET SYMBOL		
2139	INFORMATION SOURCE		
213A	ROTATED CAPITAL Q		
213B	FACSIMILE SIGN		
213C	DOUBLE-STRUCK SMALL PI		
213D	DOUBLE-STRUCK SMALL GAMMA		
213E	DOUBLE-STRUCK CAPITAL GAMMA		
213F	DOUBLE-STRUCK CAPITAL PI		
2140	DOUBLE-STRUCK N-ARY SUMMATION		
2141	TURNED SANS-SERIF CAPITAL G		
2142	TURNED SANS-SERIF CAPITAL L		
2143	REVERSED SANS-SERIF CAPITAL L		
2144	TURNED SANS-SERIF CAPITAL Y		
2145	DOUBLE-STRUCK ITALIC CAPITAL D		
2146	DOUBLE-STRUCK ITALIC SMALL D		
2147	DOUBLE-STRUCK ITALIC SMALL E		
2148	DOUBLE-STRUCK ITALIC SMALL I		
2149	DOUBLE-STRUCK ITALIC SMALL J		
214A	PROPERTY LINE		
214B	TURNED AMPERSAND		
214C	PER SIGN		
214D	AKTIESELSKAB		
214E	TURNED SMALL F		
214F	(This position shall not be used)		

Group 00

Plane 00

Row 21

Table 75 - Row 21: Number Forms

	215	216	217	218
0		I 2160	i 2170	⓪ 2180
1		II 2161	ii 2171	Ⓛ 2181
2		III 2162	iii 2172	Ⓞ 2182
3	1/3 2153	IV 2163	iv 2173	Ⓢ 2183
4	2/3 2154	V 2164	v 2174	Ⓣ 2184
5	1/5 2155	VI 2165	vi 2175	
6	2/5 2156	VII 2166	vii 2176	
7	3/5 2157	VIII 2167	viii 2177	
8	4/5 2158	IX 2168	ix 2178	
9	1/6 2159	X 2169	x 2179	
A	5/6 215A	XI 216A	xi 217A	
B	1/8 215B	XII 216B	xii 217B	
C	3/8 215C	L 216C	l 217C	
D	5/8 215D	C 216D	c 217D	
E	7/8 215E	D 216E	d 217E	
F	1/ 215F	M 216F	m 217F	

G = 00
P = 00

Table 75 - Row 21: Number Forms









































































































HEX	NAME	HEX	NAME
2150	(This position shall not be used)		
2151	(This position shall not be used)		
2152	(This position shall not be used)		
2153	VULGAR FRACTION ONE THIRD		
2154	VULGAR FRACTION TWO THIRDS		
2155	VULGAR FRACTION ONE FIFTH		
2156	VULGAR FRACTION TWO FIFTHS		
2157	VULGAR FRACTION THREE FIFTHS		
2158	VULGAR FRACTION FOUR FIFTHS		
2159	VULGAR FRACTION ONE SIXTH		
215A	VULGAR FRACTION FIVE SIXTHS		
215B	VULGAR FRACTION ONE EIGHTH		
215C	VULGAR FRACTION THREE EIGHTHS		
215D	VULGAR FRACTION FIVE EIGHTHS		
215E	VULGAR FRACTION SEVEN EIGHTHS		
215F	FRACTION NUMERATOR ONE		
2160	ROMAN NUMERAL ONE		
2161	ROMAN NUMERAL TWO		
2162	ROMAN NUMERAL THREE		
2163	ROMAN NUMERAL FOUR		
2164	ROMAN NUMERAL FIVE		
2165	ROMAN NUMERAL SIX		
2166	ROMAN NUMERAL SEVEN		
2167	ROMAN NUMERAL EIGHT		
2168	ROMAN NUMERAL NINE		
2169	ROMAN NUMERAL TEN		
216A	ROMAN NUMERAL ELEVEN		
216B	ROMAN NUMERAL TWELVE		
216C	ROMAN NUMERAL FIFTY		
216D	ROMAN NUMERAL ONE HUNDRED		
216E	ROMAN NUMERAL FIVE HUNDRED		
216F	ROMAN NUMERAL ONE THOUSAND		
2170	SMALL ROMAN NUMERAL ONE		
2171	SMALL ROMAN NUMERAL TWO		
2172	SMALL ROMAN NUMERAL THREE		
2173	SMALL ROMAN NUMERAL FOUR		
2174	SMALL ROMAN NUMERAL FIVE		
2175	SMALL ROMAN NUMERAL SIX		
2176	SMALL ROMAN NUMERAL SEVEN		
2177	SMALL ROMAN NUMERAL EIGHT		
2178	SMALL ROMAN NUMERAL NINE		
2179	SMALL ROMAN NUMERAL TEN		
217A	SMALL ROMAN NUMERAL ELEVEN		
217B	SMALL ROMAN NUMERAL TWELVE		
217C	SMALL ROMAN NUMERAL FIFTY		
217D	SMALL ROMAN NUMERAL ONE HUNDRED		
217E	SMALL ROMAN NUMERAL FIVE HUNDRED		
217F	SMALL ROMAN NUMERAL ONE THOUSAND		
2180	ROMAN NUMERAL ONE THOUSAND C D		
2181	ROMAN NUMERAL FIVE THOUSAND		
2182	ROMAN NUMERAL TEN THOUSAND		
2183	ROMAN NUMERAL REVERSED ONE HUNDRED		
2184	LATIN SMALL LETTER REVERSED C		
2185	(This position shall not be used)		
2186	(This position shall not be used)		
2187	(This position shall not be used)		
2188	(This position shall not be used)		
2189	(This position shall not be used)		
218A	(This position shall not be used)		
218B	(This position shall not be used)		
218C	(This position shall not be used)		
218D	(This position shall not be used)		
218E	(This position shall not be used)		
218F	(This position shall not be used)		

Group 00

Plane 00

Row 21

Table 80 - Row 23: Miscellaneous Technical

	238	239	23A	23B	23C	23D	23E	23F
0	 2380	 2390	 23A0	 23B0	 23C0	 23D0	 23E0	
1	 2381	 2391	 23A1	 23B1	 23C1	 23D1	 23E1	
2	 2382	 2392	 23A2	 23B2	 23C2	 23D2	 23E2	
3	 2383	 2393	 23A3	 23B3	 23C3	 23D3	 23E3	
4	 2384	 2394	 23A4	 23B4	 23C4	 23D4	 23E4	
5	 2385	 2395	 23A5	 23B5	 23C5	 23D5	 23E5	
6	 2386	 2396	 23A6	 23B6	 23C6	 23D6	 23E6	
7	 2387	 2397	 23A7	 23B7	 23C7	 23D7	 23E7	
8	 2388	 2398	 23A8	 23B8	 23C8	 23D8		
9	 2389	 2399	 23A9	 23B9	 23C9	 23D9		
A	 238A	 239A	 23AA	 23BA	 23CA	 23DA		
B	 238B	 239B	 23AB	 23BB	 23CB	 23DB		
C	 238C	 239C	 23AC	 23BC	 23CC	 23DC		
D	 238D	 239D	 23AD	 23BD	 23CD	 23DD		
E	 238E	 239E	 23AE	 23BE	 23CE	 23DE		
F	 238F	 239F	 23AF	 23BF	 23CF	 23DF		

G = 00
P = 00

Table 80 - Row 23: Miscellaneous Technical

















































HEX	NAME	HEX	NAME
2380	INSERTION SYMBOL	23DD	BOTTOM PARENTHESIS (mathematical use)
2381	CONTINUOUS UNDERLINE SYMBOL	23DE	TOP CURLY BRACKET (mathematical use)
2382	DISCONTINUOUS UNDERLINE SYMBOL	23DF	BOTTOM CURLY BRACKET (mathematical use)
2383	EMPHASIS SYMBOL	23E0	TOP TORTOISE SHELL BRACKET (mathematical use)
2384	COMPOSITION SYMBOL	23E1	BOTTOM TORTOISE SHELL BRACKET (mathematical use)
2385	WHITE SQUARE WITH CENTRE VERTICAL LINE	23E2	WHITE TRAPEZIUM
2386	ENTER SYMBOL	23E3	BENZENE RING WITH CIRCLE
2387	ALTERNATIVE KEY SYMBOL	23E4	STRAIGHTNESS
2388	HELM SYMBOL	23E5	FLATNESS
2389	CIRCLED HORIZONTAL BAR WITH NOTCH (pause)	23E6	AC CURRENT
238A	CIRCLED TRIANGLE DOWN (break)	23E7	ELECTRICAL INTERSECTION
238B	BROKEN CIRCLE WITH NORTHWEST ARROW (escape)	23E8	(This position shall not be used)
238C	UNDO SYMBOL	23E9	(This position shall not be used)
238D	MONOSTABLE SYMBOL	23EA	(This position shall not be used)
238E	HYSTERESIS SYMBOL	23EB	(This position shall not be used)
238F	OPEN-CIRCUIT-OUTPUT H-TYPE SYMBOL	23EC	(This position shall not be used)
2390	OPEN-CIRCUIT-OUTPUT L-TYPE SYMBOL	23ED	(This position shall not be used)
2391	PASSIVE-PULL-DOWN-OUTPUT SYMBOL	23EE	(This position shall not be used)
2392	PASSIVE-PULL-UP-OUTPUT SYMBOL	23EF	(This position shall not be used)
2393	DIRECT CURRENT SYMBOL FORM TWO	23F0	(This position shall not be used)
2394	SOFTWARE-FUNCTION SYMBOL	23F1	(This position shall not be used)
2395	APL FUNCTIONAL SYMBOL QUAD	23F2	(This position shall not be used)
2396	DECIMAL SEPARATOR KEY SYMBOL	23F3	(This position shall not be used)
2397	PREVIOUS PAGE	23F4	(This position shall not be used)
2398	NEXT PAGE	23F5	(This position shall not be used)
2399	PRINT SCREEN SYMBOL	23F6	(This position shall not be used)
239A	CLEAR SCREEN SYMBOL	23F7	(This position shall not be used)
239B	LEFT PARENTHESIS UPPER HOOK	23F8	(This position shall not be used)
239C	LEFT PARENTHESIS EXTENSION	23F9	(This position shall not be used)
239D	LEFT PARENTHESIS LOWER HOOK	23FA	(This position shall not be used)
239E	RIGHT PARENTHESIS UPPER HOOK	23FB	(This position shall not be used)
239F	RIGHT PARENTHESIS EXTENSION	23FC	(This position shall not be used)
23A0	RIGHT PARENTHESIS LOWER HOOK	23FD	(This position shall not be used)
23A1	LEFT SQUARE BRACKET UPPER CORNER	23FE	(This position shall not be used)
23A2	LEFT SQUARE BRACKET EXTENSION	23FF	(This position shall not be used)
23A3	LEFT SQUARE BRACKET LOWER CORNER		
23A4	RIGHT SQUARE BRACKET UPPER CORNER		
23A5	RIGHT SQUARE BRACKET EXTENSION		
23A6	RIGHT SQUARE BRACKET LOWER CORNER		
23A7	LEFT CURLY BRACKET UPPER HOOK		
23A8	LEFT CURLY BRACKET MIDDLE PIECE		
23A9	LEFT CURLY BRACKET LOWER HOOK		
23AA	CURLY BRACKET EXTENSION		
23AB	RIGHT CURLY BRACKET UPPER HOOK		
23AC	RIGHT CURLY BRACKET MIDDLE PIECE		
23AD	RIGHT CURLY BRACKET LOWER HOOK		
23AE	INTEGRAL EXTENSION		
23AF	HORIZONTAL LINE EXTENSION		
23B0	UPPER LEFT OR LOWER RIGHT CURLY BRACKET SECTION		
23B1	UPPER RIGHT OR LOWER LEFT CURLY BRACKET SECTION		
23B2	SUMMATION TOP		
23B3	SUMMATION BOTTOM		
23B4	TOP SQUARE BRACKET		
23B5	BOTTOM SQUARE BRACKET		
23B6	BOTTOM SQUARE BRACKET OVER TOP SQUARE BRACKET		
23B7	RADICAL SYMBOL BOTTOM		
23B8	LEFT VERTICAL BOX LINE		
23B9	RIGHT VERTICAL BOX LINE		
23BA	HORIZONTAL SCAN LINE-1		
23BB	HORIZONTAL SCAN LINE-3		
23BC	HORIZONTAL SCAN LINE-7		
23BD	HORIZONTAL SCAN LINE-9		
23BE	DENTISTRY SYMBOL LIGHT VERTICAL AND TOP RIGHT		
23BF	DENTISTRY SYMBOL LIGHT VERTICAL AND BOTTOM RIGHT		
23C0	DENTISTRY SYMBOL LIGHT VERTICAL WITH CIRCLE		
23C1	DENTISTRY SYMBOL LIGHT DOWN AND HORIZONTAL WITH CIRCLE		
23C2	DENTISTRY SYMBOL LIGHT UP AND HORIZONTAL WITH CIRCLE		
23C3	DENTISTRY SYMBOL LIGHT VERTICAL WITH TRIANGLE		
23C4	DENTISTRY SYMBOL LIGHT DOWN AND HORIZONTAL WITH TRIANGLE		
23C5	DENTISTRY SYMBOL LIGHT UP AND HORIZONTAL WITH TRIANGLE		
23C6	DENTISTRY SYMBOL LIGHT VERTICAL AND WAVE		
23C7	DENTISTRY SYMBOL LIGHT DOWN AND HORIZONTAL WITH WAVE		
23C8	DENTISTRY SYMBOL LIGHT UP AND HORIZONTAL WITH WAVE		
23C9	DENTISTRY SYMBOL LIGHT DOWN AND HORIZONTAL		
23CA	DENTISTRY SYMBOL LIGHT UP AND HORIZONTAL		
23CB	DENTISTRY SYMBOL LIGHT VERTICAL AND TOP LEFT		
23CC	DENTISTRY SYMBOL LIGHT VERTICAL AND BOTTOM LEFT		
23CD	SQUARE FOOT		
23CE	RETURN SYMBOL		
23CF	EJECT SYMBOL		
23D0	VERTICAL LINE EXTENSION		
23D1	METRICAL BREVE		
23D2	METRICAL LONG OVER SHORT		
23D3	METRICAL SHORT OVER LONG		
23D4	METRICAL LONG OVER TWO SHORTS		
23D5	METRICAL TWO SHORTS OVER LONG		
23D6	METRICAL TWO SHORTS JOINED		
23D7	METRICAL TRISEME		
23D8	METRICAL TETRASEME		
23D9	METRICAL PENTASEME		
23DA	EARTH GROUND		
23DB	FUSE		
23DC	TOP PARENTHESIS (mathematical use)		

Group 00

Plane 00

Row 23

Table 88 - Row 26: Miscellaneous Symbols

	268	269	26A	26B	26C	26D	26E	26F
0	 2680	 2690	 26A0	 26B0				
1	 2681	 2691	 26A1	 26B1				
2	 2682	 2692	 26A2	 26B2				
3	 2683	 2693	 26A3					
4	 2684	 2694	 26A4					
5	 2685	 2695	 26A5					
6	 2686	 2696	 26A6					
7	 2687	 2697	 26A7					
8	 2688	 2698	 26A8					
9	 2689	 2699	 26A9					
A	 268A	 269A	 26AA					
B	 268B	 269B	 26AB					
C	 268C	 269C	 26AC					
D	 268D		 26AD					
E	 268E		 26AE					
F	 268F		 26AF					

G = 00
P = 00

Table 88 - Row 26: Miscellaneous Symbols

















































HEX	NAME	HEX	NAME
2680	DIE FACE-1	26DD	(This position shall not be used)
2681	DIE FACE-2	26DE	(This position shall not be used)
2682	DIE FACE-3	26DF	(This position shall not be used)
2683	DIE FACE-4	26E0	(This position shall not be used)
2684	DIE FACE-5	26E1	(This position shall not be used)
2685	DIE FACE-6	26E2	(This position shall not be used)
2686	WHITE CIRCLE WITH DOT RIGHT	26E3	(This position shall not be used)
2687	WHITE CIRCLE WITH TWO DOTS	26E4	(This position shall not be used)
2688	BLACK CIRCLE WITH WHITE DOT RIGHT	26E5	(This position shall not be used)
2689	BLACK CIRCLE WITH TWO WHITE DOTS	26E6	(This position shall not be used)
268A	MONOGRAM FOR YANG	26E7	(This position shall not be used)
268B	MONOGRAM FOR YIN	26E8	(This position shall not be used)
268C	DIGRAM FOR GREATER YANG	26E9	(This position shall not be used)
268D	DIGRAM FOR LESSER YIN	26EA	(This position shall not be used)
268E	DIGRAM FOR LESSER YANG	26EB	(This position shall not be used)
268F	DIGRAM FOR GREATER YIN	26EC	(This position shall not be used)
2690	WHITE FLAG	26ED	(This position shall not be used)
2691	BLACK FLAG	26EE	(This position shall not be used)
2692	HAMMER AND PICK	26EF	(This position shall not be used)
2693	ANCHOR	26F0	(This position shall not be used)
2694	CROSSED SWORDS	26F1	(This position shall not be used)
2695	STAFF OF AESCULAPIUS	26F2	(This position shall not be used)
2696	SCALES	26F3	(This position shall not be used)
2697	ALEMBIC	26F4	(This position shall not be used)
2698	FLOWER	26F5	(This position shall not be used)
2699	GEAR	26F6	(This position shall not be used)
269A	STAFF OF HERMES	26F7	(This position shall not be used)
269B	ATOM SYMBOL	26F8	(This position shall not be used)
269C	FLEUR-DE-LIS	26F9	(This position shall not be used)
269D	(This position shall not be used)	26FA	(This position shall not be used)
269E	(This position shall not be used)	26FB	(This position shall not be used)
269F	(This position shall not be used)	26FC	(This position shall not be used)
26A0	WARNING SIGN	26FD	(This position shall not be used)
26A1	HIGH VOLTAGE SIGN	26FE	(This position shall not be used)
26A2	DOUBLED FEMALE SIGN	26FF	(This position shall not be used)
26A3	DOUBLED MALE SIGN		
26A4	INTERLOCKED FEMALE AND MALE SIGN		
26A5	MALE AND FEMALE SIGN		
26A6	MALE WITH STROKE SIGN		
26A7	MALE WITH STROKE AND MALE AND FEMALE SIGN		
26A8	VERTICAL MALE WITH STROKE SIGN		
26A9	HORIZONTAL MALE WITH STROKE SIGN		
26AA	MEDIUM WHITE CIRCLE		
26AB	MEDIUM BLACK CIRCLE		
26AC	MEDIUM SMALL WHITE CIRCLE		
26AD	MARRIAGE SYMBOL		
26AE	DIVORCE SYMBOL		
26AF	UNMARRIED PARTNERSHIP SYMBOL		
26B0	COFFIN		
26B1	FUNERAL URN		
26B2	NEUTER		
26B3	(This position shall not be used)		
26B4	(This position shall not be used)		
26B5	(This position shall not be used)		
26B6	(This position shall not be used)		
26B7	(This position shall not be used)		
26B8	(This position shall not be used)		
26B9	(This position shall not be used)		
26BA	(This position shall not be used)		
26BB	(This position shall not be used)		
26BC	(This position shall not be used)		
26BD	(This position shall not be used)		
26BE	(This position shall not be used)		
26BF	(This position shall not be used)		
26C0	(This position shall not be used)		
26C1	(This position shall not be used)		
26C2	(This position shall not be used)		
26C3	(This position shall not be used)		
26C4	(This position shall not be used)		
26C5	(This position shall not be used)		
26C6	(This position shall not be used)		
26C7	(This position shall not be used)		
26C8	(This position shall not be used)		
26C9	(This position shall not be used)		
26CA	(This position shall not be used)		
26CB	(This position shall not be used)		
26CC	(This position shall not be used)		
26CD	(This position shall not be used)		
26CE	(This position shall not be used)		
26CF	(This position shall not be used)		
26D0	(This position shall not be used)		
26D1	(This position shall not be used)		
26D2	(This position shall not be used)		
26D3	(This position shall not be used)		
26D4	(This position shall not be used)		
26D5	(This position shall not be used)		
26D6	(This position shall not be used)		
26D7	(This position shall not be used)		
26D8	(This position shall not be used)		
26D9	(This position shall not be used)		
26DA	(This position shall not be used)		
26DB	(This position shall not be used)		
26DC	(This position shall not be used)		

Group 00

Plane 00

Row 26

Table 91 - Row 27: Miscellaneous Mathematical Symbols-A

	27C	27D	27E
0	 27C0	 27D0	 27E0
1	 27C1	 27D1	 27E1
2	 27C2	 27D2	 27E2
3	 27C3	 27D3	 27E3
4	 27C4	 27D4	 27E4
5	 27C5	 27D5	 27E5
6	 27C6	 27D6	 27E6
7	 27C7	 27D7	 27E7
8	 27C8	 27D8	 27E8
9	 27C9	 27D9	 27E9
A	 27CA	 27DA	 27EA
B		 27DB	 27EB
C		 27DC	
D		 27DD	
E		 27DE	
F		 27DF	

G = 00
P = 00

Table 91 - Row 27: Miscellaneous Mathematical Symbols-A
































HEX	NAME	HEX	NAME
27C0	THREE DIMENSIONAL ANGLE		
27C1	WHITE TRIANGLE CONTAINING SMALL WHITE TRIANGLE		
27C2	PERPENDICULAR		
27C3	OPEN SUBSET		
27C4	OPEN SUPERSET		
27C5	LEFT S-SHAPED BAG DELIMITER		
27C6	RIGHT S-SHAPED BAG DELIMITER		
27C7	OR WITH DOT INSIDE		
27C8	REVERSE SOLIDUS PRECEDING SUBSET		
27C9	SUPERSET PRECEDING SOLIDUS		
27CA	VERTICAL BAR WITH HORIZONTAL STROKE		
27CB	(This position shall not be used)		
27CC	(This position shall not be used)		
27CD	(This position shall not be used)		
27CE	(This position shall not be used)		
27CF	(This position shall not be used)		
27D0	WHITE DIAMOND WITH CENTRED DOT		
27D1	AND WITH DOT		
27D2	ELEMENT OF OPENING UPWARDS		
27D3	LOWER RIGHT CORNER WITH DOT		
27D4	UPPER LEFT CORNER WITH DOT		
27D5	LEFT OUTER JOIN		
27D6	RIGHT OUTER JOIN		
27D7	FULL OUTER JOIN		
27D8	LARGE UP TACK		
27D9	LARGE DOWN TACK		
27DA	LEFT AND RIGHT DOUBLE TURNSTILE		
27DB	LEFT AND RIGHT TACK		
27DC	LEFT MULTIMAP		
27DD	LONG RIGHT TACK		
27DE	LONG LEFT TACK		
27DF	UP TACK WITH CIRCLE ABOVE		
27E0	LOZENGE DIVIDED BY HORIZONTAL RULE		
27E1	WHITE CONCAVE-SIDED DIAMOND		
27E2	WHITE CONCAVE-SIDED DIAMOND WITH LEFTWARDS TICK		
27E3	WHITE CONCAVE-SIDED DIAMOND WITH RIGHTWARDS TICK		
27E4	WHITE SQUARE WITH LEFTWARDS TICK		
27E5	WHITE SQUARE WITH RIGHTWARDS TICK		
27E6	MATHEMATICAL LEFT WHITE SQUARE BRACKET		
27E7	MATHEMATICAL RIGHT WHITE SQUARE BRACKET		
27E8	MATHEMATICAL LEFT ANGLE BRACKET		
27E9	MATHEMATICAL RIGHT ANGLE BRACKET		
27EA	MATHEMATICAL LEFT DOUBLE ANGLE BRACKET		
27EB	MATHEMATICAL RIGHT DOUBLE ANGLE BRACKET		
27EC	(This position shall not be used)		
27ED	(This position shall not be used)		
27EE	(This position shall not be used)		
27EF	(This position shall not be used)		

Group 00

Plane 00

Row 27

Table 99 - Row 2B: Miscellaneous Symbols and Arrows

	2B0	2B1	2B2	2B3	2B4	2B5	2B6	2B7
0	 2B00	 2B10	 2B20					
1	 2B01	 2B11	 2B21					
2	 2B02	 2B12	 2B22					
3	 2B03	 2B13	 2B23					
4	 2B04	 2B14						
5	 2B05	 2B15						
6	 2B06	 2B16						
7	 2B07	 2B17						
8	 2B08	 2B18						
9	 2B09	 2B19						
A	 2B0A	 2B1A						
B	 2B0B							
C	 2B0C							
D	 2B0D							
E	 2B0E							
F	 2B0F							

G = 00
P = 00

Table 99 - Row 2B: Miscellaneous Symbols and Arrows

HEX	NAME	HEX	NAME
2B00	NORTH EAST WHITE ARROW	2B5D	(This position shall not be used)
2B01	NORTH WEST WHITE ARROW	2B5E	(This position shall not be used)
2B02	SOUTH EAST WHITE ARROW	2B5F	(This position shall not be used)
2B03	SOUTH WEST WHITE ARROW	2B60	(This position shall not be used)
2B04	LEFT RIGHT WHITE ARROW	2B61	(This position shall not be used)
2B05	LEFTWARDS BLACK ARROW	2B62	(This position shall not be used)
2B06	UPWARDS BLACK ARROW	2B63	(This position shall not be used)
2B07	DOWNWARDS BLACK ARROW	2B64	(This position shall not be used)
2B08	NORTH EAST BLACK ARROW	2B65	(This position shall not be used)
2B09	NORTH WEST BLACK ARROW	2B66	(This position shall not be used)
2B0A	SOUTH EAST BLACK ARROW	2B67	(This position shall not be used)
2B0B	SOUTH WEST BLACK ARROW	2B68	(This position shall not be used)
2B0C	LEFT RIGHT BLACK ARROW	2B69	(This position shall not be used)
2B0D	UP DOWN BLACK ARROW	2B6A	(This position shall not be used)
2B0E	RIGHTWARDS ARROW WITH TIP DOWNWARDS	2B6B	(This position shall not be used)
2B0F	RIGHTWARDS ARROW WITH TIP UPWARDS	2B6C	(This position shall not be used)
2B10	LEFTWARDS ARROW WITH TIP DOWNWARDS	2B6D	(This position shall not be used)
2B11	LEFTWARDS ARROW WITH TIP UPWARDS	2B6E	(This position shall not be used)
2B12	SQUARE WITH TOP HALF BLACK	2B6F	(This position shall not be used)
2B13	SQUARE WITH BOTTOM HALF BLACK	2B70	(This position shall not be used)
2B14	SQUARE WITH UPPER RIGHT DIAGONAL HALF BLACK	2B71	(This position shall not be used)
2B15	SQUARE WITH LOWER LEFT DIAGONAL HALF BLACK	2B72	(This position shall not be used)
2B16	DIAMOND WITH LEFT HALF BLACK	2B73	(This position shall not be used)
2B17	DIAMOND WITH RIGHT HALF BLACK	2B74	(This position shall not be used)
2B18	DIAMOND WITH TOP HALF BLACK	2B75	(This position shall not be used)
2B19	DIAMOND WITH BOTTOM HALF BLACK	2B76	(This position shall not be used)
2B1A	DOTTED SQUARE	2B77	(This position shall not be used)
2B1B	(This position shall not be used)	2B78	(This position shall not be used)
2B1C	(This position shall not be used)	2B79	(This position shall not be used)
2B1D	(This position shall not be used)	2B7A	(This position shall not be used)
2B1E	(This position shall not be used)	2B7B	(This position shall not be used)
2B1F	(This position shall not be used)	2B7C	(This position shall not be used)
2B20	WHITE PENTAGON	2B7D	(This position shall not be used)
2B21	WHITE HEXAGON	2B7E	(This position shall not be used)
2B22	BLACK HEXAGON	2B7F	(This position shall not be used)
2B23	HORIZONTAL BLACK HEXAGON		
2B24	(This position shall not be used)		
2B25	(This position shall not be used)		
2B26	(This position shall not be used)		
2B27	(This position shall not be used)		
2B28	(This position shall not be used)		
2B29	(This position shall not be used)		
2B2A	(This position shall not be used)		
2B2B	(This position shall not be used)		
2B2C	(This position shall not be used)		
2B2D	(This position shall not be used)		
2B2E	(This position shall not be used)		
2B2F	(This position shall not be used)		
2B30	(This position shall not be used)		
2B31	(This position shall not be used)		
2B32	(This position shall not be used)		
2B33	(This position shall not be used)		
2B34	(This position shall not be used)		
2B35	(This position shall not be used)		
2B36	(This position shall not be used)		
2B37	(This position shall not be used)		
2B38	(This position shall not be used)		
2B39	(This position shall not be used)		
2B3A	(This position shall not be used)		
2B3B	(This position shall not be used)		
2B3C	(This position shall not be used)		
2B3D	(This position shall not be used)		
2B3E	(This position shall not be used)		
2B3F	(This position shall not be used)		
2B40	(This position shall not be used)		
2B41	(This position shall not be used)		
2B42	(This position shall not be used)		
2B43	(This position shall not be used)		
2B44	(This position shall not be used)		
2B45	(This position shall not be used)		
2B46	(This position shall not be used)		
2B47	(This position shall not be used)		
2B48	(This position shall not be used)		
2B49	(This position shall not be used)		
2B4A	(This position shall not be used)		
2B4B	(This position shall not be used)		
2B4C	(This position shall not be used)		
2B4D	(This position shall not be used)		
2B4E	(This position shall not be used)		
2B4F	(This position shall not be used)		
2B50	(This position shall not be used)		
2B51	(This position shall not be used)		
2B52	(This position shall not be used)		
2B53	(This position shall not be used)		
2B54	(This position shall not be used)		
2B55	(This position shall not be used)		
2B56	(This position shall not be used)		
2B57	(This position shall not be used)		
2B58	(This position shall not be used)		
2B59	(This position shall not be used)		
2B5A	(This position shall not be used)		
2B5B	(This position shall not be used)		
2B5C	(This position shall not be used)		

Group 00

Plane 00

Row 2B

Table 101 - Row 2C: Latin Extended-C

	2C6	2C7
0	Ł 2C60	
1	ł 2C61	
2	Ł 2C62	
3	Œ 2C63	
4	Ŕ 2C64	ŵ 2C74
5	ŕ 2C65	Ɔ 2C75
6	ŗ 2C66	Ɔ 2C76
7	Ť 2C67	Ɔ 2C77
8	ħ 2C68	
9	Ɔ 2C69	
A	Ɔ 2C6A	
B	Ɔ 2C6B	
C	Ɔ 2C6C	
D		
E		
F		

G = 00
P = 00

Table 101 - Row 2C: Latin Extended-C

HEX	NAME	HEX	NAME
2C60	LATIN CAPITAL LETTER L WITH DOUBLE BAR		
2C61	LATIN SMALL LETTER L WITH DOUBLE BAR		
2C62	LATIN CAPITAL LETTER L WITH MIDDLE TILDE		
2C63	LATIN CAPITAL LETTER P WITH STROKE		
2C64	LATIN CAPITAL LETTER R WITH TAIL		
2C65	LATIN SMALL LETTER A WITH STROKE		
2C66	LATIN SMALL LETTER T WITH DIAGONAL STROKE		
2C67	LATIN CAPITAL LETTER H WITH DESCENDER		
2C68	LATIN SMALL LETTER H WITH DESCENDER		
2C69	LATIN CAPITAL LETTER K WITH DESCENDER		
2C6A	LATIN SMALL LETTER K WITH DESCENDER		
2C6B	LATIN CAPITAL LETTER Z WITH DESCENDER		
2C6C	LATIN SMALL LETTER Z WITH DESCENDER		
2C6D	(This position shall not be used)		
2C6E	(This position shall not be used)		
2C6F	(This position shall not be used)		
2C70	(This position shall not be used)		
2C71	(This position shall not be used)		
2C72	(This position shall not be used)		
2C73	(This position shall not be used)		
2C74	LATIN SMALL LETTER V WITH CURL		
2C75	LATIN CAPITAL LETTER HALF H		
2C76	LATIN SMALL LETTER HALF H		
2C77	LATIN SMALL LETTER TAILLESS PHI		
2C78	(This position shall not be used)		
2C79	(This position shall not be used)		
2C7A	(This position shall not be used)		
2C7B	(This position shall not be used)		
2C7C	(This position shall not be used)		
2C7D	(This position shall not be used)		
2C7E	(This position shall not be used)		
2C7F	(This position shall not be used)		

Group 00

Plane 00

Row 2C

Table 123 - Row 33: CJK Compatibility

	338	339	33A	33B	33C	33D	33E	33F
0	pA 3380	Hz 3390	cm ² 33A0	ps 33B0	kΩ 33C0	lm 33D0	1日 33E0	17日 33F0
1	nA 3381	kHz 3391	m ² 33A1	ns 33B1	MΩ 33C1	ln 33D1	2日 33E1	18日 33F1
2	μA 3382	MHz 3392	km ² 33A2	μs 33B2	a.m. 33C2	log 33D2	3日 33E2	19日 33F2
3	mA 3383	GHz 3393	mm ³ 33A3	ms 33B3	Bq 33C3	lx 33D3	4日 33E3	20日 33F3
4	kA 3384	THz 3394	cm ³ 33A4	pV 33B4	cc 33C4	mb 33D4	5日 33E4	21日 33F4
5	KB 3385	μl 3395	m ³ 33A5	nV 33B5	cd 33C5	mil 33D5	6日 33E5	22日 33F5
6	MB 3386	ml 3396	km ³ 33A6	μV 33B6	C/kg 33C6	mol 33D6	7日 33E6	23日 33F6
7	GB 3387	dl 3397	m/s 33A7	mV 33B7	Co. 33C7	pH 33D7	8日 33E7	24日 33F7
8	cal 3388	kl 3398	m/s ² 33A8	kV 33B8	dB 33C8	p.m. 33D8	9日 33E8	25日 33F8
9	kcal 3389	fm 3399	Pa 33A9	MV 33B9	Gy 33C9	PPM 33D9	10日 33E9	26日 33F9
A	pF 338A	nm 339A	kPa 33AA	pW 33BA	ha 33CA	PR 33DA	11日 33EA	27日 33FA
B	nF 338B	μm 339B	MPa 33AB	nW 33BB	HP 33CB	sr 33DB	12日 33EB	28日 33FB
C	μF 338C	mm 339C	GPa 33AC	μW 33BC	in 33CC	Sv 33DC	13日 33EC	29日 33FC
D	μg 338D	cm 339D	rad 33AD	mW 33BD	K.K. 33CD	Wb 33DD	14日 33ED	30日 33FD
E	mg 338E	km 339E	rad/s 33AE	kW 33BE	KM 33CE	Y/m 33DE	15日 33EE	31日 33FE
F	kg 338F	mm ² 339F	rad/s ² 33AF	MW 33BF	kt 33CF	A/m 33DF	16日 33EF	gal 33FF

G = 00
P = 00

Table 123 - Row 33: CJK Compatibility

HEX	NAME	HEX	NAME
3380	SQUARE PA AMPS	33DD	SQUARE WB
3381	SQUARE NA	33DE	SQUARE V OVER M
3382	SQUARE MU A	33DF	SQUARE A OVER M
3383	SQUARE MA	33E0	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY ONE
3384	SQUARE KA	33E1	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWO
3385	SQUARE KB	33E2	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY THREE
3386	SQUARE MB	33E3	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY FOUR
3387	SQUARE GB	33E4	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY FIVE
3388	SQUARE CAL	33E5	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY SIX
3389	SQUARE KCAL	33E6	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY SEVEN
338A	SQUARE PF	33E7	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY EIGHT
338B	SQUARE NF	33E8	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY NINE
338C	SQUARE MU F	33E9	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TEN
338D	SQUARE MU G	33EA	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY ELEVEN
338E	SQUARE MG	33EB	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWELVE
338F	SQUARE KG	33EC	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY THIRTEEN
3390	SQUARE HZ	33ED	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY FOURTEEN
3391	SQUARE KHZ	33EE	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY FIFTEEN
3392	SQUARE MHZ	33EF	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY SIXTEEN
3393	SQUARE GHZ	33F0	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY SEVENTEEN
3394	SQUARE THZ	33F1	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY EIGHTEEN
3395	SQUARE MU L	33F2	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY NINETEEN
3396	SQUARE ML	33F3	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWENTY
3397	SQUARE DL	33F4	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWENTY-ONE
3398	SQUARE KL	33F5	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWENTY-TWO
3399	SQUARE FM	33F6	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWENTY-THREE
339A	SQUARE NM	33F7	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWENTY-FOUR
339B	SQUARE MU M	33F8	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWENTY-FIVE
339C	SQUARE MM	33F9	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWENTY-SIX
339D	SQUARE CM	33FA	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWENTY-SEVEN
339E	SQUARE KM	33FB	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWENTY-EIGHT
339F	SQUARE MM SQUARED	33FC	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWENTY-NINE
33A0	SQUARE CM SQUARED	33FD	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY THIRTY
33A1	SQUARE M SQUARED	33FE	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY THIRTY-ONE
33A2	SQUARE KM SQUARED	33FF	SQUARE GAL
33A3	SQUARE MM CUBED		
33A4	SQUARE CM CUBED		
33A5	SQUARE M CUBED		
33A6	SQUARE KM CUBED		
33A7	SQUARE M OVER S		
33A8	SQUARE M OVER S SQUARED		
33A9	SQUARE PA		
33AA	SQUARE KPA		
33AB	SQUARE MPA		
33AC	SQUARE GPA		
33AD	SQUARE RAD		
33AE	SQUARE RAD OVER S		
33AF	SQUARE RAD OVER S SQUARED		
33B0	SQUARE PS		
33B1	SQUARE NS		
33B2	SQUARE MU S		
33B3	SQUARE MS		
33B4	SQUARE PV		
33B5	SQUARE NV		
33B6	SQUARE MU V		
33B7	SQUARE MV		
33B8	SQUARE KV		
33B9	SQUARE MV MEGA		
33BA	SQUARE PW		
33BB	SQUARE NW		
33BC	SQUARE MU W		
33BD	SQUARE MW		
33BE	SQUARE KW		
33BF	SQUARE MW MEGA		
33C0	SQUARE K OHM		
33C1	SQUARE M OHM		
33C2	SQUARE AM		
33C3	SQUARE BQ		
33C4	SQUARE CC		
33C5	SQUARE CD		
33C6	SQUARE C OVER KG		
33C7	SQUARE CO		
33C8	SQUARE DB		
33C9	SQUARE GY		
33CA	SQUARE HA		
33CB	SQUARE HP		
33CC	SQUARE IN		
33CD	SQUARE KK		
33CE	SQUARE KM CAPITAL		
33CF	SQUARE KT		
33D0	SQUARE LM		
33D1	SQUARE LN		
33D2	SQUARE LOG		
33D3	SQUARE LX		
33D4	SQUARE MB SMALL		
33D5	SQUARE MIL		
33D6	SQUARE MOL		
33D7	SQUARE PH		
33D8	SQUARE PM		
33D9	SQUARE PPM		
33DA	SQUARE PR		
33DB	SQUARE SR		
33DC	SQUARE SV		

Group 00

Plane 00

Row 33

Table 133 - Row A7: Modifier Tone Letters

	A70	A71
0	◌̣ A700	◌̣̇ A710
1	◌̣̅ A701	◌̣̅̇ A711
2	◌̣̆ A702	◌̣̆̇ A712
3	◌̣̇ A703	◌̣̇̇ A713
4	◌̣̈ A704	◌̣̈̇ A714
5	◌̣̉ A705	◌̣̉̇ A715
6	◌̣̊ A706	◌̣̊̇ A716
7	◌̣̋ A707	◌̣̋̇ A717
8	◌̣̌ A708	◌̣̌̇ A718
9	◌̣̍ A709	◌̣̍̇ A719
A	◌̣̎ A70A	◌̣̎̇ A71A
B	◌̣̏ A70B	
C	◌̣̐ A70C	
D	◌̣̑ A70D	
E	◌̣̒ A70E	
F	◌̣̓ A70F	

G = 00
P = 00

Table 133 - Row A7: Modifier Tone Letters

HEX	NAME	HEX	NAME
A700	MODIFIER LETTER CHINESE TONE YIN PING		
A701	MODIFIER LETTER CHINESE TONE YANG PING		
A702	MODIFIER LETTER CHINESE TONE YIN SHANG		
A703	MODIFIER LETTER CHINESE TONE YANG SHANG		
A704	MODIFIER LETTER CHINESE TONE YIN QU		
A705	MODIFIER LETTER CHINESE TONE YANG QU		
A706	MODIFIER LETTER CHINESE TONE YIN RU		
A707	MODIFIER LETTER CHINESE TONE YANG RU		
A708	MODIFIER LETTER EXTRA-HIGH DOTTED TONE BAR		
A709	MODIFIER LETTER HIGH DOTTED TONE BAR		
A70A	MODIFIER LETTER MID DOTTED TONE BAR		
A70B	MODIFIER LETTER LOW DOTTED TONE BAR		
A70C	MODIFIER LETTER EXTRA-LOW DOTTED TONE BAR		
A70D	MODIFIER LETTER EXTRA-HIGH DOTTED LEFT-STEM TONE BAR		
A70E	MODIFIER LETTER HIGH DOTTED LEFT-STEM TONE BAR		
A70F	MODIFIER LETTER MID DOTTED LEFT-STEM TONE BAR		
A710	MODIFIER LETTER LOW DOTTED LEFT-STEM TONE BAR		
A711	MODIFIER LETTER EXTRA-LOW DOTTED LEFT-STEM TONE BAR		
A712	MODIFIER LETTER EXTRA-HIGH LEFT-STEM TONE BAR		
A713	MODIFIER LETTER HIGH LEFT-STEM TONE BAR		
A714	MODIFIER LETTER MID LEFT-STEM TONE BAR		
A715	MODIFIER LETTER LOW LEFT-STEM TONE BAR		
A716	MODIFIER LETTER EXTRA-LOW LEFT-STEM TONE BAR		
A717	MODIFIER LETTER DOT VERTICAL BAR		
A718	MODIFIER LETTER DOT SLASH		
A719	MODIFIER LETTER DOT HORIZONTAL BAR		
A71A	MODIFIER LETTER LOWER RIGHT CORNER ANGLE		
A71B	(This position shall not be used)		
A71C	(This position shall not be used)		
A71D	(This position shall not be used)		
A71E	(This position shall not be used)		
A71F	(This position shall not be used)		

Group 00

Plane 00

Row A7

Table 134 - Row A7: Latin Extended-D

	A72	A73	A74	A75	A76	A77	A78
0	F A720						
1	F A721						
2							
3							
4							
5							
6							
7							
8							
9							
A							
B							
C							
D							
E							
F							

G = 00
P = 00

Table 136 - Row A8: Phags-pa

	A84	A85	A86	A87
0	 A840	 A850	 A860	 A870
1	 A841	 A851	 A861	 A871
2	 A842	 A852	 A862	 A872
3	 A843	 A853	 A863	 A873
4	 A844	 A854	 A864	 A874
5	 A845	 A855	 A865	 A875
6	 A846	 A856	 A866	 A876
7	 A847	 A857	 A867	 A877
8	 A848	 A858	 A868	
9	 A849	 A859	 A869	
A	 A84A	 A85A	 A86A	
B	 A84B	 A85B	 A86B	
C	 A84C	 A85C	 A86C	
D	 A84D	 A85D	 A86D	
E	 A84E	 A85E	 A86E	
F	 A84F	 A85F	 A86F	

G = 00
P = 00

Table 136 - Row A8: Phags-pa




























HEX	NAME	HEX	NAME
A840	PHAGS-PA LETTER KA		
A841	PHAGS-PA LETTER KHA		
A842	PHAGS-PA LETTER GA		
A843	PHAGS-PA LETTER NGA		
A844	PHAGS-PA LETTER CA		
A845	PHAGS-PA LETTER CHA		
A846	PHAGS-PA LETTER JA		
A847	PHAGS-PA LETTER NYA		
A848	PHAGS-PA LETTER TA		
A849	PHAGS-PA LETTER THA		
A84A	PHAGS-PA LETTER DA		
A84B	PHAGS-PA LETTER NA		
A84C	PHAGS-PA LETTER PA		
A84D	PHAGS-PA LETTER PHA		
A84E	PHAGS-PA LETTER BA		
A84F	PHAGS-PA LETTER MA		
A850	PHAGS-PA LETTER TSA		
A851	PHAGS-PA LETTER TSHA		
A852	PHAGS-PA LETTER DZA		
A853	PHAGS-PA LETTER WA		
A854	PHAGS-PA LETTER ZHA		
A855	PHAGS-PA LETTER ZA		
A856	PHAGS-PA LETTER SMALL A		
A857	PHAGS-PA LETTER YA		
A858	PHAGS-PA LETTER RA		
A859	PHAGS-PA LETTER LA		
A85A	PHAGS-PA LETTER SHA		
A85B	PHAGS-PA LETTER SA		
A85C	PHAGS-PA LETTER HA		
A85D	PHAGS-PA LETTER A		
A85E	PHAGS-PA LETTER I		
A85F	PHAGS-PA LETTER U		
A860	PHAGS-PA LETTER E		
A861	PHAGS-PA LETTER O		
A862	PHAGS-PA LETTER QA		
A863	PHAGS-PA LETTER XA		
A864	PHAGS-PA LETTER FA		
A865	PHAGS-PA LETTER GGA		
A866	PHAGS-PA LETTER EE		
A867	PHAGS-PA SUBJOINED LETTER WA		
A868	PHAGS-PA SUBJOINED LETTER YA		
A869	PHAGS-PA LETTER TTA		
A86A	PHAGS-PA LETTER TTHA		
A86B	PHAGS-PA LETTER DDA		
A86C	PHAGS-PA LETTER NNA		
A86D	PHAGS-PA LETTER ALTERNATE YA		
A86E	PHAGS-PA LETTER VOICELESS SHA		
A86F	PHAGS-PA LETTER VOICED HA		
A870	PHAGS-PA LETTER ASPIRATED FA		
A871	PHAGS-PA SUBJOINED LETTER RA		
A872	PHAGS-PA SUPERFIXED LETTER RA		
A873	PHAGS-PA LETTER CANDRABINDU		
A874	PHAGS-PA SINGLE HEAD MARK		
A875	PHAGS-PA DOUBLE HEAD MARK		
A876	PHAGS-PA MARK SHAD		
A877	PHAGS-PA MARK DOUBLE SHAD		
A878	(This position shall not be used)		
A879	(This position shall not be used)		
A87A	(This position shall not be used)		
A87B	(This position shall not be used)		
A87C	(This position shall not be used)		
A87D	(This position shall not be used)		
A87E	(This position shall not be used)		
A87F	(This position shall not be used)		

Group 00

Plane 00

Row A8

Table 198 - Row 09: Phoenician

	1090	1091
0	 10900	 10910
1	 10901	 10911
2	 10902	 10912
3	 10903	 10913
4	 10904	 10914
5	 10905	 10915
6	 10906	 10916
7	 10907	 10917
8	 10908	 10918
9	 10909	 10919
A	 1090A	/
B	 1090B	/
C	 1090C	/
D	 1090D	/
E	 1090E	/
F	 1090F	 1091F

G = 00
P = 01

Table 198 - Row 09: Phoenician

HEX	NAME	HEX	NAME
10900	PHOENICIAN LETTER ALF		
10901	PHOENICIAN LETTER BET		
10902	PHOENICIAN LETTER GAML		
10903	PHOENICIAN LETTER DELT		
10904	PHOENICIAN LETTER HE		
10905	PHOENICIAN LETTER WAU		
10906	PHOENICIAN LETTER ZAI		
10907	PHOENICIAN LETTER HET		
10908	PHOENICIAN LETTER TET		
10909	PHOENICIAN LETTER YOD		
1090A	PHOENICIAN LETTER KAF		
1090B	PHOENICIAN LETTER LAMD		
1090C	PHOENICIAN LETTER MEM		
1090D	PHOENICIAN LETTER NUN		
1090E	PHOENICIAN LETTER SEMK		
1090F	PHOENICIAN LETTER AIN		
10910	PHOENICIAN LETTER PE		
10911	PHOENICIAN LETTER SADE		
10912	PHOENICIAN LETTER QOF		
10913	PHOENICIAN LETTER ROSH		
10914	PHOENICIAN LETTER SHIN		
10915	PHOENICIAN LETTER TAU		
10916	PHOENICIAN NUMBER ONE		
10917	PHOENICIAN NUMBER TEN		
10918	PHOENICIAN NUMBER TWENTY		
10919	PHOENICIAN NUMBER ONE HUNDRED		
1091A	(This position shall not be used)		
1091B	(This position shall not be used)		
1091C	(This position shall not be used)		
1091D	(This position shall not be used)		
1091E	(This position shall not be used)		
1091F	PHOENICIAN WORD SEPARATOR		

Group 00

Plane 01

Row 09

Table 199 - Row 0A: Kharoshthi

	10A0	10A1	10A2	10A3	10A4	10A5
0	𑀀 10A00	𑀁 10A10	𑀂 10A20	𑀃 10A30	𑀄 10A40	𑀅 10A50
1	𑀆 10A01	𑀇 10A11	𑀈 10A21	𑀉 10A31	𑀊 10A41	𑀋 10A51
2	𑀌 10A02	𑀍 10A12	𑀎 10A22	𑀏 10A32	𑀐 10A42	𑀑 10A52
3	𑀒 10A03	𑀓 10A13	𑀔 10A23	𑀕 10A33	𑀖 10A43	𑀗 10A53
4			𑀘 10A24		𑀙 10A44	𑀚 10A54
5	𑀛 10A05	𑀜 10A15	𑀝 10A25		𑀞 10A45	𑀟 10A55
6	𑀠 10A06	𑀡 10A16	𑀢 10A26		𑀣 10A46	𑀤 10A56
7		𑀥 10A17	𑀦 10A27		𑀧 10A47	𑀨 10A57
8			𑀩 10A28	𑀪 10A38		𑀫 10A58
9		𑀬 10A19	𑀭 10A29	𑀮 10A39		
A		𑀯 10A1A	𑀰 10A2A	𑀱 10A3A		
B		𑀲 10A1B	𑀳 10A2B			
C	𑀴 10A0C	𑀵 10A1C	𑀶 10A2C			
D	𑀷 10A0D	𑀸 10A1D	𑀹 10A2D			
E	𑀺 10A0E	𑀻 10A1E	𑀼 10A2E			
F	𑀽 10A0F	𑀾 10A1F	𑀿 10A2F	𑁀 10A3F		

G = 00
P = 01

Table 199 - Row 0A: Kharoshthi






































































































































HEX	NAME	HEX	NAME
10A00	KHAROSHTHI LETTER A	10A5D	(This position shall not be used)
10A01	KHAROSHTHI VOWEL SIGN I	10A5E	(This position shall not be used)
10A02	KHAROSHTHI VOWEL SIGN U	10A5F	(This position shall not be used)
10A03	KHAROSHTHI VOWEL SIGN VOCALIC R		
10A04	(This position shall not be used)		
10A05	KHAROSHTHI VOWEL SIGN E		
10A06	KHAROSHTHI VOWEL SIGN O		
10A07	(This position shall not be used)		
10A08	(This position shall not be used)		
10A09	(This position shall not be used)		
10A0A	(This position shall not be used)		
10A0B	(This position shall not be used)		
10A0C	KHAROSHTHI VOWEL LENGTH MARK		
10A0D	KHAROSHTHI SIGN DOUBLE RING BELOW		
10A0E	KHAROSHTHI SIGN ANUSVARA		
10A0F	KHAROSHTHI SIGN VISARGA		
10A10	KHAROSHTHI LETTER KA		
10A11	KHAROSHTHI LETTER KHA		
10A12	KHAROSHTHI LETTER GA		
10A13	KHAROSHTHI LETTER GHA		
10A14	(This position shall not be used)		
10A15	KHAROSHTHI LETTER CA		
10A16	KHAROSHTHI LETTER CHA		
10A17	KHAROSHTHI LETTER JA		
10A18	(This position shall not be used)		
10A19	KHAROSHTHI LETTER NYA		
10A1A	KHAROSHTHI LETTER TTA		
10A1B	KHAROSHTHI LETTER TTHA		
10A1C	KHAROSHTHI LETTER DDA		
10A1D	KHAROSHTHI LETTER DDHA		
10A1E	KHAROSHTHI LETTER NNA		
10A1F	KHAROSHTHI LETTER TA		
10A20	KHAROSHTHI LETTER THA		
10A21	KHAROSHTHI LETTER DA		
10A22	KHAROSHTHI LETTER DHA		
10A23	KHAROSHTHI LETTER NA		
10A24	KHAROSHTHI LETTER PA		
10A25	KHAROSHTHI LETTER PHA		
10A26	KHAROSHTHI LETTER BA		
10A27	KHAROSHTHI LETTER BHA		
10A28	KHAROSHTHI LETTER MA		
10A29	KHAROSHTHI LETTER YA		
10A2A	KHAROSHTHI LETTER RA		
10A2B	KHAROSHTHI LETTER LA		
10A2C	KHAROSHTHI LETTER VA		
10A2D	KHAROSHTHI LETTER SHA		
10A2E	KHAROSHTHI LETTER SSA		
10A2F	KHAROSHTHI LETTER SA		
10A30	KHAROSHTHI LETTER ZA		
10A31	KHAROSHTHI LETTER HA		
10A32	KHAROSHTHI LETTER KKA		
10A33	KHAROSHTHI LETTER TTTHA		
10A34	(This position shall not be used)		
10A35	(This position shall not be used)		
10A36	(This position shall not be used)		
10A37	(This position shall not be used)		
10A38	KHAROSHTHI SIGN BAR ABOVE		
10A39	KHAROSHTHI SIGN CAUDA		
10A3A	KHAROSHTHI SIGN DOT BELOW		
10A3B	(This position shall not be used)		
10A3C	(This position shall not be used)		
10A3D	(This position shall not be used)		
10A3E	(This position shall not be used)		
10A3F	KHAROSHTHI VIRAMA		
10A40	KHAROSHTHI DIGIT ONE		
10A41	KHAROSHTHI DIGIT TWO		
10A42	KHAROSHTHI DIGIT THREE		
10A43	KHAROSHTHI DIGIT FOUR		
10A44	KHAROSHTHI NUMBER TEN		
10A45	KHAROSHTHI NUMBER TWENTY		
10A46	KHAROSHTHI NUMBER ONE HUNDRED		
10A47	KHAROSHTHI NUMBER ONE THOUSAND		
10A48	(This position shall not be used)		
10A49	(This position shall not be used)		
10A4A	(This position shall not be used)		
10A4B	(This position shall not be used)		
10A4C	(This position shall not be used)		
10A4D	(This position shall not be used)		
10A4E	(This position shall not be used)		
10A4F	(This position shall not be used)		
10A50	KHAROSHTHI PUNCTUATION DOT		
10A51	KHAROSHTHI PUNCTUATION SMALL CIRCLE		
10A52	KHAROSHTHI PUNCTUATION CIRCLE		
10A53	KHAROSHTHI PUNCTUATION CRESCENT BAR		
10A54	KHAROSHTHI PUNCTUATION MANGALAM		
10A55	KHAROSHTHI PUNCTUATION LOTUS		
10A56	KHAROSHTHI PUNCTUATION DANDA		
10A57	KHAROSHTHI PUNCTUATION DOUBLE DANDA		
10A58	KHAROSHTHI PUNCTUATION LINES		
10A59	(This position shall not be used)		
10A5A	(This position shall not be used)		
10A5B	(This position shall not be used)		
10A5C	(This position shall not be used)		

Group 00

Plane 01

Row 0A

Table 200 - Row 20: Cuneiform

	1200	1201	1202	1203	1204	1205	1206	1207	1208	1209	120A
0											
1											
2											
3											
4											
5											
6											
7											
8											
9											
A											
B											
C											
D											
E											
F											

G = 00
P = 01

Table 200 - Row 20: Cuneiform

HEX	NAME	HEX	NAME
12000	CUNEIFORM SIGN A	1205D	CUNEIFORM SIGN DAG KISIM5 TIMES GI
12001	CUNEIFORM SIGN A TIMES A	1205E	CUNEIFORM SIGN DAG KISIM5 TIMES GIR2
12002	CUNEIFORM SIGN A TIMES BAD	1205F	CUNEIFORM SIGN DAG KISIM5 TIMES GUD
12003	CUNEIFORM SIGN A TIMES GAN2 TENU	12060	CUNEIFORM SIGN DAG KISIM5 TIMES HA
12004	CUNEIFORM SIGN A TIMES HA	12061	CUNEIFORM SIGN DAG KISIM5 TIMES IR
12005	CUNEIFORM SIGN A TIMES IGI	12062	CUNEIFORM SIGN DAG KISIM5 TIMES IR PLUS LU
12006	CUNEIFORM SIGN A TIMES LAGAR GUNU	12063	CUNEIFORM SIGN DAG KISIM5 TIMES KAK
12007	CUNEIFORM SIGN A TIMES MUSH	12064	CUNEIFORM SIGN DAG KISIM5 TIMES LA
12008	CUNEIFORM SIGN A TIMES SAG	12065	CUNEIFORM SIGN DAG KISIM5 TIMES LU
12009	CUNEIFORM SIGN A2	12066	CUNEIFORM SIGN DAG KISIM5 TIMES LU PLUS MASH2
1200A	CUNEIFORM SIGN AB	12067	CUNEIFORM SIGN DAG KISIM5 TIMES LUM
1200B	CUNEIFORM SIGN AB TIMES ASH2	12068	CUNEIFORM SIGN DAG KISIM5 TIMES NE
1200C	CUNEIFORM SIGN AB TIMES DUN3 GUNU	12069	CUNEIFORM SIGN DAG KISIM5 TIMES PAP PLUS PAP
1200D	CUNEIFORM SIGN AB TIMES GAL	1206A	CUNEIFORM SIGN DAG KISIM5 TIMES S1
1200E	CUNEIFORM SIGN AB TIMES GAN2 TENU	1206B	CUNEIFORM SIGN DAG KISIM5 TIMES TAK4
1200F	CUNEIFORM SIGN AB TIMES HA	1206C	CUNEIFORM SIGN DAG KISIM5 TIMES U2 PLUS GIR2
12010	CUNEIFORM SIGN AB TIMES IGI GUNU	1206D	CUNEIFORM SIGN DAG KISIM5 TIMES USH
12011	CUNEIFORM SIGN AB TIMES IMIN	1206E	CUNEIFORM SIGN DAM
12012	CUNEIFORM SIGN AB TIMES LAGAB	1206F	CUNEIFORM SIGN DAR
12013	CUNEIFORM SIGN AB TIMES SHESH	12070	CUNEIFORM SIGN DARA3
12014	CUNEIFORM SIGN AB TIMES U PLUS U PLUS U	12071	CUNEIFORM SIGN DARA4
12015	CUNEIFORM SIGN AB GUNU	12072	CUNEIFORM SIGN DI
12016	CUNEIFORM SIGN AB2	12073	CUNEIFORM SIGN DIB
12017	CUNEIFORM SIGN AB2 TIMES BALAG	12074	CUNEIFORM SIGN DIM
12018	CUNEIFORM SIGN AB2 TIMES GAN2 TENU	12075	CUNEIFORM SIGN DIM TIMES SHE
12019	CUNEIFORM SIGN AB2 TIMES ME PLUS EN	12076	CUNEIFORM SIGN DIM2
1201A	CUNEIFORM SIGN AB2 TIMES SHA3	12077	CUNEIFORM SIGN DIN
1201B	CUNEIFORM SIGN AB2 TIMES TAK4	12078	CUNEIFORM SIGN DIN KASKAL U GUNU DISH
1201C	CUNEIFORM SIGN AD	12079	CUNEIFORM SIGN DISH
1201D	CUNEIFORM SIGN AK	1207A	CUNEIFORM SIGN DU
1201E	CUNEIFORM SIGN AK TIMES ERIN2	1207B	CUNEIFORM SIGN DU OVER DU
1201F	CUNEIFORM SIGN AK TIMES SHITA PLUS GISH	1207C	CUNEIFORM SIGN DU GUNU
12020	CUNEIFORM SIGN AL	1207D	CUNEIFORM SIGN DU SHESHIG
12021	CUNEIFORM SIGN AL TIMES AL	1207E	CUNEIFORM SIGN DUB
12022	CUNEIFORM SIGN AL TIMES DIM2	1207F	CUNEIFORM SIGN DUB TIMES ESH2
12023	CUNEIFORM SIGN AL TIMES GISH	12080	CUNEIFORM SIGN DUB2
12024	CUNEIFORM SIGN AL TIMES HA	12081	CUNEIFORM SIGN DUG
12025	CUNEIFORM SIGN AL TIMES KAD3	12082	CUNEIFORM SIGN DUGUD
12026	CUNEIFORM SIGN AL TIMES KI	12083	CUNEIFORM SIGN DUH
12027	CUNEIFORM SIGN AL TIMES SHE	12084	CUNEIFORM SIGN DUN
12028	CUNEIFORM SIGN AL TIMES USH	12085	CUNEIFORM SIGN DUN3
12029	CUNEIFORM SIGN ALAN	12086	CUNEIFORM SIGN DUN3 GUNU
1202A	CUNEIFORM SIGN ALEPH	12087	CUNEIFORM SIGN DUN3 GUNU GUNU
1202B	CUNEIFORM SIGN AMAR	12088	CUNEIFORM SIGN DUN4
1202C	CUNEIFORM SIGN AMAR TIMES SHE	12089	CUNEIFORM SIGN DUR2
1202D	CUNEIFORM SIGN AN	1208A	CUNEIFORM SIGN E
1202E	CUNEIFORM SIGN AN OVER AN	1208B	CUNEIFORM SIGN E TIMES PAP
1202F	CUNEIFORM SIGN AN THREE TIMES	1208C	CUNEIFORM SIGN E OVER E NUN OVER NUN
12030	CUNEIFORM SIGN AN PLUS NAGA OPPOSING AN PLUS NAGA	1208D	CUNEIFORM SIGN E2
12031	CUNEIFORM SIGN AN PLUS NAGA SQUARED	1208E	CUNEIFORM SIGN E2 TIMES A PLUS HA PLUS DA
12032	CUNEIFORM SIGN ANSHE	1208F	CUNEIFORM SIGN E2 TIMES GAR
12033	CUNEIFORM SIGN APIN	12090	CUNEIFORM SIGN E2 TIMES MI
12034	CUNEIFORM SIGN ARAD	12091	CUNEIFORM SIGN E2 TIMES SAL
12035	CUNEIFORM SIGN ARAD TIMES KUR	12092	CUNEIFORM SIGN E2 TIMES SHE
12036	CUNEIFORM SIGN ARKAB	12093	CUNEIFORM SIGN E2 TIMES U
12037	CUNEIFORM SIGN ASAL2	12094	CUNEIFORM SIGN EDIN
12038	CUNEIFORM SIGN ASH	12095	CUNEIFORM SIGN EGIR
12039	CUNEIFORM SIGN ASH ZIDA TENU	12096	CUNEIFORM SIGN EL
1203A	CUNEIFORM SIGN ASH KABA TENU	12097	CUNEIFORM SIGN EN
1203B	CUNEIFORM SIGN ASH OVER ASH TUG2 OVER TUG2 OVER TUG2 PAP	12098	CUNEIFORM SIGN EN TIMES GAN2
1203C	CUNEIFORM SIGN ASH OVER ASH OVER ASH	12099	CUNEIFORM SIGN EN TIMES GAN2 TENU
1203D	CUNEIFORM SIGN ASH OVER ASH OVER ASH CROSSING ASH OVER ASH OVER ASH	1209A	CUNEIFORM SIGN EN TIMES ME
1203E	CUNEIFORM SIGN ASH2	1209B	CUNEIFORM SIGN EN CROSSING EN
1203F	CUNEIFORM SIGN ASHGAB	1209C	CUNEIFORM SIGN EN OPPOSING EN
12040	CUNEIFORM SIGN BA	1209D	CUNEIFORM SIGN EN SQUARED
12041	CUNEIFORM SIGN BAD	1209E	CUNEIFORM SIGN EREN
12042	CUNEIFORM SIGN BAG3	1209F	CUNEIFORM SIGN ERIN2
12043	CUNEIFORM SIGN BAHAR2	120A0	CUNEIFORM SIGN ESH2
12044	CUNEIFORM SIGN BAL	120A1	CUNEIFORM SIGN EZEN
12045	CUNEIFORM SIGN BAL OVER BAL	120A2	CUNEIFORM SIGN EZEN TIMES A
12046	CUNEIFORM SIGN BALAG	120A3	CUNEIFORM SIGN EZEN TIMES A PLUS LAL
12047	CUNEIFORM SIGN BAR	120A4	CUNEIFORM SIGN EZEN TIMES A PLUS LAL TIMES LAL
12048	CUNEIFORM SIGN BARA2	120A5	CUNEIFORM SIGN EZEN TIMES AN
12049	CUNEIFORM SIGN BI	120A6	CUNEIFORM SIGN EZEN TIMES BAD
1204A	CUNEIFORM SIGN BI TIMES A	120A7	CUNEIFORM SIGN EZEN TIMES DUN3 GUNU
1204B	CUNEIFORM SIGN BI TIMES GAR	120A8	CUNEIFORM SIGN EZEN TIMES DUN3 GUNU GUNU
1204C	CUNEIFORM SIGN BI TIMES IGI GUNU	120A9	CUNEIFORM SIGN EZEN TIMES HA
1204D	CUNEIFORM SIGN BU	120AA	CUNEIFORM SIGN EZEN TIMES HA GUNU
1204E	CUNEIFORM SIGN BU OVER BU AB	120AB	CUNEIFORM SIGN EZEN TIMES IGI GUNU
1204F	CUNEIFORM SIGN BU OVER BU UN	120AC	CUNEIFORM SIGN EZEN TIMES KASKAL
12050	CUNEIFORM SIGN BU CROSSING BU	120AD	CUNEIFORM SIGN EZEN TIMES KASKAL SQUARED
12051	CUNEIFORM SIGN BULUG	120AE	CUNEIFORM SIGN EZEN TIMES KU3
12052	CUNEIFORM SIGN BULUG OVER BULUG	120AF	CUNEIFORM SIGN EZEN TIMES LA
12053	CUNEIFORM SIGN BUR		
12054	CUNEIFORM SIGN BUR2		
12055	CUNEIFORM SIGN DA		
12056	CUNEIFORM SIGN DAG		
12057	CUNEIFORM SIGN DAG KISIM5 TIMES A PLUS MASH		
12058	CUNEIFORM SIGN DAG KISIM5 TIMES AMAR		
12059	CUNEIFORM SIGN DAG KISIM5 TIMES BALAG		
1205A	CUNEIFORM SIGN DAG KISIM5 TIMES BI		
1205B	CUNEIFORM SIGN DAG KISIM5 TIMES GA		
1205C	CUNEIFORM SIGN DAG KISIM5 TIMES GA PLUS MASH		

Group 00

Plane 01

Row 20

Table 201 - Rows 20-21: Cuneiform

	120B	120C	120D	120E	120F	1210	1211	1212	1213	1214	1215
0	120B0	120C0	120D0	120E0	120F0	12100	12110	12120	12130	12140	12150
1	120B1	120C1	120D1	120E1	120F1	12101	12111	12121	12131	12141	12151
2	120B2	120C2	120D2	120E2	120F2	12102	12112	12122	12132	12142	12152
3	120B3	120C3	120D3	120E3	120F3	12103	12113	12123	12133	12143	12153
4	120B4	120C4	120D4	120E4	120F4	12104	12114	12124	12134	12144	12154
5	120B5	120C5	120D5	120E5	120F5	12105	12115	12125	12135	12145	12155
6	120B6	120C6	120D6	120E6	120F6	12106	12116	12126	12136	12146	12156
7	120B7	120C7	120D7	120E7	120F7	12107	12117	12127	12137	12147	12157
8	120B8	120C8	120D8	120E8	120F8	12108	12118	12128	12138	12148	12158
9	120B9	120C9	120D9	120E9	120F9	12109	12119	12129	12139	12149	12159
A	120BA	120CA	120DA	120EA	120FA	1210A	1211A	1212A	1213A	1214A	1215A
B	120BB	120CB	120DB	120EB	120FB	1210B	1211B	1212B	1213B	1214B	1215B
C	120BC	120CC	120DC	120EC	120FC	1210C	1211C	1212C	1213C	1214C	1215C
D	120BD	120CD	120DD	120ED	120FD	1210D	1211D	1212D	1213D	1214D	1215D
E	120BE	120CE	120DE	120EE	120FE	1210E	1211E	1212E	1213E	1214E	1215E
F	120BF	120CF	120DF	120EF	120FF	1210F	1211F	1212F	1213F	1214F	1215F

G = 00
P = 01

Table 201 - Rows 20-21: Cuneiform

HEX	NAME	HEX	NAME
120B0	CUNEIFORM SIGN EZEN TIMES LAL TIMES LAL	1210D	CUNEIFORM SIGN GIR3 TIMES IGI
120B1	CUNEIFORM SIGN EZEN TIMES LI	1210E	CUNEIFORM SIGN GIR3 TIMES LU PLUS IGI
120B2	CUNEIFORM SIGN EZEN TIMES LU	1210F	CUNEIFORM SIGN GIR3 TIMES PA
120B3	CUNEIFORM SIGN EZEN TIMES U2	12110	CUNEIFORM SIGN GISAL
120B4	CUNEIFORM SIGN EZEN TIMES UD	12111	CUNEIFORM SIGN GISH
120B5	CUNEIFORM SIGN GA	12112	CUNEIFORM SIGN GISH CROSSING GISH
120B6	CUNEIFORM SIGN GA GUNU	12113	CUNEIFORM SIGN GISH TIMES BAD
120B7	CUNEIFORM SIGN GA2	12114	CUNEIFORM SIGN GISH TIMES TAK4
120B8	CUNEIFORM SIGN GA2 TIMES A PLUS DA PLUS HA	12115	CUNEIFORM SIGN GISH TENU
120B9	CUNEIFORM SIGN GA2 TIMES A PLUS HA	12116	CUNEIFORM SIGN GU
120BA	CUNEIFORM SIGN GA2 TIMES A PLUS IGI	12117	CUNEIFORM SIGN GU CROSSING GU
120BB	CUNEIFORM SIGN GA2 TIMES AB2 TENU PLUS TAB	12118	CUNEIFORM SIGN GU2
120BC	CUNEIFORM SIGN GA2 TIMES AN	12119	CUNEIFORM SIGN GU2 TIMES KAK
120BD	CUNEIFORM SIGN GA2 TIMES ASH	1211A	CUNEIFORM SIGN GU2 TIMES KAK TIMES IGI GUNU
120BE	CUNEIFORM SIGN GA2 TIMES ASH2 PLUS GAL	1211B	CUNEIFORM SIGN GU2 TIMES NUN
120BF	CUNEIFORM SIGN GA2 TIMES BAD	1211C	CUNEIFORM SIGN GU2 TIMES SAL PLUS TUG2
120C0	CUNEIFORM SIGN GA2 TIMES BAR PLUS RA	1211D	CUNEIFORM SIGN GU2 GUNU
120C1	CUNEIFORM SIGN GA2 TIMES BUR	1211E	CUNEIFORM SIGN GUD
120C2	CUNEIFORM SIGN GA2 TIMES BUR PLUS RA	1211F	CUNEIFORM SIGN GUD TIMES A PLUS KUR
120C3	CUNEIFORM SIGN GA2 TIMES DA	12120	CUNEIFORM SIGN GUD TIMES KUR
120C4	CUNEIFORM SIGN GA2 TIMES DI	12121	CUNEIFORM SIGN GUD OVER GUD LUGAL
120C5	CUNEIFORM SIGN GA2 TIMES DIM TIMES SHE	12122	CUNEIFORM SIGN GUL
120C6	CUNEIFORM SIGN GA2 TIMES DUB	12123	CUNEIFORM SIGN GUM
120C7	CUNEIFORM SIGN GA2 TIMES EL	12124	CUNEIFORM SIGN GUM TIMES SHE
120C8	CUNEIFORM SIGN GA2 TIMES EL PLUS LA	12125	CUNEIFORM SIGN GUR
120C9	CUNEIFORM SIGN GA2 TIMES EN	12126	CUNEIFORM SIGN GUR7
120CA	CUNEIFORM SIGN GA2 TIMES EN TIMES GAN2 TENU	12127	CUNEIFORM SIGN GURUN
120CB	CUNEIFORM SIGN GA2 TIMES GAN2 TENU	12128	CUNEIFORM SIGN GURUSH
120CC	CUNEIFORM SIGN GA2 TIMES GAR	12129	CUNEIFORM SIGN HA
120CD	CUNEIFORM SIGN GA2 TIMES GI	1212A	CUNEIFORM SIGN HA TENU
120CE	CUNEIFORM SIGN GA2 TIMES G14	1212B	CUNEIFORM SIGN HA GUNU
120CF	CUNEIFORM SIGN GA2 TIMES G14 PLUS A	1212C	CUNEIFORM SIGN HAL
120D0	CUNEIFORM SIGN GA2 TIMES GIR2 PLUS SU	1212D	CUNEIFORM SIGN HI
120D1	CUNEIFORM SIGN GA2 TIMES HA PLUS LU PLUS ESH2	1212E	CUNEIFORM SIGN HI TIMES ASH
120D2	CUNEIFORM SIGN GA2 TIMES HAL	1212F	CUNEIFORM SIGN HI TIMES ASH2
120D3	CUNEIFORM SIGN GA2 TIMES HAL PLUS LA	12130	CUNEIFORM SIGN HI TIMES BAD
120D4	CUNEIFORM SIGN GA2 TIMES HI PLUS LI	12131	CUNEIFORM SIGN HI TIMES DISH
120D5	CUNEIFORM SIGN GA2 TIMES HUB2	12132	CUNEIFORM SIGN HI TIMES GAD
120D6	CUNEIFORM SIGN GA2 TIMES IGI GUNU	12133	CUNEIFORM SIGN HI TIMES KIN
120D7	CUNEIFORM SIGN GA2 TIMES ISH PLUS HU PLUS ASH	12134	CUNEIFORM SIGN HI TIMES NUN
120D8	CUNEIFORM SIGN GA2 TIMES KAK	12135	CUNEIFORM SIGN HI TIMES SHE
120D9	CUNEIFORM SIGN GA2 TIMES KASKAL	12136	CUNEIFORM SIGN HI TIMES U
120DA	CUNEIFORM SIGN GA2 TIMES KID	12137	CUNEIFORM SIGN HU
120DB	CUNEIFORM SIGN GA2 TIMES KID PLUS LAL	12138	CUNEIFORM SIGN HUB2
120DC	CUNEIFORM SIGN GA2 TIMES KU3 PLUS AN	12139	CUNEIFORM SIGN HUB2 TIMES AN
120DD	CUNEIFORM SIGN GA2 TIMES LA	1213A	CUNEIFORM SIGN HUB2 TIMES HAL
120DE	CUNEIFORM SIGN GA2 TIMES ME PLUS EN	1213B	CUNEIFORM SIGN HUB2 TIMES KASKAL
120DF	CUNEIFORM SIGN GA2 TIMES MI	1213C	CUNEIFORM SIGN HUB2 TIMES LISH
120E0	CUNEIFORM SIGN GA2 TIMES NUN	1213D	CUNEIFORM SIGN HUB2 TIMES UD
120E1	CUNEIFORM SIGN GA2 TIMES NUN OVER NUN	1213E	CUNEIFORM SIGN HUL2
120E2	CUNEIFORM SIGN GA2 TIMES PA	1213F	CUNEIFORM SIGN I
120E3	CUNEIFORM SIGN GA2 TIMES SAL	12140	CUNEIFORM SIGN I A
120E4	CUNEIFORM SIGN GA2 TIMES SAR	12141	CUNEIFORM SIGN IB
120E5	CUNEIFORM SIGN GA2 TIMES SHE	12142	CUNEIFORM SIGN IDIM
120E6	CUNEIFORM SIGN GA2 TIMES SHE PLUS TUR	12143	CUNEIFORM SIGN IDIM OVER IDIM BUR
120E7	CUNEIFORM SIGN GA2 TIMES SHID	12144	CUNEIFORM SIGN IDIM OVER IDIM SQUARED
120E8	CUNEIFORM SIGN GA2 TIMES SUM	12145	CUNEIFORM SIGN IG
120E9	CUNEIFORM SIGN GA2 TIMES TAK4	12146	CUNEIFORM SIGN IGI
120EA	CUNEIFORM SIGN GA2 TIMES U	12147	CUNEIFORM SIGN IGI DIB
120EB	CUNEIFORM SIGN GA2 TIMES UD	12148	CUNEIFORM SIGN IGI RI
120EC	CUNEIFORM SIGN GA2 TIMES UD PLUS DU	12149	CUNEIFORM SIGN IGI OVER IGI SHIR OVER SHIR UD OVER UD
120ED	CUNEIFORM SIGN GA2 OVER GA2	1214A	CUNEIFORM SIGN IGI GUNU
120EE	CUNEIFORM SIGN GABA	1214B	CUNEIFORM SIGN IL
120EF	CUNEIFORM SIGN GABA CROSSING GABA	1214C	CUNEIFORM SIGN IL TIMES GAN2 TENU
120F0	CUNEIFORM SIGN GAD	1214D	CUNEIFORM SIGN IL2
120F1	CUNEIFORM SIGN GAD OVER GAD GAR OVER GAR	1214E	CUNEIFORM SIGN IM
120F2	CUNEIFORM SIGN GAL	1214F	CUNEIFORM SIGN IM TIMES TAK4
120F3	CUNEIFORM SIGN GAL GAD OVER GAD GAR OVER GAR	12150	CUNEIFORM SIGN IM CROSSING IM
120F4	CUNEIFORM SIGN GALAM	12151	CUNEIFORM SIGN IM OPPOSING IM
120F5	CUNEIFORM SIGN GAM	12152	CUNEIFORM SIGN IM SQUARED
120F6	CUNEIFORM SIGN GAN	12153	CUNEIFORM SIGN IMIN
120F7	CUNEIFORM SIGN GAN2	12154	CUNEIFORM SIGN IN
120F8	CUNEIFORM SIGN GAN2 TENU	12155	CUNEIFORM SIGN IR
120F9	CUNEIFORM SIGN GAN2 OVER GAN2	12156	CUNEIFORM SIGN ISH
120FA	CUNEIFORM SIGN GAN2 CROSSING GAN2	12157	CUNEIFORM SIGN KA
120FB	CUNEIFORM SIGN GAR	12158	CUNEIFORM SIGN KA TIMES A
120FC	CUNEIFORM SIGN GAR3	12159	CUNEIFORM SIGN KA TIMES AD
120FD	CUNEIFORM SIGN GASHAN	1215A	CUNEIFORM SIGN KA TIMES AD PLUS KU3
120FE	CUNEIFORM SIGN GESHTIN	1215B	CUNEIFORM SIGN KA TIMES ASH2
120FF	CUNEIFORM SIGN GESHTIN TIMES KUR	1215C	CUNEIFORM SIGN KA TIMES BAD
12100	CUNEIFORM SIGN GI	1215D	CUNEIFORM SIGN KA TIMES BALAG
12101	CUNEIFORM SIGN GI TIMES E	1215E	CUNEIFORM SIGN KA TIMES BAR
12102	CUNEIFORM SIGN GI TIMES U	1215F	CUNEIFORM SIGN KA TIMES BI
12103	CUNEIFORM SIGN GI CROSSING GI		
12104	CUNEIFORM SIGN G14		
12105	CUNEIFORM SIGN G14 OVER G14		
12106	CUNEIFORM SIGN G14 CROSSING G14		
12107	CUNEIFORM SIGN G14 DIM		
12108	CUNEIFORM SIGN GIR2		
12109	CUNEIFORM SIGN GIR2 GUNU		
1210A	CUNEIFORM SIGN GIR3		
1210B	CUNEIFORM SIGN GIR3 TIMES A PLUS IGI		
1210C	CUNEIFORM SIGN GIR3 TIMES GAN2 TENU		

Group 00

Plane 01

Row 20

Table 202 - Rows 21-22: Cuneiform

	1216	1217	1218	1219	121A	121B	121C	121D	121E	121F	1220
0	12160	12170	12180	12190	121A0	121B0	121C0	121D0	121E0	121F0	12200
1	12161	12171	12181	12191	121A1	121B1	121C1	121D1	121E1	121F1	12201
2	12162	12172	12182	12192	121A2	121B2	121C2	121D2	121E2	121F2	12202
3	12163	12173	12183	12193	121A3	121B3	121C3	121D3	121E3	121F3	12203
4	12164	12174	12184	12194	121A4	121B4	121C4	121D4	121E4	121F4	12204
5	12165	12175	12185	12195	121A5	121B5	121C5	121D5	121E5	121F5	12205
6	12166	12176	12186	12196	121A6	121B6	121C6	121D6	121E6	121F6	12206
7	12167	12177	12187	12197	121A7	121B7	121C7	121D7	121E7	121F7	12207
8	12168	12178	12188	12198	121A8	121B8	121C8	121D8	121E8	121F8	12208
9	12169	12179	12189	12199	121A9	121B9	121C9	121D9	121E9	121F9	12209
A	1216A	1217A	1218A	1219A	121AA	121BA	121CA	121DA	121EA	121FA	1220A
B	1216B	1217B	1218B	1219B	121AB	121BB	121CB	121DB	121EB	121FB	1220B
C	1216C	1217C	1218C	1219C	121AC	121BC	121CC	121DC	121EC	121FC	1220C
D	1216D	1217D	1218D	1219D	121AD	121BD	121CD	121DD	121ED	121FD	1220D
E	1216E	1217E	1218E	1219E	121AE	121BE	121CE	121DE	121EE	121FE	1220E
F	1216F	1217F	1218F	1219F	121AF	121BF	121CF	121DF	121EF	121FF	1220F

G = 00
P = 01

Table 202 - Rows 21-22: Cuneiform

HEX	NAME	HEX	NAME
12160	CUNEIFORM SIGN KA TIMES ERIN2	121BD	CUNEIFORM SIGN LAGAB TIMES AL
12161	CUNEIFORM SIGN KA TIMES ESH2	121BE	CUNEIFORM SIGN LAGAB TIMES AN
12162	CUNEIFORM SIGN KA TIMES GA	121BF	CUNEIFORM SIGN LAGAB TIMES ASH ZIDA TENU
12163	CUNEIFORM SIGN KA TIMES GAL	121C0	CUNEIFORM SIGN LAGAB TIMES BAD
12164	CUNEIFORM SIGN KA TIMES GAN2 TENU	121C1	CUNEIFORM SIGN LAGAB TIMES BI
12165	CUNEIFORM SIGN KA TIMES GAR	121C2	CUNEIFORM SIGN LAGAB TIMES DAR
12166	CUNEIFORM SIGN KA TIMES GAR PLUS SHA3 PLUS A	121C3	CUNEIFORM SIGN LAGAB TIMES EN
12167	CUNEIFORM SIGN KA TIMES GI	121C4	CUNEIFORM SIGN LAGAB TIMES GA
12168	CUNEIFORM SIGN KA TIMES GIR2	121C5	CUNEIFORM SIGN LAGAB TIMES GAR
12169	CUNEIFORM SIGN KA TIMES GISH PLUS SAR	121C6	CUNEIFORM SIGN LAGAB TIMES GUD
1216A	CUNEIFORM SIGN KA TIMES GISH CROSSING GISH	121C7	CUNEIFORM SIGN LAGAB TIMES GUD PLUS GUD
1216B	CUNEIFORM SIGN KA TIMES GU	121C8	CUNEIFORM SIGN LAGAB TIMES HA
1216C	CUNEIFORM SIGN KA TIMES GUR7	121C9	CUNEIFORM SIGN LAGAB TIMES HAL
1216D	CUNEIFORM SIGN KA TIMES IGI	121CA	CUNEIFORM SIGN LAGAB TIMES HI TIMES NUN
1216E	CUNEIFORM SIGN KA TIMES IM	121CB	CUNEIFORM SIGN LAGAB TIMES IGI GUNU
1216F	CUNEIFORM SIGN KA TIMES KAK	121CC	CUNEIFORM SIGN LAGAB TIMES IM
12170	CUNEIFORM SIGN KA TIMES KI	121CD	CUNEIFORM SIGN LAGAB TIMES IM PLUS HA
12171	CUNEIFORM SIGN KA TIMES KID	121CE	CUNEIFORM SIGN LAGAB TIMES IM PLUS LU
12172	CUNEIFORM SIGN KA TIMES LI	121CF	CUNEIFORM SIGN LAGAB TIMES KI
12173	CUNEIFORM SIGN KA TIMES LU	121D0	CUNEIFORM SIGN LAGAB TIMES KIN
12174	CUNEIFORM SIGN KA TIMES ME	121D1	CUNEIFORM SIGN LAGAB TIMES KU3
12175	CUNEIFORM SIGN KA TIMES ME PLUS DU	121D2	CUNEIFORM SIGN LAGAB TIMES KUL
12176	CUNEIFORM SIGN KA TIMES ME PLUS GI	121D3	CUNEIFORM SIGN LAGAB TIMES KUL PLUS HI PLUS A
12177	CUNEIFORM SIGN KA TIMES ME PLUS TE	121D4	CUNEIFORM SIGN LAGAB TIMES LAGAB
12178	CUNEIFORM SIGN KA TIMES MI	121D5	CUNEIFORM SIGN LAGAB TIMES LISH
12179	CUNEIFORM SIGN KA TIMES MI PLUS NUNUZ	121D6	CUNEIFORM SIGN LAGAB TIMES LU
1217A	CUNEIFORM SIGN KA TIMES NE	121D7	CUNEIFORM SIGN LAGAB TIMES LUL
1217B	CUNEIFORM SIGN KA TIMES NUN	121D8	CUNEIFORM SIGN LAGAB TIMES ME
1217C	CUNEIFORM SIGN KA TIMES PI	121D9	CUNEIFORM SIGN LAGAB TIMES ME PLUS EN
1217D	CUNEIFORM SIGN KA TIMES RU	121DA	CUNEIFORM SIGN LAGAB TIMES MUSH
1217E	CUNEIFORM SIGN KA TIMES SA	121DB	CUNEIFORM SIGN LAGAB TIMES NE
1217F	CUNEIFORM SIGN KA TIMES SAR	121DC	CUNEIFORM SIGN LAGAB TIMES SHE PLUS SUM
12180	CUNEIFORM SIGN KA TIMES SHA	121DD	CUNEIFORM SIGN LAGAB TIMES SHITA PLUS GISH PLUS ERIN2
12181	CUNEIFORM SIGN KA TIMES SHE	121DE	CUNEIFORM SIGN LAGAB TIMES SHITA PLUS GISH TENU
12182	CUNEIFORM SIGN KA TIMES SHID	121DF	CUNEIFORM SIGN LAGAB TIMES SHU2
12183	CUNEIFORM SIGN KA TIMES SHU	121E0	CUNEIFORM SIGN LAGAB TIMES SHU2 PLUS SHU2
12184	CUNEIFORM SIGN KA TIMES SIG	121E1	CUNEIFORM SIGN LAGAB TIMES SUM
12185	CUNEIFORM SIGN KA TIMES SUHUR	121E2	CUNEIFORM SIGN LAGAB TIMES TAG
12186	CUNEIFORM SIGN KA TIMES TAR	121E3	CUNEIFORM SIGN LAGAB TIMES TAK4
12187	CUNEIFORM SIGN KA TIMES U	121E4	CUNEIFORM SIGN LAGAB TIMES TE PLUS A PLUS SU PLUS NA
12188	CUNEIFORM SIGN KA TIMES U2	121E5	CUNEIFORM SIGN LAGAB TIMES U
12189	CUNEIFORM SIGN KA TIMES UD	121E6	CUNEIFORM SIGN LAGAB TIMES U PLUS A
1218A	CUNEIFORM SIGN KA TIMES UMUM TIMES PA	121E7	CUNEIFORM SIGN LAGAB TIMES U PLUS U PLUS U
1218B	CUNEIFORM SIGN KA TIMES USH	121E8	CUNEIFORM SIGN LAGAB TIMES U2 PLUS ASH
1218C	CUNEIFORM SIGN KA TIMES ZI	121E9	CUNEIFORM SIGN LAGAB TIMES UD
1218D	CUNEIFORM SIGN KA2	121EA	CUNEIFORM SIGN LAGAB TIMES USH
1218E	CUNEIFORM SIGN KA2 CROSSING KA2	121EB	CUNEIFORM SIGN LAGAB SQUARED
1218F	CUNEIFORM SIGN KAB	121EC	CUNEIFORM SIGN LAGAR
12190	CUNEIFORM SIGN KAD2	121ED	CUNEIFORM SIGN LAGAR TIMES SHE
12191	CUNEIFORM SIGN KAD3	121EE	CUNEIFORM SIGN LAGAR TIMES SHE PLUS SUM
12192	CUNEIFORM SIGN KAD4	121EF	CUNEIFORM SIGN LAGAR GUNU
12193	CUNEIFORM SIGN KAD5	121F0	CUNEIFORM SIGN LAGAR GUNU OVER LAGAR GUNU SHE
12194	CUNEIFORM SIGN KAD5 OVER KAD5	121F1	CUNEIFORM SIGN LAHSHU
12195	CUNEIFORM SIGN KAK	121F2	CUNEIFORM SIGN LAL
12196	CUNEIFORM SIGN KAK TIMES IGI GUNU	121F3	CUNEIFORM SIGN LAL TIMES LAL
12197	CUNEIFORM SIGN KAL	121F4	CUNEIFORM SIGN LAM
12198	CUNEIFORM SIGN KAL TIMES BAD	121F5	CUNEIFORM SIGN LAM TIMES KUR
12199	CUNEIFORM SIGN KAL CROSSING KAL	121F6	CUNEIFORM SIGN LAM TIMES KUR PLUS RU
1219A	CUNEIFORM SIGN KAM2	121F7	CUNEIFORM SIGN LI
1219B	CUNEIFORM SIGN KAM4	121F8	CUNEIFORM SIGN LIL
1219C	CUNEIFORM SIGN KASKAL	121F9	CUNEIFORM SIGN LIMMU2
1219D	CUNEIFORM SIGN KASKAL LAGAB TIMES U OVER LAGAB TIMES U	121FA	CUNEIFORM SIGN LISH
1219E	CUNEIFORM SIGN KASKAL OVER KASKAL LAGAB TIMES U OVER LAGAB TIMES U	121FB	CUNEIFORM SIGN LU
1219F	CUNEIFORM SIGN KESH2	121FC	CUNEIFORM SIGN LU TIMES BAD
121A0	CUNEIFORM SIGN KI	121FD	CUNEIFORM SIGN LU2
121A1	CUNEIFORM SIGN KI TIMES BAD	121FE	CUNEIFORM SIGN LU2 TIMES AL
121A2	CUNEIFORM SIGN KI TIMES U	121FF	CUNEIFORM SIGN LU2 TIMES BAD
121A3	CUNEIFORM SIGN KI TIMES UD	12200	CUNEIFORM SIGN LU2 TIMES ESH2
121A4	CUNEIFORM SIGN KID	12201	CUNEIFORM SIGN LU2 TIMES ESH2 TENU
121A5	CUNEIFORM SIGN KIN	12202	CUNEIFORM SIGN LU2 TIMES GAN2 TENU
121A6	CUNEIFORM SIGN KISAL	12203	CUNEIFORM SIGN LU2 TIMES HI TIMES BAD
121A7	CUNEIFORM SIGN KISH	12204	CUNEIFORM SIGN LU2 TIMES IM
121A8	CUNEIFORM SIGN KISIM5	12205	CUNEIFORM SIGN LU2 TIMES KAD2
121A9	CUNEIFORM SIGN KISIM5 OVER KISIM5	12206	CUNEIFORM SIGN LU2 TIMES KAD3
121AA	CUNEIFORM SIGN KU	12207	CUNEIFORM SIGN LU2 TIMES KAD3 PLUS ASH
121AB	CUNEIFORM SIGN KU OVER HI TIMES ASH2 KU OVER HI TIMES ASH2	12208	CUNEIFORM SIGN LU2 TIMES KI
121AC	CUNEIFORM SIGN KU3	12209	CUNEIFORM SIGN LU2 TIMES LA PLUS ASH
121AD	CUNEIFORM SIGN KU4	1220A	CUNEIFORM SIGN LU2 TIMES LAGAB
121AE	CUNEIFORM SIGN KU4 VARIANT FORM	1220B	CUNEIFORM SIGN LU2 TIMES ME PLUS EN
121AF	CUNEIFORM SIGN KU7	1220C	CUNEIFORM SIGN LU2 TIMES NE
121B0	CUNEIFORM SIGN KUL	1220D	CUNEIFORM SIGN LU2 TIMES NU
121B1	CUNEIFORM SIGN KUL GUNU	1220E	CUNEIFORM SIGN LU2 TIMES SI PLUS ASH
121B2	CUNEIFORM SIGN KUN	1220F	CUNEIFORM SIGN LU2 TIMES SIK2 PLUS BU
121B3	CUNEIFORM SIGN KUR		
121B4	CUNEIFORM SIGN KUR OPPOSING KUR		
121B5	CUNEIFORM SIGN KUSHU2		
121B6	CUNEIFORM SIGN KWU318		
121B7	CUNEIFORM SIGN LA		
121B8	CUNEIFORM SIGN LAGAB		
121B9	CUNEIFORM SIGN LAGAB TIMES A		
121BA	CUNEIFORM SIGN LAGAB TIMES A PLUS DA PLUS HA		
121BB	CUNEIFORM SIGN LAGAB TIMES A PLUS GAR		
121BC	CUNEIFORM SIGN LAGAB TIMES A PLUS LAL		

Group 00

Plane 01

Row 21

Table 203 - Row 22: Cuneiform

HEX	NAME	HEX	NAME
12210	CUNEIFORM SIGN LU2 TIMES TUG2	1226D	CUNEIFORM SIGN NUNUZ
12211	CUNEIFORM SIGN LU2 TENU	1226E	CUNEIFORM SIGN NUNUZ AB2 TIMES ASHGAB
12212	CUNEIFORM SIGN LU2 CROSSING LU2	1226F	CUNEIFORM SIGN NUNUZ AB2 TIMES BI
12213	CUNEIFORM SIGN LU2 OPPOSING LU2	12270	CUNEIFORM SIGN NUNUZ AB2 TIMES DUG
12214	CUNEIFORM SIGN LU2 SQUARED	12271	CUNEIFORM SIGN NUNUZ AB2 TIMES GUD
12215	CUNEIFORM SIGN LU2 SHESHIG	12272	CUNEIFORM SIGN NUNUZ AB2 TIMES IGI GUNU
12216	CUNEIFORM SIGN LU3	12273	CUNEIFORM SIGN NUNUZ AB2 TIMES KAD3
12217	CUNEIFORM SIGN LUGAL	12274	CUNEIFORM SIGN NUNUZ AB2 TIMES LA
12218	CUNEIFORM SIGN LUGAL OVER LUGAL	12275	CUNEIFORM SIGN NUNUZ AB2 TIMES NE
12219	CUNEIFORM SIGN LUGAL OPPOSING LUGAL	12276	CUNEIFORM SIGN NUNUZ AB2 TIMES SILA3
1221A	CUNEIFORM SIGN LUGAL SHESHIG	12277	CUNEIFORM SIGN NUNUZ AB2 TIMES U2
1221B	CUNEIFORM SIGN LUH	12278	CUNEIFORM SIGN NUNUZ KISIM5 TIMES BI
1221C	CUNEIFORM SIGN LUL	12279	CUNEIFORM SIGN NUNUZ KISIM5 TIMES BI U
1221D	CUNEIFORM SIGN LUM	1227A	CUNEIFORM SIGN PA
1221E	CUNEIFORM SIGN LUM OVER LUM	1227B	CUNEIFORM SIGN PAD
1221F	CUNEIFORM SIGN LUM OVER LUM GAR OVER GAR	1227C	CUNEIFORM SIGN PAN
12220	CUNEIFORM SIGN MA	1227D	CUNEIFORM SIGN PAP
12221	CUNEIFORM SIGN MA TIMES TAK4	1227E	CUNEIFORM SIGN PESH2
12222	CUNEIFORM SIGN MA GUNU	1227F	CUNEIFORM SIGN PI
12223	CUNEIFORM SIGN MA2	12280	CUNEIFORM SIGN PI TIMES A
12224	CUNEIFORM SIGN MAH	12281	CUNEIFORM SIGN PI TIMES AB
12225	CUNEIFORM SIGN MAR	12282	CUNEIFORM SIGN PI TIMES BI
12226	CUNEIFORM SIGN MASH	12283	CUNEIFORM SIGN PI TIMES BU
12227	CUNEIFORM SIGN MASH2	12284	CUNEIFORM SIGN PI TIMES E
12228	CUNEIFORM SIGN ME	12285	CUNEIFORM SIGN PI TIMES I
12229	CUNEIFORM SIGN MES	12286	CUNEIFORM SIGN PI TIMES IB
1222A	CUNEIFORM SIGN MI	12287	CUNEIFORM SIGN PI TIMES U
1222B	CUNEIFORM SIGN MIN	12288	CUNEIFORM SIGN PI TIMES U2
1222C	CUNEIFORM SIGN MU	12289	CUNEIFORM SIGN PI CROSSING PI
1222D	CUNEIFORM SIGN MU OVER MU	1228A	CUNEIFORM SIGN PIRIG
1222E	CUNEIFORM SIGN MUG	1228B	CUNEIFORM SIGN PIRIG TIMES KAL
1222F	CUNEIFORM SIGN MUG GUNU	1228C	CUNEIFORM SIGN PIRIG TIMES UD
12230	CUNEIFORM SIGN MUNSUB	1228D	CUNEIFORM SIGN PIRIG TIMES ZA
12231	CUNEIFORM SIGN MURGU2	1228E	CUNEIFORM SIGN PIRIG OPPOSING PIRIG
12232	CUNEIFORM SIGN MUSH	1228F	CUNEIFORM SIGN RA
12233	CUNEIFORM SIGN MUSH TIMES A	12290	CUNEIFORM SIGN RAB
12234	CUNEIFORM SIGN MUSH TIMES KUR	12291	CUNEIFORM SIGN RI
12235	CUNEIFORM SIGN MUSH TIMES ZA	12292	CUNEIFORM SIGN RU
12236	CUNEIFORM SIGN MUSH OVER MUSH	12293	CUNEIFORM SIGN SA
12237	CUNEIFORM SIGN MUSH OVER MUSH TIMES A PLUS NA	12294	CUNEIFORM SIGN SAG NUTILLU
12238	CUNEIFORM SIGN MUSH CROSSING MUSH	12295	CUNEIFORM SIGN SAG
12239	CUNEIFORM SIGN MUSH3	12296	CUNEIFORM SIGN SAG TIMES A
1223A	CUNEIFORM SIGN MUSH3 TIMES A	12297	CUNEIFORM SIGN SAG TIMES DU
1223B	CUNEIFORM SIGN MUSH3 TIMES A PLUS DI	12298	CUNEIFORM SIGN SAG TIMES DUB
1223C	CUNEIFORM SIGN MUSH3 TIMES DI	12299	CUNEIFORM SIGN SAG TIMES HA
1223D	CUNEIFORM SIGN MUSH3 GUNU	1229A	CUNEIFORM SIGN SAG TIMES KAK
1223E	CUNEIFORM SIGN NA	1229B	CUNEIFORM SIGN SAG TIMES KUR
1223F	CUNEIFORM SIGN NA2	1229C	CUNEIFORM SIGN SAG TIMES LUM
12240	CUNEIFORM SIGN NAGA	1229D	CUNEIFORM SIGN SAG TIMES MI
12241	CUNEIFORM SIGN NAGA INVERTED	1229E	CUNEIFORM SIGN SAG TIMES NUN
12242	CUNEIFORM SIGN NAGA TIMES SHU TENU	1229F	CUNEIFORM SIGN SAG TIMES SAL
12243	CUNEIFORM SIGN NAGA OPPOSING NAGA	122A0	CUNEIFORM SIGN SAG TIMES SHID
12244	CUNEIFORM SIGN NAGAR	122A1	CUNEIFORM SIGN SAG TIMES TAB
12245	CUNEIFORM SIGN NAM NUTILLU	122A2	CUNEIFORM SIGN SAG TIMES U2
12246	CUNEIFORM SIGN NAM	122A3	CUNEIFORM SIGN SAG TIMES UB
12247	CUNEIFORM SIGN NAM2	122A4	CUNEIFORM SIGN SAG TIMES UM
12248	CUNEIFORM SIGN NE	122A5	CUNEIFORM SIGN SAG TIMES UR
12249	CUNEIFORM SIGN NE TIMES A	122A6	CUNEIFORM SIGN SAG TIMES USH
1224A	CUNEIFORM SIGN NE TIMES UD	122A7	CUNEIFORM SIGN SAG OVER SAG
1224B	CUNEIFORM SIGN NE SHESHIG	122A8	CUNEIFORM SIGN SAG GUNU
1224C	CUNEIFORM SIGN NI	122A9	CUNEIFORM SIGN SAL
1224D	CUNEIFORM SIGN NI TIMES E	122AA	CUNEIFORM SIGN SAL LAGAB TIMES ASH2
1224E	CUNEIFORM SIGN NI2	122AB	CUNEIFORM SIGN SANGA2
1224F	CUNEIFORM SIGN NIM	122AC	CUNEIFORM SIGN SAR
12250	CUNEIFORM SIGN NIM TIMES GAN2 TENU	122AD	CUNEIFORM SIGN SHA
12251	CUNEIFORM SIGN NIM TIMES GAR PLUS GAN2 TENU	122AE	CUNEIFORM SIGN SHA3
12252	CUNEIFORM SIGN NINDA2	122AF	CUNEIFORM SIGN SHA3 TIMES A
12253	CUNEIFORM SIGN NINDA2 TIMES AN	122B0	CUNEIFORM SIGN SHA3 TIMES BAD
12254	CUNEIFORM SIGN NINDA2 TIMES ASH	122B1	CUNEIFORM SIGN SHA3 TIMES GISH
12255	CUNEIFORM SIGN NINDA2 TIMES ASH PLUS ASH	122B2	CUNEIFORM SIGN SHA3 TIMES NE
12256	CUNEIFORM SIGN NINDA2 TIMES GUD	122B3	CUNEIFORM SIGN SHA3 TIMES SHU2
12257	CUNEIFORM SIGN NINDA2 TIMES ME PLUS GAN2 TENU	122B4	CUNEIFORM SIGN SHA3 TIMES TUR
12258	CUNEIFORM SIGN NINDA2 TIMES NE	122B5	CUNEIFORM SIGN SHA3 TIMES U
12259	CUNEIFORM SIGN NINDA2 TIMES NUN	122B6	CUNEIFORM SIGN SHA3 TIMES U PLUS A
1225A	CUNEIFORM SIGN NINDA2 TIMES SHE	122B7	CUNEIFORM SIGN SHA6
1225B	CUNEIFORM SIGN NINDA2 TIMES SHE PLUS A AN	122B8	CUNEIFORM SIGN SHAB6
1225C	CUNEIFORM SIGN NINDA2 TIMES SHE PLUS ASH	122B9	CUNEIFORM SIGN SHAR2
1225D	CUNEIFORM SIGN NINDA2 TIMES SHE PLUS ASH PLUS ASH	122BA	CUNEIFORM SIGN SHE
1225E	CUNEIFORM SIGN NINDA2 TIMES U2 PLUS ASH	122BB	CUNEIFORM SIGN SHE HU
1225F	CUNEIFORM SIGN NINDA2 TIMES USH	122BC	CUNEIFORM SIGN SHE OVER SHE GAD OVER GAD GAR OVER GAR
12260	CUNEIFORM SIGN NISAG	122BD	CUNEIFORM SIGN SHE OVER SHE TAB OVER TAB GAR OVER GAR
12261	CUNEIFORM SIGN NU	122BE	CUNEIFORM SIGN SHEG9
12262	CUNEIFORM SIGN NU11	122BF	CUNEIFORM SIGN SHEN
12263	CUNEIFORM SIGN NUN		
12264	CUNEIFORM SIGN NUN LAGAR TIMES GAR		
12265	CUNEIFORM SIGN NUN LAGAR TIMES MASH		
12266	CUNEIFORM SIGN NUN LAGAR TIMES SAL		
12267	CUNEIFORM SIGN NUN LAGAR TIMES SAL OVER NUN LAGAR TIMES SAL		
12268	CUNEIFORM SIGN NUN LAGAR TIMES USH		
12269	CUNEIFORM SIGN NUN TENU		
1226A	CUNEIFORM SIGN NUN OVER NUN		
1226B	CUNEIFORM SIGN NUN CROSSING NUN		
1226C	CUNEIFORM SIGN NUN CROSSING NUN LAGAR OVER LAGAR		

Group 00

Plane 01

Row 22

Table 204 - Rows 22-23: Cuneiform

	122C	122D	122E	122F	1230	1231	1232	1233	1234	1235
0	122C0	122D0	122E0	122F0	12300	12310	12320	12330	12340	12350
1	122C1	122D1	122E1	122F1	12301	12311	12321	12331	12341	12351
2	122C2	122D2	122E2	122F2	12302	12312	12322	12332	12342	12352
3	122C3	122D3	122E3	122F3	12303	12313	12323	12333	12343	12353
4	122C4	122D4	122E4	122F4	12304	12314	12324	12334	12344	12354
5	122C5	122D5	122E5	122F5	12305	12315	12325	12335	12345	12355
6	122C6	122D6	122E6	122F6	12306	12316	12326	12336	12346	12356
7	122C7	122D7	122E7	122F7	12307	12317	12327	12337	12347	12357
8	122C8	122D8	122E8	122F8	12308	12318	12328	12338	12348	12358
9	122C9	122D9	122E9	122F9	12309	12319	12329	12339	12349	12359
A	122CA	122DA	122EA	122FA	1230A	1231A	1232A	1233A	1234A	1235A
B	122CB	122DB	122EB	122FB	1230B	1231B	1232B	1233B	1234B	1235B
C	122CC	122DC	122EC	122FC	1230C	1231C	1232C	1233C	1234C	1235C
D	122CD	122DD	122ED	122FD	1230D	1231D	1232D	1233D	1234D	1235D
E	122CE	122DE	122EE	122FE	1230E	1231E	1232E	1233E	1234E	1235E
F	122CF	122DF	122EF	122FF	1230F	1231F	1232F	1233F	1234F	1235F

G = 00
P = 01

Table 204 - Rows 22-23: Cuneiform
















HEX	NAME	HEX	NAME
122C0	CUNEIFORM SIGN SHESH	1231D	CUNEIFORM SIGN UM
122C1	CUNEIFORM SIGN SHESH2	1231E	CUNEIFORM SIGN UM TIMES LAGAB
122C2	CUNEIFORM SIGN SHESHLAM	1231F	CUNEIFORM SIGN UM TIMES ME PLUS DA
122C3	CUNEIFORM SIGN SHID	12320	CUNEIFORM SIGN UM TIMES SHA3
122C4	CUNEIFORM SIGN SHID TIMES A	12321	CUNEIFORM SIGN UM TIMES U
122C5	CUNEIFORM SIGN SHID TIMES IM	12322	CUNEIFORM SIGN UMBIN
122C6	CUNEIFORM SIGN SHIM	12323	CUNEIFORM SIGN UMUM
122C7	CUNEIFORM SIGN SHIM TIMES A	12324	CUNEIFORM SIGN UMUM TIMES KASKAL
122C8	CUNEIFORM SIGN SHIM TIMES BAL	12325	CUNEIFORM SIGN UMUM TIMES PA
122C9	CUNEIFORM SIGN SHIM TIMES BULUG	12326	CUNEIFORM SIGN UN
122CA	CUNEIFORM SIGN SHIM TIMES DIN	12327	CUNEIFORM SIGN UN GUNU
122CB	CUNEIFORM SIGN SHIM TIMES GAR	12328	CUNEIFORM SIGN UR
122CC	CUNEIFORM SIGN SHIM TIMES IGI	12329	CUNEIFORM SIGN UR CROSSING UR
122CD	CUNEIFORM SIGN SHIM TIMES IGI GUNU	1232A	CUNEIFORM SIGN UR SHESHIG
122CE	CUNEIFORM SIGN SHIM TIMES KUSHU2	1232B	CUNEIFORM SIGN UR2
122CF	CUNEIFORM SIGN SHIM TIMES LUL	1232C	CUNEIFORM SIGN UR2 TIMES A PLUS HA
122D0	CUNEIFORM SIGN SHIM TIMES MUG	1232D	CUNEIFORM SIGN UR2 TIMES A PLUS NA
122D1	CUNEIFORM SIGN SHIM TIMES SAL	1232E	CUNEIFORM SIGN UR2 TIMES AL
122D2	CUNEIFORM SIGN SHINIG	1232F	CUNEIFORM SIGN UR2 TIMES HA
122D3	CUNEIFORM SIGN SHIR	12330	CUNEIFORM SIGN UR2 TIMES NUN
122D4	CUNEIFORM SIGN SHIR TENU	12331	CUNEIFORM SIGN UR2 TIMES U2
122D5	CUNEIFORM SIGN SHIR OVER SHIR BUR OVER BUR	12332	CUNEIFORM SIGN UR2 TIMES U2 PLUS ASH
122D6	CUNEIFORM SIGN SHITA	12333	CUNEIFORM SIGN UR2 TIMES U2 PLUS BI
122D7	CUNEIFORM SIGN SHU	12334	CUNEIFORM SIGN UR4
122D8	CUNEIFORM SIGN SHU OVER INVERTED SHU	12335	CUNEIFORM SIGN URI
122D9	CUNEIFORM SIGN SHU2	12336	CUNEIFORM SIGN URI3
122DA	CUNEIFORM SIGN SHUBUR	12337	CUNEIFORM SIGN URU
122DB	CUNEIFORM SIGN SI	12338	CUNEIFORM SIGN URU TIMES A
122DC	CUNEIFORM SIGN SI GUNU	12339	CUNEIFORM SIGN URU TIMES ASHGAB
122DD	CUNEIFORM SIGN SIG	1233A	CUNEIFORM SIGN URU TIMES BAR
122DE	CUNEIFORM SIGN SIG4	1233B	CUNEIFORM SIGN URU TIMES DUN
122DF	CUNEIFORM SIGN SIG4 OVER SIG4 SHU2	1233C	CUNEIFORM SIGN URU TIMES GA
122E0	CUNEIFORM SIGN SIK2	1233D	CUNEIFORM SIGN URU TIMES GAL
122E1	CUNEIFORM SIGN SILA3	1233E	CUNEIFORM SIGN URU TIMES GAN2 TENU
122E2	CUNEIFORM SIGN SU	1233F	CUNEIFORM SIGN URU TIMES GAR
122E3	CUNEIFORM SIGN SU OVER SU	12340	CUNEIFORM SIGN URU TIMES GU
122E4	CUNEIFORM SIGN SUD	12341	CUNEIFORM SIGN URU TIMES HA
122E5	CUNEIFORM SIGN SUD2	12342	CUNEIFORM SIGN URU TIMES IGI
122E6	CUNEIFORM SIGN SUHUR	12343	CUNEIFORM SIGN URU TIMES IM
122E7	CUNEIFORM SIGN SUM	12344	CUNEIFORM SIGN URU TIMES ISH
122E8	CUNEIFORM SIGN SUMASH	12345	CUNEIFORM SIGN URU TIMES KI
122E9	CUNEIFORM SIGN SUR	12346	CUNEIFORM SIGN URU TIMES LUM
122EA	CUNEIFORM SIGN SUR9	12347	CUNEIFORM SIGN URU TIMES MIN
122EB	CUNEIFORM SIGN TA	12348	CUNEIFORM SIGN URU TIMES PA
122EC	CUNEIFORM SIGN TA ASTERISK	12349	CUNEIFORM SIGN URU TIMES SHE
122ED	CUNEIFORM SIGN TA TIMES HI	1234A	CUNEIFORM SIGN URU TIMES SIG4
122EE	CUNEIFORM SIGN TA TIMES MI	1234B	CUNEIFORM SIGN URU TIMES TU
122EF	CUNEIFORM SIGN TA GUNU	1234C	CUNEIFORM SIGN URU TIMES U PLUS GUD
122F0	CUNEIFORM SIGN TAB	1234D	CUNEIFORM SIGN URU TIMES UD
122F1	CUNEIFORM SIGN TAB OVER TAB NI OVER NI DISH OVER DISH	1234E	CUNEIFORM SIGN URU TIMES URUDA
122F2	CUNEIFORM SIGN TAB SQUARED	1234F	CUNEIFORM SIGN URUDA
122F3	CUNEIFORM SIGN TAG	12350	CUNEIFORM SIGN URUDA TIMES U
122F4	CUNEIFORM SIGN TAG TIMES BI	12351	CUNEIFORM SIGN USH
122F5	CUNEIFORM SIGN TAG TIMES GUD	12352	CUNEIFORM SIGN USH TIMES A
122F6	CUNEIFORM SIGN TAG TIMES SHE	12353	CUNEIFORM SIGN USH TIMES KU
122F7	CUNEIFORM SIGN TAG TIMES SHU	12354	CUNEIFORM SIGN USH TIMES KUR
122F8	CUNEIFORM SIGN TAG TIMES TUG2	12355	CUNEIFORM SIGN USH TIMES TAK4
122F9	CUNEIFORM SIGN TAG TIMES UD	12356	CUNEIFORM SIGN USHX
122FA	CUNEIFORM SIGN TAK4	12357	CUNEIFORM SIGN USH2
122FB	CUNEIFORM SIGN TAR	12358	CUNEIFORM SIGN USHUMX
122FC	CUNEIFORM SIGN TE	12359	CUNEIFORM SIGN UTUKI
122FD	CUNEIFORM SIGN TE GUNU	1235A	CUNEIFORM SIGN UZ3
122FE	CUNEIFORM SIGN TI	1235B	CUNEIFORM SIGN UZ3 TIMES KASKAL
122FF	CUNEIFORM SIGN TI TENU	1235C	CUNEIFORM SIGN UZU
12300	CUNEIFORM SIGN TIL	1235D	CUNEIFORM SIGN ZA
12301	CUNEIFORM SIGN TIR	1235E	CUNEIFORM SIGN ZA TENU
12302	CUNEIFORM SIGN TIR TIMES TAK4	1235F	CUNEIFORM SIGN ZA SQUARED TIMES KUR
12303	CUNEIFORM SIGN TIR OVER TIR		
12304	CUNEIFORM SIGN TIR OVER TIR GAD OVER GAD GAR OVER GAR		
12305	CUNEIFORM SIGN TU		
12306	CUNEIFORM SIGN TUG2		
12307	CUNEIFORM SIGN TUK		
12308	CUNEIFORM SIGN TUM		
12309	CUNEIFORM SIGN TUR		
1230A	CUNEIFORM SIGN TUR OVER TUR ZA OVER ZA		
1230B	CUNEIFORM SIGN U		
1230C	CUNEIFORM SIGN U GUD		
1230D	CUNEIFORM SIGN U U U		
1230E	CUNEIFORM SIGN U OVER U PA OVER PA GAR OVER GAR		
1230F	CUNEIFORM SIGN U OVER U SUR OVER SUR		
12310	CUNEIFORM SIGN U OVER U U REVERSED OVER U REVERSED		
12311	CUNEIFORM SIGN U2		
12312	CUNEIFORM SIGN UB		
12313	CUNEIFORM SIGN UD		
12314	CUNEIFORM SIGN UD KUSHU2		
12315	CUNEIFORM SIGN UD TIMES BAD		
12316	CUNEIFORM SIGN UD TIMES MI		
12317	CUNEIFORM SIGN UD TIMES U PLUS U PLUS U		
12318	CUNEIFORM SIGN UD TIMES U PLUS U PLUS U GUNU		
12319	CUNEIFORM SIGN UD GUNU		
1231A	CUNEIFORM SIGN UD SHESHIG		
1231B	CUNEIFORM SIGN UD SHESHIG TIMES BAD		
1231C	CUNEIFORM SIGN UDUG		

Group 00

Plane 01






































































Row 22

Table 205 - Row 23: Cuneiform

	1236	1237	1238	1239	123A	123B	123C	123D	123E	123F
0	 12360									
1	 12361									
2	 12362									
3	 12363									
4	 12364									
5	 12365									
6	 12366									
7	 12367									
8	 12368									
9	 12369									
A	 1236A									
B	 1236B									
C	 1236C									
D	 1236D									
E	 1236E									
F										

G = 00
P = 01

Table 206 - Row 24: Cuneiform Numbers and Punctuation

	1240	1241	1242	1243	1244	1245	1246	1247
0	 12400	 12410	 12420	 12430	 12440	 12450	 12460	 12470
1	 12401	 12411	 12421	 12431	 12441	 12451	 12461	 12471
2	 12402	 12412	 12422	 12432	 12442	 12452	 12462	 12472
3	 12403	 12413	 12423	 12433	 12443	 12453		 12473
4	 12404	 12414	 12424	 12434	 12444	 12454		
5	 12405	 12415	 12425	 12435	 12445	 12455		
6	 12406	 12416	 12426	 12436	 12446	 12456		
7	 12407	 12417	 12427	 12437	 12447	 12457		
8	 12408	 12418	 12428	 12438	 12448	 12458		
9	 12409	 12419	 12429	 12439	 12449	 12459		
A	 1240A	 1241A	 1242A	 1243A	 1244A	 1245A		
B	 1240B	 1241B	 1242B	 1243B	 1244B	 1245B		
C	 1240C	 1241C	 1242C	 1243C	 1244C	 1245C		
D	 1240D	 1241D	 1242D	 1243D	 1244D	 1245D		
E	 1240E	 1241E	 1242E	 1243E	 1244E	 1245E		
F	 1240F	 1241F	 1242F	 1243F	 1244F	 1245F		

G = 00
P = 01

Table 206 - Row 24: Cuneiform Numbers and Punctuation

HEX	NAME	HEX	NAME
12400	CUNEIFORM NUMERIC SIGN TWO ASH	1245D	CUNEIFORM NUMERIC SIGN ONE THIRD VARIANT FORM A
12401	CUNEIFORM NUMERIC SIGN THREE ASH	1245E	CUNEIFORM NUMERIC SIGN TWO THIRDS VARIANT FORM A
12402	CUNEIFORM NUMERIC SIGN FOUR ASH	1245F	CUNEIFORM NUMERIC SIGN ONE EIGHTH ASH
12403	CUNEIFORM NUMERIC SIGN FIVE ASH	12460	CUNEIFORM NUMERIC SIGN ONE QUARTER ASH
12404	CUNEIFORM NUMERIC SIGN SIX ASH	12461	CUNEIFORM NUMERIC SIGN OLD ASSYRIAN ONE SIXTH
12405	CUNEIFORM NUMERIC SIGN SEVEN ASH	12462	CUNEIFORM NUMERIC SIGN OLD ASSYRIAN ONE QUARTER
12406	CUNEIFORM NUMERIC SIGN EIGHT ASH	12463	(This position shall not be used)
12407	CUNEIFORM NUMERIC SIGN NINE ASH	12464	(This position shall not be used)
12408	CUNEIFORM NUMERIC SIGN THREE DISH	12465	(This position shall not be used)
12409	CUNEIFORM NUMERIC SIGN FOUR DISH	12466	(This position shall not be used)
1240A	CUNEIFORM NUMERIC SIGN FIVE DISH	12467	(This position shall not be used)
1240B	CUNEIFORM NUMERIC SIGN SIX DISH	12468	(This position shall not be used)
1240C	CUNEIFORM NUMERIC SIGN SEVEN DISH	12469	(This position shall not be used)
1240D	CUNEIFORM NUMERIC SIGN EIGHT DISH	1246A	(This position shall not be used)
1240E	CUNEIFORM NUMERIC SIGN NINE DISH	1246B	(This position shall not be used)
1240F	CUNEIFORM NUMERIC SIGN FOUR U	1246C	(This position shall not be used)
12410	CUNEIFORM NUMERIC SIGN FIVE U	1246D	(This position shall not be used)
12411	CUNEIFORM NUMERIC SIGN SIX U	1246E	(This position shall not be used)
12412	CUNEIFORM NUMERIC SIGN SEVEN U	1246F	(This position shall not be used)
12413	CUNEIFORM NUMERIC SIGN EIGHT U	12470	CUNEIFORM PUNCTUATION SIGN OLD ASSYRIAN WORD DIVIDER
12414	CUNEIFORM NUMERIC SIGN NINE U	12471	CUNEIFORM PUNCTUATION SIGN VERTICAL COLON
12415	CUNEIFORM NUMERIC SIGN ONE GESH2	12472	CUNEIFORM PUNCTUATION SIGN DIAGONAL COLON
12416	CUNEIFORM NUMERIC SIGN TWO GESH2	12473	CUNEIFORM PUNCTUATION SIGN DIAGONAL TRICOLON
12417	CUNEIFORM NUMERIC SIGN THREE GESH2	12474	(This position shall not be used)
12418	CUNEIFORM NUMERIC SIGN FOUR GESH2	12475	(This position shall not be used)
12419	CUNEIFORM NUMERIC SIGN FIVE GESH2	12476	(This position shall not be used)
1241A	CUNEIFORM NUMERIC SIGN SIX GESH2	12477	(This position shall not be used)
1241B	CUNEIFORM NUMERIC SIGN SEVEN GESH2	12478	(This position shall not be used)
1241C	CUNEIFORM NUMERIC SIGN EIGHT GESH2	12479	(This position shall not be used)
1241D	CUNEIFORM NUMERIC SIGN NINE GESH2	1247A	(This position shall not be used)
1241E	CUNEIFORM NUMERIC SIGN ONE GESHU	1247B	(This position shall not be used)
1241F	CUNEIFORM NUMERIC SIGN TWO GESHU	1247C	(This position shall not be used)
12420	CUNEIFORM NUMERIC SIGN THREE GESHU	1247D	(This position shall not be used)
12421	CUNEIFORM NUMERIC SIGN FOUR GESHU	1247E	(This position shall not be used)
12422	CUNEIFORM NUMERIC SIGN FIVE GESHU	1247F	(This position shall not be used)
12423	CUNEIFORM NUMERIC SIGN TWO SHAR2		
12424	CUNEIFORM NUMERIC SIGN THREE SHAR2		
12425	CUNEIFORM NUMERIC SIGN THREE SHAR2 VARIANT FORM		
12426	CUNEIFORM NUMERIC SIGN FOUR SHAR2		
12427	CUNEIFORM NUMERIC SIGN FIVE SHAR2		
12428	CUNEIFORM NUMERIC SIGN SIX SHAR2		
12429	CUNEIFORM NUMERIC SIGN SEVEN SHAR2		
1242A	CUNEIFORM NUMERIC SIGN EIGHT SHAR2		
1242B	CUNEIFORM NUMERIC SIGN NINE SHAR2		
1242C	CUNEIFORM NUMERIC SIGN ONE SHARU		
1242D	CUNEIFORM NUMERIC SIGN TWO SHARU		
1242E	CUNEIFORM NUMERIC SIGN THREE SHARU		
1242F	CUNEIFORM NUMERIC SIGN THREE SHARU VARIANT FORM		
12430	CUNEIFORM NUMERIC SIGN FOUR SHARU		
12431	CUNEIFORM NUMERIC SIGN FIVE SHARU		
12432	CUNEIFORM NUMERIC SIGN SHAR2 TIMES GAL PLUS DISH		
12433	CUNEIFORM NUMERIC SIGN SHAR2 TIMES GAL PLUS MIN		
12434	CUNEIFORM NUMERIC SIGN ONE BURU		
12435	CUNEIFORM NUMERIC SIGN TWO BURU		
12436	CUNEIFORM NUMERIC SIGN THREE BURU		
12437	CUNEIFORM NUMERIC SIGN THREE BURU VARIANT FORM		
12438	CUNEIFORM NUMERIC SIGN FOUR BURU		
12439	CUNEIFORM NUMERIC SIGN FIVE BURU		
1243A	CUNEIFORM NUMERIC SIGN THREE VARIANT FORM ESH16		
1243B	CUNEIFORM NUMERIC SIGN THREE VARIANT FORM ESH21		
1243C	CUNEIFORM NUMERIC SIGN FOUR VARIANT FORM LIMMU		
1243D	CUNEIFORM NUMERIC SIGN FOUR VARIANT FORM LIMMU4		
1243E	CUNEIFORM NUMERIC SIGN FOUR VARIANT FORM LIMMU A		
1243F	CUNEIFORM NUMERIC SIGN FOUR VARIANT FORM LIMMU B		
12440	CUNEIFORM NUMERIC SIGN SIX VARIANT FORM ASH9		
12441	CUNEIFORM NUMERIC SIGN SEVEN VARIANT FORM IMIN3		
12442	CUNEIFORM NUMERIC SIGN SEVEN VARIANT FORM IMIN A		
12443	CUNEIFORM NUMERIC SIGN SEVEN VARIANT FORM IMIN B		
12444	CUNEIFORM NUMERIC SIGN EIGHT VARIANT FORM USSU		
12445	CUNEIFORM NUMERIC SIGN EIGHT VARIANT FORM USSU3		
12446	CUNEIFORM NUMERIC SIGN NINE VARIANT FORM ILIMMU		
12447	CUNEIFORM NUMERIC SIGN NINE VARIANT FORM ILIMMU3		
12448	CUNEIFORM NUMERIC SIGN NINE VARIANT FORM ILIMMU4		
12449	CUNEIFORM NUMERIC SIGN NINE VARIANT FORM ILIMMU A		
1244A	CUNEIFORM NUMERIC SIGN TWO ASH TENU		
1244B	CUNEIFORM NUMERIC SIGN THREE ASH TENU		
1244C	CUNEIFORM NUMERIC SIGN FOUR ASH TENU		
1244D	CUNEIFORM NUMERIC SIGN FIVE ASH TENU		
1244E	CUNEIFORM NUMERIC SIGN SIX ASH TENU		
1244F	CUNEIFORM NUMERIC SIGN ONE BAN2		
12450	CUNEIFORM NUMERIC SIGN TWO BAN2		
12451	CUNEIFORM NUMERIC SIGN THREE BAN2		
12452	CUNEIFORM NUMERIC SIGN FOUR BAN2		
12453	CUNEIFORM NUMERIC SIGN FOUR BAN2 VARIANT FORM		
12454	CUNEIFORM NUMERIC SIGN FIVE BAN2		
12455	CUNEIFORM NUMERIC SIGN FIVE BAN2 VARIANT FORM		
12456	CUNEIFORM NUMERIC SIGN NIGIDAMIN		
12457	CUNEIFORM NUMERIC SIGN NIGIDAESH		
12458	CUNEIFORM NUMERIC SIGN ONE ESHE3		
12459	CUNEIFORM NUMERIC SIGN TWO ESHE3		
1245A	CUNEIFORM NUMERIC SIGN ONE THIRD DISH		
1245B	CUNEIFORM NUMERIC SIGN TWO THIRDS DISH		
1245C	CUNEIFORM NUMERIC SIGN FIVE SIXTHS DISH		

































































































































Group 00

Plane 01

Row 24

Table 208 - Row D0: Byzantine Musical Symbols

1D08 1D09 1D0A 1D0B 1D0C 1D0D 1D0E 1D0F

0								
	1D080	1D090	1D0A0	1D0B0	1D0C0	1D0D0	1D0E0	1D0F0
1								
	1D081	1D091	1D0A1	1D0B1	1D0C1	1D0D1	1D0E1	1D0F1
2								
	1D082	1D092	1D0A2	1D0B2	1D0C2	1D0D2	1D0E2	1D0F2
3								
	1D083	1D093	1D0A3	1D0B3	1D0C3	1D0D3	1D0E3	1D0F3
4								
	1D084	1D094	1D0A4	1D0B4	1D0C4	1D0D4	1D0E4	1D0F4
5								
	1D085	1D095	1D0A5	1D0B5	1D0C5	1D0D5	1D0E5	1D0F5
6								
	1D086	1D096	1D0A6	1D0B6	1D0C6	1D0D6	1D0E6	
7								
	1D087	1D097	1D0A7	1D0B7	1D0C7	1D0D7	1D0E7	
8								
	1D088	1D098	1D0A8	1D0B8	1D0C8	1D0D8	1D0E8	
9								
	1D089	1D099	1D0A9	1D0B9	1D0C9	1D0D9	1D0E9	
A								
	1D08A	1D09A	1D0AA	1D0BA	1D0CA	1D0DA	1D0EA	
B								
	1D08B	1D09B	1D0AB	1D0BB	1D0CB	1D0DB	1D0EB	
C								
	1D08C	1D09C	1D0AC	1D0BC	1D0CC	1D0DC	1D0EC	
D								
	1D08D	1D09D	1D0AD	1D0BD	1D0CD	1D0DD	1D0ED	
E								
	1D08E	1D09E	1D0AE	1D0BE	1D0CE	1D0DE	1D0EE	
F								
	1D08F	1D09F	1D0AF	1D0BF	1D0CF	1D0DF	1D0EF	

G = 00
P = 01

Table 208 - Row D0: Byzantine Musical Symbols




















HEX	NAME	HEX	NAME
1D080	BYZANTINE MUSICAL SYMBOL DIPLI ARCHAION	1D0DD	BYZANTINE MUSICAL SYMBOL DIASTOLI THESEOS
1D081	BYZANTINE MUSICAL SYMBOL KRATIMA ARCHAION	1D0DE	BYZANTINE MUSICAL SYMBOL SIMANSIS THESEOS
1D082	BYZANTINE MUSICAL SYMBOL KRATIMA ALLO	1D0DF	BYZANTINE MUSICAL SYMBOL SIMANSIS THESEOS DISIMOU
1D083	BYZANTINE MUSICAL SYMBOL KRATIMA NEO	1D0E0	BYZANTINE MUSICAL SYMBOL SIMANSIS THESEOS TRISIMOU
1D084	BYZANTINE MUSICAL SYMBOL APODERMA NEO	1D0E1	BYZANTINE MUSICAL SYMBOL SIMANSIS THESEOS TETRASIMOU
1D085	BYZANTINE MUSICAL SYMBOL APLI	1D0E2	BYZANTINE MUSICAL SYMBOL SIMANSIS ARSEOS
1D086	BYZANTINE MUSICAL SYMBOL DIPLI	1D0E3	BYZANTINE MUSICAL SYMBOL SIMANSIS ARSEOS DISIMOU
1D087	BYZANTINE MUSICAL SYMBOL TRIPLI	1D0E4	BYZANTINE MUSICAL SYMBOL SIMANSIS ARSEOS TRISIMOU
1D088	BYZANTINE MUSICAL SYMBOL TETRAPLI	1D0E5	BYZANTINE MUSICAL SYMBOL SIMANSIS ARSEOS TETRASIMOU
1D089	BYZANTINE MUSICAL SYMBOL KORONIS	1D0E6	BYZANTINE MUSICAL SYMBOL DIGRAMMA GG
1D08A	BYZANTINE MUSICAL SYMBOL LEIMMA ENOS CHRONOU	1D0E7	BYZANTINE MUSICAL SYMBOL DIFTOGGOS OU
1D08B	BYZANTINE MUSICAL SYMBOL LEIMMA DYO CHRONON	1D0E8	BYZANTINE MUSICAL SYMBOL STIGMA
1D08C	BYZANTINE MUSICAL SYMBOL LEIMMA TRION CHRONON	1D0E9	BYZANTINE MUSICAL SYMBOL ARKTIKO PA
1D08D	BYZANTINE MUSICAL SYMBOL LEIMMA TESSARON CHRONON	1D0EA	BYZANTINE MUSICAL SYMBOL ARKTIKO VOU
1D08E	BYZANTINE MUSICAL SYMBOL LEIMMA IMISEOS CHRONOU	1D0EB	BYZANTINE MUSICAL SYMBOL ARKTIKO GA
1D08F	BYZANTINE MUSICAL SYMBOL GORGON NEO ANO	1D0EC	BYZANTINE MUSICAL SYMBOL ARKTIKO DI
1D090	BYZANTINE MUSICAL SYMBOL GORGON PARESTIGMENON ARISTERA	1D0ED	BYZANTINE MUSICAL SYMBOL ARKTIKO KE
1D091	BYZANTINE MUSICAL SYMBOL GORGON PARESTIGMENON DEXIA	1D0EE	BYZANTINE MUSICAL SYMBOL ARKTIKO ZO
1D092	BYZANTINE MUSICAL SYMBOL DIGORGON	1D0EF	BYZANTINE MUSICAL SYMBOL ARKTIKO NI
1D093	BYZANTINE MUSICAL SYMBOL DIGORGON PARESTIGMENON ARISTERA KATO	1D0F0	BYZANTINE MUSICAL SYMBOL KENTIMATA NEO MESO
1D094	BYZANTINE MUSICAL SYMBOL DIGORGON PARESTIGMENON ARISTERA ANO	1D0F1	BYZANTINE MUSICAL SYMBOL KENTIMA NEO MESO
1D095	BYZANTINE MUSICAL SYMBOL DIGORGON PARESTIGMENON DEXIA	1D0F2	BYZANTINE MUSICAL SYMBOL KENTIMATA NEO KATO
1D096	BYZANTINE MUSICAL SYMBOL TRIGORGON	1D0F3	BYZANTINE MUSICAL SYMBOL KENTIMA NEO KATO
1D097	BYZANTINE MUSICAL SYMBOL ARGON	1D0F4	BYZANTINE MUSICAL SYMBOL KLASMA KATO
1D098	BYZANTINE MUSICAL SYMBOL IMIDIARGON	1D0F5	BYZANTINE MUSICAL SYMBOL GORGON NEO KATO
1D099	BYZANTINE MUSICAL SYMBOL DIARGON	1D0F6	(This position shall not be used)
1D09A	BYZANTINE MUSICAL SYMBOL AGOGI POLI ARG	1D0F7	(This position shall not be used)
1D09B	BYZANTINE MUSICAL SYMBOL AGOGI ARGOTERI	1D0F8	(This position shall not be used)
1D09C	BYZANTINE MUSICAL SYMBOL AGOGI ARG	1D0F9	(This position shall not be used)
1D09D	BYZANTINE MUSICAL SYMBOL AGOGI METRIA	1D0FA	(This position shall not be used)
1D09E	BYZANTINE MUSICAL SYMBOL AGOGI MESI	1D0FB	(This position shall not be used)
1D09F	BYZANTINE MUSICAL SYMBOL AGOGI GORGI	1D0FC	(This position shall not be used)
1D0A0	BYZANTINE MUSICAL SYMBOL AGOGI GORGOTERI	1D0FD	(This position shall not be used)
1D0A1	BYZANTINE MUSICAL SYMBOL AGOGI POLI GORGI	1D0FE	(This position shall not be used)
1D0A2	BYZANTINE MUSICAL SYMBOL MARTYRIA PROTOS ICHOS	1D0FF	(This position shall not be used)
1D0A3	BYZANTINE MUSICAL SYMBOL MARTYRIA ALLI PROTOS ICHOS		
1D0A4	BYZANTINE MUSICAL SYMBOL MARTYRIA DEYTEROS ICHOS		
1D0A5	BYZANTINE MUSICAL SYMBOL MARTYRIA ALLI DEYTEROS ICHOS		
1D0A6	BYZANTINE MUSICAL SYMBOL MARTYRIA TRITOS ICHOS		
1D0A7	BYZANTINE MUSICAL SYMBOL MARTYRIA TRIFONIAS		
1D0A8	BYZANTINE MUSICAL SYMBOL MARTYRIA TETARTOS ICHOS		
1D0A9	BYZANTINE MUSICAL SYMBOL MARTYRIA TETARTOS LEGETOS ICHOS		
1D0AA	BYZANTINE MUSICAL SYMBOL MARTYRIA LEGETOS ICHOS		
1D0AB	BYZANTINE MUSICAL SYMBOL MARTYRIA PLAGIOS ICHOS		
1D0AC	BYZANTINE MUSICAL SYMBOL ISAKIA TELOUS ICHIMATOS		
1D0AD	BYZANTINE MUSICAL SYMBOL APOSTROFOI TELOUS ICHIMATOS		
1D0AE	BYZANTINE MUSICAL SYMBOL FANEROSIS TETRAFONIAS		
1D0AF	BYZANTINE MUSICAL SYMBOL FANEROSIS MONOFONIAS		
1D0B0	BYZANTINE MUSICAL SYMBOL FANEROSIS DIFONIAS		
1D0B1	BYZANTINE MUSICAL SYMBOL MARTYRIA VARYS ICHOS		
1D0B2	BYZANTINE MUSICAL SYMBOL MARTYRIA PROTOVARYS ICHOS		
1D0B3	BYZANTINE MUSICAL SYMBOL MARTYRIA PLAGIOS TETARTOS ICHOS		
1D0B4	BYZANTINE MUSICAL SYMBOL GORTHMIKON N APLOUN		
1D0B5	BYZANTINE MUSICAL SYMBOL GORTHMIKON N DIPLOUN		
1D0B6	BYZANTINE MUSICAL SYMBOL ENARXIS KAI FTHORA VOU		
1D0B7	BYZANTINE MUSICAL SYMBOL IMIFONON		
1D0B8	BYZANTINE MUSICAL SYMBOL IMIFTHORON		
1D0B9	BYZANTINE MUSICAL SYMBOL FTHORA ARCHAION DEYTEROU ICHOU		
1D0BA	BYZANTINE MUSICAL SYMBOL FTHORA DIATONIKI PA		
1D0BB	BYZANTINE MUSICAL SYMBOL FTHORA DIATONIKI NANA		
1D0BC	BYZANTINE MUSICAL SYMBOL FTHORA NAOS ICHOS		
1D0BD	BYZANTINE MUSICAL SYMBOL FTHORA DIATONIKI DI		
1D0BE	BYZANTINE MUSICAL SYMBOL FTHORA SKLIRON DIATONON DI		
1D0BF	BYZANTINE MUSICAL SYMBOL FTHORA DIATONIKI KE		
1D0C0	BYZANTINE MUSICAL SYMBOL FTHORA DIATONIKI ZO		
1D0C1	BYZANTINE MUSICAL SYMBOL FTHORA DIATONIKI NI KATO		
1D0C2	BYZANTINE MUSICAL SYMBOL FTHORA DIATONIKI NI ANO		
1D0C3	BYZANTINE MUSICAL SYMBOL FTHORA MALAKON CHROMA DIFONIAS		
1D0C4	BYZANTINE MUSICAL SYMBOL FTHORA MALAKON CHROMA MONOFONIAS		
1D0C5	BYZANTINE MUSICAL SYMBOL FHTORA SKLIRON CHROMA VASIS		
1D0C6	BYZANTINE MUSICAL SYMBOL FTHORA SKLIRON CHROMA SYNAFI		
1D0C7	BYZANTINE MUSICAL SYMBOL FTHORA NENANO		
1D0C8	BYZANTINE MUSICAL SYMBOL CHROA ZYGOS		
1D0C9	BYZANTINE MUSICAL SYMBOL CHROA KLITON		
1D0CA	BYZANTINE MUSICAL SYMBOL CHROA SPATHI		
1D0CB	BYZANTINE MUSICAL SYMBOL FTHORA I YFESIS TETARTIMORION		
1D0CC	BYZANTINE MUSICAL SYMBOL FTHORA ENARMONIOS ANTIFONIA		
1D0CD	BYZANTINE MUSICAL SYMBOL YFESIS TRITIMORION		
1D0CE	BYZANTINE MUSICAL SYMBOL DIESIS TRITIMORION		
1D0CF	BYZANTINE MUSICAL SYMBOL DIESIS TETARTIMORION		
1D0D0	BYZANTINE MUSICAL SYMBOL DIESIS APLI DYO DODEKATA		
1D0D1	BYZANTINE MUSICAL SYMBOL DIESIS MONOGRAMMOS TESSERA DODEKATA		
1D0D2	BYZANTINE MUSICAL SYMBOL DIESIS DIGRAMMOS EX DODEKATA		
1D0D3	BYZANTINE MUSICAL SYMBOL DIESIS TRIGRAMMOS OKTO DODEKATA		
1D0D4	BYZANTINE MUSICAL SYMBOL YFESIS APLI DYO DODEKATA		
1D0D5	BYZANTINE MUSICAL SYMBOL YFESIS MONOGRAMMOS TESSERA DODEKATA		
1D0D6	BYZANTINE MUSICAL SYMBOL YFESIS DIGRAMMOS EX DODEKATA		
1D0D7	BYZANTINE MUSICAL SYMBOL YFESIS TRIGRAMMOS OKTO DODEKATA		
1D0D8	BYZANTINE MUSICAL SYMBOL GENIKI DIESIS		
1D0D9	BYZANTINE MUSICAL SYMBOL GENIKI YFESIS		
1D0DA	BYZANTINE MUSICAL SYMBOL DIASTOLI APLI MIKRI		
1D0DB	BYZANTINE MUSICAL SYMBOL DIASTOLI APLI MEGALI		
1D0DC	BYZANTINE MUSICAL SYMBOL DIASTOLI DIPLI		

Group 00

Plane 01

Row D0

Table 213 - Row D3: Counting Rod Numerals

	1D36	1D37
0	 1D360	 1D370
1	 1D361	 1D371
2	 1D362	
3	 1D363	
4	 1D364	
5	 1D365	
6	 1D366	
7	 1D367	
8	 1D368	
9	 1D369	
A	 1D36A	
B	 1D36B	
C	 1D36C	
D	 1D36D	
E	 1D36E	
F	 1D36F	

G = 00
P = 01

Table 213 - Row D3: Counting Rod Numerals

HEX	NAME	HEX	NAME
1D360	COUNTING ROD UNIT DIGIT ONE		
1D361	COUNTING ROD UNIT DIGIT TWO		
1D362	COUNTING ROD UNIT DIGIT THREE		
1D363	COUNTING ROD UNIT DIGIT FOUR		
1D364	COUNTING ROD UNIT DIGIT FIVE		
1D365	COUNTING ROD UNIT DIGIT SIX		
1D366	COUNTING ROD UNIT DIGIT SEVEN		
1D367	COUNTING ROD UNIT DIGIT EIGHT		
1D368	COUNTING ROD UNIT DIGIT NINE		
1D369	COUNTING ROD TENS DIGIT ONE		
1D36A	COUNTING ROD TENS DIGIT TWO		
1D36B	COUNTING ROD TENS DIGIT THREE		
1D36C	COUNTING ROD TENS DIGIT FOUR		
1D36D	COUNTING ROD TENS DIGIT FIVE		
1D36E	COUNTING ROD TENS DIGIT SIX		
1D36F	COUNTING ROD TENS DIGIT SEVEN		
1D370	COUNTING ROD TENS DIGIT EIGHT		
1D371	COUNTING ROD TENS DIGIT NINE		
1D372	(This position shall not be used)		
1D373	(This position shall not be used)		
1D374	(This position shall not be used)		
1D375	(This position shall not be used)		
1D376	(This position shall not be used)		
1D377	(This position shall not be used)		
1D378	(This position shall not be used)		
1D379	(This position shall not be used)		
1D37A	(This position shall not be used)		
1D37B	(This position shall not be used)		
1D37C	(This position shall not be used)		
1D37D	(This position shall not be used)		
1D37E	(This position shall not be used)		
1D37F	(This position shall not be used)		

Group 00

Plane 01

Row D3

Table 219 - Row D7: Mathematical Alphanumeric Symbols

1D76 1D77 1D78 1D79 1D7A 1D7B 1D7C 1D7D 1D7E 1D7F

0	Λ 1D760	α 1D770	ρ 1D780	A 1D790	P 1D7A0	η 1D7B0	χ 1D7C0	2 1D7D0	⊘ 1D7E0	4 1D7F0
1	M 1D761	β 1D771	ς 1D781	B 1D791	Θ 1D7A1	θ 1D7B1	ψ 1D7C1	3 1D7D1	ϣ 1D7E1	5 1D7F1
2	N 1D762	γ 1D772	σ 1D782	Γ 1D792	Σ 1D7A2	ι 1D7B2	ω 1D7C2	4 1D7D2	0 1D7E2	6 1D7F2
3	Ξ 1D763	δ 1D773	τ 1D783	Δ 1D793	T 1D7A3	κ 1D7B3	∂ 1D7C3	5 1D7D3	1 1D7E3	7 1D7F3
4	O 1D764	ε 1D774	υ 1D784	E 1D794	Υ 1D7A4	λ 1D7B4	ε 1D7C4	6 1D7D4	2 1D7E4	8 1D7F4
5	Π 1D765	ζ 1D775	φ 1D785	Z 1D795	Φ 1D7A5	μ 1D7B5	ϑ 1D7C5	7 1D7D5	3 1D7E5	9 1D7F5
6	P 1D766	η 1D776	χ 1D786	H 1D796	X 1D7A6	ν 1D7B6	κ 1D7C6	8 1D7D6	4 1D7E6	0 1D7F6
7	Θ 1D767	θ 1D777	ψ 1D787	Θ 1D797	Ψ 1D7A7	ξ 1D7B7	φ 1D7C7	9 1D7D7	5 1D7E7	1 1D7F7
8	Σ 1D768	ι 1D778	ω 1D788	I 1D798	Ω 1D7A8	ο 1D7B8	ρ 1D7C8	⊖ 1D7D8	6 1D7E8	2 1D7F8
9	T 1D769	κ 1D779	∂ 1D789	K 1D799	∇ 1D7A9	π 1D7B9	ω 1D7C9	1 1D7D9	7 1D7E9	3 1D7F9
A	Υ 1D76A	λ 1D77A	ε 1D78A	Λ 1D79A	α 1D7AA	ρ 1D7BA	F 1D7CA	2 1D7DA	8 1D7EA	4 1D7FA
B	Φ 1D76B	μ 1D77B	ϑ 1D78B	M 1D79B	β 1D7AB	ς 1D7BB	F 1D7CB	3 1D7DB	9 1D7EB	5 1D7FB
C	X 1D76C	ν 1D77C	κ 1D78C	N 1D79C	γ 1D7AC	σ 1D7BC		4 1D7DC	0 1D7EC	6 1D7FC
D	Ψ 1D76D	ξ 1D77D	φ 1D78D	Ξ 1D79D	δ 1D7AD	τ 1D7BD		5 1D7DD	1 1D7ED	7 1D7FD
E	Ω 1D76E	ο 1D77E	ρ 1D78E	O 1D79E	ε 1D7AE	υ 1D7BE	0 1D7CE	6 1D7DE	2 1D7EE	8 1D7FE
F	∇ 1D76F	π 1D77F	ω 1D78F	Π 1D79F	ζ 1D7AF	φ 1D7BF	1 1D7CF	7 1D7DF	3 1D7EF	9 1D7FF

G = 00
P = 01

Table 219 - Row D7: Mathematical Alphanumeric Symbols

HEX	NAME	HEX	NAME
1D760	MATHEMATICAL SANS-SERIF BOLD CAPITAL LAMDA	1D7BD	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL TAU
1D761	MATHEMATICAL SANS-SERIF BOLD CAPITAL MU	1D7BE	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL UPSILON
1D762	MATHEMATICAL SANS-SERIF BOLD CAPITAL NU	1D7BF	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL PHI
1D763	MATHEMATICAL SANS-SERIF BOLD CAPITAL XI	1D7C0	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL CHI
1D764	MATHEMATICAL SANS-SERIF BOLD CAPITAL OMICRON	1D7C1	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL PSI
1D765	MATHEMATICAL SANS-SERIF BOLD CAPITAL PI	1D7C2	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL OMEGA
1D766	MATHEMATICAL SANS-SERIF BOLD CAPITAL RHO	1D7C3	MATHEMATICAL SANS-SERIF BOLD ITALIC PARTIAL DIFFERENTIAL
1D767	MATHEMATICAL SANS-SERIF BOLD CAPITAL THETA SYMBOL	1D7C4	MATHEMATICAL SANS-SERIF BOLD ITALIC EPSILON SYMBOL
1D768	MATHEMATICAL SANS-SERIF BOLD CAPITAL SIGMA	1D7C5	MATHEMATICAL SANS-SERIF BOLD ITALIC THETA SYMBOL
1D769	MATHEMATICAL SANS-SERIF BOLD CAPITAL TAU	1D7C6	MATHEMATICAL SANS-SERIF BOLD ITALIC KAPPA SYMBOL
1D76A	MATHEMATICAL SANS-SERIF BOLD CAPITAL UPSILON	1D7C7	MATHEMATICAL SANS-SERIF BOLD ITALIC PHI SYMBOL
1D76B	MATHEMATICAL SANS-SERIF BOLD CAPITAL PHI	1D7C8	MATHEMATICAL SANS-SERIF BOLD ITALIC RHO SYMBOL
1D76C	MATHEMATICAL SANS-SERIF BOLD CAPITAL CHI	1D7C9	MATHEMATICAL SANS-SERIF BOLD ITALIC PI SYMBOL
1D76D	MATHEMATICAL SANS-SERIF BOLD CAPITAL PSI	1D7CA	MATHEMATICAL BOLD CAPITAL DIGAMMA
1D76E	MATHEMATICAL SANS-SERIF BOLD CAPITAL OMEGA	1D7CB	MATHEMATICAL BOLD SMALL DIGAMMA
1D76F	MATHEMATICAL SANS-SERIF BOLD NABLA	1D7CC	(This position shall not be used)
1D770	MATHEMATICAL SANS-SERIF BOLD SMALL ALPHA	1D7CD	(This position shall not be used)
1D771	MATHEMATICAL SANS-SERIF BOLD SMALL BETA	1D7CE	MATHEMATICAL BOLD DIGIT ZERO
1D772	MATHEMATICAL SANS-SERIF BOLD SMALL GAMMA	1D7CF	MATHEMATICAL BOLD DIGIT ONE
1D773	MATHEMATICAL SANS-SERIF BOLD SMALL DELTA	1D7D0	MATHEMATICAL BOLD DIGIT TWO
1D774	MATHEMATICAL SANS-SERIF BOLD SMALL EPSILON	1D7D1	MATHEMATICAL BOLD DIGIT THREE
1D775	MATHEMATICAL SANS-SERIF BOLD SMALL ZETA	1D7D2	MATHEMATICAL BOLD DIGIT FOUR
1D776	MATHEMATICAL SANS-SERIF BOLD SMALL ETA	1D7D3	MATHEMATICAL BOLD DIGIT FIVE
1D777	MATHEMATICAL SANS-SERIF BOLD SMALL THETA	1D7D4	MATHEMATICAL BOLD DIGIT SIX
1D778	MATHEMATICAL SANS-SERIF BOLD SMALL IOTA	1D7D5	MATHEMATICAL BOLD DIGIT SEVEN
1D779	MATHEMATICAL SANS-SERIF BOLD SMALL KAPPA	1D7D6	MATHEMATICAL BOLD DIGIT EIGHT
1D77A	MATHEMATICAL SANS-SERIF BOLD SMALL LAMDA	1D7D7	MATHEMATICAL BOLD DIGIT NINE
1D77B	MATHEMATICAL SANS-SERIF BOLD SMALL MU	1D7D8	MATHEMATICAL DOUBLE-STRUCK DIGIT ZERO
1D77C	MATHEMATICAL SANS-SERIF BOLD SMALL NU	1D7D9	MATHEMATICAL DOUBLE-STRUCK DIGIT ONE
1D77D	MATHEMATICAL SANS-SERIF BOLD SMALL XI	1D7DA	MATHEMATICAL DOUBLE-STRUCK DIGIT TWO
1D77E	MATHEMATICAL SANS-SERIF BOLD SMALL OMICRON	1D7DB	MATHEMATICAL DOUBLE-STRUCK DIGIT THREE
1D77F	MATHEMATICAL SANS-SERIF BOLD SMALL PI	1D7DC	MATHEMATICAL DOUBLE-STRUCK DIGIT FOUR
1D780	MATHEMATICAL SANS-SERIF BOLD SMALL RHO	1D7DD	MATHEMATICAL DOUBLE-STRUCK DIGIT FIVE
1D781	MATHEMATICAL SANS-SERIF BOLD SMALL FINAL SIGMA	1D7DE	MATHEMATICAL DOUBLE-STRUCK DIGIT SIX
1D782	MATHEMATICAL SANS-SERIF BOLD SMALL SIGMA	1D7DF	MATHEMATICAL DOUBLE-STRUCK DIGIT SEVEN
1D783	MATHEMATICAL SANS-SERIF BOLD SMALL TAU	1D7E0	MATHEMATICAL DOUBLE-STRUCK DIGIT EIGHT
1D784	MATHEMATICAL SANS-SERIF BOLD SMALL UPSILON	1D7E1	MATHEMATICAL DOUBLE-STRUCK DIGIT NINE
1D785	MATHEMATICAL SANS-SERIF BOLD SMALL PHI	1D7E2	MATHEMATICAL SANS-SERIF DIGIT ZERO
1D786	MATHEMATICAL SANS-SERIF BOLD SMALL CHI	1D7E3	MATHEMATICAL SANS-SERIF DIGIT ONE
1D787	MATHEMATICAL SANS-SERIF BOLD SMALL PSI	1D7E4	MATHEMATICAL SANS-SERIF DIGIT TWO
1D788	MATHEMATICAL SANS-SERIF BOLD SMALL OMEGA	1D7E5	MATHEMATICAL SANS-SERIF DIGIT THREE
1D789	MATHEMATICAL SANS-SERIF BOLD PARTIAL DIFFERENTIAL	1D7E6	MATHEMATICAL SANS-SERIF DIGIT FOUR
1D78A	MATHEMATICAL SANS-SERIF BOLD EPSILON SYMBOL	1D7E7	MATHEMATICAL SANS-SERIF DIGIT FIVE
1D78B	MATHEMATICAL SANS-SERIF BOLD THETA SYMBOL	1D7E8	MATHEMATICAL SANS-SERIF DIGIT SIX
1D78C	MATHEMATICAL SANS-SERIF BOLD KAPPA SYMBOL	1D7E9	MATHEMATICAL SANS-SERIF DIGIT SEVEN
1D78D	MATHEMATICAL SANS-SERIF BOLD PHI SYMBOL	1D7EA	MATHEMATICAL SANS-SERIF DIGIT EIGHT
1D78E	MATHEMATICAL SANS-SERIF BOLD RHO SYMBOL	1D7EB	MATHEMATICAL SANS-SERIF DIGIT NINE
1D78F	MATHEMATICAL SANS-SERIF BOLD PI SYMBOL	1D7EC	MATHEMATICAL SANS-SERIF BOLD DIGIT ZERO
1D790	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL ALPHA	1D7ED	MATHEMATICAL SANS-SERIF BOLD DIGIT ONE
1D791	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL BETA	1D7EE	MATHEMATICAL SANS-SERIF BOLD DIGIT TWO
1D792	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL GAMMA	1D7EF	MATHEMATICAL SANS-SERIF BOLD DIGIT THREE
1D793	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL DELTA	1D7F0	MATHEMATICAL SANS-SERIF BOLD DIGIT FOUR
1D794	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL EPSILON	1D7F1	MATHEMATICAL SANS-SERIF BOLD DIGIT FIVE
1D795	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL ZETA	1D7F2	MATHEMATICAL SANS-SERIF BOLD DIGIT SIX
1D796	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL ETA	1D7F3	MATHEMATICAL SANS-SERIF BOLD DIGIT SEVEN
1D797	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL THETA	1D7F4	MATHEMATICAL SANS-SERIF BOLD DIGIT EIGHT
1D798	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL IOTA	1D7F5	MATHEMATICAL SANS-SERIF BOLD DIGIT NINE
1D799	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL KAPPA	1D7F6	MATHEMATICAL MONOSPACE DIGIT ZERO
1D79A	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL LAMDA	1D7F7	MATHEMATICAL MONOSPACE DIGIT ONE
1D79B	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL MU	1D7F8	MATHEMATICAL MONOSPACE DIGIT TWO
1D79C	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL NU	1D7F9	MATHEMATICAL MONOSPACE DIGIT THREE
1D79D	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL XI	1D7FA	MATHEMATICAL MONOSPACE DIGIT FOUR
1D79E	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL OMICRON	1D7FB	MATHEMATICAL MONOSPACE DIGIT FIVE
1D79F	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL PI	1D7FC	MATHEMATICAL MONOSPACE DIGIT SIX
1D7A0	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL RHO	1D7FD	MATHEMATICAL MONOSPACE DIGIT SEVEN
1D7A1	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL THETA SYMBOL	1D7FE	MATHEMATICAL MONOSPACE DIGIT EIGHT
1D7A2	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL SIGMA	1D7FF	MATHEMATICAL MONOSPACE DIGIT NINE
1D7A3	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL TAU		
1D7A4	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL UPSILON		
1D7A5	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL PHI		
1D7A6	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL CHI		
1D7A7	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL PSI		
1D7A8	MATHEMATICAL SANS-SERIF BOLD ITALIC CAPITAL OMEGA		
1D7A9	MATHEMATICAL SANS-SERIF BOLD ITALIC NABLA		
1D7AA	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL ALPHA		
1D7AB	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL BETA		
1D7AC	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL GAMMA		
1D7AD	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL DELTA		
1D7AE	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL EPSILON		
1D7AF	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL ZETA		
1D7B0	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL ETA		
1D7B1	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL THETA		
1D7B2	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL IOTA		
1D7B3	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL KAPPA		
1D7B4	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL LAMDA		
1D7B5	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL MU		
1D7B6	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL NU		
1D7B7	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL XI		
1D7B8	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL OMICRON		
1D7B9	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL PI		
1D7BA	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL RHO		
1D7BB	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL FINAL SIGMA		
1D7BC	MATHEMATICAL SANS-SERIF BOLD ITALIC SMALL SIGMA		

Group 00

Plane 01

Row D7