

ISO/IEC JTC1/SC2/WG2
Multiple-Octet Codes

ISO/IEC JTC1/SC2/WG2 N2290
2000-10-16

Title:	Final Draft of Tables & Character Names for Editorial Corrigenda to ISO/IEC10646-1:2000
Source:	Asmus Freytag, contributing editor
Status:	Working document
Action:	Input to the editor in preparing editorial corrigenda
References:	See resolutions of meeting M39
Distribution:	ISO/IEC JTC1/SC2/WG2 members

Summary

The attached tables comprise the results of the action item to revise the draft tables and character names for the editorial corrigenda to 10646-1:2000 to reflect the actions taken by WG2 during meeting 39.

Table Format

For ease of replacement the full tables are shown, even if only a few character are shown with a revised glyph (or with a revised entry in the names list, as FEFF and FFFF). The table numbering is that of ISO/IEC 10646-1:2000(E).

Table 15 - Row 06: Arabic

	060	061	062	063	064	065	066	067
0				ذ 0630	- 0640	◌ْ 0650	◌ُ 0660	◌ِ 0670
1			ء 0621	ر 0631	ف 0641	◌َ 0651	ا 0661	آ 0671
2			آ 0622	ز 0632	ق 0642	◌ُ 0652	ب 0662	أ 0672
3			أ 0623	س 0633	ك 0643	◌ِ 0653	ث 0663	إ 0673
4			ؤ 0624	ش 0634	ل 0644	◌ُ 0654	ع 0664	ء 0674
5			إ 0625	ص 0635	م 0645	◌ِ 0655	ه 0665	أ 0675
6			ئ 0626	ض 0636	ن 0646		و 0666	ؤ 0676
7			ا 0627	ط 0637	ه 0647		و 0667	ؤ 0677
8			ب 0628	ظ 0638	و 0648		ه 0668	ئ 0678
9			ة 0629	ع 0639	ي 0649		و 0669	ط 0679
A			ت 062A	غ 063A	ي 064A		% 066A	ث 067A
B		؛ 061B	ث 062B		◌َ 064B		ر 066B	ب 067B
C	، 060C		ج 062C		◌ُ 064C		، 066C	ت 067C
D			ح 062D		◌ُ 064D		★ 066D	ت 067D
E			خ 062E		◌ِ 064E			پ 067E
F		؟ 061F	د 062F		◌ُ 064F			ت 067F

G = 00
P = 00

Table 15 - Row 06: Arabic







HEX	NAME	HEX	NAME
0600	(This position shall not be used)	065D	(This position shall not be used)
0601	(This position shall not be used)	065E	(This position shall not be used)
0602	(This position shall not be used)	065F	(This position shall not be used)
0603	(This position shall not be used)	0660	ARABIC-INDIC DIGIT ZERO
0604	(This position shall not be used)	0661	ARABIC-INDIC DIGIT ONE
0605	(This position shall not be used)	0662	ARABIC-INDIC DIGIT TWO
0606	(This position shall not be used)	0663	ARABIC-INDIC DIGIT THREE
0607	(This position shall not be used)	0664	ARABIC-INDIC DIGIT FOUR
0608	(This position shall not be used)	0665	ARABIC-INDIC DIGIT FIVE
0609	(This position shall not be used)	0666	ARABIC-INDIC DIGIT SIX
060A	(This position shall not be used)	0667	ARABIC-INDIC DIGIT SEVEN
060B	(This position shall not be used)	0668	ARABIC-INDIC DIGIT EIGHT
060C	ARABIC COMMA	0669	ARABIC-INDIC DIGIT NINE
060D	(This position shall not be used)	066A	ARABIC PERCENT SIGN
060E	(This position shall not be used)	066B	ARABIC DECIMAL SEPARATOR
060F	(This position shall not be used)	066C	ARABIC THOUSANDS SEPARATOR
0610	(This position shall not be used)	066D	ARABIC FIVE POINTED STAR
0611	(This position shall not be used)	066E	(This position shall not be used)
0612	(This position shall not be used)	066F	(This position shall not be used)
0613	(This position shall not be used)	0670	ARABIC LETTER SUPERScript ALEF
0614	(This position shall not be used)	0671	ARABIC LETTER ALEF WASLA
0615	(This position shall not be used)	0672	ARABIC LETTER ALEF WITH WAVY HAMZA ABOVE
0616	(This position shall not be used)	0673	ARABIC LETTER ALEF WITH WAVY HAMZA BELOW
0617	(This position shall not be used)	0674	ARABIC LETTER HIGH HAMZA
0618	(This position shall not be used)	0675	ARABIC LETTER HIGH HAMZA ALEF
0619	(This position shall not be used)	0676	ARABIC LETTER HIGH HAMZA WAW
061A	(This position shall not be used)	0677	ARABIC LETTER U WITH HAMZA ABOVE
061B	ARABIC SEMICOLON	0678	ARABIC LETTER HIGH HAMZA YEH
061C	(This position shall not be used)	0679	ARABIC LETTER TTEH
061D	(This position shall not be used)	067A	ARABIC LETTER TTEHEH
061E	(This position shall not be used)	067B	ARABIC LETTER BEEH
061F	ARABIC QUESTION MARK	067C	ARABIC LETTER TEH WITH RING
0620	(This position shall not be used)	067D	ARABIC LETTER TEH WITH THREE DOTS ABOVE DOWNWARDS
0621	ARABIC LETTER HAMZA	067E	ARABIC LETTER PEH
0622	ARABIC LETTER ALEF WITH MADDA ABOVE	067F	ARABIC LETTER TEHEH
0623	ARABIC LETTER ALEF WITH HAMZA ABOVE		
0624	ARABIC LETTER WAW WITH HAMZA ABOVE		
0625	ARABIC LETTER ALEF WITH HAMZA BELOW		
0626	ARABIC LETTER YEH WITH HAMZA ABOVE		
0627	ARABIC LETTER ALEF		
0628	ARABIC LETTER BEH		
0629	ARABIC LETTER TEH MARBUTA		
062A	ARABIC LETTER TEH		
062B	ARABIC LETTER THEH		
062C	ARABIC LETTER JEEM		
062D	ARABIC LETTER HAH		
062E	ARABIC LETTER KHAH		
062F	ARABIC LETTER DAL		
0630	ARABIC LETTER THAL		
0631	ARABIC LETTER REH		
0632	ARABIC LETTER ZAIN		
0633	ARABIC LETTER SEEN		
0634	ARABIC LETTER SHEEN		
0635	ARABIC LETTER SAD		
0636	ARABIC LETTER DAD		
0637	ARABIC LETTER TAH		
0638	ARABIC LETTER ZAH		
0639	ARABIC LETTER AIN		
063A	ARABIC LETTER GHAIN		
063B	(This position shall not be used)		
063C	(This position shall not be used)		
063D	(This position shall not be used)		
063E	(This position shall not be used)		
063F	(This position shall not be used)		
0640	ARABIC TATWEEL		
0641	ARABIC LETTER FEH		
0642	ARABIC LETTER QAF		
0643	ARABIC LETTER KAF		
0644	ARABIC LETTER LAM		
0645	ARABIC LETTER MEEM		
0646	ARABIC LETTER NOON		
0647	ARABIC LETTER HEH		
0648	ARABIC LETTER WAW		
0649	ARABIC LETTER ALEF MAKSURA		
064A	ARABIC LETTER YEH		
064B	ARABIC FATHATAN		
064C	ARABIC DAMMATAN		
064D	ARABIC KASRATAN		
064E	ARABIC FATHA		
064F	ARABIC DAMMA		
0650	ARABIC KASRA		
0651	ARABIC SHADDA		
0652	ARABIC SUKUN		
0653	ARABIC MADDAH ABOVE		
0654	ARABIC HAMZA ABOVE		
0655	ARABIC HAMZA BELOW		
0656	(This position shall not be used)		
0657	(This position shall not be used)		
0658	(This position shall not be used)		
0659	(This position shall not be used)		
065A	(This position shall not be used)		
065B	(This position shall not be used)		
065C	(This position shall not be used)		

Group 00

Plane 00

Row 06

Table 37 - Row 12: Ethiopic

	120	121	122	123	124	125	126	127
0	ሀ 1200	ሐ 1210	ሠ 1220	ሰ 1230	ቀ 1240	ቐ 1250	በ 1260	ተ 1270
1	ሁ 1201	ሑ 1211	ሡ 1221	ሱ 1231	ቁ 1241	ቑ 1251	ቡ 1261	ቲ 1271
2	ሂ 1202	ሒ 1212	ሣ 1222	ሲ 1232	ቂ 1242	ቊ 1252	ቢ 1262	ቲ 1272
3	ሃ 1203	ሓ 1213	ሣ 1223	ሳ 1233	ቃ 1243	ባ 1253	ባ 1263	ታ 1273
4	ሄ 1204	ሔ 1214	ሤ 1224	ሴ 1234	ቄ 1244	ቄ 1254	ቤ 1264	ቲ 1274
5	ህ 1205	ሕ 1215	ሥ 1225	ሰ 1235	ቅ 1245	ቐ 1255	ብ 1265	ት 1275
6	ሆ 1206	ሐ 1216	ሦ 1226	ሶ 1236	ቆ 1246	ቐ 1256	ቦ 1266	ቶ 1276
7		ሓ 1217	ሣ 1227	ሲ 1237			ቢ 1267	ቲ 1277
8	ለ 1208	መ 1218	ረ 1228	ሸ 1238	ቈ 1248	ቈ 1258	ሸ 1268	ቸ 1278
9	ሉ 1209	ሙ 1219	ሩ 1229	ሹ 1239			ሹ 1269	ቹ 1279
A	ሊ 120A	ሚ 121A	ሪ 122A	ሺ 123A	ቀሊ 124A	ቐሊ 125A	ሺ 126A	ቹ 127A
B	ላ 120B	ማ 121B	ራ 122B	ሻ 123B	ቋ 124B	ቋ 125B	ሻ 126B	ቻ 127B
C	ሌ 120C	ሜ 121C	ሪ 122C	ሼ 123C	ቋ 124C	ቋ 125C	ሼ 126C	ቹ 127C
D	ል 120D	ም 121D	ር 122D	ሽ 123D	ቀሊ 124D	ቐሊ 125D	ሽ 126D	ቻ 127D
E	ሎ 120E	ሞ 121E	ሮ 122E	ሾ 123E			ሾ 126E	ቻ 127E
F	ሊ 120F	ሚ 121F	ሪ 122F	ሺ 123F			ሺ 126F	ቹ 127F

G = 00
P = 00

Table 37 - Row 12: Ethiopic

HEX	NAME	HEX	NAME
1200	ETHIOPIC SYLLABLE HA	125D	ETHIOPIC SYLLABLE QHWE
1201	ETHIOPIC SYLLABLE HU	125E	(This position shall not be used)
1202	ETHIOPIC SYLLABLE HI	125F	(This position shall not be used)
1203	ETHIOPIC SYLLABLE HAA	1260	ETHIOPIC SYLLABLE BA
1204	ETHIOPIC SYLLABLE HEE	1261	ETHIOPIC SYLLABLE BU
1205	ETHIOPIC SYLLABLE HE	1262	ETHIOPIC SYLLABLE BI
1206	ETHIOPIC SYLLABLE HO	1263	ETHIOPIC SYLLABLE BAA
1207	(This position shall not be used)	1264	ETHIOPIC SYLLABLE BEE
1208	ETHIOPIC SYLLABLE LA	1265	ETHIOPIC SYLLABLE BE
1209	ETHIOPIC SYLLABLE LU	1266	ETHIOPIC SYLLABLE BO
120A	ETHIOPIC SYLLABLE LI	1267	ETHIOPIC SYLLABLE BWA
120B	ETHIOPIC SYLLABLE LAA	1268	ETHIOPIC SYLLABLE VA
120C	ETHIOPIC SYLLABLE LEE	1269	ETHIOPIC SYLLABLE VU
120D	ETHIOPIC SYLLABLE LE	126A	ETHIOPIC SYLLABLE VI
120E	ETHIOPIC SYLLABLE LO	126B	ETHIOPIC SYLLABLE VAA
120F	ETHIOPIC SYLLABLE LWA	126C	ETHIOPIC SYLLABLE VEE
1210	ETHIOPIC SYLLABLE HHA	126D	ETHIOPIC SYLLABLE VE
1211	ETHIOPIC SYLLABLE HHU	126E	ETHIOPIC SYLLABLE VO
1212	ETHIOPIC SYLLABLE HHI	126F	ETHIOPIC SYLLABLE VWA
1213	ETHIOPIC SYLLABLE HHAA	1270	ETHIOPIC SYLLABLE TA
1214	ETHIOPIC SYLLABLE HHEE	1271	ETHIOPIC SYLLABLE TU
1215	ETHIOPIC SYLLABLE HHE	1272	ETHIOPIC SYLLABLE TI
1216	ETHIOPIC SYLLABLE HHO	1273	ETHIOPIC SYLLABLE TAA
1217	ETHIOPIC SYLLABLE HHWA	1274	ETHIOPIC SYLLABLE TEE
1218	ETHIOPIC SYLLABLE MA	1275	ETHIOPIC SYLLABLE TE
1219	ETHIOPIC SYLLABLE MU	1276	ETHIOPIC SYLLABLE TO
121A	ETHIOPIC SYLLABLE MI	1277	ETHIOPIC SYLLABLE TWA
121B	ETHIOPIC SYLLABLE MAA	1278	ETHIOPIC SYLLABLE CA
121C	ETHIOPIC SYLLABLE MEE	1279	ETHIOPIC SYLLABLE CU
121D	ETHIOPIC SYLLABLE ME	127A	ETHIOPIC SYLLABLE CI
121E	ETHIOPIC SYLLABLE MO	127B	ETHIOPIC SYLLABLE CAA
121F	ETHIOPIC SYLLABLE MWA	127C	ETHIOPIC SYLLABLE CEE
1220	ETHIOPIC SYLLABLE SZA	127D	ETHIOPIC SYLLABLE CE
1221	ETHIOPIC SYLLABLE SZU	127E	ETHIOPIC SYLLABLE CO
1222	ETHIOPIC SYLLABLE SZI	127F	ETHIOPIC SYLLABLE CWA
1223	ETHIOPIC SYLLABLE SZAA		
1224	ETHIOPIC SYLLABLE SZEE		
1225	ETHIOPIC SYLLABLE SZE		
1226	ETHIOPIC SYLLABLE SZO		
1227	ETHIOPIC SYLLABLE SZWA		
1228	ETHIOPIC SYLLABLE RA		
1229	ETHIOPIC SYLLABLE RU		
122A	ETHIOPIC SYLLABLE RI		
122B	ETHIOPIC SYLLABLE RAA		
122C	ETHIOPIC SYLLABLE REE		
122D	ETHIOPIC SYLLABLE RE		
122E	ETHIOPIC SYLLABLE RO		
122F	ETHIOPIC SYLLABLE RWA		
1230	ETHIOPIC SYLLABLE SA		
1231	ETHIOPIC SYLLABLE SU		
1232	ETHIOPIC SYLLABLE SI		
1233	ETHIOPIC SYLLABLE SAA		
1234	ETHIOPIC SYLLABLE SEE		
1235	ETHIOPIC SYLLABLE SE		
1236	ETHIOPIC SYLLABLE SO		
1237	ETHIOPIC SYLLABLE SWA		
1238	ETHIOPIC SYLLABLE SHA		
1239	ETHIOPIC SYLLABLE SHU		
123A	ETHIOPIC SYLLABLE SHI		
123B	ETHIOPIC SYLLABLE SHAA		
123C	ETHIOPIC SYLLABLE SHEE		
123D	ETHIOPIC SYLLABLE SHE		
123E	ETHIOPIC SYLLABLE SHO		
123F	ETHIOPIC SYLLABLE SHWA		
1240	ETHIOPIC SYLLABLE QA		
1241	ETHIOPIC SYLLABLE QU		
1242	ETHIOPIC SYLLABLE QI		
1243	ETHIOPIC SYLLABLE QAA		
1244	ETHIOPIC SYLLABLE QEE		
1245	ETHIOPIC SYLLABLE QE		
1246	ETHIOPIC SYLLABLE QO		
1247	(This position shall not be used)		
1248	ETHIOPIC SYLLABLE QWA		
1249	(This position shall not be used)		
124A	ETHIOPIC SYLLABLE QWI		
124B	ETHIOPIC SYLLABLE QWAA		
124C	ETHIOPIC SYLLABLE QWEE		
124D	ETHIOPIC SYLLABLE QWE		
124E	(This position shall not be used)		
124F	(This position shall not be used)		
1250	ETHIOPIC SYLLABLE QHA		
1251	ETHIOPIC SYLLABLE QHU		
1252	ETHIOPIC SYLLABLE QHI		
1253	ETHIOPIC SYLLABLE QHAA		
1254	ETHIOPIC SYLLABLE QHEE		
1255	ETHIOPIC SYLLABLE QHE		
1256	ETHIOPIC SYLLABLE QHO		
1257	(This position shall not be used)		
1258	ETHIOPIC SYLLABLE QHWA		
1259	(This position shall not be used)		
125A	ETHIOPIC SYLLABLE QHWI		
125B	ETHIOPIC SYLLABLE QHWAA		
125C	ETHIOPIC SYLLABLE QHWEE		

Group 00

Plane 00

Row 12

Table 38 - Row 12: Ethiopic

	128	129	12A	12B	12C	12D	12E	12F
0	ሀ 1280	ሁ 1290	ሐ 12A0	ከ 12B0	ኸ 12C0	ዐ 12D0	ዡ 12E0	ደ 12F0
1	ተ 1281	ኑ 1291	ኡ 12A1			ዑ 12D1	ዢ 12E1	ደ 12F1
2	ሂ 1282	ሓ 1292	ኢ 12A2	ኩ 12B2	ኹ 12C2	ዒ 12D2	ዣ 12E2	ደ 12F2
3	ኃ 1283	ና 1293	ኣ 12A3	ኣ 12B3	ኺ 12C3	ዓ 12D3	ዣ 12E3	ደ 12F3
4	ሄ 1284	ኄ 1294	ኤ 12A4	ኤ 12B4	ኻ 12C4	ዒ 12D4	ዣ 12E4	ደ 12F4
5	ሀ 1285	ፈ 1295	ኦ 12A5	ከ 12B5	ኸ 12C5	ዐ 12D5	ዡ 12E5	ደ 12F5
6	ኞ 1286	ኖ 1296	ኦ 12A6			ዐ 12D6	ዡ 12E6	ደ 12F6
7		ኗ 1297	ኦ 12A7				ዣ 12E7	ደ 12F7
8	ሐ 1288	ኘ 1298	ከ 12A8	ኸ 12B8	ዐ 12C8	ዡ 12D8	ዣ 12E8	ደ 12F8
9		ኙ 1299	ከ 12A9	ኸ 12B9	ዐ 12C9	ዡ 12D9	ዣ 12E9	ደ 12F9
A	ሐ 128A	ኘ 129A	ከ 12AA	ኸ 12BA	ዐ 12CA	ዡ 12DA	ዣ 12EA	ደ 12FA
B	ሐ 128B	ኘ 129B	ከ 12AB	ኸ 12BB	ዐ 12CB	ዡ 12DB	ዣ 12EB	ደ 12FB
C	ሐ 128C	ኘ 129C	ከ 12AC	ኸ 12BC	ዐ 12CC	ዡ 12DC	ዣ 12EC	ደ 12FC
D	ሐ 128D	ኘ 129D	ከ 12AD	ኸ 12BD	ዐ 12CD	ዡ 12DD	ዣ 12ED	ደ 12FD
E		ኞ 129E	ኦ 12AE	ከ 12BE	ዐ 12CE	ዡ 12DE	ዣ 12EE	ደ 12FE
F		ኗ 129F				ዐ 12DF		ደ 12FF

G = 00
P = 00

Table 38 - Row 12: Ethiopic

HEX	NAME	HEX	NAME
1280	ETHIOPIC SYLLABLE XA	12DD	ETHIOPIC SYLLABLE ZE
1281	ETHIOPIC SYLLABLE XU	12DE	ETHIOPIC SYLLABLE ZO
1282	ETHIOPIC SYLLABLE XI	12DF	ETHIOPIC SYLLABLE ZWA
1283	ETHIOPIC SYLLABLE XAA	12E0	ETHIOPIC SYLLABLE ZHA
1284	ETHIOPIC SYLLABLE XEE	12E1	ETHIOPIC SYLLABLE ZHU
1285	ETHIOPIC SYLLABLE XE	12E2	ETHIOPIC SYLLABLE ZHI
1286	ETHIOPIC SYLLABLE XO	12E3	ETHIOPIC SYLLABLE ZHAA
1287	(This position shall not be used)	12E4	ETHIOPIC SYLLABLE ZHEE
1288	ETHIOPIC SYLLABLE XWA	12E5	ETHIOPIC SYLLABLE ZHE
1289	(This position shall not be used)	12E6	ETHIOPIC SYLLABLE ZHO
128A	ETHIOPIC SYLLABLE XWI	12E7	ETHIOPIC SYLLABLE ZHWA
128B	ETHIOPIC SYLLABLE XWAA	12E8	ETHIOPIC SYLLABLE YA
128C	ETHIOPIC SYLLABLE XWEE	12E9	ETHIOPIC SYLLABLE YU
128D	ETHIOPIC SYLLABLE XWE	12EA	ETHIOPIC SYLLABLE YI
128E	(This position shall not be used)	12EB	ETHIOPIC SYLLABLE YAA
128F	(This position shall not be used)	12EC	ETHIOPIC SYLLABLE YEE
1290	ETHIOPIC SYLLABLE NA	12ED	ETHIOPIC SYLLABLE YE
1291	ETHIOPIC SYLLABLE NU	12EE	ETHIOPIC SYLLABLE YO
1292	ETHIOPIC SYLLABLE NI	12EF	(This position shall not be used)
1293	ETHIOPIC SYLLABLE NAA	12F0	ETHIOPIC SYLLABLE DA
1294	ETHIOPIC SYLLABLE NEE	12F1	ETHIOPIC SYLLABLE DU
1295	ETHIOPIC SYLLABLE NE	12F2	ETHIOPIC SYLLABLE DI
1296	ETHIOPIC SYLLABLE NO	12F3	ETHIOPIC SYLLABLE DAA
1297	ETHIOPIC SYLLABLE NWA	12F4	ETHIOPIC SYLLABLE DEE
1298	ETHIOPIC SYLLABLE NYA	12F5	ETHIOPIC SYLLABLE DE
1299	ETHIOPIC SYLLABLE NYU	12F6	ETHIOPIC SYLLABLE DO
129A	ETHIOPIC SYLLABLE NYI	12F7	ETHIOPIC SYLLABLE DWA
129B	ETHIOPIC SYLLABLE NYAA	12F8	ETHIOPIC SYLLABLE DDA
129C	ETHIOPIC SYLLABLE NYEE	12F9	ETHIOPIC SYLLABLE DDU
129D	ETHIOPIC SYLLABLE NYE	12FA	ETHIOPIC SYLLABLE DDI
129E	ETHIOPIC SYLLABLE NYO	12FB	ETHIOPIC SYLLABLE DDAA
129F	ETHIOPIC SYLLABLE NYWA	12FC	ETHIOPIC SYLLABLE DDEE
12A0	ETHIOPIC SYLLABLE GLOTTAL A	12FD	ETHIOPIC SYLLABLE DDE
12A1	ETHIOPIC SYLLABLE GLOTTAL U	12FE	ETHIOPIC SYLLABLE DDO
12A2	ETHIOPIC SYLLABLE GLOTTAL I	12FF	ETHIOPIC SYLLABLE DDWA
12A3	ETHIOPIC SYLLABLE GLOTTAL AA		
12A4	ETHIOPIC SYLLABLE GLOTTAL EE		
12A5	ETHIOPIC SYLLABLE GLOTTAL E		
12A6	ETHIOPIC SYLLABLE GLOTTAL O		
12A7	ETHIOPIC SYLLABLE GLOTTAL WA		
12A8	ETHIOPIC SYLLABLE KA		
12A9	ETHIOPIC SYLLABLE KU		
12AA	ETHIOPIC SYLLABLE KI		
12AB	ETHIOPIC SYLLABLE KAA		
12AC	ETHIOPIC SYLLABLE KEE		
12AD	ETHIOPIC SYLLABLE KE		
12AE	ETHIOPIC SYLLABLE KO		
12AF	(This position shall not be used)		
12B0	ETHIOPIC SYLLABLE KWA		
12B1	(This position shall not be used)		
12B2	ETHIOPIC SYLLABLE KWI		
12B3	ETHIOPIC SYLLABLE KWAA		
12B4	ETHIOPIC SYLLABLE KWEE		
12B5	ETHIOPIC SYLLABLE KWE		
12B6	(This position shall not be used)		
12B7	(This position shall not be used)		
12B8	ETHIOPIC SYLLABLE KXA		
12B9	ETHIOPIC SYLLABLE KXU		
12BA	ETHIOPIC SYLLABLE KXI		
12BB	ETHIOPIC SYLLABLE KXAA		
12BC	ETHIOPIC SYLLABLE KXEE		
12BD	ETHIOPIC SYLLABLE KXE		
12BE	ETHIOPIC SYLLABLE KXO		
12BF	(This position shall not be used)		
12C0	ETHIOPIC SYLLABLE KXWA		
12C1	(This position shall not be used)		
12C2	ETHIOPIC SYLLABLE KXWI		
12C3	ETHIOPIC SYLLABLE KXWAA		
12C4	ETHIOPIC SYLLABLE KXWEE		
12C5	ETHIOPIC SYLLABLE KXWE		
12C6	(This position shall not be used)		
12C7	(This position shall not be used)		
12C8	ETHIOPIC SYLLABLE WA		
12C9	ETHIOPIC SYLLABLE WU		
12CA	ETHIOPIC SYLLABLE WI		
12CB	ETHIOPIC SYLLABLE WAA		
12CC	ETHIOPIC SYLLABLE WEE		
12CD	ETHIOPIC SYLLABLE WE		
12CE	ETHIOPIC SYLLABLE WO		
12CF	(This position shall not be used)		
12D0	ETHIOPIC SYLLABLE PHARYNGEAL A		
12D1	ETHIOPIC SYLLABLE PHARYNGEAL U		
12D2	ETHIOPIC SYLLABLE PHARYNGEAL I		
12D3	ETHIOPIC SYLLABLE PHARYNGEAL AA		
12D4	ETHIOPIC SYLLABLE PHARYNGEAL EE		
12D5	ETHIOPIC SYLLABLE PHARYNGEAL E		
12D6	ETHIOPIC SYLLABLE PHARYNGEAL O		
12D7	(This position shall not be used)		
12D8	ETHIOPIC SYLLABLE ZA		
12D9	ETHIOPIC SYLLABLE ZU		
12DA	ETHIOPIC SYLLABLE ZI		
12DB	ETHIOPIC SYLLABLE ZAA		
12DC	ETHIOPIC SYLLABLE ZEE		

Group 00

Plane 00

Row 12

Table 39 - Row 13: Ethiopic

	130	131	132	133	134	135	136	137
0	ጀ 1300	ጐ 1310	ጠ 1320	ጰ 1330	ፀ 1340	ፐ 1350		፳ 1370
1	ጁ 1301		ጡ 1321	ጱ 1331	ፁ 1341	ፑ 1351	፻ 1361	፷ 1371
2	ጂ 1302	጑ 1312	ጢ 1322	ጲ 1332	ፊ 1342	ፒ 1352	፺ 1362	፸ 1372
3	ጃ 1303	ጒ 1313	ጣ 1323	ጳ 1333	ፋ 1343	ፓ 1353	፻ 1363	፹ 1373
4	ጄ 1304	ጓ 1314	ጤ 1324	ጴ 1334	ፍ 1344	ፔ 1354	፺ 1364	፺ 1374
5	ጅ 1305	ጔ 1315	ጥ 1325	ጵ 1335	ፎ 1345	ፕ 1355	፻ 1365	፻ 1375
6	ጆ 1306		ጦ 1326	ጶ 1336	ፇ 1346	ፖ 1356	፻ 1366	፻ 1376
7	ጇ 1307		ጧ 1327	ጷ 1337		ፐ 1357	፻ 1367	፻ 1377
8	ገ 1308	ጕ 1318	ጨ 1328	ጸ 1338	ፈ 1348	ፑ 1358	፻ 1368	፻ 1378
9	ጉ 1309	጖ 1319	ጩ 1329	ጹ 1339	ፈ 1349	ፑ 1359	፻ 1369	፻ 1379
A	ጊ 130A	጗ 131A	ጪ 132A	ጺ 133A	ፈ 134A	ፑ 135A	፻ 136A	፻ 137A
B	ጋ 130B	ጘ 131B	ጫ 132B	ጻ 133B	ፈ 134B		፻ 136B	፻ 137B
C	ጌ 130C	ጙ 131C	ጬ 132C	ጺ 133C	ፈ 134C		፻ 136C	፻ 137C
D	ግ 130D	ጠ 131D	ጭ 132D	ጻ 133D	ፈ 134D		፻ 136D	
E	ጎ 130E	ጡ 131E	ጮ 132E	ጻ 133E	ፈ 134E		፻ 136E	
F			ጮ 132F	ጻ 133F	ፈ 134F		፻ 136F	

G = 00
P = 00

Table 39 - Row 13: Ethiopic

HEX	NAME	HEX	NAME
1300	ETHIOPIC SYLLABLE JA	135D	(This position shall not be used)
1301	ETHIOPIC SYLLABLE JU	135E	(This position shall not be used)
1302	ETHIOPIC SYLLABLE JI	135F	(This position shall not be used)
1303	ETHIOPIC SYLLABLE JAA	1360	(This position shall not be used)
1304	ETHIOPIC SYLLABLE JEE	1361	ETHIOPIC WORDSPACE
1305	ETHIOPIC SYLLABLE JE	1362	ETHIOPIC FULL STOP
1306	ETHIOPIC SYLLABLE JO	1363	ETHIOPIC COMMA
1307	ETHIOPIC SYLLABLE JWA	1364	ETHIOPIC SEMICOLON
1308	ETHIOPIC SYLLABLE GA	1365	ETHIOPIC COLON
1309	ETHIOPIC SYLLABLE GU	1366	ETHIOPIC PREFACE COLON
130A	ETHIOPIC SYLLABLE GI	1367	ETHIOPIC QUESTION MARK
130B	ETHIOPIC SYLLABLE GAA	1368	ETHIOPIC PARAGRAPH SEPARATOR
130C	ETHIOPIC SYLLABLE GEE	1369	ETHIOPIC DIGIT ONE
130D	ETHIOPIC SYLLABLE GE	136A	ETHIOPIC DIGIT TWO
130E	ETHIOPIC SYLLABLE GO	136B	ETHIOPIC DIGIT THREE
130F	(This position shall not be used)	136C	ETHIOPIC DIGIT FOUR
1310	ETHIOPIC SYLLABLE GWA	136D	ETHIOPIC DIGIT FIVE
1311	(This position shall not be used)	136E	ETHIOPIC DIGIT SIX
1312	ETHIOPIC SYLLABLE GWI	136F	ETHIOPIC DIGIT SEVEN
1313	ETHIOPIC SYLLABLE GWAA	1370	ETHIOPIC DIGIT EIGHT
1314	ETHIOPIC SYLLABLE GWEE	1371	ETHIOPIC DIGIT NINE
1315	ETHIOPIC SYLLABLE GWE	1372	ETHIOPIC NUMBER TEN
1316	(This position shall not be used)	1373	ETHIOPIC NUMBER TWENTY
1317	(This position shall not be used)	1374	ETHIOPIC NUMBER THIRTY
1318	ETHIOPIC SYLLABLE GGA	1375	ETHIOPIC NUMBER FORTY
1319	ETHIOPIC SYLLABLE GGU	1376	ETHIOPIC NUMBER FIFTY
131A	ETHIOPIC SYLLABLE GGI	1377	ETHIOPIC NUMBER SIXTY
131B	ETHIOPIC SYLLABLE GGAA	1378	ETHIOPIC NUMBER SEVENTY
131C	ETHIOPIC SYLLABLE GGEE	1379	ETHIOPIC NUMBER EIGHTY
131D	ETHIOPIC SYLLABLE GGE	137A	ETHIOPIC NUMBER NINETY
131E	ETHIOPIC SYLLABLE GGO	137B	ETHIOPIC NUMBER HUNDRED
131F	(This position shall not be used)	137C	ETHIOPIC NUMBER TEN THOUSAND
1320	ETHIOPIC SYLLABLE THA	137D	(This position shall not be used)
1321	ETHIOPIC SYLLABLE THU	137E	(This position shall not be used)
1322	ETHIOPIC SYLLABLE THI	137F	(This position shall not be used)
1323	ETHIOPIC SYLLABLE THAA		
1324	ETHIOPIC SYLLABLE THEE		
1325	ETHIOPIC SYLLABLE THE		
1326	ETHIOPIC SYLLABLE THO		
1327	ETHIOPIC SYLLABLE THWA		
1328	ETHIOPIC SYLLABLE CHA		
1329	ETHIOPIC SYLLABLE CHU		
132A	ETHIOPIC SYLLABLE CHI		
132B	ETHIOPIC SYLLABLE CHAA		
132C	ETHIOPIC SYLLABLE CHEE		
132D	ETHIOPIC SYLLABLE CHE		
132E	ETHIOPIC SYLLABLE CHO		
132F	ETHIOPIC SYLLABLE CHWA		
1330	ETHIOPIC SYLLABLE PHA		
1331	ETHIOPIC SYLLABLE PHU		
1332	ETHIOPIC SYLLABLE PHI		
1333	ETHIOPIC SYLLABLE PHAA		
1334	ETHIOPIC SYLLABLE PHEE		
1335	ETHIOPIC SYLLABLE PHE		
1336	ETHIOPIC SYLLABLE PHO		
1337	ETHIOPIC SYLLABLE PHWA		
1338	ETHIOPIC SYLLABLE TSA		
1339	ETHIOPIC SYLLABLE TSU		
133A	ETHIOPIC SYLLABLE TSI		
133B	ETHIOPIC SYLLABLE TSAA		
133C	ETHIOPIC SYLLABLE TSEE		
133D	ETHIOPIC SYLLABLE TSE		
133E	ETHIOPIC SYLLABLE TSO		
133F	ETHIOPIC SYLLABLE TSWA		
1340	ETHIOPIC SYLLABLE TZA		
1341	ETHIOPIC SYLLABLE TZU		
1342	ETHIOPIC SYLLABLE TZI		
1343	ETHIOPIC SYLLABLE TZAA		
1344	ETHIOPIC SYLLABLE TZEE		
1345	ETHIOPIC SYLLABLE TZE		
1346	ETHIOPIC SYLLABLE TZO		
1347	(This position shall not be used)		
1348	ETHIOPIC SYLLABLE FA		
1349	ETHIOPIC SYLLABLE FU		
134A	ETHIOPIC SYLLABLE FI		
134B	ETHIOPIC SYLLABLE FAA		
134C	ETHIOPIC SYLLABLE FEE		
134D	ETHIOPIC SYLLABLE FE		
134E	ETHIOPIC SYLLABLE FO		
134F	ETHIOPIC SYLLABLE FWA		
1350	ETHIOPIC SYLLABLE PA		
1351	ETHIOPIC SYLLABLE PU		
1352	ETHIOPIC SYLLABLE PI		
1353	ETHIOPIC SYLLABLE PAA		
1354	ETHIOPIC SYLLABLE PEE		
1355	ETHIOPIC SYLLABLE PE		
1356	ETHIOPIC SYLLABLE PO		
1357	ETHIOPIC SYLLABLE PWA		
1358	ETHIOPIC SYLLABLE RYA		
1359	ETHIOPIC SYLLABLE MYA		
135A	ETHIOPIC SYLLABLE FYA		
135B	(This position shall not be used)		
135C	(This position shall not be used)		

Group 00

Plane 00

Row 13

Table 47 - Row 17: Khmer

	178	179	17A	17B	17C	17D	17E	17F
0	ក 1780	ថ 1790	ហ 17A0	ព 17B0	ៀ 17C0	័ 17D0	័ 17E0	
1	ខ 1781	ទ 1791	ឡ 17A1	ឱ 17B1	េ 17C1	័ 17D1	័ 17E1	
2	គ 1782	ធ 1792	អ 17A2	ច 17B2	ៃ 17C2	័ 17D2	័ 17E2	
3	ឃ 1783	ន 1793	អ 17A3	ឪ 17B3	ៃ 17C3	័ 17D3	័ 17E3	
4	ង 1784	ប 1794	អា 17A4	ា 17B4	ោ 17C4	។ 17D4	៤ 17E4	
5	ច 1785	ផ 1795	ត 17A5	ា 17B5	ោ 17C5	។ 17D5	៥ 17E5	
6	ឆ 1786	ព 1796	ល្ប 17A6	ា 17B6	ំ 17C6	័ 17D6	៦ 17E6	
7	ជ 1787	ភ 1797	ឧ 17A7	ិ 17B7	័ 17C7	័ 17D7	៧ 17E7	
8	ឈ 1788	ម 1798	ឪ 17A8	ិ 17B8	័ 17C8	័ 17D8	៨ 17E8	
9	ញ 1789	យ 1799	ឧ 17A9	ិ 17B9	័ 17C9	័ 17D9	៩ 17E9	
A	ដ 178A	រ 179A	ឪ 17AA	ិ 17BA	័ 17CA	័ 17DA		
B	វ 178B	ល 179B	ប្ប 17AB	័ 17BB	័ 17CB	័ 17DB		
C	ខ 178C	រ 179C	ប្ប 17AC	័ 17BC	័ 17CC	័ 17DC		
D	ឈ 178D	ត 179D	ព្រ 17AD	័ 17BD	័ 17CD			
E	ណ 178E	ថ 179E	ព្រ 17AE	័ 17BE	័ 17CE			
F	ត 178F	ស 179F	ង 17AF	្រ 17BF	័ 17CF			

G = 00
P = 00

Table 47 - Row 17: Khmer

HEX	NAME	HEX	NAME
1780	KHMER LETTER KA	17DD	(This position shall not be used)
1781	KHMER LETTER KHA	17DE	(This position shall not be used)
1782	KHMER LETTER KO	17DF	(This position shall not be used)
1783	KHMER LETTER KHO	17E0	KHMER DIGIT ZERO
1784	KHMER LETTER NGO	17E1	KHMER DIGIT ONE
1785	KHMER LETTER CA	17E2	KHMER DIGIT TWO
1786	KHMER LETTER CHA	17E3	KHMER DIGIT THREE
1787	KHMER LETTER CO	17E4	KHMER DIGIT FOUR
1788	KHMER LETTER CHO	17E5	KHMER DIGIT FIVE
1789	KHMER LETTER NYO	17E6	KHMER DIGIT SIX
178A	KHMER LETTER DA	17E7	KHMER DIGIT SEVEN
178B	KHMER LETTER TTHA	17E8	KHMER DIGIT EIGHT
178C	KHMER LETTER DO	17E9	KHMER DIGIT NINE
178D	KHMER LETTER TTHO	17EA	(This position shall not be used)
178E	KHMER LETTER NNO	17EB	(This position shall not be used)
178F	KHMER LETTER TA	17EC	(This position shall not be used)
1790	KHMER LETTER THA	17ED	(This position shall not be used)
1791	KHMER LETTER TO	17EE	(This position shall not be used)
1792	KHMER LETTER THO	17EF	(This position shall not be used)
1793	KHMER LETTER NO	17F0	(This position shall not be used)
1794	KHMER LETTER BA	17F1	(This position shall not be used)
1795	KHMER LETTER PHA	17F2	(This position shall not be used)
1796	KHMER LETTER PO	17F3	(This position shall not be used)
1797	KHMER LETTER PHO	17F4	(This position shall not be used)
1798	KHMER LETTER MO	17F5	(This position shall not be used)
1799	KHMER LETTER YO	17F6	(This position shall not be used)
179A	KHMER LETTER RO	17F7	(This position shall not be used)
179B	KHMER LETTER LO	17F8	(This position shall not be used)
179C	KHMER LETTER VO	17F9	(This position shall not be used)
179D	KHMER LETTER SHA	17FA	(This position shall not be used)
179E	KHMER LETTER SSO	17FB	(This position shall not be used)
179F	KHMER LETTER SA	17FC	(This position shall not be used)
17A0	KHMER LETTER HA	17FD	(This position shall not be used)
17A1	KHMER LETTER LA	17FE	(This position shall not be used)
17A2	KHMER LETTER QA	17FF	(This position shall not be used)
17A3	KHMER INDEPENDENT VOWEL QAQ		
17A4	KHMER INDEPENDENT VOWEL QAA		
17A5	KHMER INDEPENDENT VOWEL QI		
17A6	KHMER INDEPENDENT VOWEL QII		
17A7	KHMER INDEPENDENT VOWEL QU		
17A8	KHMER INDEPENDENT VOWEL QUK		
17A9	KHMER INDEPENDENT VOWEL QUU		
17AA	KHMER INDEPENDENT VOWEL QUUV		
17AB	KHMER INDEPENDENT VOWEL RY		
17AC	KHMER INDEPENDENT VOWEL RYY		
17AD	KHMER INDEPENDENT VOWEL LY		
17AE	KHMER INDEPENDENT VOWEL LYY		
17AF	KHMER INDEPENDENT VOWEL QE		
17B0	KHMER INDEPENDENT VOWEL QAI		
17B1	KHMER INDEPENDENT VOWEL QOO TYPE ONE		
17B2	KHMER INDEPENDENT VOWEL QOO TYPE TWO		
17B3	KHMER INDEPENDENT VOWEL QAU		
17B4	KHMER VOWEL INHERENT AQ		
17B5	KHMER VOWEL INHERENT AA		
17B6	KHMER VOWEL SIGN AA		
17B7	KHMER VOWEL SIGN I		
17B8	KHMER VOWEL SIGN II		
17B9	KHMER VOWEL SIGN Y		
17BA	KHMER VOWEL SIGN YY		
17BB	KHMER VOWEL SIGN U		
17BC	KHMER VOWEL SIGN UU		
17BD	KHMER VOWEL SIGN UA		
17BE	KHMER VOWEL SIGN OE		
17BF	KHMER VOWEL SIGN YA		
17C0	KHMER VOWEL SIGN IE		
17C1	KHMER VOWEL SIGN E		
17C2	KHMER VOWEL SIGN AE		
17C3	KHMER VOWEL SIGN AI		
17C4	KHMER VOWEL SIGN OO		
17C5	KHMER VOWEL SIGN AU		
17C6	KHMER SIGN NIKAHIT		
17C7	KHMER SIGN REAHMUK		
17C8	KHMER SIGN YUUKALEAPINTU		
17C9	KHMER SIGN MUUSIKATOAN		
17CA	KHMER SIGN TRIISAP		
17CB	KHMER SIGN BANTOC		
17CC	KHMER SIGN ROBAT		
17CD	KHMER SIGN TOANDAKHIAT		
17CE	KHMER SIGN KAKABAT		
17CF	KHMER SIGN AHSDA		
17D0	KHMER SIGN SAMYOK SANNYA		
17D1	KHMER SIGN VIRIAM		
17D2	KHMER SIGN COENG		
17D3	KHMER SIGN BATHAMASAT		
17D4	KHMER SIGN KHAN		
17D5	KHMER SIGN BARIYOOSAN		
17D6	KHMER SIGN CAMNUC PII KUUH		
17D7	KHMER SIGN LEK TOO		
17D8	KHMER SIGN BEYYAL		
17D9	KHMER SIGN PHNAEK MUAN		
17DA	KHMER SIGN KOOMUUT		
17DB	KHMER CURRENCY SYMBOL RIEL		
17DC	KHMER SIGN AVAKRAHASANYA		

Group 00

Plane 00

Row 17

Table 57 - Row 21: Letterlike Symbols

	210	211	212	213	214
0	‰ 2100	<i>J</i> 2110	SM 2120	<i>Ɛ</i> 2130	
1	‰ 2101	<i>Ɔ</i> 2111	TEL 2121	<i>Ɔ</i> 2131	
2	© 2102	<i>ℒ</i> 2112	TM 2122	℥ 2132	
3	°C 2103	<i>ℓ</i> 2113	℥ 2123	<i>ℳ</i> 2133	
4	℥ 2104	℥ 2114	℥ 2124	<i>o</i> 2134	
5	<i>℥</i> 2105	℥ 2115	℥ 2125	℥ 2135	
6	<i>℥</i> 2106	℥ ₂ 2116	Ω 2126	℥ ₂ 2136	
7	℥ ₂ 2107	℥ ₂ 2117	℥ ₂ 2127	℥ ₂ 2137	
8	℥ ₂ 2108	℥ ₂ 2118	℥ ₂ 2128	℥ ₂ 2138	
9	°F 2109	℥ ₂ 2119	℥ ₂ 2129	℥ ₂ 2139	
A	<i>g</i> 210A	℥ ₂ 211A	K 212A	℥ ₂ 213A	
B	<i>℥</i> 210B	<i>℥</i> 211B	Å 212B		
C	<i>℥</i> 210C	<i>℥</i> 211C	<i>℥</i> 212C		
D	℥ ₂ 210D	℥ ₂ 211D	℥ ₂ 212D		
E	<i>h</i> 210E	℥ ₂ 211E	<i>e</i> 212E		
F	<i>h</i> 210F	<i>℥</i> 211F	<i>e</i> 212F		

G = 00

P = 00

Table 57 - Row 21: Letterlike Symbols

HEX	NAME	HEX	NAME
2100	ACCOUNT OF		
2101	ADDRESSED TO THE SUBJECT		
2102	DOUBLE-STRUCK CAPITAL C		
2103	DEGREE CELSIUS		
2104	CENTRE LINE SYMBOL		
2105	CARE OF		
2106	CADA UNA		
2107	EULER CONSTANT		
2108	SCRUPLE		
2109	DEGREE FAHRENHEIT		
210A	SCRIPT SMALL G		
210B	SCRIPT CAPITAL H		
210C	BLACK-LETTER CAPITAL H		
210D	DOUBLE-STRUCK CAPITAL H		
210E	PLANCK CONSTANT		
210F	PLANCK CONSTANT OVER TWO PI		
2110	SCRIPT CAPITAL I		
2111	BLACK-LETTER CAPITAL I		
2112	SCRIPT CAPITAL L		
2113	SCRIPT SMALL L		
2114	L B BAR SYMBOL		
2115	DOUBLE-STRUCK CAPITAL N		
2116	NUMERO SIGN		
2117	SOUND RECORDING COPYRIGHT		
2118	SCRIPT CAPITAL P		
2119	DOUBLE-STRUCK CAPITAL P		
211A	DOUBLE-STRUCK CAPITAL Q		
211B	SCRIPT CAPITAL R		
211C	BLACK-LETTER CAPITAL R		
211D	DOUBLE-STRUCK CAPITAL R		
211E	PRESCRIPTION TAKE		
211F	RESPONSE		
2120	SERVICE MARK		
2121	TELEPHONE SIGN		
2122	TRADE MARK SIGN		
2123	VERSICLE		
2124	DOUBLE-STRUCK CAPITAL Z		
2125	OUNCE SIGN		
2126	OHM SIGN		
2127	INVERTED OHM SIGN		
2128	BLACK-LETTER CAPITAL Z		
2129	TURNED GREEK SMALL LETTER IOTA		
212A	KELVIN SIGN		
212B	ANGSTROM SIGN		
212C	SCRIPT CAPITAL B		
212D	BLACK-LETTER CAPITAL C		
212E	ESTIMATED SYMBOL		
212F	SCRIPT SMALL E		
2130	SCRIPT CAPITAL E		
2131	SCRIPT CAPITAL F		
2132	TURNED CAPITAL F		
2133	SCRIPT CAPITAL M		
2134	SCRIPT SMALL O		
2135	ALEF SYMBOL		
2136	BET SYMBOL		
2137	GIMEL SYMBOL		
2138	DALET SYMBOL		
2139	INFORMATION SOURCE		
213A	ROTATED CAPITAL Q		
213B	(This position shall not be used)		
213C	(This position shall not be used)		
213D	(This position shall not be used)		
213E	(This position shall not be used)		
213F	(This position shall not be used)		
2140	(This position shall not be used)		
2141	(This position shall not be used)		
2142	(This position shall not be used)		
2143	(This position shall not be used)		
2144	(This position shall not be used)		
2145	(This position shall not be used)		
2146	(This position shall not be used)		
2147	(This position shall not be used)		
2148	(This position shall not be used)		
2149	(This position shall not be used)		
214A	(This position shall not be used)		
214B	(This position shall not be used)		
214C	(This position shall not be used)		
214D	(This position shall not be used)		
214E	(This position shall not be used)		
214F	(This position shall not be used)		

Group 00

Plane 00

Row 21

Table 60 - Row 22: Mathematical Operators

	220	221	222	223	224	225	226	227
0	∇ 2200	$\sqcup$ 2210	$\angle$ 2220	$\mathfrak{f}$ 2230	$\wr$ 2240	$\doteq$ 2250	$\neq$ 2260	$\nless$ 2270
1	$\mathcal{C}$ 2201	Σ 2211	Δ 2221	$\mathfrak{f}$ 2231	$\approx$ 2241	$\doteq$ 2251	$\equiv$ 2261	$\nless$ 2271
2	∂ 2202	$-$ 2212	$\times$ 2222	$\mathfrak{f}$ 2232	$\approx$ 2242	$\doteq$ 2252	$\neq$ 2262	$\nless$ 2272
3	$\exists$ 2203	$\mp$ 2213	$ $ 2223	$\mathfrak{f}$ 2233	$\approx$ 2243	$\doteq$ 2253	$\equiv$ 2263	$\nless$ 2273
4	$\nless$ 2204	$\div$ 2214	$\dagger$ 2224	$\therefore$ 2234	$\neq$ 2244	$\doteq$ 2254	$\leq$ 2264	$\nless$ 2274
5	$\emptyset$ 2205	$/$ 2215	$\parallel$ 2225	$\therefore$ 2235	$\approx$ 2245	$\doteq$ 2255	$\geq$ 2265	$\nless$ 2275
6	Δ 2206	$\backslash$ 2216	$\nless$ 2226	$\therefore$ 2236	$\approx$ 2246	$\mathfrak{H}$ 2256	$\leq$ 2266	$\nless$ 2276
7	∇ 2207	$*$ 2217	$\wedge$ 2227	$\therefore$ 2237	$\approx$ 2247	$\doteq$ 2257	$\leq$ 2267	$\nless$ 2277
8	$\in$ 2208	$\circ$ 2218	$\vee$ 2228	$\div$ 2238	$\approx$ 2248	$\doteq$ 2258	$\nless$ 2268	$\nless$ 2278
9	$\nless$ 2209	$\cdot$ 2219	$\cap$ 2229	$\therefore$ 2239	$\approx$ 2249	$\doteq$ 2259	$\nless$ 2269	$\nless$ 2279
A	$\in$ 220A	$\sqrt{\quad}$ 221A	$\cup$ 222A	$\therefore$ 223A	$\approx$ 224A	$\doteq$ 225A	$\ll$ 226A	$\nless$ 227A
B	$\ni$ 220B	$\sqrt[3]{\quad}$ 221B	$\int$ 222B	$\div$ 223B	$\approx$ 224B	$\doteq$ 225B	$\gg$ 226B	$\nless$ 227B
C	$\nless$ 220C	$\sqrt[4]{\quad}$ 221C	$\iint$ 222C	$\sim$ 223C	$\approx$ 224C	$\doteq$ 225C	$\emptyset$ 226C	$\nless$ 227C
D	$\ni$ 220D	∞ 221D	$\iiint$ 222D	$\sim$ 223D	$\nless$ 224D	$\doteq$ 225D	$\nless$ 226D	$\nless$ 227D
E	$\blacksquare$ 220E	∞ 221E	$\mathfrak{f}$ 222E	$\sim$ 223E	$\nless$ 224E	$\doteq$ 225E	$\nless$ 226E	$\nless$ 227E
F	$\prod$ 220F	$\mathcal{L}$ 221F	$\mathfrak{f}$ 222F	$\sim$ 223F	$\nless$ 224F	$\doteq$ 225F	$\nless$ 226F	$\nless$ 227F

G = 00
P = 00

Table 60 - Row 22: Mathematical Operators

HEX	NAME	HEX	NAME
2200	FOR ALL	225D	EQUAL TO BY DEFINITION
2201	COMPLEMENT	225E	MEASURED BY
2202	PARTIAL DIFFERENTIAL	225F	QUESTIONED EQUAL TO
2203	THERE EXISTS	2260	NOT EQUAL TO
2204	THERE DOES NOT EXIST	2261	IDENTICAL TO
2205	EMPTY SET	2262	NOT IDENTICAL TO
2206	INCREMENT	2263	STRICTLY EQUIVALENT TO
2207	NABLA	2264	LESS-THAN OR EQUAL TO
2208	ELEMENT OF	2265	GREATER-THAN OR EQUAL TO
2209	NOT AN ELEMENT OF	2266	LESS-THAN OVER EQUAL TO
220A	SMALL ELEMENT OF	2267	GREATER-THAN OVER EQUAL TO
220B	CONTAINS AS MEMBER	2268	LESS-THAN BUT NOT EQUAL TO
220C	DOES NOT CONTAIN AS MEMBER	2269	GREATER-THAN BUT NOT EQUAL TO
220D	SMALL CONTAINS AS MEMBER	226A	MUCH LESS-THAN
220E	END OF PROOF	226B	MUCH GREATER-THAN
220F	N-ARY PRODUCT	226C	BETWEEN
2210	N-ARY COPRODUCT	226D	NOT EQUIVALENT TO
2211	N-ARY SUMMATION	226E	NOT LESS-THAN
2212	MINUS SIGN	226F	NOT GREATER-THAN
2213	MINUS-OR-PLUS SIGN	2270	NEITHER LESS-THAN NOR EQUAL TO
2214	DOT PLUS	2271	NEITHER GREATER-THAN NOR EQUAL TO
2215	DIVISION SLASH	2272	LESS-THAN OR EQUIVALENT TO
2216	SET MINUS	2273	GREATER-THAN OR EQUIVALENT TO
2217	ASTERISK OPERATOR	2274	NEITHER LESS-THAN NOR EQUIVALENT TO
2218	RING OPERATOR	2275	NEITHER GREATER-THAN NOR EQUIVALENT TO
2219	BULLET OPERATOR	2276	LESS-THAN OR GREATER-THAN
221A	SQUARE ROOT	2277	GREATER-THAN OR LESS-THAN
221B	CUBE ROOT	2278	NEITHER LESS-THAN NOR GREATER-THAN
221C	FOURTH ROOT	2279	NEITHER GREATER-THAN NOR LESS-THAN
221D	PROPORTIONAL TO	227A	PRECEDES
221E	INFINITY	227B	SUCCEEDS
221F	RIGHT ANGLE	227C	PRECEDES OR EQUAL TO
2220	ANGLE	227D	SUCCEEDS OR EQUAL TO
2221	MEASURED ANGLE	227E	PRECEDES OR EQUIVALENT TO
2222	SPHERICAL ANGLE	227F	SUCCEEDS OR EQUIVALENT TO
2223	DIVIDES		
2224	DOES NOT DIVIDE		
2225	PARALLEL TO		
2226	NOT PARALLEL TO		
2227	LOGICAL AND		
2228	LOGICAL OR		
2229	INTERSECTION		
222A	UNION		
222B	INTEGRAL		
222C	DOUBLE INTEGRAL		
222D	TRIPLE INTEGRAL		
222E	CONTOUR INTEGRAL		
222F	SURFACE INTEGRAL		
2230	VOLUME INTEGRAL		
2231	CLOCKWISE INTEGRAL		
2232	CLOCKWISE CONTOUR INTEGRAL		
2233	ANTICLOCKWISE CONTOUR INTEGRAL		
2234	THEREFORE		
2235	BECAUSE		
2236	RATIO		
2237	PROPORTION		
2238	DOT MINUS		
2239	EXCESS		
223A	GEOMETRIC PROPORTION		
223B	HOMOTHETIC		
223C	TILDE OPERATOR		
223D	REVERSED TILDE (lazy S)		
223E	INVERTED LAZY S		
223F	SINE WAVE		
2240	WREATH PRODUCT		
2241	NOT TILDE		
2242	MINUS TILDE		
2243	ASYMPTOTICALLY EQUAL TO		
2244	NOT ASYMPTOTICALLY EQUAL TO		
2245	APPROXIMATELY EQUAL TO		
2246	APPROXIMATELY BUT NOT ACTUALLY EQUAL TO		
2247	NEITHER APPROXIMATELY NOR ACTUALLY EQUAL TO		
2248	ALMOST EQUAL TO		
2249	NOT ALMOST EQUAL TO		
224A	ALMOST EQUAL OR EQUAL TO		
224B	TRIPLE TILDE		
224C	ALL EQUAL TO		
224D	EQUIVALENT TO		
224E	GEOMETRICALLY EQUIVALENT TO		
224F	DIFFERENCE BETWEEN		
2250	APPROACHES THE LIMIT		
2251	GEOMETRICALLY EQUAL TO		
2252	APPROXIMATELY EQUAL TO OR THE IMAGE OF		
2253	IMAGE OF OR APPROXIMATELY EQUAL TO		
2254	COLON EQUALS		
2255	EQUALS COLON		
2256	RING IN EQUAL TO		
2257	RING EQUAL TO		
2258	CORRESPONDS TO		
2259	ESTIMATES		
225A	EQUIANGULAR TO		
225B	STAR EQUALS		
225C	DELTA EQUAL TO		

Group 00

Plane 00

Row 22

Table 69 - Row 25: Geometric Shapes

	25A	25B	25C	25D	25E	25F
0	 25A0	 25B0	 25C0	 25D0	 25E0	 25F0
1	 25A1	 25B1	 25C1	 25D1	 25E1	 25F1
2	 25A2	 25B2	 25C2	 25D2	 25E2	 25F2
3	 25A3	 25B3	 25C3	 25D3	 25E3	 25F3
4	 25A4	 25B4	 25C4	 25D4	 25E4	 25F4
5	 25A5	 25B5	 25C5	 25D5	 25E5	 25F5
6	 25A6	 25B6	 25C6	 25D6	 25E6	 25F6
7	 25A7	 25B7	 25C7	 25D7	 25E7	 25F7
8	 25A8	 25B8	 25C8	 25D8	 25E8	
9	 25A9	 25B9	 25C9	 25D9	 25E9	
A	 25AA	 25BA	 25CA	 25DA	 25EA	
B	 25AB	 25BB	 25CB	 25DB	 25EB	
C	 25AC	 25BC	 25CC	 25DC	 25EC	
D	 25AD	 25BD	 25CD	 25DD	 25ED	
E	 25AE	 25BE	 25CE	 25DE	 25EE	
F	 25AF	 25BF	 25CF	 25DF	 25EF	

G = 00
P = 00

Table 69 - Row 25: Geometric Shapes

HEX	NAME	HEX	NAME
25A0	BLACK SQUARE	25FD	(This position shall not be used)
25A1	WHITE SQUARE	25FE	(This position shall not be used)
25A2	WHITE SQUARE WITH ROUNDED CORNERS	25FF	(This position shall not be used)
25A3	WHITE SQUARE CONTAINING BLACK SMALL SQUARE		
25A4	SQUARE WITH HORIZONTAL FILL		
25A5	SQUARE WITH VERTICAL FILL		
25A6	SQUARE WITH ORTHOGONAL CROSSHATCH FILL		
25A7	SQUARE WITH UPPER LEFT TO LOWER RIGHT FILL		
25A8	SQUARE WITH UPPER RIGHT TO LOWER LEFT FILL		
25A9	SQUARE WITH DIAGONAL CROSSHATCH FILL		
25AA	BLACK SMALL SQUARE		
25AB	WHITE SMALL SQUARE		
25AC	BLACK RECTANGLE		
25AD	WHITE RECTANGLE		
25AE	BLACK VERTICAL RECTANGLE		
25AF	WHITE VERTICAL RECTANGLE		
25B0	BLACK PARALLELOGRAM		
25B1	WHITE PARALLELOGRAM		
25B2	BLACK UP-POINTING TRIANGLE		
25B3	WHITE UP-POINTING TRIANGLE		
25B4	BLACK UP-POINTING SMALL TRIANGLE		
25B5	WHITE UP-POINTING SMALL TRIANGLE		
25B6	BLACK RIGHT-POINTING TRIANGLE		
25B7	WHITE RIGHT-POINTING TRIANGLE		
25B8	BLACK RIGHT-POINTING SMALL TRIANGLE		
25B9	WHITE RIGHT-POINTING SMALL TRIANGLE		
25BA	BLACK RIGHT-POINTING POINTER		
25BB	WHITE RIGHT-POINTING POINTER		
25BC	BLACK DOWN-POINTING TRIANGLE		
25BD	WHITE DOWN-POINTING TRIANGLE		
25BE	BLACK DOWN-POINTING SMALL TRIANGLE		
25BF	WHITE DOWN-POINTING SMALL TRIANGLE		
25C0	BLACK LEFT-POINTING TRIANGLE		
25C1	WHITE LEFT-POINTING TRIANGLE		
25C2	BLACK LEFT-POINTING SMALL TRIANGLE		
25C3	WHITE LEFT-POINTING SMALL TRIANGLE		
25C4	BLACK LEFT-POINTING POINTER		
25C5	WHITE LEFT-POINTING POINTER		
25C6	BLACK DIAMOND		
25C7	WHITE DIAMOND		
25C8	WHITE DIAMOND CONTAINING BLACK SMALL DIAMOND		
25C9	FISHEYE		
25CA	LOZENGE		
25CB	WHITE CIRCLE		
25CC	DOTTED CIRCLE		
25CD	CIRCLE WITH VERTICAL FILL		
25CE	BULLSEYE		
25CF	BLACK CIRCLE		
25D0	CIRCLE WITH LEFT HALF BLACK		
25D1	CIRCLE WITH RIGHT HALF BLACK		
25D2	CIRCLE WITH LOWER HALF BLACK		
25D3	CIRCLE WITH UPPER HALF BLACK		
25D4	CIRCLE WITH UPPER RIGHT QUADRANT BLACK		
25D5	CIRCLE WITH ALL BUT UPPER LEFT QUADRANT BLACK		
25D6	LEFT HALF BLACK CIRCLE		
25D7	RIGHT HALF BLACK CIRCLE		
25D8	INVERSE BULLET		
25D9	INVERSE WHITE CIRCLE		
25DA	UPPER HALF INVERSE WHITE CIRCLE		
25DB	LOWER HALF INVERSE WHITE CIRCLE		
25DC	UPPER LEFT QUADRANT CIRCULAR ARC		
25DD	UPPER RIGHT QUADRANT CIRCULAR ARC		
25DE	LOWER RIGHT QUADRANT CIRCULAR ARC		
25DF	LOWER LEFT QUADRANT CIRCULAR ARC		
25E0	UPPER HALF CIRCLE		
25E1	LOWER HALF CIRCLE		
25E2	BLACK LOWER RIGHT TRIANGLE		
25E3	BLACK LOWER LEFT TRIANGLE		
25E4	BLACK UPPER LEFT TRIANGLE		
25E5	BLACK UPPER RIGHT TRIANGLE		
25E6	WHITE BULLET		
25E7	SQUARE WITH LEFT HALF BLACK		
25E8	SQUARE WITH RIGHT HALF BLACK		
25E9	SQUARE WITH UPPER LEFT DIAGONAL HALF BLACK		
25EA	SQUARE WITH LOWER RIGHT DIAGONAL HALF BLACK		
25EB	WHITE SQUARE WITH VERTICAL BISECTING LINE		
25EC	WHITE UP-POINTING TRIANGLE WITH DOT		
25ED	UP-POINTING TRIANGLE WITH LEFT HALF BLACK		
25EE	UP-POINTING TRIANGLE WITH RIGHT HALF BLACK		
25EF	LARGE CIRCLE		
25F0	WHITE SQUARE WITH UPPER LEFT QUADRANT		
25F1	WHITE SQUARE WITH LOWER LEFT QUADRANT		
25F2	WHITE SQUARE WITH LOWER RIGHT QUADRANT		
25F3	WHITE SQUARE WITH UPPER RIGHT QUADRANT		
25F4	WHITE CIRCLE WITH UPPER LEFT QUADRANT		
25F5	WHITE CIRCLE WITH LOWER LEFT QUADRANT		
25F6	WHITE CIRCLE WITH LOWER RIGHT QUADRANT		
25F7	WHITE CIRCLE WITH UPPER RIGHT QUADRANT		
25F8	(This position shall not be used)		
25F9	(This position shall not be used)		
25FA	(This position shall not be used)		
25FB	(This position shall not be used)		
25FC	(This position shall not be used)		

Group 00

Plane 00

Row 25

Table 139 - Row FE: Arabic Presentation Forms-B

	FE7	FE8	FE9	FEA	FEB	FEC	FED	FEE	FEF
0	ﷲ FE70	ء FE80	ب FE90	ج FEA0	ز FEB0	ض FEC0	غ FED0	ل FEE0	ي FEF0
1	ـ FE71	آ FE81	ب FE91	ح FEA1	س FEB1	ط FEC1	ف FED1	م FEE1	ي FEF1
2	ه FE72	آ FE82	ب FE92	ح FEA2	س FEB2	ط FEC2	ف FED2	م FEE2	ي FEF2
3		أ FE83	ة FE93	ح FEA3	س FEB3	ط FEC3	ف FED3	م FEE3	ي FEF3
4	ﷲ FE74	أ FE84	ة FE94	ح FEA4	س FEB4	ط FEC4	ف FED4	م FEE4	ي FEF4
5		ؤ FE85	ت FE95	خ FEA5	ش FEB5	ظ FEC5	ق FED5	ن FEE5	لا FEF5
6	ـ FE76	ؤ FE86	ت FE96	خ FEA6	ش FEB6	ظ FEC6	ق FED6	ن FEE6	لا FEF6
7	ـ FE77	إ FE87	ة FE97	خ FEA7	ش FEB7	ظ FEC7	ق FED7	ن FEE7	لا FEF7
8	ـ FE78	إ FE88	ة FE98	خ FEA8	ش FEB8	ظ FEC8	ق FED8	ن FEE8	لا FEF8
9	ـ FE79	ئ FE89	ث FE99	د FEA9	ص FEB9	ع FEC9	ك FED9	ه FEE9	لا FEF9
A	ـ FE7A	ئ FE8A	ث FE9A	د FEA9	ص FEB9	ع FEC9	ك FED9	ه FEE9	لا FEF9
B	ـ FE7B	ئ FE8B	ث FE9B	ذ FEAB	ص FEBB	ع FECB	ك FEDB	ه FEEB	لا FEFB
C	ـ FE7C	ئ FE8C	ث FE9C	ذ FEAC	ص FEBB	ع FECB	ك FEDB	ه FEEB	لا FEFB
D	ـ FE7D	ا FE8D	ج FE9D	ر FEAD	ض FEBD	غ FECB	ل FEDD	و FEED	
E	ـ FE7E	ا FE8E	ج FE9E	ر FEAE	ض FEBE	غ FECB	ل FEDE	و FEEE	
F	ـ FE7F	ب FE8F	ج FE9F	ز FEAF	ض FEBF	غ FECF	ل FEDF	ي FEFF	ZWN BSP FEFF

G = 00
P = 00

Table 139 - Row FE: Arabic Presentation Forms-B

HEX	NAME	HEX	NAME
FE70	ARABIC FATHATAN ISOLATED FORM	FEC0	ARABIC LETTER GHAIN ISOLATED FORM
FE71	ARABIC TATWEEL WITH FATHATAN ABOVE	FEC1	ARABIC LETTER GHAIN FINAL FORM
FE72	ARABIC DAMMATAN ISOLATED FORM	FEC2	ARABIC LETTER GHAIN INITIAL FORM
FE73	(This position shall not be used)	FED0	ARABIC LETTER GHAIN MEDIAL FORM
FE74	ARABIC KASRATAN ISOLATED FORM	FED1	ARABIC LETTER FEH ISOLATED FORM
FE75	(This position shall not be used)	FED2	ARABIC LETTER FEH FINAL FORM
FE76	ARABIC FATHA ISOLATED FORM	FED3	ARABIC LETTER FEH INITIAL FORM
FE77	ARABIC FATHA MEDIAL FORM	FED4	ARABIC LETTER FEH MEDIAL FORM
FE78	ARABIC DAMMA ISOLATED FORM	FED5	ARABIC LETTER QAF ISOLATED FORM
FE79	ARABIC DAMMA MEDIAL FORM	FED6	ARABIC LETTER QAF FINAL FORM
FE7A	ARABIC KASRA ISOLATED FORM	FED7	ARABIC LETTER QAF INITIAL FORM
FE7B	ARABIC KASRA MEDIAL FORM	FED8	ARABIC LETTER QAF MEDIAL FORM
FE7C	ARABIC SHADDA ISOLATED FORM	FED9	ARABIC LETTER KAF ISOLATED FORM
FE7D	ARABIC SHADDA MEDIAL FORM	FEDA	ARABIC LETTER KAF FINAL FORM
FE7E	ARABIC SUKUN ISOLATED FORM	FEDB	ARABIC LETTER KAF INITIAL FORM
FE7F	ARABIC SUKUN MEDIAL FORM	FEDC	ARABIC LETTER KAF MEDIAL FORM
FE80	ARABIC LETTER HAMZA ISOLATED FORM	FEDD	ARABIC LETTER LAM ISOLATED FORM
FE81	ARABIC LETTER ALEF WITH MADDA ABOVE ISOLATED FORM	FEE0	ARABIC LETTER LAM FINAL FORM
FE82	ARABIC LETTER ALEF WITH MADDA ABOVE FINAL FORM	FEE1	ARABIC LETTER LAM INITIAL FORM
FE83	ARABIC LETTER ALEF WITH HAMZA ABOVE ISOLATED FORM	FEE2	ARABIC LETTER LAM MEDIAL FORM
FE84	ARABIC LETTER ALEF WITH HAMZA ABOVE FINAL FORM	FEF0	ARABIC LETTER MEEM ISOLATED FORM
FE85	ARABIC LETTER WAW WITH HAMZA ABOVE ISOLATED FORM	FEF1	ARABIC LETTER MEEM FINAL FORM
FE86	ARABIC LETTER WAW WITH HAMZA ABOVE FINAL FORM	FEF2	ARABIC LETTER MEEM INITIAL FORM
FE87	ARABIC LETTER ALEF WITH HAMZA BELOW ISOLATED FORM	FEF3	ARABIC LETTER MEEM MEDIAL FORM
FE88	ARABIC LETTER ALEF WITH HAMZA BELOW FINAL FORM	FEF4	ARABIC LETTER NOON ISOLATED FORM
FE89	ARABIC LETTER YEH WITH HAMZA ABOVE ISOLATED FORM	FEF5	ARABIC LETTER NOON FINAL FORM
FE8A	ARABIC LETTER YEH WITH HAMZA ABOVE FINAL FORM	FEF6	ARABIC LETTER NOON INITIAL FORM
FE8B	ARABIC LETTER YEH WITH HAMZA ABOVE MEDIAL FORM	FEF7	ARABIC LETTER NOON MEDIAL FORM
FE8C	ARABIC LETTER ALEF ISOLATED FORM	FEF8	ARABIC LETTER HEH ISOLATED FORM
FE8D	ARABIC LETTER ALEF FINAL FORM	FEF9	ARABIC LETTER HEH FINAL FORM
FE8E	ARABIC LETTER ALEF INITIAL FORM	FEFA	ARABIC LETTER HEH MEDIAL FORM
FE8F	ARABIC LETTER BEH ISOLATED FORM	FEFB	ARABIC LETTER WAW ISOLATED FORM
FE90	ARABIC LETTER BEH FINAL FORM	FEFC	ARABIC LETTER WAW FINAL FORM
FE91	ARABIC LETTER BEH INITIAL FORM	FEFD	ARABIC LETTER ALEF MAKSURA ISOLATED FORM
FE92	ARABIC LETTER BEH MEDIAL FORM	FEFE	ARABIC LETTER ALEF MAKSURA FINAL FORM
FE93	ARABIC LETTER TEH MARBUTA ISOLATED FORM	FEFF	ARABIC LETTER YEH ISOLATED FORM
FE94	ARABIC LETTER TEH MARBUTA FINAL FORM		ARABIC LETTER YEH FINAL FORM
FE95	ARABIC LETTER TEH ISOLATED FORM		ARABIC LETTER YEH INITIAL FORM
FE96	ARABIC LETTER TEH FINAL FORM		ARABIC LETTER YEH MEDIAL FORM
FE97	ARABIC LETTER TEH INITIAL FORM		ARABIC LIGATURE LAM WITH ALEF WITH MADDA ABOVE ISOLATED FORM
FE98	ARABIC LETTER TEH MEDIAL FORM		ARABIC LIGATURE LAM WITH ALEF WITH MADDA ABOVE FINAL FORM
FE99	ARABIC LETTER THEH ISOLATED FORM		ARABIC LIGATURE LAM WITH ALEF WITH HAMZA ABOVE ISOLATED FORM
FE9A	ARABIC LETTER THEH FINAL FORM		ARABIC LIGATURE LAM WITH ALEF WITH HAMZA ABOVE FINAL FORM
FE9B	ARABIC LETTER THEH INITIAL FORM		ARABIC LIGATURE LAM WITH ALEF WITH HAMZA BELOW ISOLATED FORM
FE9C	ARABIC LETTER THEH MEDIAL FORM		ARABIC LIGATURE LAM WITH ALEF WITH HAMZA BELOW FINAL FORM
FE9D	ARABIC LETTER JEEM ISOLATED FORM		ARABIC LIGATURE LAM WITH ALEF ISOLATED FORM
FE9E	ARABIC LETTER JEEM FINAL FORM		ARABIC LIGATURE LAM WITH ALEF FINAL FORM
FE9F	ARABIC LETTER JEEM INITIAL FORM		(This position shall not be used)
FEA0	ARABIC LETTER JEEM MEDIAL FORM		(This position shall not be used)
FEA1	ARABIC LETTER HAH ISOLATED FORM		ZERO WIDTH NO-BREAK SPACE
FEA2	ARABIC LETTER HAH FINAL FORM		
FEA3	ARABIC LETTER HAH INITIAL FORM		
FEA4	ARABIC LETTER HAH MEDIAL FORM		
FEA5	ARABIC LETTER KHAH ISOLATED FORM		
FEA6	ARABIC LETTER KHAH FINAL FORM		
FEA7	ARABIC LETTER KHAH INITIAL FORM		
FEA8	ARABIC LETTER KHAH MEDIAL FORM		
FEA9	ARABIC LETTER DAL ISOLATED FORM		
FEAA	ARABIC LETTER DAL FINAL FORM		
FEAB	ARABIC LETTER THAL ISOLATED FORM		
FEAC	ARABIC LETTER THAL FINAL FORM		
FEAD	ARABIC LETTER REH ISOLATED FORM		
FEAE	ARABIC LETTER REH FINAL FORM		
FEAF	ARABIC LETTER ZAIN ISOLATED FORM		
FEB0	ARABIC LETTER ZAIN FINAL FORM		
FEB1	ARABIC LETTER SEEN ISOLATED FORM		
FEB2	ARABIC LETTER SEEN FINAL FORM		
FEB3	ARABIC LETTER SEEN INITIAL FORM		
FEB4	ARABIC LETTER SEEN MEDIAL FORM		
FEB5	ARABIC LETTER SHEEN ISOLATED FORM		
FEB6	ARABIC LETTER SHEEN FINAL FORM		
FEB7	ARABIC LETTER SHEEN INITIAL FORM		
FEB8	ARABIC LETTER SHEEN MEDIAL FORM		
FEB9	ARABIC LETTER SAD ISOLATED FORM		
FEBA	ARABIC LETTER SAD FINAL FORM		
FEBB	ARABIC LETTER SAD INITIAL FORM		
FEBC	ARABIC LETTER SAD MEDIAL FORM		
FEBD	ARABIC LETTER DAD ISOLATED FORM		
FEBE	ARABIC LETTER DAD FINAL FORM		
FEBF	ARABIC LETTER DAD INITIAL FORM		
FEC0	ARABIC LETTER DAD MEDIAL FORM		
FEC1	ARABIC LETTER TAH ISOLATED FORM		
FEC2	ARABIC LETTER TAH FINAL FORM		
FEC3	ARABIC LETTER TAH INITIAL FORM		
FEC4	ARABIC LETTER TAH MEDIAL FORM		
FEC5	ARABIC LETTER ZAH ISOLATED FORM		
FEC6	ARABIC LETTER ZAH FINAL FORM		
FEC7	ARABIC LETTER ZAH INITIAL FORM		
FEC8	ARABIC LETTER ZAH MEDIAL FORM		
FEC9	ARABIC LETTER AIN ISOLATED FORM		
FECA	ARABIC LETTER AIN FINAL FORM		
FECB	ARABIC LETTER AIN INITIAL FORM		
FECC	ARABIC LETTER AIN MEDIAL FORM		

Group 00

Plane 00

Row FE

Table 142 - Row FF: Specials

FFF	
0	
1	
2	
3	
4	
5	
6	
7	
8	
9	IAA FFF9
A	IAS FFFA
B	IAT FFFB
C	OBJ FFFC
D	? FFFD
E	FFFE
F	FFFF

G = 00
P = 00

Table 142 - Row FF: Specials

HEX	NAME
FFF0	(This position shall not be used)
FFF1	(This position shall not be used)
FFF2	(This position shall not be used)
FFF3	(This position shall not be used)
FFF4	(This position shall not be used)
FFF5	(This position shall not be used)
FFF6	(This position shall not be used)
FFF7	(This position shall not be used)
FFF8	(This position shall not be used)
FFF9	INTERLINEAR ANNOTATION ANCHOR
FFFA	INTERLINEAR ANNOTATION SEPARATOR
FFFB	INTERLINEAR ANNOTATION TERMINATOR
FFFC	OBJECT REPLACEMENT CHARACTER
FFFD	REPLACEMENT CHARACTER
FFFE	(This position is permanently reserved)
FFFF	(This position is permanently reserved)