

Sample code chart with extra information.**C0 controls**

Alias names are those for ISO/IEC 6429:1992. Commonly used alternative aliases are also shown.

```

0000 <Control>
      NUL
      = Null
0001 <Control>
      SOH
      = Start Of Heading
0002 <Control>
      STX
      = Start Of Text
0003 <Control>
      ETX
      = End Of Text
0004 <Control>
      EOT
      = End Of Transmission
0005 <Control>
      ENQ
      = Enquiry
0006 <Control>
      ACK
      = Acknowledge
0007 <Control>
      BEL
      = Bell
0008 <Control>
      BS
      = Backspace
0009 <Control>
      HT
      = Character Tabulation
      = horizontal tabulation (HT), tab
000A <Control>
      LF
      = Line Feed (Lf)
      = new line (NL), end of line (EOL)
000B <Control>
      VT
      = Line Tabulation
      = vertical tabulation (VT)
000C <Control>
      FF
      = Form Feed (Ff)
000D <Control>
      CR
      = Carriage Return (Cr)
000E <Control>
      SO
      = Shift Out
000F <Control>
      SI
      = Shift In
0010 <Control>
      DLE
      = Data Link Escape
0011 <Control>
      DC1
      = Device Control One
0012 <Control>
      DC2
      = Device Control Two
0013 <Control>
      DC3
      = Device Control Three
0014 <Control>
      DC4
      = Device Control Four
0015 <Control>
      NAK
      = Negative Acknowledge
0016 <Control>
      SYN
      = Synchronous Idle
0017 <Control>
      ETB
      = End Of Transmission Block
0018 <Control>
      CAN
      = Cancel

```

```

0019 <Control>
      EM
      = End Of Medium
001A <Control>
      SUB
      = Substitute
      → FFFD ◈ replacement character
001B <Control>
      ESC
      = Escape
001C <Control>
      FS
      = Information Separator Four
      = file separator (FS)
001D <Control>
      GS
      = Information Separator Three
      = group separator (GS)
001E <Control>
      RS
      = Information Separator Two
      = record separator (RS)
001F <Control>
      US
      = Information Separator One
      = unit separator (US)

```

ASCII punctuation and symbols

Based on ISO/IEC 646 from here.

```

0020 <Control>
      SP
      = Space
      • sometimes considered a control code
      • other space characters: 2000 ◼-200A ◼
      → 00A0 ◼ no-break space
      → 200B ◼ zero width space
      → 2060 ◼ word joiner
      → 3000 ◼ ideographic space
      → FEFF ◼ zero width no-break space
0021 ! Exclamation Mark
      = factorial
      = bang
      → 00A1 ¡ inverted exclamation mark
      → 01C3 ! latin letter retroflex click
      → 203C !! double exclamation mark
      → 203D ? interrobang
      → 2762 ❶ heavy exclamation mark ornament
      → 01C3 ! latin letter retroflex click
0022 " Quotation Mark
      • neutral (vertical), used as opening or closing
      quotation mark
      • preferred characters in English for paired
      quotation marks are 201C “ & 201D ”
      → 02BA ◻ modifier letter double prime
      → 030B ʹ combining double acute accent
      → 030E ʹ combining double vertical line above
      → 2033 " double prime
      → 3003 ″ ditto mark
      → 0020 SP + 059C ◻ + 0020 SP + 059C ◻
      space + hebrew accent geresh + space + hebrew
      accent geresh
      → 2032 ' + 2032 ' prime + prime
      → 3003 ″ ditto mark
      → 05F4 " hebrew punctuation gershayim
      → 02BA ◻ modifier letter double prime
0023 # Number Sign
      = pound sign, hash, crosshatch, octothorpe
      → 2114 ℔ l b bar symbol
      → 266F # music sharp sign

```

0024 \$ *Dollar Sign*
 = milreis, escudo
 • glyph may have one or two vertical bars
 • other currency symbol characters: 20A0 ₧-
 20AF ₤
 → 00A4 □ currency sign

0025 % *Percent Sign*
 → 066A ٪arabic percent sign
 → 2030 ‰ per mille sign
 → 2031 ‱ per ten thousand sign
 → 2052 □ commercial minus sign

0026 & *Ampersand*

0027 ' *Apostrophe*
 = *Apostrophe-Quote*
 = APL quote
 • neutral (vertical) glyph with mixed usage
 • 2019 ’ is preferred for apostrophe
 • preferred characters in English for paired quotation marks are 2018 ‘ & 2019 ’
 → 02B9 □ modifier letter prime
 → 02BC □ modifier letter apostrophe
 → 02C8 □ modifier letter vertical line
 → 0301 ´ combining acute accent
 → 2032 ´ prime
 → 0020 ^{sp} + 059C ◌ □ space + hebrew accent geresh
 → 0020 ^{sp} + 0301 ◌ space + combining acute accent
 → 2032 ´ prime
 → 05F3 ´ hebrew punctuation geresh
 → 02B9 □ modifier letter prime
 → 02CA ´ modifier letter acute accent

0028 (*Left Parenthesis*
 = *Opening Parenthesis*

0029) *Right Parenthesis*
 = *Closing Parenthesis*
 • see discussion on semantics of paired bracketing characters

002A * *Asterisk*
 = star (on phone keypads)
 → 066D * arabic five pointed star
 → 204E □ low asterisk
 → 2217 * asterisk operator
 → 2731 * heavy asterisk

002B + *Plus Sign*

002C , *Comma*
 = decimal separator
 → 060C ،arabic comma
 → 201A ‚ single low-9 quotation mark
 → 3001 、 ideographic comma
 → 201A ‚ single low-9 quotation mark

002D - *Hyphen-Minus*
 = hyphen or minus sign
 • used for either hyphen or minus sign
 → 2010 - hyphen
 → 2011 - non-breaking hyphen
 → 2012 - figure dash
 → 2013 – en dash
 → 2212 – minus sign
 → 2010 - hyphen
 → 2012 - figure dash
 → 2013 – en dash
 → 2014 — em dash

002E . *Full Stop*
 = *Period*
 = dot, decimal point

• may be rendered as a raised decimal point in old style numbers

→ 06D4 . arabic full stop
 → 3002 ｡ ideographic full stop
 → 0702 ܰ syriac sublinear full stop

002F / *Solidus*
 = *Slash*
 = virgule
 → 01C0 | latin letter dental click
 → 0338 Ɔ/combining long solidus overlay
 → 2044 / fraction slash
 → 2215 / division slash
 → 2044 / fraction slash
 → 2215 / division slash

ASCII digits

0030 0 *Digit Zero*
 → 09E6 ০ bengali digit zero
 → 0B66 ୦ oriya digit zero
 → 0BE6 ௦ tamil digit zero
 → 1810 ᠎ᠠ mongolian digit zero
 → 3007 〇 ideographic number zero
 → 004F O latin capital letter o
 → 039F O greek capital letter omicron
 → 041E O cyrillic capital letter o
 → 0555 O armenian capital letter oh
 → 2D54 𐌆 tifinagh letter yar
 → 0D20 ൦ malayalam letter ttha

0031 1 *Digit One*
 → 0049 I latin capital letter i
 → 0196 I latin capital letter iota
 → 006C I latin small letter i
 → 0399 I greek capital letter iota
 → 0406 I cyrillic capital letter byelorussian-ukrainian i
 → 04C0 I cyrillic letter palochka

0032 2 *Digit Two*
 → 14BF 2 canadian syllabics sayisi m

0033 3 *Digit Three*
 → 0417 3 cyrillic capital letter ze
 → 0545 3 armenian capital letter yi

0034 4 *Digit Four*
 → 13CE 4 cherokee letter se

0035 5 *Digit Five*
 → 01BC 5 latin capital letter tone five

0036 6 *Digit Six*
 → 0431 6 cyrillic small letter be

0037 7 *Digit Seven*

0038 8 *Digit Eight*
 → 0B03 ୪ oriya sign visarga
 → 09EA ৪ bengali digit four
 → 0A6A ୪ gurmukhi digit four
 → 0223 8 latin small letter ou
 → 0222 8 latin capital letter ou

0039 9 *Digit Nine*
 → 0A67 ୯ gurmukhi digit one
 → 0B68 ୯ oriya digit two
 → 09ED ৯ bengali digit seven

ASCII punctuation and symbols

003A : *Colon*
 → 0589 : armenian full stop
 → 05C3 : hebrew punctuation sof pasuq
 → 2236 : ratio
 → 0589 : armenian full stop
 → 002E . + 002E . full stop + full stop
 → 05C3 : hebrew punctuation sof pasuq

003B ; *Semicolon*
 • this, and not 037E ;, is the preferred character for 'Greek question mark'
 → 037E ; greek question mark
 → 061B † arabic semicolon
 → 204F □ reversed semicolon

003C < *Less-Than Sign*
 → 2039 < single left-pointing angle quotation mark
 → 2329 ‹ left-pointing angle bracket
 → 27E8 □ mathematical left angle bracket
 → 3008 ‹ left angle bracket
 → 2039 < single left-pointing angle quotation mark

003D = *Equals Sign*
 • other related characters: 2241 +-2263 ≡
 → 2260 ≠ not equal to
 → 2261 ≡ identical to

003E > *Greater-Than Sign*
 → 203A > single right-pointing angle quotation mark
 → 232A › right-pointing angle bracket
 → 27E9 □ mathematical right angle bracket
 → 3009 › right angle bracket
 → 203A > single right-pointing angle quotation mark

003F ? *Question Mark*
 → 00BF ¿ inverted question mark
 → 037E ; greek question mark
 → 061F † arabic question mark
 → 203D † interrobang
 → 2048 □ question exclamation mark
 → 2049 □ exclamation question mark
 → 0294 ʔ latin letter glottal stop

0040 @ *Commercial At*
 = at sign

Uppercase Latin alphabet

0041 A *Latin Capital Letter A*
 ↓ 0061 a latin small letter a
 → 0391 Α greek capital letter alpha
 → 0410 А cyrillic capital letter a
 → 13AA A cherokee letter go
 → 15C5 A canadian syllabics carrier gho

0042 B *Latin Capital Letter B*
 → 212C ℬ script capital b
 ↓ 0062 b latin small letter b
 → 0392 Β greek capital letter beta
 → 0412 В cyrillic capital letter ve
 → 13F4 B cherokee letter yv
 → 15F7 B canadian syllabics carrier khe

0043 C *Latin Capital Letter C*
 → 2102 ℄ double-struck capital c
 → 212D ℭ black-letter capital c
 ↓ 0063 c latin small letter c
 → 03A3 Σ greek capital letter sigma

→ 0421 С cyrillic capital letter es
 → 13DF C cherokee letter tli

0044 D *Latin Capital Letter D*
 ↓ 0064 d latin small letter d
 → 15DE D canadian syllabics carrier the
 → 15EA D canadian syllabics carrier pe

0045 E *Latin Capital Letter E*
 → 2107 ℰ euler constant
 → 2130 Ⓔ script capital e
 ↓ 0065 e latin small letter e
 → 22FF □ z notation bag membership
 → 0395 Ε greek capital letter epsilon
 → 0415 Е cyrillic capital letter ie
 → 2D39 ⵍ tifinagh letter yadd
 → 13AC E cherokee letter gv

0046 F *Latin Capital Letter F*
 → 2131 ℱ script capital f
 → 2132 Ⓕ turned capital f
 ↓ 0066 f latin small letter f
 → 03DC Ϝ greek letter digamma
 → 15B4 F canadian syllabics blackfoot we

0047 G *Latin Capital Letter G*
 • invented circa 300 BCE by Spurius Carvilius Ruga, who added a stroke to the letter C
 ↓ 0067 g latin small letter g
 → 050C Ɑ cyrillic capital letter komi sje
 → 13C0 G cherokee letter nah
 → 13F3 G cherokee letter yu

0048 H *Latin Capital Letter H*
 → 210B ℋ script capital h
 → 210C Ⓗ black-letter capital h
 → 210D Ⓖ double-struck capital h
 ↓ 0068 h latin small letter h
 → 0397 Η greek capital letter eta
 → 041D Н cyrillic capital letter en
 → 13BB H cherokee letter mi
 → 157C H canadian syllabics nunavut h

0049 I *Latin Capital Letter I*
 • Turkish and Azerbaijani use 0131 ı for lowercase
 → 0130 Ī latin capital letter i with dot above
 → 0406 І cyrillic capital letter byelorussian-ukrainian i
 → 04C0 І cyrillic letter palochka
 → 2110 ℹ script capital i
 → 2111 Ⓘ black-letter capital i
 → 2160 I roman numeral one
 ↓ 0069 i latin small letter i
 → 0031 1 digit one
 → 0196 Ι latin capital letter iota
 → 006C Ι latin small letter ι
 → 0399 Ι greek capital letter iota
 → 0406 І cyrillic capital letter byelorussian-ukrainian i
 → 04C0 І cyrillic letter palochka

004A J *Latin Capital Letter J*
 ↓ 006A j latin small letter j
 → 0408 Ј cyrillic capital letter je
 → 13AB J cherokee letter gu
 → 13E7 Ɑ cherokee letter tsu
 → 148D J canadian syllabics co

004B K *Latin Capital Letter K*

→ 212A K kelvin sign
 ↓ 006B k latin small letter k
 → 039A K greek capital letter kappa
 → 041A K cyrillic capital letter ka
 → 13E6 K cherokee letter tso

004C L *Latin Capital Letter L*
 → 2112 ℒ script capital l
 ↓ 006C l latin small letter l
 → 13DE L cherokee letter tle

004D M *Latin Capital Letter M*
 → 2133 ™ script capital m
 ↓ 006D m latin small letter m
 → 039C M greek capital letter mu
 → 041C M cyrillic capital letter em
 → 13B7 M cherokee letter lu

004E N *Latin Capital Letter N*
 → 2115 ₢ double-struck capital n
 ↓ 006E n latin small letter n
 → 039D N greek capital letter nu

004F O *Latin Capital Letter O*
 ↓ 006F o latin small letter o
 → 0030 0 digit zero
 → 09E6 ০ bengali digit zero
 → 0B66 ୦ oriya digit zero
 → 0BE6 ௦ tamil digit zero
 → 1810 ᠐ mongolian digit zero
 → 3007 〇 ideographic number zero
 → 039F O greek capital letter omicron
 → 041E O cyrillic capital letter o
 → 0555 O armenian capital letter oh
 → 2D54 ⵝ tifinagh letter yar
 → 0D20 o malayalam letter ttha

0050 P *Latin Capital Letter P*
 → 2119 ₪ double-struck capital p
 ↓ 0070 p latin small letter p
 → 03A1 P greek capital letter rho
 → 0420 P cyrillic capital letter er
 → 13E2 P cherokee letter tlv
 → 146D P canadian syllabics ki

0051 Q *Latin Capital Letter Q*
 → 211A ₠ double-struck capital q
 ↓ 0071 q latin small letter q

0052 R *Latin Capital Letter R*
 → 211B ℞ script capital r
 → 211C ʀ black-letter capital r
 → 211D ℝ double-struck capital r
 ↓ 0072 r latin small letter r
 → 01A6 R latin letter yr
 → 1587 R canadian syllabics tlhi

0053 S *Latin Capital Letter S*
 ↓ 0073 s latin small letter s
 → 0405 S cyrillic capital letter dze
 → 13D5 S cherokee letter de
 → 13DA S cherokee letter du

0054 T *Latin Capital Letter T*
 ↓ 0074 t latin small letter t
 → 03A4 T greek capital letter tau
 → 0422 T cyrillic capital letter te

0055 U *Latin Capital Letter U*
 ↓ 0075 u latin small letter u

0056 V *Latin Capital Letter V*
 ↓ 0076 v latin small letter v

→ 0474 V cyrillic capital letter izhitsa
 → 13D9 V cherokee letter do
 → 142F V canadian syllabics pe

0057 W *Latin Capital Letter W*
 ↓ 0077 w latin small letter w

0058 X *Latin Capital Letter X*
 ↓ 0078 x latin small letter x
 → 166D X canadian syllabics chi sign
 → 03A7 X greek capital letter chi
 → 0425 X cyrillic capital letter ha

0059 Y *Latin Capital Letter Y*
 ↓ 0079 y latin small letter y
 → 03A5 Y greek capital letter upsilon
 → 04AE Y cyrillic capital letter straight u

005A Z *Latin Capital Letter Z*
 → 2124 ₺ double-struck capital z
 → 2128 Ʒ black-letter capital z
 ↓ 007A z latin small letter z
 → 0396 Z greek capital letter zeta
 → 13C3 Z cherokee letter no

ASCII punctuation and symbols

005B [*Left Square Bracket*
 = *Opening Square Bracket*
 • other bracket characters: 3008 ⟨-301B ⟩
 → 3014 [left tortoise shell bracket

005C \ *Reverse Solidus*
 = *Backslash*
 → 20E5 ⁄ combining reverse solidus overlay
 → 2216 \ set minus
 → 2216 \ set minus

005D] *Right Square Bracket*
 = *Closing Square Bracket*
 → 3015] right tortoise shell bracket

005E ^ *Circumflex Accent*
 • this is a spacing character
 → 02C4 ˆ modifier letter up arrowhead
 → 02C6 ˆ modifier letter circumflex accent
 → 0302 ˆ combining circumflex accent
 → 2303 ˆ up arrowhead
 → 3008 ‹ left angle bracket

005F _ *Low Line*
 = *Spacing Underscore*
 • this is a spacing character
 → 02CD ˘ modifier letter low macron
 → 0331 ˘ combining macron below
 → 0332 ˘ combining low line
 → 2017 ˘ double low line

0060 ` *Grave Accent*
 • this is a spacing character
 → 02CB ˘ modifier letter grave accent
 → 0300 ˘ combining grave accent
 → 2035 ˘ reversed prime

Lowercase Latin alphabet

0061 a *Latin Small Letter A*
 ↑ 0041 A latin capital letter a
 → 0430 a cyrillic small letter a

0062 b *Latin Small Letter B*
 ↑ 0042 B latin capital letter b

→ 0184 **b** latin capital letter tone six
 → 13CF **b** cherokee letter si
 → 15AF **b** canadian syllabics aivilik b

0063 **c** *Latin Small Letter C*
 ↑ 0043 **C** latin capital letter c
 → 03C2 **ς** greek small letter final sigma
 → 0441 **c** cyrillic small letter es

0064 **d** *Latin Small Letter D*
 ↑ 0044 **D** latin capital letter d
 → 0501 **ⱥ** cyrillic small letter komi de
 → 146F **d** canadian syllabics ko

0065 **e** *Latin Small Letter E*
 → 212E **e** estimated symbol
 → 212F **e** script small e
 ↑ 0045 **E** latin capital letter e
 → 0435 **e** cyrillic small letter ie

0066 **f** *Latin Small Letter F*
 ↑ 0046 **F** latin capital letter f
 → 0584 **ֆ** armenian small letter keh

0067 **g** *Latin Small Letter G*
 → 0261 **g** latin small letter script g
 → 210A **g** script small g
 ↑ 0047 **G** latin capital letter g
 → 0261 **g** latin small letter script g
 → 0581 **g** armenian small letter co

0068 **h** *Latin Small Letter H*
 → 04BB **h** cyrillic small letter shha
 → 210E **h** planck constant
 ↑ 0048 **H** latin capital letter h
 → 04BB **h** cyrillic small letter shha
 → 0570 **h** armenian small letter ho
 → 13C2 **h** cherokee letter ni

0069 **i** *Latin Small Letter I*
 • Turkish and Azerbaijani use 0130 **İ** for uppercase
 → 0131 **ı** latin small letter dotless i
 ↑ 0049 **I** latin capital letter i
 → 2373 **ι** apl functional symbol iota
 → 0131 **ı** latin small letter dotless i
 → 0269 **ι** latin small letter iota
 → 03B9 **ι** greek small letter iota
 → 0456 **і** cyrillic small letter byelorussian-ukrainian i
 → 13A5 **i** cherokee letter v

006A **j** *Latin Small Letter J*
 ↑ 004A **J** latin capital letter j
 → 03F3 **ϳ** greek letter yot
 → 0458 **j** cyrillic small letter je
 → 0575 **j** armenian small letter yi

006B **k** *Latin Small Letter K*
 ↑ 004B **K** latin capital letter k

006C **l** *Latin Small Letter L*
 → 2113 **ℓ** script small l
 ↑ 004C **L** latin capital letter l
 → 0031 **l** digit one
 → 0049 **I** latin capital letter i
 → 0196 **l** latin capital letter iota
 → 0399 **Ι** greek capital letter iota
 → 0406 **l** cyrillic capital letter byelorussian-ukrainian i
 → 04C0 **l** cyrillic letter palochka

006D **m** *Latin Small Letter M*
 ↑ 004D **M** latin capital letter m

→ 15F0 **ᄀ** canadian syllabics carrier go

006E **n** *Latin Small Letter N*
 → 207F **ⁿ** superscript latin small letter n
 ↑ 004E **N** latin capital letter n
 → 0578 **ն** armenian small letter vo
 → 057C **ռ** armenian small letter ra

006F **o** *Latin Small Letter O*
 → 2134 **σ** script small o
 ↑ 004F **O** latin capital letter o
 → 0C02 **◌o** telugu sign anusvara
 → 0C82 **◌o** kannada sign anusvara
 → 0D02 **o** malayalam sign anusvara
 → 0966 **०** devanagari digit zero
 → 0A66 **०** gurmukhi digit zero
 → 0AE6 **૦** gujarati digit zero
 → 0C66 **o** telugu digit zero
 → 0CE6 **o** kannada digit zero
 → 0E50 **o** thai digit zero
 → 0ED0 **o** lao digit zero
 → 1040 **o** myanmar digit zero
 → 1D0F **◌o** latin letter small capital o
 → 03BF **ο** greek small letter omicron
 → 043E **o** cyrillic small letter o
 → 0585 **o** armenian small letter oh
 → 101D **o** myanmar letter wa

0070 **p** *Latin Small Letter P*
 ↑ 0050 **P** latin capital letter p
 → 2374 **ρ** apl functional symbol rho
 → 03C1 **ρ** greek small letter rho
 → 0440 **p** cyrillic small letter er

0071 **q** *Latin Small Letter Q*
 ↑ 0051 **Q** latin capital letter q
 → 0563 **զ** armenian small letter gim
 → 0533 **Պ** armenian capital letter gim
 → 0566 **զ** armenian small letter za

0072 **r** *Latin Small Letter R*
 ↑ 0052 **R** latin capital letter r
 → 1D26 **◌r** greek letter small capital gamma
 → 0433 **р** cyrillic small letter ghe

0073 **s** *Latin Small Letter S*
 ↑ 0053 **S** latin capital letter s
 → 01BD **5** latin small letter tone five
 → 0455 **s** cyrillic small letter dze

0074 **t** *Latin Small Letter T*
 ↑ 0054 **T** latin capital letter t

0075 **u** *Latin Small Letter U*
 ↑ 0055 **U** latin capital letter u
 → 028A **υ** latin small letter upsilon
 → 028B **υ** latin small letter v with hook
 → 03C5 **υ** greek small letter upsilon
 → 057D **ւ** armenian small letter seh

0076 **v** *Latin Small Letter V*
 ↑ 0056 **V** latin capital letter v
 → 03BD **ν** greek small letter nu
 → 0475 **ѵ** cyrillic small letter izhitsa

0077 **w** *Latin Small Letter W*
 ↑ 0057 **W** latin capital letter w
 → 026F **Ɑ** latin small letter turned m
 → 13B3 **W** cherokee letter la

→ 13D4 Ꞇ cherokee letter ta
 → 15EF Ꞇ canadian syllabics carrier gu
 0078 x *Latin Small Letter X*
 ↑ 0058 X latin capital letter x
 → 166E Ꞇ canadian syllabics full stop
 → 0445 x cyrillic small letter ha
 → 1541 Ꞇ canadian syllabics sayisi yi
 → 157D Ꞇ canadian syllabics hk
 0079 y *Latin Small Letter Y*
 ↑ 0059 Y latin capital letter y
 → 0443 y cyrillic small letter u
 → 04AF Ꞇ cyrillic small letter straight u
 → 10E7 ꝥ georgian letter qar
 → 13A9 Ꞇ cherokee letter gi
 → 13BD Ꞇ cherokee letter mu
 007A z *Latin Small Letter Z*
 → 01B6 ꝑ latin small letter z with stroke
 ↑ 005A Z latin capital letter z

ASCII punctuation and symbols

007B { *Left Curly Bracket*
 = *Opening Curly Bracket*
 = opening brace
 007C | *Vertical Line*
 = *Vertical Bar*
 • used in pairs to indicate absolute value
 → 01C0 | latin letter dental click
 → 05C0 | hebrew punctuation paseq
 → 2223 | divides
 → 2758 | light vertical bar
 → 2223 | divides
 → 01C0 | latin letter dental click
 → 1175 | hangul jungseong i
 → 4E28 | cjk unified ideograph-4e28
 007D } *Right Curly Bracket*
 = *Closing Curly Bracket*
 = closing brace
 007E ~ *Tilde*
 • this is a spacing character
 → 02DC ˘ small tilde
 → 0303 ¨ combining tilde
 → 2053 − swung dash
 → 223C ~ tilde operator
 → FF5E ˜ fullwidth tilde
 → 301C ˘ wave dash

Control character

007F ^{DEL} <Control>
 = *Delete*

IPA extensions

IPA includes basic Latin letters and a number of Latin or Greek letters from other blocks.

- 00E6 æ latin small letter ae
- 00E7 ç latin small letter c with cedilla
- 00F0 ð latin small letter eth
- 00F8 ø latin small letter o with stroke
- 0127 ħ latin small letter h with stroke
- 014B ŋ latin small letter eng
- 0153 œ latin small ligature oe
- 03B2 β greek small letter beta
- 03B8 θ greek small letter theta
- 03BB λ greek small letter lamda
- 03C7 χ greek small letter chi
- 0250 ɶ *Latin Small Letter Turned A*
 - low central unrounded vowel
- 0251 ɑ *Latin Small Letter Alpha*
 - = *Latin Small Letter Script A*
 - low back unrounded vowel
 - 03B1 α greek small letter alpha
 - 237A α apl functional symbol alpha
 - 03B1 α greek small letter alpha
- 0252 ɒ *Latin Small Letter Turned Alpha*
 - low back rounded vowel
- 0253 ɸ *Latin Small Letter B With Hook*
 - implosive bilabial stop
 - Pan-Nigerian alphabet
 - 0181 Ɓ latin capital letter b with hook
 - ↑ 0181 Ɓ latin capital letter b with hook
 - 0062 b + 0314 ◌̣ latin small letter b + combining reversed comma above
- 0254 ɔ *Latin Small Letter Open O*
 - typographically a turned c
 - lower-mid back rounded vowel
 - 0186 Ɔ latin capital letter open o
 - ↑ 0186 Ɔ latin capital letter open o
- 0255 ɕ *Latin Small Letter C With Curl*
 - voiceless alveolo-palatal laminal fricative
 - used in transcription of Mandarin Chinese
 - sound spelled with 015B ś in Polish
- 0256 ɖ *Latin Small Letter D With Tail*
 - = *Latin Small Letter D Retroflex Hook*
 - voiced retroflex stop
 - 0189 Ɖ latin capital letter african d
 - ↑ 0189 Ɖ latin capital letter african d
 - 0064 d + 0322 ◌̣ latin small letter d + combining retroflex hook below
- 0257 ɗ *Latin Small Letter D With Hook*
 - implosive dental or alveolar stop
 - Ewe, Pan-Nigerian alphabet
 - 018A Ɗ latin capital letter d with hook
 - ↑ 018A Ɗ latin capital letter d with hook
 - 0064 d + 0314 ◌̣ latin small letter d + combining reversed comma above
- 0258 ɘ *Latin Small Letter Reversed E*
 - upper-mid central unrounded vowel
- 0259 ə *Latin Small Letter Schwa*
 - mid-central unrounded vowel
 - variant uppercase form 018E Ǝ is associated with

- 01DD ə
- 018F Ɖ latin capital letter schwa
- 01DD ə latin small letter turned e
- 04D9 ə cyrillic small letter schwa
- ↑ 018F Ɖ latin capital letter schwa
- 01DD ə latin small letter turned e
- 04D9 ə cyrillic small letter schwa
- 025A ɶ̣ *Latin Small Letter Schwa With Hook*
 - rhotacized schwa
 - 0259 ə + 02DE ◌̣ latin small letter schwa + modifier letter rhotic hook
- 025B ɛ̥ *Latin Small Letter Open E*
 - = *Latin Small Letter Epsilon*
 - lower-mid front unrounded vowel
 - 0190 Ɛ latin capital letter open e
 - 03B5 ε greek small letter epsilon
 - ↑ 0190 Ɛ latin capital letter open e
 - 22F4 ◌̣ small element of with vertical bar at end of horizontal stroke
 - 03B5 ε greek small letter epsilon
 - 0454 е cyrillic small letter ukrainian ie
- 025C ɜ̥ *Latin Small Letter Reversed Open E*
 - lower-mid central unrounded vowel
 - 0437 ɜ̣ cyrillic small letter ze
- 025D ɶ̣̥ *Latin Small Letter Reversed Open E With Hook*
 - rhotacized lower-mid central vowel
- 025E ɞ̥ *Latin Small Letter Closed Reversed Open E*
 - = *Latin Small Letter Closed Reversed Epsilon*
 - lower-mid central rounded vowel
- 025F ɟ̥ *Latin Small Letter Dotless J With Stroke*
 - voiced palatal stop
 - typographically a turned f, but better thought of as a form of j
 - "gy" in Hungarian orthography
 - also archaic phonetic for palatoalveolar affricate 02A4 ȡ
- 0260 ɠ *Latin Small Letter G With Hook*
 - implosive velar stop
 - 0193 Ɠ latin capital letter g with hook
 - ↑ 0193 Ɠ latin capital letter g with hook
 - 0067 g + 0314 ◌̣ latin small letter g + combining reversed comma above
- 0261 ɣ *Latin Small Letter Script G*
 - voiced velar stop
 - 0067 g latin small letter g
 - 0067 ɣ latin small letter g
 - 0581 Գ armenian small letter co
- 0262 ɢ *Latin Letter Small Capital G*
 - voiced uvular stop
 - 050D Գ cyrillic small letter komi sje
- 0263 ɣ̥ *Latin Small Letter Gamma*
 - voiced velar fricative
 - 0194 Ƴ latin capital letter gamma
 - 03B3 γ greek small letter gamma
 - ↑ 0194 Ƴ latin capital letter gamma
- 0264 ɣ̥̥ *Latin Small Letter Rams Horn*
 - = *Latin Small Letter Baby Gamma*
 - upper-mid back unrounded vowel
- 0265 ɥ *Latin Small Letter Turned H*
 - voiced rounded palatal approximant
- 0266 ɦ̥ *Latin Small Letter H With Hook*
 - breathy-voiced glottal fricative
 - 02B1 ɦ̥ modifier letter small h with hook

→ 0068 h + 0314 ◌ latin small letter h + combining reversed comma above
 → 13F2 ꞥ cherokee letter yo

0267 ꞥ *Latin Small Letter Heng With Hook*
 • voiceless coarticulated velar and palatoalveolar fricative
 • "tj" or "kj" or "sj" in some Swedish dialects

0268 i *Latin Small Letter I With Stroke*
 = barred i, i bar
 • high central unrounded vowel
 • ISO 6438 攏 gives lowercase of 0197 † as 026A ı, not 0268 i

↑ 0197 † latin capital letter i with stroke
 → 0131 ı + 0335 ◌ latin small letter dotless i + combining short stroke overlay

0269 ı *Latin Small Letter Iota*
 • semi-high front unrounded vowel

↑ 0196 ı latin capital letter iota
 → 2373 ı apl functional symbol iota
 → 0069 i latin small letter i
 → 0131 ı latin small letter dotless i
 → 03B9 ι greek small letter iota
 → 0456 і cyrillic small letter byelorussian-ukrainian i
 → 13A5 ꞥ cherokee letter v

* obsolete by IPA in 1989

• preferred use is 026A ı LATIN LETTER SMALL CAPITAL I
 → 0196 ı latin capital letter iota
 → 03B9 ι greek small letter iota

026A ı *Latin Letter Small Capital I*
 • semi-high front unrounded vowel
 • preferred IPA alternate for 0269 ı
 → 0197 † latin capital letter i with stroke

026B ɨ *Latin Small Letter L With Middle Tilde*
 • velarized voiced alveolar lateral approximant
 ↑ 2C62 ɨ latin capital letter l with middle tilde
 → 006C ɨ + 0334 ◌ latin small letter l + combining tilde overlay

026C ɬ *Latin Small Letter L With Belt*
 • voiceless alveolar lateral fricative

026D ɮ *Latin Small Letter L With Retroflex Hook*
 • voiced retroflex lateral
 → 0031 ɮ + 0328 ◌ digit one + combining ogonek

026E ɮ̥ *Latin Small Letter Lezh*
 • voiced lateral fricative
 • "dhl" in Zulu orthography

026F ɯ *Latin Small Letter Turned M*
 • high back unrounded vowel
 → 019C ɯ latin capital letter turned m
 ↑ 019C ɯ latin capital letter turned m
 → 0077 w latin small letter w
 → 13B3 Ꞧ cherokee letter la
 → 13D4 Ꞩ cherokee letter ta
 → 15EF Ꞩ canadian syllabics carrier gu

0270 ɰ *Latin Small Letter Turned M With Long Leg*
 • voiced velar approximant

0271 ɱ *Latin Small Letter M With Hook*
 • voiced labiodental nasal

→ 15F0 Ꞩ + 0326 ◌ canadian syllabics carrier go + combining comma below

0272 ɲ *Latin Small Letter N With Left Hook*
 • voiced palatal nasal
 → 019D ꝺ latin capital letter n with left hook
 ↑ 019D ꝺ latin capital letter n with left hook
 → 006E n + 0327 ◌ latin small letter n + combining cedilla

0273 ɳ *Latin Small Letter N With Retroflex Hook*
 • voiced retroflex nasal
 → 006E n + 0322 ◌ latin small letter n + combining retroflex hook below

0274 ɳ̥ *Latin Letter Small Capital N*
 • voiced uvular nasal

0275 ɵ *Latin Small Letter Barred O*
 = o bar
 • rounded mid-central vowel, i.e. rounded schwa
 • uppercase is 019F Θ
 → 03B8 θ greek small letter theta
 → 0473 ɵ cyrillic small letter fita
 → 04E9 ɵ cyrillic small letter barred o

↑ 019F Θ latin capital letter o with middle tilde
 → 04E9 ɵ cyrillic small letter barred o
 → 0473 ɵ cyrillic small letter fita
 → 101D ၀ + 0335 ◌ myanmar letter wa + combining short stroke overlay

0276 ɶ *Latin Letter Small Capital Oe*
 • low front rounded vowel
 → 0153 œ latin small ligature oe

0277 ɷ *Latin Small Letter Closed Omega*
 • semi-high back rounded vowel

* obsolete by IPA in 1989

• preferred use is 028A ɸ latin small letter upsilon

0278 ɸ *Latin Small Letter Phi*
 • voiceless bilabial fricative
 → 03C6 ϕ greek small letter phi
 → 03C6 ϕ greek small letter phi
 → 0444 ɸ cyrillic small letter ef

0279 ɹ *Latin Small Letter Turned R*
 • voiced alveolar approximant
 → 02B4 ʀ modifier letter small turned r

027A ɹ̥ *Latin Small Letter Turned R With Long Leg*
 • voiced lateral flap

027B ɹ̥̥ *Latin Small Letter Turned R With Hook*
 • voiced retroflex approximant
 → 02B5 ʀ̥ modifier letter small turned r with hook

027C ɽ *Latin Small Letter R With Long Leg*
 • voiced strident apico-alveolar trill
 → 0072 ɽ + 0329 ◌ latin small letter r + combining vertical line below

* obsolete by IPA in 1989

• sound spelled with 0159 ř in Czech
 • preferred phonetic representation for Czech is 0072 r 031D ◌
 • in current use in Gaelic types (as glyph variant of 0072 r)

027D ɽ̥ *Latin Small Letter R With Tail*
 • voiced retroflex flap

↑ 2C64 ☐ latin capital letter r with tail
 → 0072 r + 0328 ◌ latin small letter r + combining ogonek

027E ₚ *Latin Small Letter R With Fishhook*
 • voiced alveolar flap or tap

027F ɿ *Latin Small Letter Reversed R With Fishhook*
 = long leg turned iota (a misnomer)
 • apical dental vowel
 • used by linguists working on Chinese and other Sino-Tibetan languages
 • IPA spelling - 007A z 0329 ◌,

0280 ₚ *Latin Letter Small Capital R **
 • voiced uvular trill
 • Germanic, Old Norse
 • uppercase is 01A6 R

↑ 01A6 R latin letter yr

0281 ₚ *Latin Letter Small Capital Inverted R*
 • voiced uvular fricative or approximant
 → 02B6 ʳ modifier letter small capital inverted r

0282 § *Latin Small Letter S With Hook*
 • voiceless retroflex fricative
 → 01BD ʂ + 0328 ◌ latin small letter tone five + combining ogonek

0283 ʃ *Latin Small Letter Esh*
 • voiceless postalveolar fricative
 → 01A9 Σ latin capital letter esh
 → 222B Ꞥ integral

↑ 01A9 Σ latin capital letter esh
 → 222B Ꞥ integral

0284 ʃ *Latin Small Letter Dotless J With Stroke And Hook*
 • implosive palatal stop
 • typographically based on 025F ɟ, not on 0283 ʃ

0285 ɰ *Latin Small Letter Squat Reversed Esh*
 • apical retroflex vowel
 • used by linguists working on Chinese and other Sino-Tibetan languages
 • IPA spelling - 0290 z 0329 ◌,
 • in origin 027F ɿ plus the retroflex hook 0322 ◌, despite its name

0286 ʃ *Latin Small Letter Esh With Curl*
 • palatalized voiceless postalveolar fricative
 • suggested spelling - 0283 ʃ 02B2 ʲ

0287 ɿ *Latin Small Letter Turned T*
 • dental click (sound of "tsk tsk")
 → 01C0 Ꞥ latin letter dental click

0288 † *Latin Small Letter T With Retroflex Hook*
 • voiceless retroflex stop
 → 01AE Ꞥ latin capital letter t with retroflex hook

↑ 01AE Ꞥ latin capital letter t with retroflex hook

0289 ʉ *Latin Small Letter U Bar*
 • high central rounded vowel
 • uppercase is 0244 ☐

↑ 0244 ☐ latin capital letter u bar

028A ◡ *Latin Small Letter Upsilon*
 • semi-high back rounded vowel
 • preferred IPA alternate to 0277 ◡
 → 01B1 Ů latin capital letter upsilon
 → 03C5 υ greek small letter upsilon

↑ 01B1 Ů latin capital letter upsilon
 → 0075 u latin small letter u
 → 028B ◡ latin small letter v with hook
 → 03C5 υ greek small letter upsilon

→ 057D u armenian small letter seh

028B ◡ *Latin Small Letter V With Hook*
 = *Latin Small Letter Script V*
 • voiced labiodental approximant
 → 01B2 U latin capital letter v with hook
 → 03C5 υ greek small letter upsilon

↑ 01B2 U latin capital letter v with hook
 → 0075 u latin small letter u
 → 028A ◡ latin small letter upsilon
 → 03C5 υ greek small letter upsilon
 → 057D u armenian small letter seh

028C Λ *Latin Small Letter Turned V*
 = caret, wedge
 • lower-mid back unrounded vowel
 • uppercase is 0245 ☐
 → 039B Λ greek capital letter lamda
 → 2038 ˆ caret
 → 2227 ˆ logical and

↑ 0245 ☐ latin capital letter turned v

028D ʋ *Latin Small Letter Turned W*
 • voiceless rounded labiovelar approximant

028E ʎ *Latin Small Letter Turned Y*
 • voiced lateral approximant

028F ɥ *Latin Letter Small Capital Y*
 • semi-high front rounded vowel

0290 ʐ *Latin Small Letter Z With Retroflex Hook*
 • voiced retroflex fricative
 → 007A z + 0322 ◌ latin small letter z + combining retroflex hook below

0291 ʐ *Latin Small Letter Z With Curl*
 • voiced alveolo-palatal laminal fricative
 • sound spelled with 017A ʐ in Polish

0292 ʒ *Latin Small Letter Ezh*
 = dram
 • voiced postalveolar fricative
 • mistakenly named yogh in Unicode 1.0
 • uppercase is 01B7 Ʒ
 • Skolt Sami
 → 021D ʒ latin small letter yogh
 → 04E1 ʒ cyrillic small letter abkhastian dze
 → 2125 ʒ ounce sign

↑ 01B7 Ʒ latin capital letter ezh
 → 021D ʒ latin small letter yogh
 → 04E1 ʒ cyrillic small letter abkhastian dze
 → 10F3 ʒ georgian letter we

0293 ʒ *Latin Small Letter Ezh With Curl*
 • palatalized voiced postalveolar fricative

0294 ʔ *Latin Letter Glottal Stop*
 • this is a caseless letter
 • used in IPA, other phonetic notations, and those orthographies which use a caseless glottal stop
 → 0241 ☐ latin capital letter glottal stop
 → 02C0 ☐ modifier letter glottal stop

→ 003F ʔ question mark

0295 ʕ *Latin Letter Pharyngeal Voiced Fricative*
 = *Latin Letter Reversed Glottal Stop*
 • voiced pharyngeal fricative
 • ain
 → 01B9 ʕ latin small letter ezh reversed
 → 02C1 ☐ modifier letter reversed glottal stop

0296 ɸ *Latin Letter Inverted Glottal Stop*
 • lateral click
 → 01C1 Ꞥ latin letter lateral click

0297 ˉ *Latin Letter Stretched C*

- palatal (or alveolar) click
- 01C3 ! latin letter retroflex click
- 2201 [] complement
- 0298 ◌ *Latin Letter Bilabial Click*
- = *Latin Letter Bullseye*
- 2299 ◌ circled dot operator
- 0299 B *Latin Letter Small Capital B*
- bilabial trill
- 0432 B cyrillic small letter ve
- 029A ◌ *Latin Small Letter Closed Open E*
- = *Latin Small Letter Closed Epsilon*
- lower-mid front rounded vowel
- non-IPA alternate for the preferred 0153 œ
- 029B ◌ *Latin Letter Small Capital G With Hook*
- voiced uvular implosive
- 029C H *Latin Letter Small Capital H*
- voiceless epiglottal fricative
- 043D H cyrillic small letter en
- 029D j *Latin Small Letter J With Crossed-Tail*
- voiced palatal fricative
- 029E x *Latin Small Letter Turned K*
- proposed for velar click

02AF ◌ *Latin Small Letter Turned H With Fishhook And Tail*

* withdrawn by IPA in 1970

- 029F L *Latin Letter Small Capital L*
- velar lateral approximant
- 02A0 q *Latin Small Letter Q With Hook*
- voiceless uvular implosive
- 0071 q + 0314 ◌ latin small letter q + combining reversed comma above
- 02A1 ʔ *Latin Letter Glottal Stop With Stroke*
- voiced epiglottal stop
- 02A2 ʕ *Latin Letter Reversed Glottal Stop With Stroke*
- voiced epiglottal fricative
- 02A3 ɖ *Latin Small Letter Dz Digraph*
- voiced dental affricate
- 02A4 ɗ *Latin Small Letter Dezʰ Digraph*
- voiced postalveolar affricate
- 02A5 ɗ̣ *Latin Small Letter Dz Digraph With Curl*
- voiced alveolo-palatal affricate
- 02A6 ʈ *Latin Small Letter Ts Digraph*
- voiceless dental affricate
- 02A7 ʈ̣ *Latin Small Letter Tesh Digraph*
- voiceless postalveolar affricate
- 02A8 ʈ̥ *Latin Small Letter Tc Digraph With Curl*
- voiceless alveolo-palatal affricate

IPA characters for disordered speech

- 02A9 ɱ *Latin Small Letter Feng Digraph*
- velopharyngeal fricative
- 02AA ɬ *Latin Small Letter Ls Digraph*
- lateral alveolar fricative (lisp)
- 02AB ɮ *Latin Small Letter Lz Digraph*
- voiced lateral alveolar fricative
- 02AC ʋ *Latin Letter Bilabial Percussive*
- audible lip smack
- 02AD ɹ̥ *Latin Letter Bidental Percussive*
- audible teeth gnashing

Additions for Sinology

02AE ◌ *Latin Small Letter Turned H With Fishhook*