

Information technology — Universal Multiple-Octet Coded Character Set (UCS) —

AMENDMENT 3: Lepcha, Ol Chiki, Saurashtra, Vai, and other characters

Page 1, Clause 1 Scope

In the note, update the Unicode Standard version from 5.0 to 5.1.

Page 2, Clause 3 Normative references

Update the reference to the Unicode Bidirectional Algorithm and the Unicode Normalization Forms as follows:

Unicode Standard Annex, UAX#9, The Unicode Bidirectional Algorithm, Version 5.1.0, [Date TBD].

Unicode Standard Annex, UAX#15, Unicode Normalization Forms, Version 5.1.0, [Date TBD].

Page 30-1348 Clause 33, Code Tables and list of character names

1. Modifications to existing tables

Insert the additional character glyphs and names at the indicated positions in the tables given below, the character names replacing the existing entries which read "(This position shall not be used)". The table numbers are affected by the insertion of new tables (see below) preceding these modified tables. (The table numbers corresponding to the first edition of ISO/IEC 10646:2003 are mentioned in parenthesis.)

Plane 00

Table 10 - Row 03: Greek and Coptic (10)

Table 22 - Row 09: Devanagari (20)

Table 30 - Row 0D: Malayalam (28)

Table 103 - Row 2C: Latin Extended-C

Table 108 - Row 2E: Supplemental Punctuation

Table 137 - Row A7: Modifier Tone letters

Plane 01

Table 214 - Row D1: Musical Symbols (177)

These tables contain new characters and names at the following code positions:

0370-0373, 0376-0377, 097B-097C, 097E-097F, 0D70-0D75, 2C6D-2C73, 2E18, A71B-A71F, 1D129

2. New tables.

Insert the following additional tables and adjust the numbering of the existing tables that follow. When correctly applied, all tables will be arranged by ascending code position.

Plane 00

Table 63 - Row 1C: Lepcha

Table 64 - Row 1C: Ol Chiki

Table 135 - Row A5: Vai

Table 136 - Row A5-A6: Vai

Table 141 - Row A8: Saurashtra

These tables add new characters and names at the following code positions:

1C00-1C37, 1C3B-1C49, 1C4D-1C4F, 1C50-1C7F, A500-A60B, A610-A61F, A880-A8C4, A8CE-A8D9

Page 1349, Annex A.1

Add a "*" (for fixed collections) to the following collection:

125 MODIFIER TONE LETTERS

In the list of collection numbers and names, after

132 PHAGS-PA

insert new entries as follows:

133 LEPCHA	1C00-1C4F
134 OL CHIKI	1C50-1C7F *
135 VAI	A500-A61F
136 SAURASHTRA	A880-A8DF

Page 1351, annex A.1

In the list of collections numbers and names, after

307 UNICODE 5.0

See A6.5 *

insert the new entry:

308 UNICODE 5.1 See A6.6 *

Under Note 2, after “128”, add “,133, 136”.

In the alphabetical list of keywords in Note 4, insert the following entries:

Lepcha	133
Ol Chiki	134
Vai	135
Saurashtra	136

Page 1352, Annex A.2.1

In the list of blocks in the BMP, insert the following new entries:

LEPCHA	1C00-1C4F
OL CHIKI	1C50-1C7F
VAI	A500-A61F
SAURASHTRA	A880-A8DF

Page 1357, annex A.6 Unicode Collections

At the end of Annex A.6, add new clause A.6.6 as follows.

A.6.6 308 UNICODE 5.1

308 The fixed collection UNICODE 5.1 consists of a fixed collection from A.6 and several ranges of code positions. The collection list is arranged by planes as follows.

Plane 00-10

Collection number and name

307 UNICODE 5.0

Plane 00

Row Positions (cells)

03	70-73 76-77
09	7B-7C 7E-7F
0D	70-75
1C	00-37 3B-49 4D-7F
2C	6D-73
2E	18
A5	00-FF
A6	00-0B 10-1F
A7	1B-1F
A8	80-C4 CE-D9

Plane 01

Row Positions (cells)

D1 29

Page 1358, Annex B.1 List of all combining characters

Insert the following new entries:

1C24	LEPCHA SUBJOINED LETTER YA
1C25	LEPCHA SUBJOINED LETTER RA
1C26	LEPCHA VOWEL SIGN AA
1C27	LEPCHA VOWEL SIGN I
1C28	LEPCHA VOWEL SIGN O

1C29	LEPCHA VOWEL SIGN OO
1C2A	LEPCHA VOWEL SIGN U
1C2B	LEPCHA VOWEL SIGN UU
1C2C	LEPCHA VOWEL SIGN E
1C2D	LEPCHA CONSONANT SIGN K
1C2E	LEPCHA CONSONANT SIGN M
1C2F	LEPCHA CONSONANT SIGN L
1C30	LEPCHA CONSONANT SIGN N
1C31	LEPCHA CONSONANT SIGN P
1C32	LEPCHA CONSONANT SIGN R
1C33	LEPCHA CONSONANT SIGN T
1C34	LEPCHA CONSONANT SIGN NYIN-DO
1C35	LEPCHA CONSONANT SIGN KANG
1C36	LEPCHA SIGN RAN
1C37	LEPCHA SIGN NUKTA
A880	SAURASHTRA SIGN ANUSVARA
A881	SAURASHTRA SIGN VISARGA
A8B4	SAURASHTRA LETTER UPAKSHARA
A8B5	SAURASHTRA VOWEL SIGN AA
A8B6	SAURASHTRA VOWEL SIGN I
A8B7	SAURASHTRA VOWEL SIGN II
A8B8	SAURASHTRA VOWEL SIGN U
A8B9	SAURASHTRA VOWEL SIGN UU
A8BA	SAURASHTRA VOWEL SIGN VOCALIC R
A8BB	SAURASHTRA VOWEL SIGN VOCALIC RR
A8BC	SAURASHTRA VOWEL SIGN VOCALIC L
A8BD	SAURASHTRA VOWEL SIGN VOCALIC LL
A8BE	SAURASHTRA VOWEL SIGN E
A8BF	SAURASHTRA VOWEL SIGN EE
A8C0	SAURASHTRA VOWEL SIGN AI
A8C1	SAURASHTRA VOWEL SIGN O
A8C2	SAURASHTRA VOWEL SIGN OO
A8C3	SAURASHTRA VOWEL SIGN AU
A8C4	SAURASHTRA SIGN VIRAMA

Page 1379, Annex G

Insert each of the new character name entries at the appropriate position, ordered alphabetically by the character name, in the list of character names in Annex G. These new names are provided in a machine-readable format that is accessible as a link to this document.

[Click on this highlighted text to access the file containing the new names.](#)

NOTE – The content is also available as a separate viewable file in the same file directory as this document. The file is named: “Am3names.txt”.

Page 1394, Annex P, Additional information on characters

Insert the following new entry for 1D13A after the FFE3 entry:

1D13A MUSICAL SYMBOL MULTIREST

This symbol is used as a rest corresponding in length to a breve note, which is usually called double whole rest in American usage or breve rest in British usage. The character 1D129 MUSICAL SYMBOL MULTIPLE MEASURE REST can be used to represent rests of arbitrary lengths.

(This page left intentionally blank)

Table 10 - Row 03: Greek and Coptic

	037	038	039	03A	03B	03C	03D	03E	03F
0	Ϝ 0370		ι̇ 0390	Π 03A0	ϛ̇ 03B0	π 03C0	β 03D0	Ϟ 03E0	κ 03F0
1	ϝ 0371		Α 0391	Ρ 03A1	α 03B1	ρ 03C1	Ϡ 03D1	ϙ 03E1	Ϛ 03F1
2	Ϟ 0372		Β 0392		β 03B2	ς 03C2	Υ 03D2	Ϝ 03E2	Ϙ 03F2
3	ϟ 0373		Γ 0393	Σ 03A3	γ 03B3	σ 03C3	Ϛ 03D3	ϝ 03E3	ι 03F3
4	Ϡ 0374	Ϡ 0384	Δ 0394	Τ 03A4	δ 03B4	τ 03C4	ϛ̇ 03D4	Ϟ 03E4	Θ 03F4
5	ϡ 0375	ϡ 0385	Ε 0395	Υ 03A5	ε 03B5	υ 03C5	Ϝ 03D5	ϙ 03E5	Ε 03F5
6	Ϣ 0376	Α̇ 0386	Ζ 0396	Φ 03A6	ζ 03B6	φ 03C6	Ϟ 03D6	ϡ 03E6	ε̇ 03F6
7	ϣ 0377	· 0387	Η 0397	Χ 03A7	η 03B7	χ 03C7	ϣ 03D7	ϣ̇ 03E7	Ϣ 03F7
8		Ε̇ 0388	Θ 0398	Ψ 03A8	θ 03B8	ψ 03C8	Ϟ 03D8	ϣ̇ 03E8	β̇ 03F8
9		Η̇ 0389	Ι 0399	Ω 03A9	ι 03B9	ω 03C9	Ϟ 03D9	ϣ̇ 03E9	Ϙ̇ 03F9
A	ϣ̇ 037A	Ι̇ 038A	Κ 039A	Ϊ 03AA	κ 03BA	ϊ 03CA	Σ 03DA	Ϟ̇ 03EA	Μ 03FA
B	ϣ̇ 037B		Λ 039B	Ϛ̇ 03AB	λ 03BB	Ϛ̇ 03CB	ς̇ 03DB	Ϟ̇ 03EB	Μ̇ 03FB
C	ϣ̇ 037C	Ο̇ 038C	Μ 039C	ά 03AC	μ 03BC	ό 03CC	Ϟ̇ 03DC	δ̇ 03EC	ϣ̇ 03FC
D	ϣ̇ 037D		Ν 039D	έ 03AD	ν 03BD	ύ 03CD	Ϟ̇ 03DD	δ̇ 03ED	ϣ̇ 03FD
E	Ι̇ 037E	Υ̇ 038E	Ξ 039E	ή 03AE	ξ 03BE	ώ 03CE	ϣ̇ 03DE	† 03EE	ϣ̇ 03FE
F		Ω̇ 038F	Ο̇ 039F	ί 03AF	ο̇ 03BF		ϣ̇ 03DF	† 03EF	ϣ̇ 03FF

G = 00
P = 00

Table 10 - Row 03: Greek and Coptic

HEX	NAME	HEX	NAME
0370	GREEK CAPITAL LETTER HETA	03CD	GREEK SMALL LETTER UPSILON WITH TONOS
0371	GREEK SMALL LETTER HETA	03CE	GREEK SMALL LETTER OMEGA WITH TONOS
0372	GREEK CAPITAL LETTER ARCHAIC SAMPI	03CF	(This position shall not be used)
0373	GREEK SMALL LETTER ARCHAIC SAMPI	03D0	GREEK BETA SYMBOL
0374	GREEK NUMERAL SIGN (Dexia keraia)	03D1	GREEK THETA SYMBOL
0375	GREEK LOWER NUMERAL SIGN (Aristeri keraia)	03D2	GREEK UPSILON WITH HOOK SYMBOL
0376	GREEK CAPITAL LETTER PAMPHYLIAN DIGAMMA	03D3	GREEK UPSILON WITH ACUTE AND HOOK SYMBOL
0377	GREEK SMALL LETTER PAMPHYLIAN DIGAMMA	03D4	GREEK UPSILON WITH DIAERESIS AND HOOK SYMBOL
0378	(This position shall not be used)	03D5	GREEK PHI SYMBOL
0379	(This position shall not be used)	03D6	GREEK PI SYMBOL
037A	GREEK YPOGEGRAMMENI	03D7	GREEK KAI SYMBOL
037B	GREEK SMALL REVERSED LUNATE SIGMA SYMBOL	03D8	GREEK LETTER ARCHAIC KOPPA *
037C	GREEK SMALL DOTTED LUNATE SIGMA SYMBOL	03D9	GREEK SMALL LETTER ARCHAIC KOPPA *
037D	GREEK SMALL REVERSED DOTTED LUNATE SIGMA SYMBOL	03DA	GREEK LETTER STIGMA
037E	GREEK QUESTION MARK (Erotimatico)	03DB	GREEK SMALL LETTER STIGMA
037F	(This position shall not be used)	03DC	GREEK LETTER DIGAMMA
0380	(This position shall not be used)	03DD	GREEK SMALL LETTER DIGAMMA
0381	(This position shall not be used)	03DE	GREEK LETTER KOPPA
0382	(This position shall not be used)	03DF	GREEK SMALL LETTER KOPPA
0383	(This position shall not be used)	03E0	GREEK LETTER SAMPI
0384	GREEK TONOS	03E1	GREEK SMALL LETTER SAMPI
0385	GREEK DIALYTIKA TONOS	03E2	COPTIC CAPITAL LETTER SHEI
0386	GREEK CAPITAL LETTER ALPHA WITH TONOS	03E3	COPTIC SMALL LETTER SHEI
0387	GREEK ANO TELEIA	03E4	COPTIC CAPITAL LETTER FEI
0388	GREEK CAPITAL LETTER EPSILON WITH TONOS	03E5	COPTIC SMALL LETTER FEI
0389	GREEK CAPITAL LETTER ETA WITH TONOS	03E6	COPTIC CAPITAL LETTER KHEI
038A	GREEK CAPITAL LETTER IOTA WITH TONOS	03E7	COPTIC SMALL LETTER KHEI
038B	(This position shall not be used)	03E8	COPTIC CAPITAL LETTER HORI
038C	GREEK CAPITAL LETTER OMICRON WITH TONOS	03E9	COPTIC SMALL LETTER HORI
038D	(This position shall not be used)	03EA	COPTIC CAPITAL LETTER GANGIA
038E	GREEK CAPITAL LETTER UPSILON WITH TONOS	03EB	COPTIC SMALL LETTER GANGIA
038F	GREEK CAPITAL LETTER OMEGA WITH TONOS	03EC	COPTIC CAPITAL LETTER SHIMA
0390	GREEK SMALL LETTER IOTA WITH DIALYTIKA AND TONOS	03ED	COPTIC SMALL LETTER SHIMA
0391	GREEK CAPITAL LETTER ALPHA	03EE	COPTIC CAPITAL LETTER DEI
0392	GREEK CAPITAL LETTER BETA	03EF	COPTIC SMALL LETTER DEI
0393	GREEK CAPITAL LETTER GAMMA	03F0	GREEK KAPPA SYMBOL
0394	GREEK CAPITAL LETTER DELTA	03F1	GREEK RHO SYMBOL
0395	GREEK CAPITAL LETTER EPSILON	03F2	GREEK LUNATE SIGMA SYMBOL
0396	GREEK CAPITAL LETTER ZETA	03F3	GREEK LETTER YOT
0397	GREEK CAPITAL LETTER ETA	03F4	GREEK CAPITAL THETA SYMBOL
0398	GREEK CAPITAL LETTER THETA	03F5	GREEK LUNATE EPSILON SYMBOL
0399	GREEK CAPITAL LETTER IOTA	03F6	GREEK REVERSED LUNATE EPSILON SYMBOL
039A	GREEK CAPITAL LETTER KAPPA	03F7	GREEK CAPITAL LETTER SHO
039B	GREEK CAPITAL LETTER LAMDA	03F8	GREEK SMALL LETTER SHO
039C	GREEK CAPITAL LETTER MU	03F9	GREEK CAPITAL LUNATE SIGMA SYMBOL
039D	GREEK CAPITAL LETTER NU	03FA	GREEK CAPITAL LETTER SAN
039E	GREEK CAPITAL LETTER XI	03FB	GREEK SMALL LETTER SAN
039F	GREEK CAPITAL LETTER OMICRON	03FC	GREEK RHO WITH STROKE SYMBOL
03A0	GREEK CAPITAL LETTER PI	03FD	GREEK CAPITAL REVERSED LUNATE SIGMA SYMBOL
03A1	GREEK CAPITAL LETTER RHO	03FE	GREEK CAPITAL DOTTED LUNATE SIGMA SYMBOL
03A2	(This position shall not be used)	03FF	GREEK CAPITAL REVERSED DOTTED LUNATE SIGMA SYMBOL
03A3	GREEK CAPITAL LETTER SIGMA		
03A4	GREEK CAPITAL LETTER TAU		
03A5	GREEK CAPITAL LETTER UPSILON		
03A6	GREEK CAPITAL LETTER PHI		
03A7	GREEK CAPITAL LETTER CHI		
03A8	GREEK CAPITAL LETTER PSI		
03A9	GREEK CAPITAL LETTER OMEGA		
03AA	GREEK CAPITAL LETTER IOTA WITH DIALYTIKA		
03AB	GREEK CAPITAL LETTER UPSILON WITH DIALYTIKA		
03AC	GREEK SMALL LETTER ALPHA WITH TONOS		
03AD	GREEK SMALL LETTER EPSILON WITH TONOS		
03AE	GREEK SMALL LETTER ETA WITH TONOS		
03AF	GREEK SMALL LETTER IOTA WITH TONOS		
03B0	GREEK SMALL LETTER UPSILON WITH DIALYTIKA AND TONOS		
03B1	GREEK SMALL LETTER ALPHA		
03B2	GREEK SMALL LETTER BETA		
03B3	GREEK SMALL LETTER GAMMA		
03B4	GREEK SMALL LETTER DELTA		
03B5	GREEK SMALL LETTER EPSILON		
03B6	GREEK SMALL LETTER ZETA		
03B7	GREEK SMALL LETTER ETA		
03B8	GREEK SMALL LETTER THETA		
03B9	GREEK SMALL LETTER IOTA		
03BA	GREEK SMALL LETTER KAPPA		
03BB	GREEK SMALL LETTER LAMDA		
03BC	GREEK SMALL LETTER MU		
03BD	GREEK SMALL LETTER NU		
03BE	GREEK SMALL LETTER XI		
03BF	GREEK SMALL LETTER OMICRON		
03C0	GREEK SMALL LETTER PI		
03C1	GREEK SMALL LETTER RHO		
03C2	GREEK SMALL LETTER FINAL SIGMA		
03C3	GREEK SMALL LETTER SIGMA		
03C4	GREEK SMALL LETTER TAU		
03C5	GREEK SMALL LETTER UPSILON		
03C6	GREEK SMALL LETTER PHI		
03C7	GREEK SMALL LETTER CHI		
03C8	GREEK SMALL LETTER PSI		
03C9	GREEK SMALL LETTER OMEGA		
03CA	GREEK SMALL LETTER IOTA WITH DIALYTIKA		
03CB	GREEK SMALL LETTER UPSILON WITH DIALYTIKA		
03CC	GREEK SMALL LETTER OMICRON WITH TONOS		

Group 00

Plane 00

Row 03

Table 22 - Row 09: Devanagari

	090	091	092	093	094	095	096	097
0		ऐ 0910	ठ 0920	र 0930	ी 0940	ॐ 0950	ऋ 0960	० 0970
1	ँ 0901	ऑ 0911	ड 0921	ॠ 0931	ु 0941	ं 0951	ॡ 0961	
2	ं 0902	ओ 0912	ढ 0922	ल 0932	ॠ 0942	ॡ 0952	ॢ 0962	
3	ः 0903	ओ 0913	ण 0923	ळ 0933	ॡ 0943	े 0953	ॣ 0963	
4	ऐ 0904	औ 0914	त 0924	ळ 0934	ॢ 0944	े 0954	। 0964	
5	अ 0905	क 0915	थ 0925	व 0935	ँ 0945		॥ 0965	
6	आ 0906	ख 0916	द 0926	श 0936	े 0946		० 0966	
7	इ 0907	ग 0917	ध 0927	ष 0937	े 0947		१ 0967	
8	ई 0908	घ 0918	न 0928	स 0938	ै 0948	ॠ 0958	२ 0968	
9	उ 0909	ङ 0919	न 0929	ह 0939	ॉ 0949	ख 0959	३ 0969	
A	ऊ 090A	च 091A	प 092A		ो 094A	ग 095A	४ 096A	
B	ॠ 090B	छ 091B	फ 092B		ो 094B	ज 095B	५ 096B	ग 097B
C	ॡ 090C	ज 091C	ब 092C	ॠ 093C	ौ 094C	ड़ 095C	६ 096C	ज 097C
D	ँ 090D	झ 091D	भ 092D	ऽ 093D	ॡ 094D	ढ़ 095D	७ 096D	१ 097D
E	ऐ 090E	ज 091E	म 092E	ा 093E		फ़ 095E	८ 096E	ड 097E
F	ए 090F	ट 091F	य 092F	ि 093F		य़ 095F	९ 096F	ब 097F

G = 00
P = 00

Table 22 - Row 09: Devanagari

HEX	NAME	HEX	NAME
0900	(This position shall not be used)	095D	DEVANAGARI LETTER RHA
0901	DEVANAGARI SIGN CANDRABINDU	095E	DEVANAGARI LETTER FA
0902	DEVANAGARI SIGN ANUSVARA	095F	DEVANAGARI LETTER YYA
0903	DEVANAGARI SIGN VISARGA	0960	DEVANAGARI LETTER VOCALIC RR
0904	DEVANAGARI LETTER SHORT A	0961	DEVANAGARI LETTER VOCALIC LL
0905	DEVANAGARI LETTER A	0962	DEVANAGARI VOWEL SIGN VOCALIC L
0906	DEVANAGARI LETTER AA	0963	DEVANAGARI VOWEL SIGN VOCALIC LL
0907	DEVANAGARI LETTER I	0964	DEVANAGARI DANDA
0908	DEVANAGARI LETTER II	0965	DEVANAGARI DOUBLE DANDA
0909	DEVANAGARI LETTER U	0966	DEVANAGARI DIGIT ZERO
090A	DEVANAGARI LETTER UU	0967	DEVANAGARI DIGIT ONE
090B	DEVANAGARI LETTER VOCALIC R	0968	DEVANAGARI DIGIT TWO
090C	DEVANAGARI LETTER VOCALIC L	0969	DEVANAGARI DIGIT THREE
090D	DEVANAGARI LETTER CANDRA E	096A	DEVANAGARI DIGIT FOUR
090E	DEVANAGARI LETTER SHORT E	096B	DEVANAGARI DIGIT FIVE
090F	DEVANAGARI LETTER E	096C	DEVANAGARI DIGIT SIX
0910	DEVANAGARI LETTER AI	096D	DEVANAGARI DIGIT SEVEN
0911	DEVANAGARI LETTER CANDRA O	096E	DEVANAGARI DIGIT EIGHT
0912	DEVANAGARI LETTER SHORT O	096F	DEVANAGARI DIGIT NINE
0913	DEVANAGARI LETTER O	0970	DEVANAGARI ABBREVIATION SIGN
0914	DEVANAGARI LETTER AU	0971	(This position shall not be used)
0915	DEVANAGARI LETTER KA	0972	(This position shall not be used)
0916	DEVANAGARI LETTER KHA	0973	(This position shall not be used)
0917	DEVANAGARI LETTER GA	0974	(This position shall not be used)
0918	DEVANAGARI LETTER GHA	0975	(This position shall not be used)
0919	DEVANAGARI LETTER NGA	0976	(This position shall not be used)
091A	DEVANAGARI LETTER CA	0977	(This position shall not be used)
091B	DEVANAGARI LETTER CHA	0978	(This position shall not be used)
091C	DEVANAGARI LETTER JA	0979	(This position shall not be used)
091D	DEVANAGARI LETTER JHA	097A	(This position shall not be used)
091E	DEVANAGARI LETTER NYA	097B	DEVANAGARI LETTER GGA
091F	DEVANAGARI LETTER TTA	097C	DEVANAGARI LETTER JJA
0920	DEVANAGARI LETTER TTHA	097D	DEVANAGARI LETTER GLOTTAL STOP
0921	DEVANAGARI LETTER DDA	097E	DEVANAGARI LETTER DDDA
0922	DEVANAGARI LETTER DDHA	097F	DEVANAGARI LETTER BBA
0923	DEVANAGARI LETTER NNA		
0924	DEVANAGARI LETTER TA		
0925	DEVANAGARI LETTER THA		
0926	DEVANAGARI LETTER DA		
0927	DEVANAGARI LETTER DHA		
0928	DEVANAGARI LETTER NA		
0929	DEVANAGARI LETTER NNNA		
092A	DEVANAGARI LETTER PA		
092B	DEVANAGARI LETTER PHA		
092C	DEVANAGARI LETTER BA		
092D	DEVANAGARI LETTER BHA		
092E	DEVANAGARI LETTER MA		
092F	DEVANAGARI LETTER YA		
0930	DEVANAGARI LETTER RA		
0931	DEVANAGARI LETTER RRA		
0932	DEVANAGARI LETTER LA		
0933	DEVANAGARI LETTER LLA		
0934	DEVANAGARI LETTER LLLA		
0935	DEVANAGARI LETTER VA		
0936	DEVANAGARI LETTER SHA		
0937	DEVANAGARI LETTER SSA		
0938	DEVANAGARI LETTER SA		
0939	DEVANAGARI LETTER HA		
093A	(This position shall not be used)		
093B	(This position shall not be used)		
093C	DEVANAGARI SIGN NUKTA		
093D	DEVANAGARI SIGN AVAGRAHA		
093E	DEVANAGARI VOWEL SIGN AA		
093F	DEVANAGARI VOWEL SIGN I		
0940	DEVANAGARI VOWEL SIGN II		
0941	DEVANAGARI VOWEL SIGN U		
0942	DEVANAGARI VOWEL SIGN UU		
0943	DEVANAGARI VOWEL SIGN VOCALIC R		
0944	DEVANAGARI VOWEL SIGN VOCALIC RR		
0945	DEVANAGARI VOWEL SIGN CANDRA E		
0946	DEVANAGARI VOWEL SIGN SHORT E		
0947	DEVANAGARI VOWEL SIGN E		
0948	DEVANAGARI VOWEL SIGN AI		
0949	DEVANAGARI VOWEL SIGN CANDRA O		
094A	DEVANAGARI VOWEL SIGN SHORT O		
094B	DEVANAGARI VOWEL SIGN O		
094C	DEVANAGARI VOWEL SIGN AU		
094D	DEVANAGARI SIGN VIRAMA		
094E	(This position shall not be used)		
094F	(This position shall not be used)		
0950	DEVANAGARI OM		
0951	DEVANAGARI STRESS SIGN UDATTA		
0952	DEVANAGARI STRESS SIGN ANUDATTA		
0953	DEVANAGARI GRAVE ACCENT		
0954	DEVANAGARI ACUTE ACCENT		
0955	(This position shall not be used)		
0956	(This position shall not be used)		
0957	(This position shall not be used)		
0958	DEVANAGARI LETTER QA		
0959	DEVANAGARI LETTER KHHA		
095A	DEVANAGARI LETTER GHHA		
095B	DEVANAGARI LETTER ZA		
095C	DEVANAGARI LETTER DDHA		

Group 00

Plane 00

Row 09

Table 30 - Row 0D: Malayalam

	0D0	0D1	0D2	0D3	0D4	0D5	0D6	0D7
0		എ 0D10	ഠ 0D20	ര 0D30	ീ 0D40		ഈ 0D60	ശ 0D70
1			ഡ 0D21	റ 0D31	ൂ 0D41		ഞ 0D61	ന 0D71
2	ഌ 0D02	ഒ 0D12	ഡ 0D22	ല 0D32	ൂ 0D42			ൺ 0D72
3	ഌ 0D03	ഔ 0D13	ണ 0D23	ള 0D33	്യ 0D43			റ 0D73
4		ഔ 0D14	ത 0D24	ഴ 0D34				ൽ 0D74
5	അ 0D05	ക 0D15	ഥ 0D25	വ 0D35				ൺ 0D75
6	ആ 0D06	ഖ 0D16	ഭ 0D26	ശ 0D36	െ 0D46		ഠ 0D66	
7	ഇ 0D07	ഗ 0D17	ധ 0D27	ഷ 0D37	േ 0D47	ൂ 0D57	ച 0D67	
8	ഈ 0D08	ഘ 0D18	ന 0D28	സ 0D38	ൈ 0D48		ര 0D68	
9	ഉ 0D09	ങ 0D19		റ 0D39			ന 0D69	
A	ഊ 0D0A	ച 0D1A	വ 0D2A		ൊ 0D4A		ർ 0D6A	
B	ഈ 0D0B	ഘ 0D1B	ഘ 0D2B		ോ 0D4B		ർ 0D6B	
C	ഈ 0D0C	ഘ 0D1C	ഘ 0D2C		ോ 0D4C		ന 0D6C	
D		ഡ 0D1D	ഭ 0D2D		ൂ 0D4D		ഞ 0D6D	
E	എ 0D0E	ഞ 0D1E	മ 0D2E	ാ 0D3E			വ 0D6E	
F	ഏ 0D0F	ഈ 0D1F	യ 0D2F	ി 0D3F			ൻ 0D6F	

G = 00
P = 00

Table 30 - Row 0D: Malayalam











































































HEX	NAME	HEX	NAME
0D00	(This position shall not be used)	0D5D	(This position shall not be used)
0D01	(This position shall not be used)	0D5E	(This position shall not be used)
0D02	MALAYALAM SIGN ANUSVARA	0D5F	(This position shall not be used)
0D03	MALAYALAM SIGN VISARGA	0D60	MALAYALAM LETTER VOCALIC RR
0D04	(This position shall not be used)	0D61	MALAYALAM LETTER VOCALIC LL
0D05	MALAYALAM LETTER A	0D62	(This position shall not be used)
0D06	MALAYALAM LETTER AA	0D63	(This position shall not be used)
0D07	MALAYALAM LETTER I	0D64	(This position shall not be used)
0D08	MALAYALAM LETTER II	0D65	(This position shall not be used)
0D09	MALAYALAM LETTER U	0D66	MALAYALAM DIGIT ZERO
0D0A	MALAYALAM LETTER UU	0D67	MALAYALAM DIGIT ONE
0D0B	MALAYALAM LETTER VOCALIC R	0D68	MALAYALAM DIGIT TWO
0D0C	MALAYALAM LETTER VOCALIC L	0D69	MALAYALAM DIGIT THREE
0D0D	(This position shall not be used)	0D6A	MALAYALAM DIGIT FOUR
0D0E	MALAYALAM LETTER E	0D6B	MALAYALAM DIGIT FIVE
0D0F	MALAYALAM LETTER EE	0D6C	MALAYALAM DIGIT SIX
0D10	MALAYALAM LETTER AI	0D6D	MALAYALAM DIGIT SEVEN
0D11	(This position shall not be used)	0D6E	MALAYALAM DIGIT EIGHT
0D12	MALAYALAM LETTER O	0D6F	MALAYALAM DIGIT NINE
0D13	MALAYALAM LETTER OO	0D70	MALAYALAM NUMBER TEN
0D14	MALAYALAM LETTER AU	0D71	MALAYALAM NUMBER ONE HUNDRED
0D15	MALAYALAM LETTER KA	0D72	MALAYALAM NUMBER ONE THOUSAND
0D16	MALAYALAM LETTER KHA	0D73	MALAYALAM FRACTION ONE QUARTER
0D17	MALAYALAM LETTER GA	0D74	MALAYALAM FRACTION ONE HALF
0D18	MALAYALAM LETTER GHA	0D75	MALAYALAM FRACTION THREE QUARTERS
0D19	MALAYALAM LETTER NGA	0D76	(This position shall not be used)
0D1A	MALAYALAM LETTER CA	0D77	(This position shall not be used)
0D1B	MALAYALAM LETTER CHA	0D78	(This position shall not be used)
0D1C	MALAYALAM LETTER JA	0D79	(This position shall not be used)
0D1D	MALAYALAM LETTER JHA	0D7A	(This position shall not be used)
0D1E	MALAYALAM LETTER NYA	0D7B	(This position shall not be used)
0D1F	MALAYALAM LETTER TTA	0D7C	(This position shall not be used)
0D20	MALAYALAM LETTER TTHA	0D7D	(This position shall not be used)
0D21	MALAYALAM LETTER DDA	0D7E	(This position shall not be used)
0D22	MALAYALAM LETTER DDHA	0D7F	(This position shall not be used)
0D23	MALAYALAM LETTER NNA		
0D24	MALAYALAM LETTER TA		
0D25	MALAYALAM LETTER THA		
0D26	MALAYALAM LETTER DA		
0D27	MALAYALAM LETTER DHA		
0D28	MALAYALAM LETTER NA		
0D29	(This position shall not be used)		
0D2A	MALAYALAM LETTER PA		
0D2B	MALAYALAM LETTER PHA		
0D2C	MALAYALAM LETTER BA		
0D2D	MALAYALAM LETTER BHA		
0D2E	MALAYALAM LETTER MA		
0D2F	MALAYALAM LETTER YA		
0D30	MALAYALAM LETTER RA		
0D31	MALAYALAM LETTER RRA		
0D32	MALAYALAM LETTER LA		
0D33	MALAYALAM LETTER LLA		
0D34	MALAYALAM LETTER LLLA		
0D35	MALAYALAM LETTER VA		
0D36	MALAYALAM LETTER SHA		
0D37	MALAYALAM LETTER SSA		
0D38	MALAYALAM LETTER SA		
0D39	MALAYALAM LETTER HA		
0D3A	(This position shall not be used)		
0D3B	(This position shall not be used)		
0D3C	(This position shall not be used)		
0D3D	(This position shall not be used)		
0D3E	MALAYALAM VOWEL SIGN AA		
0D3F	MALAYALAM VOWEL SIGN I		
0D40	MALAYALAM VOWEL SIGN II		
0D41	MALAYALAM VOWEL SIGN U		
0D42	MALAYALAM VOWEL SIGN UU		
0D43	MALAYALAM VOWEL SIGN VOCALIC R		
0D44	(This position shall not be used)		
0D45	(This position shall not be used)		
0D46	MALAYALAM VOWEL SIGN E		
0D47	MALAYALAM VOWEL SIGN EE		
0D48	MALAYALAM VOWEL SIGN AI		
0D49	(This position shall not be used)		
0D4A	MALAYALAM VOWEL SIGN O		
0D4B	MALAYALAM VOWEL SIGN OO		
0D4C	MALAYALAM VOWEL SIGN AU		
0D4D	MALAYALAM SIGN VIRAMA		
0D4E	(This position shall not be used)		
0D4F	(This position shall not be used)		
0D50	(This position shall not be used)		
0D51	(This position shall not be used)		
0D52	(This position shall not be used)		
0D53	(This position shall not be used)		
0D54	(This position shall not be used)		
0D55	(This position shall not be used)		
0D56	(This position shall not be used)		
0D57	MALAYALAM AU LENGTH MARK		
0D58	(This position shall not be used)		
0D59	(This position shall not be used)		
0D5A	(This position shall not be used)		
0D5B	(This position shall not be used)		
0D5C	(This position shall not be used)		

Group 00

Plane 00

Row 0D

Table 63 - Row 1C: Lepcha

	1C0	1C1	1C2	1C3	1C4
0	 1C00	 1C10	 1C20	 1C30	 1C40
1	 1C01	 1C11	 1C21	 1C31	 1C41
2	 1C02	 1C12	 1C22	 1C32	 1C42
3	 1C03	 1C13	 1C23	 1C33	 1C43
4	 1C04	 1C14	 1C24	 1C34	 1C44
5	 1C05	 1C15	 1C25	 1C35	 1C45
6	 1C06	 1C16	 1C26	 1C36	 1C46
7	 1C07	 1C17	 1C27	 1C37	 1C47
8	 1C08	 1C18	 1C28		 1C48
9	 1C09	 1C19	 1C29		 1C49
A	 1C0A	 1C1A	 1C2A		
B	 1C0B	 1C1B	 1C2B	 1C3B	
C	 1C0C	 1C1C	 1C2C	 1C3C	
D	 1C0D	 1C1D	 1C2D	 1C3D	 1C4D
E	 1C0E	 1C1E	 1C2E	 1C3E	 1C4E
F	 1C0F	 1C1F	 1C2F	 1C3F	 1C4F

G = 00
P = 00

Table 63 - Row 1C: Lepcha

HEX	NAME	HEX	NAME
1C00	LEPCHA LETTER KA		
1C01	LEPCHA LETTER KLA		
1C02	LEPCHA LETTER KHA		
1C03	LEPCHA LETTER GA		
1C04	LEPCHA LETTER GLA		
1C05	LEPCHA LETTER NGA		
1C06	LEPCHA LETTER CA		
1C07	LEPCHA LETTER CHA		
1C08	LEPCHA LETTER JA		
1C09	LEPCHA LETTER NYA		
1C0A	LEPCHA LETTER TA		
1C0B	LEPCHA LETTER THA		
1C0C	LEPCHA LETTER DA		
1C0D	LEPCHA LETTER NA		
1C0E	LEPCHA LETTER PA		
1C0F	LEPCHA LETTER PLA		
1C10	LEPCHA LETTER PHA		
1C11	LEPCHA LETTER FA		
1C12	LEPCHA LETTER FLA		
1C13	LEPCHA LETTER BA		
1C14	LEPCHA LETTER BLA		
1C15	LEPCHA LETTER MA		
1C16	LEPCHA LETTER MLA		
1C17	LEPCHA LETTER TSA		
1C18	LEPCHA LETTER TSHA		
1C19	LEPCHA LETTER DZA		
1C1A	LEPCHA LETTER YA		
1C1B	LEPCHA LETTER RA		
1C1C	LEPCHA LETTER LA		
1C1D	LEPCHA LETTER HA		
1C1E	LEPCHA LETTER HLA		
1C1F	LEPCHA LETTER VA		
1C20	LEPCHA LETTER SA		
1C21	LEPCHA LETTER SHA		
1C22	LEPCHA LETTER WA		
1C23	LEPCHA LETTER A		
1C24	LEPCHA SUBJOINED LETTER YA		
1C25	LEPCHA SUBJOINED LETTER RA		
1C26	LEPCHA VOWEL SIGN AA		
1C27	LEPCHA VOWEL SIGN I		
1C28	LEPCHA VOWEL SIGN O		
1C29	LEPCHA VOWEL SIGN OO		
1C2A	LEPCHA VOWEL SIGN U		
1C2B	LEPCHA VOWEL SIGN UU		
1C2C	LEPCHA VOWEL SIGN E		
1C2D	LEPCHA CONSONANT SIGN K		
1C2E	LEPCHA CONSONANT SIGN M		
1C2F	LEPCHA CONSONANT SIGN L		
1C30	LEPCHA CONSONANT SIGN N		
1C31	LEPCHA CONSONANT SIGN P		
1C32	LEPCHA CONSONANT SIGN R		
1C33	LEPCHA CONSONANT SIGN T		
1C34	LEPCHA CONSONANT SIGN NYIN-DO		
1C35	LEPCHA CONSONANT SIGN KANG		
1C36	LEPCHA SIGN RAN		
1C37	LEPCHA SIGN NUKTA		
1C38	(This position shall not be used)		
1C39	(This position shall not be used)		
1C3A	(This position shall not be used)		
1C3B	LEPCHA PUNCTUATION TA-ROL		
1C3C	LEPCHA PUNCTUATION NYET THYOOM TA-ROL		
1C3D	LEPCHA PUNCTUATION CER-WA		
1C3E	LEPCHA PUNCTUATION TSHOOK CER-WA		
1C3F	LEPCHA PUNCTUATION TSHOOK		
1C40	LEPCHA DIGIT ZERO		
1C41	LEPCHA DIGIT ONE		
1C42	LEPCHA DIGIT TWO		
1C43	LEPCHA DIGIT THREE		
1C44	LEPCHA DIGIT FOUR		
1C45	LEPCHA DIGIT FIVE		
1C46	LEPCHA DIGIT SIX		
1C47	LEPCHA DIGIT SEVEN		
1C48	LEPCHA DIGIT EIGHT		
1C49	LEPCHA DIGIT NINE		
1C4A	(This position shall not be used)		
1C4B	(This position shall not be used)		
1C4C	(This position shall not be used)		
1C4D	LEPCHA LETTER TTA		
1C4E	LEPCHA LETTER TTHA		
1C4F	LEPCHA LETTER DDA		

Group 00

Plane 00

Row 1C

Table 64 - Row 1C: OI Chiki

	1C5	1C6	1C7
0	0 1C50	b 1C60	⊖ 1C70
1	ƚ 1C51	Ƀ 1C61	Ʉ 1C71
2	Ɂ 1C52	Ɇ 1C62	ɇ 1C72
3	Ɉ 1C53	ɉ 1C63	Ɋ 1C73
4	ɋ 1C54	Ɍ 1C64	ɍ 1C74
5	Ɏ 1C55	ɏ 1C65	⊖ 1C75
6	ɐ 1C56	ɗ 1C66	ɘ 1C76
7	ɚ 1C57	ɛ 1C67	ɞ 1C77
8	ɟ 1C58	ɠ 1C68	· 1C78
9	ɉ 1C59	Ɋ 1C69	· 1C79
A	ɋ 1C5A	Ɍ 1C6A	· 1C7A
B	ɍ 1C5B	Ɏ 1C6B	~ 1C7B
C	ɏ 1C5C	ɐ 1C6C	- 1C7C
D	ɑ 1C5D	ɒ 1C6D	ɓ 1C7D
E	ɔ 1C5E	Ʉ 1C6E	Ʌ 1C7E
F	Ɇ 1C5F	ɇ 1C6F	Ɉ 1C7F

G = 00
P = 00

Table 64 - Row 1C: Ol Chiki

HEX	NAME	HEX	NAME
1C50	OL CHIKI DIGIT ZERO		
1C51	OL CHIKI DIGIT ONE		
1C52	OL CHIKI DIGIT TWO		
1C53	OL CHIKI DIGIT THREE		
1C54	OL CHIKI DIGIT FOUR		
1C55	OL CHIKI DIGIT FIVE		
1C56	OL CHIKI DIGIT SIX		
1C57	OL CHIKI DIGIT SEVEN		
1C58	OL CHIKI DIGIT EIGHT		
1C59	OL CHIKI DIGIT NINE		
1C5A	OL CHIKI LETTER LA		
1C5B	OL CHIKI LETTER AT		
1C5C	OL CHIKI LETTER AG		
1C5D	OL CHIKI LETTER ANG		
1C5E	OL CHIKI LETTER AL		
1C5F	OL CHIKI LETTER LAA		
1C60	OL CHIKI LETTER AAK		
1C61	OL CHIKI LETTER AAJ		
1C62	OL CHIKI LETTER AAM		
1C63	OL CHIKI LETTER AAW		
1C64	OL CHIKI LETTER LI		
1C65	OL CHIKI LETTER IS		
1C66	OL CHIKI LETTER IH		
1C67	OL CHIKI LETTER INY		
1C68	OL CHIKI LETTER IR		
1C69	OL CHIKI LETTER LU		
1C6A	OL CHIKI LETTER UC		
1C6B	OL CHIKI LETTER UD		
1C6C	OL CHIKI LETTER UNN		
1C6D	OL CHIKI LETTER UY		
1C6E	OL CHIKI LETTER LE		
1C6F	OL CHIKI LETTER EP		
1C70	OL CHIKI LETTER EDD		
1C71	OL CHIKI LETTER EN		
1C72	OL CHIKI LETTER ERR		
1C73	OL CHIKI LETTER LO		
1C74	OL CHIKI LETTER OTT		
1C75	OL CHIKI LETTER OB		
1C76	OL CHIKI LETTER OV		
1C77	OL CHIKI LETTER OH		
1C78	OL CHIKI MU TTUDDAG		
1C79	OL CHIKI GAAHLAA TTUDDAAG		
1C7A	OL CHIKI MU-GAAHLAA TTUDDAAG		
1C7B	OL CHIKI RELAA		
1C7C	OL CHIKI PHAARKAA		
1C7D	OL CHIKI AHAD		
1C7E	OL CHIKI PUNCTUATION MUCAAD		
1C7F	OL CHIKI PUNCTUATION DOUBLE MUCAAD		

Group 00

Plane 00

Row 1C

Table 103 - Row 2C: Latin Extended-C

	2C6	2C7
0	Ł 2C60	ł 2C70
1	Ŧ 2C61	Ƶ 2C71
2	Ł 2C62	Ŵ 2C72
3	Œ 2C63	Ƶ 2C73
4	Ŕ 2C64	ƶ 2C74
5	ǻ 2C65	Ɖ 2C75
6	ƶ 2C66	Ɖ 2C76
7	Ĥ 2C67	Ɔ 2C77
8	h 2C68	
9	K 2C69	
A	k 2C6A	
B	Z 2C6B	
C	z 2C6C	
D	Q 2C6D	
E	M 2C6E	
F	Ɔ 2C6F	

G = 00
P = 00

Table 103 - Row 2C: Latin Extended-C




























HEX	NAME	HEX	NAME
2C60	LATIN CAPITAL LETTER L WITH DOUBLE BAR		
2C61	LATIN SMALL LETTER L WITH DOUBLE BAR		
2C62	LATIN CAPITAL LETTER L WITH MIDDLE TILDE		
2C63	LATIN CAPITAL LETTER P WITH STROKE		
2C64	LATIN CAPITAL LETTER R WITH TAIL		
2C65	LATIN SMALL LETTER A WITH STROKE		
2C66	LATIN SMALL LETTER T WITH DIAGONAL STROKE		
2C67	LATIN CAPITAL LETTER H WITH DESCENDER		
2C68	LATIN SMALL LETTER H WITH DESCENDER		
2C69	LATIN CAPITAL LETTER K WITH DESCENDER		
2C6A	LATIN SMALL LETTER K WITH DESCENDER		
2C6B	LATIN CAPITAL LETTER Z WITH DESCENDER		
2C6C	LATIN SMALL LETTER Z WITH DESCENDER		
2C6D	LATIN CAPITAL LETTER ALPHA		
2C6E	LATIN CAPITAL LETTER M WITH HOOK		
2C6F	LATIN LETTER TRESILLO		
2C70	LATIN LETTER CUATRILLO		
2C71	LATIN SMALL LETTER V WITH RIGHT HOOK		
2C72	LATIN CAPITAL LETTER W WITH HOOK		
2C73	LATIN SMALL LETTER W WITH HOOK		
2C74	LATIN SMALL LETTER V WITH CURL		
2C75	LATIN CAPITAL LETTER HALF H		
2C76	LATIN SMALL LETTER HALF H		
2C77	LATIN SMALL LETTER TAILLESS PHI		
2C78	(This position shall not be used)		
2C79	(This position shall not be used)		
2C7A	(This position shall not be used)		
2C7B	(This position shall not be used)		
2C7C	(This position shall not be used)		
2C7D	(This position shall not be used)		
2C7E	(This position shall not be used)		
2C7F	(This position shall not be used)		

Group 00

Plane 00

Row 2C

Table 108 - Row 2E: Supplemental Punctuation

	2E0	2E1	2E2	2E3	2E4	2E5	2E6	2E7
0	 2E00	 2E10						
1	 2E01	 2E11						
2	 2E02	 2E12						
3	 2E03	 2E13						
4	 2E04	 2E14						
5	 2E05	 2E15						
6	 2E06	 2E16						
7	 2E07	 2E17						
8	 2E08	 2E18						
9	 2E09							
A	 2E0A							
B	 2E0B							
C	 2E0C	 2E1C						
D	 2E0D	 2E1D						
E	 2E0E							
F	 2E0F							

G = 00
P = 00

Table 108 - Row 2E: Supplemental Punctuation

HEX	NAME	HEX	NAME
2E00	RIGHT ANGLE SUBSTITUTION MARKER	2E5D	(This position shall not be used)
2E01	RIGHT ANGLE DOTTED SUBSTITUTION MARKER	2E5E	(This position shall not be used)
2E02	LEFT SUBSTITUTION BRACKET	2E5F	(This position shall not be used)
2E03	RIGHT SUBSTITUTION BRACKET	2E60	(This position shall not be used)
2E04	LEFT DOTTED SUBSTITUTION BRACKET	2E61	(This position shall not be used)
2E05	RIGHT DOTTED SUBSTITUTION BRACKET	2E62	(This position shall not be used)
2E06	RAISED INTERPOLATION MARKER	2E63	(This position shall not be used)
2E07	RAISED DOTTED INTERPOLATION MARKER	2E64	(This position shall not be used)
2E08	DOTTED TRANSPOSITION MARKER	2E65	(This position shall not be used)
2E09	LEFT TRANSPOSITION BRACKET	2E66	(This position shall not be used)
2E0A	RIGHT TRANSPOSITION BRACKET	2E67	(This position shall not be used)
2E0B	RAISED SQUARE	2E68	(This position shall not be used)
2E0C	LEFT RAISED OMISSION BRACKET	2E69	(This position shall not be used)
2E0D	RIGHT RAISED OMISSION BRACKET	2E6A	(This position shall not be used)
2E0E	EDITORIAL CORONIS	2E6B	(This position shall not be used)
2E0F	PARAGRAPHOS	2E6C	(This position shall not be used)
2E10	FORKED PARAGRAPHOS	2E6D	(This position shall not be used)
2E11	REVERSED FORKED PARAGRAPHOS	2E6E	(This position shall not be used)
2E12	HYPODIASTOLE	2E6F	(This position shall not be used)
2E13	DOTTED OBELOS	2E70	(This position shall not be used)
2E14	DOWNWARDS ANCORA	2E71	(This position shall not be used)
2E15	UPWARDS ANCORA	2E72	(This position shall not be used)
2E16	DOTTED RIGHT-POINTING ANGLE	2E73	(This position shall not be used)
2E17	DOUBLE OBLIQUE HYPHEN	2E74	(This position shall not be used)
2E18	INVERTED INTERROBANG	2E75	(This position shall not be used)
2E19	(This position shall not be used)	2E76	(This position shall not be used)
2E1A	(This position shall not be used)	2E77	(This position shall not be used)
2E1B	(This position shall not be used)	2E78	(This position shall not be used)
2E1C	LEFT LOW PARAPHRASE BRACKET	2E79	(This position shall not be used)
2E1D	RIGHT LOW PARAPHRASE BRACKET	2E7A	(This position shall not be used)
2E1E	(This position shall not be used)	2E7B	(This position shall not be used)
2E1F	(This position shall not be used)	2E7C	(This position shall not be used)
2E20	(This position shall not be used)	2E7D	(This position shall not be used)
2E21	(This position shall not be used)	2E7E	(This position shall not be used)
2E22	(This position shall not be used)	2E7F	(This position shall not be used)
2E23	(This position shall not be used)		
2E24	(This position shall not be used)		
2E25	(This position shall not be used)		
2E26	(This position shall not be used)		
2E27	(This position shall not be used)		
2E28	(This position shall not be used)		
2E29	(This position shall not be used)		
2E2A	(This position shall not be used)		
2E2B	(This position shall not be used)		
2E2C	(This position shall not be used)		
2E2D	(This position shall not be used)		
2E2E	(This position shall not be used)		
2E2F	(This position shall not be used)		
2E30	(This position shall not be used)		
2E31	(This position shall not be used)		
2E32	(This position shall not be used)		
2E33	(This position shall not be used)		
2E34	(This position shall not be used)		
2E35	(This position shall not be used)		
2E36	(This position shall not be used)		
2E37	(This position shall not be used)		
2E38	(This position shall not be used)		
2E39	(This position shall not be used)		
2E3A	(This position shall not be used)		
2E3B	(This position shall not be used)		
2E3C	(This position shall not be used)		
2E3D	(This position shall not be used)		
2E3E	(This position shall not be used)		
2E3F	(This position shall not be used)		
2E40	(This position shall not be used)		
2E41	(This position shall not be used)		
2E42	(This position shall not be used)		
2E43	(This position shall not be used)		
2E44	(This position shall not be used)		
2E45	(This position shall not be used)		
2E46	(This position shall not be used)		
2E47	(This position shall not be used)		
2E48	(This position shall not be used)		
2E49	(This position shall not be used)		
2E4A	(This position shall not be used)		
2E4B	(This position shall not be used)		
2E4C	(This position shall not be used)		
2E4D	(This position shall not be used)		
2E4E	(This position shall not be used)		
2E4F	(This position shall not be used)		
2E50	(This position shall not be used)		
2E51	(This position shall not be used)		
2E52	(This position shall not be used)		
2E53	(This position shall not be used)		
2E54	(This position shall not be used)		
2E55	(This position shall not be used)		
2E56	(This position shall not be used)		
2E57	(This position shall not be used)		
2E58	(This position shall not be used)		
2E59	(This position shall not be used)		
2E5A	(This position shall not be used)		
2E5B	(This position shall not be used)		
2E5C	(This position shall not be used)		

Group 00

Plane 00

Row 2E

Table 135 - Row A5: Vai

	A50	A51	A52	A53	A54	A55	A56	A57	A58
0	 A500	 A510	 A520	 A530	 A540	 A550	 A560	 A570	 A580
1	 A501	 A511	 A521	 A531	 A541	 A551	 A561	 A571	 A581
2	 A502	 A512	 A522	 A532	 A542	 A552	 A562	 A572	 A582
3	 A503	 A513	 A523	 A533	 A543	 A553	 A563	 A573	 A583
4	 A504	 A514	 A524	 A534	 A544	 A554	 A564	 A574	 A584
5	 A505	 A515	 A525	 A535	 A545	 A555	 A565	 A575	 A585
6	 A506	 A516	 A526	 A536	 A546	 A556	 A566	 A576	 A586
7	 A507	 A517	 A527	 A537	 A547	 A557	 A567	 A577	 A587
8	 A508	 A518	 A528	 A538	 A548	 A558	 A568	 A578	 A588
9	 A509	 A519	 A529	 A539	 A549	 A559	 A569	 A579	 A589
A	 A50A	 A51A	 A52A	 A53A	 A54A	 A55A	 A56A	 A57A	 A58A
B	 A50B	 A51B	 A52B	 A53B	 A54B	 A55B	 A56B	 A57B	 A58B
C	 A50C	 A51C	 A52C	 A53C	 A54C	 A55C	 A56C	 A57C	 A58C
D	 A50D	 A51D	 A52D	 A53D	 A54D	 A55D	 A56D	 A57D	 A58D
E	 A50E	 A51E	 A52E	 A53E	 A54E	 A55E	 A56E	 A57E	 A58E
F	 A50F	 A51F	 A52F	 A53F	 A54F	 A55F	 A56F	 A57F	 A58F

G = 00
P = 00

Table 135 - Row A5: Vai

HEX	NAME	HEX	NAME
A500	VAI SYLLABLE EE	A55D	VAI SYLLABLE RA
A501	VAI SYLLABLE HEE	A55E	VAI SYLLABLE DA
A502	VAI SYLLABLE WEE	A55F	VAI SYLLABLE NDA
A503	VAI SYLLABLE WEEN	A560	VAI SYLLABLE SA
A504	VAI SYLLABLE PEE	A561	VAI SYLLABLE SHA
A505	VAI SYLLABLE BHEE	A562	VAI SYLLABLE ZA
A506	VAI SYLLABLE BEE	A563	VAI SYLLABLE ZHA
A507	VAI SYLLABLE MBEE	A564	VAI SYLLABLE CA
A508	VAI SYLLABLE KPEE	A565	VAI SYLLABLE JA
A509	VAI SYLLABLE MGBEE	A566	VAI SYLLABLE NJA
A50A	VAI SYLLABLE GBEE	A567	VAI SYLLABLE YA
A50B	VAI SYLLABLE FEE	A568	VAI SYLLABLE KA
A50C	VAI SYLLABLE VEE	A569	VAI SYLLABLE KAN
A50D	VAI SYLLABLE TEE	A56A	VAI SYLLABLE NGGA
A50E	VAI SYLLABLE THEE	A56B	VAI SYLLABLE GA
A50F	VAI SYLLABLE DHEE	A56C	VAI SYLLABLE MA
A510	VAI SYLLABLE DHHEE	A56D	VAI SYLLABLE NA
A511	VAI SYLLABLE LEE	A56E	VAI SYLLABLE NYA
A512	VAI SYLLABLE REE	A56F	VAI SYLLABLE OO
A513	VAI SYLLABLE DEE	A570	VAI SYLLABLE HOO
A514	VAI SYLLABLE NDEE	A571	VAI SYLLABLE WOO
A515	VAI SYLLABLE SEE	A572	VAI SYLLABLE WOON
A516	VAI SYLLABLE SHEE	A573	VAI SYLLABLE POO
A517	VAI SYLLABLE ZEE	A574	VAI SYLLABLE BHOO
A518	VAI SYLLABLE ZHEE	A575	VAI SYLLABLE BOO
A519	VAI SYLLABLE CEE	A576	VAI SYLLABLE MBOO
A51A	VAI SYLLABLE JEE	A577	VAI SYLLABLE KPOO
A51B	VAI SYLLABLE NJEE	A578	VAI SYLLABLE MGBOO
A51C	VAI SYLLABLE YEE	A579	VAI SYLLABLE GBOO
A51D	VAI SYLLABLE KEE	A57A	VAI SYLLABLE FOO
A51E	VAI SYLLABLE NGGEE	A57B	VAI SYLLABLE VOO
A51F	VAI SYLLABLE GEE	A57C	VAI SYLLABLE TOO
A520	VAI SYLLABLE MEE	A57D	VAI SYLLABLE THOO
A521	VAI SYLLABLE NEE	A57E	VAI SYLLABLE DHOO
A522	VAI SYLLABLE NYEE	A57F	VAI SYLLABLE DHHOO
A523	VAI SYLLABLE I	A580	VAI SYLLABLE LOO
A524	VAI SYLLABLE HI	A581	VAI SYLLABLE ROO
A525	VAI SYLLABLE HIN	A582	VAI SYLLABLE DOO
A526	VAI SYLLABLE WI	A583	VAI SYLLABLE NDOO
A527	VAI SYLLABLE WIN	A584	VAI SYLLABLE SOO
A528	VAI SYLLABLE PI	A585	VAI SYLLABLE SHOO
A529	VAI SYLLABLE BHI	A586	VAI SYLLABLE ZOO
A52A	VAI SYLLABLE BI	A587	VAI SYLLABLE ZHOO
A52B	VAI SYLLABLE MBI	A588	VAI SYLLABLE COO
A52C	VAI SYLLABLE KPI	A589	VAI SYLLABLE JOO
A52D	VAI SYLLABLE MGBI	A58A	VAI SYLLABLE NJOO
A52E	VAI SYLLABLE GBI	A58B	VAI SYLLABLE YOO
A52F	VAI SYLLABLE FI	A58C	VAI SYLLABLE KOO
A530	VAI SYLLABLE VI	A58D	VAI SYLLABLE NGGOO
A531	VAI SYLLABLE TI	A58E	VAI SYLLABLE GOO
A532	VAI SYLLABLE THI	A58F	VAI SYLLABLE MOO
A533	VAI SYLLABLE DHI		
A534	VAI SYLLABLE DHHI		
A535	VAI SYLLABLE LI		
A536	VAI SYLLABLE RI		
A537	VAI SYLLABLE DI		
A538	VAI SYLLABLE NDI		
A539	VAI SYLLABLE SI		
A53A	VAI SYLLABLE SHI		
A53B	VAI SYLLABLE ZI		
A53C	VAI SYLLABLE ZHI		
A53D	VAI SYLLABLE CI		
A53E	VAI SYLLABLE JI		
A53F	VAI SYLLABLE NJI		
A540	VAI SYLLABLE YI		
A541	VAI SYLLABLE KI		
A542	VAI SYLLABLE NGGI		
A543	VAI SYLLABLE GI		
A544	VAI SYLLABLE MI		
A545	VAI SYLLABLE NI		
A546	VAI SYLLABLE NYI		
A547	VAI SYLLABLE A		
A548	VAI SYLLABLE AN		
A549	VAI SYLLABLE NGAN		
A54A	VAI SYLLABLE HA		
A54B	VAI SYLLABLE HAN		
A54C	VAI SYLLABLE WA		
A54D	VAI SYLLABLE WAN		
A54E	VAI SYLLABLE PA		
A54F	VAI SYLLABLE BHA		
A550	VAI SYLLABLE BA		
A551	VAI SYLLABLE MBA		
A552	VAI SYLLABLE KPA		
A553	VAI SYLLABLE KPAN		
A554	VAI SYLLABLE MGBA		
A555	VAI SYLLABLE GBA		
A556	VAI SYLLABLE FA		
A557	VAI SYLLABLE VA		
A558	VAI SYLLABLE TA		
A559	VAI SYLLABLE THA		
A55A	VAI SYLLABLE DHA		
A55B	VAI SYLLABLE DHHA		
A55C	VAI SYLLABLE LA		

Group 00

Plane 00

Row A5

Table 136 - Rows A5-A6: Vai

	A59	A5A	A5B	A5C	A5D	A5E	A5F	A60	A61
0	 A590	 A5A0	 A5B0	 A5C0	 A5D0	 A5E0	 A5F0	 A600	 A610
1	 A591	 A5A1	 A5B1	 A5C1	 A5D1	 A5E1	 A5F1	 A601	 A611
2	 A592	 A5A2	 A5B2	 A5C2	 A5D2	 A5E2	 A5F2	 A602	 A612
3	 A593	 A5A3	 A5B3	 A5C3	 A5D3	 A5E3	 A5F3	 A603	 A613
4	 A594	 A5A4	 A5B4	 A5C4	 A5D4	 A5E4	 A5F4	 A604	 A614
5	 A595	 A5A5	 A5B5	 A5C5	 A5D5	 A5E5	 A5F5	 A605	 A615
6	 A596	 A5A6	 A5B6	 A5C6	 A5D6	 A5E6	 A5F6	 A606	 A616
7	 A597	 A5A7	 A5B7	 A5C7	 A5D7	 A5E7	 A5F7	 A607	 A617
8	 A598	 A5A8	 A5B8	 A5C8	 A5D8	 A5E8	 A5F8	 A608	 A618
9	 A599	 A5A9	 A5B9	 A5C9	 A5D9	 A5E9	 A5F9	 A609	 A619
A	 A59A	 A5AA	 A5BA	 A5CA	 A5DA	 A5EA	 A5FA	 A60A	 A61A
B	 A59B	 A5AB	 A5BB	 A5CB	 A5DB	 A5EB	 A5FB	 A60B	 A61B
C	 A59C	 A5AC	 A5BC	 A5CC	 A5DC	 A5EC	 A5FC		 A61C
D	 A59D	 A5AD	 A5BD	 A5CD	 A5DD	 A5ED	 A5FD		 A61D
E	 A59E	 A5AE	 A5BE	 A5CE	 A5DE	 A5EE	 A5FE		 A61E
F	 A59F	 A5AF	 A5BF	 A5CF	 A5DF	 A5EF	 A5FF		 A61F

G = 00
P = 00

Table 136 - Rows A5-A6: Vai

HEX	NAME	HEX	NAME
A590	VAI SYLLABLE NOO	A5E0	VAI SYLLABLE FE
A591	VAI SYLLABLE NYOO	A5EE	VAI SYLLABLE VE
A592	VAI SYLLABLE U	A5EF	VAI SYLLABLE TE
A593	VAI SYLLABLE HU	A5F0	VAI SYLLABLE THE
A594	VAI SYLLABLE HUN	A5F1	VAI SYLLABLE DHE
A595	VAI SYLLABLE WU	A5F2	VAI SYLLABLE DHHE
A596	VAI SYLLABLE WUN	A5F3	VAI SYLLABLE LE
A597	VAI SYLLABLE PU	A5F4	VAI SYLLABLE RE
A598	VAI SYLLABLE BHU	A5F5	VAI SYLLABLE DE
A599	VAI SYLLABLE BU	A5F6	VAI SYLLABLE NDE
A59A	VAI SYLLABLE MBU	A5F7	VAI SYLLABLE SE
A59B	VAI SYLLABLE KPU	A5F8	VAI SYLLABLE SHE
A59C	VAI SYLLABLE MGBU	A5F9	VAI SYLLABLE ZE
A59D	VAI SYLLABLE GBU	A5FA	VAI SYLLABLE ZHE
A59E	VAI SYLLABLE FU	A5FB	VAI SYLLABLE CE
A59F	VAI SYLLABLE VU	A5FC	VAI SYLLABLE JE
A5A0	VAI SYLLABLE TU	A5FD	VAI SYLLABLE NJE
A5A1	VAI SYLLABLE THU	A5FE	VAI SYLLABLE YE
A5A2	VAI SYLLABLE DHU	A5FF	VAI SYLLABLE KE
A5A3	VAI SYLLABLE DHHU	A600	VAI SYLLABLE NGGE
A5A4	VAI SYLLABLE LU	A601	VAI SYLLABLE NGGEN
A5A5	VAI SYLLABLE RU	A602	VAI SYLLABLE GE
A5A6	VAI SYLLABLE DU	A603	VAI SYLLABLE GEN
A5A7	VAI SYLLABLE NDU	A604	VAI SYLLABLE ME
A5A8	VAI SYLLABLE SU	A605	VAI SYLLABLE NE
A5A9	VAI SYLLABLE SHU	A606	VAI SYLLABLE NYE
A5AA	VAI SYLLABLE ZU	A607	VAI SYLLABLE NG
A5AB	VAI SYLLABLE ZHU	A608	VAI SYLLABLE LENGTHENER
A5AC	VAI SYLLABLE CU	A609	VAI COMMA
A5AD	VAI SYLLABLE JU	A60A	VAI FULL STOP
A5AE	VAI SYLLABLE NJU	A60B	VAI QUESTION MARK
A5AF	VAI SYLLABLE YU	A60C	(This position shall not be used)
A5B0	VAI SYLLABLE KU	A60D	(This position shall not be used)
A5B1	VAI SYLLABLE NGGU	A60E	(This position shall not be used)
A5B2	VAI SYLLABLE GU	A60F	(This position shall not be used)
A5B3	VAI SYLLABLE MU	A610	VAI SYLLABLE NDOLE FA
A5B4	VAI SYLLABLE NU	A611	VAI SYLLABLE NDOLE KA
A5B5	VAI SYLLABLE NYU	A612	VAI SYLLABLE NDOLE SOO
A5B6	VAI SYLLABLE O	A613	VAI SYMBOL FEENG
A5B7	VAI SYLLABLE ON	A614	VAI SYMBOL KEENG
A5B8	VAI SYLLABLE NGON	A615	VAI SYMBOL TING
A5B9	VAI SYLLABLE HO	A616	VAI SYMBOL NII
A5BA	VAI SYLLABLE HON	A617	VAI SYMBOL BANG
A5BB	VAI SYLLABLE WO	A618	VAI SYMBOL FAA
A5BC	VAI SYLLABLE WON	A619	VAI SYMBOL TAA
A5BD	VAI SYLLABLE PO	A61A	VAI SYMBOL DANG
A5BE	VAI SYLLABLE BHO	A61B	VAI SYMBOL DOONG
A5BF	VAI SYLLABLE BO	A61C	VAI SYMBOL KUNG
A5C0	VAI SYLLABLE MBO	A61D	VAI SYMBOL TONG
A5C1	VAI SYLLABLE KPO	A61E	VAI SYMBOL DO-O
A5C2	VAI SYLLABLE MGBO	A61F	VAI SYMBOL JONG
A5C3	VAI SYLLABLE GBO		
A5C4	VAI SYLLABLE GBON		
A5C5	VAI SYLLABLE FO		
A5C6	VAI SYLLABLE VO		
A5C7	VAI SYLLABLE TO		
A5C8	VAI SYLLABLE THO		
A5C9	VAI SYLLABLE DHO		
A5CA	VAI SYLLABLE DHHO		
A5CB	VAI SYLLABLE LO		
A5CC	VAI SYLLABLE RO		
A5CD	VAI SYLLABLE DO		
A5CE	VAI SYLLABLE NDO		
A5CF	VAI SYLLABLE SO		
A5D0	VAI SYLLABLE SHO		
A5D1	VAI SYLLABLE ZO		
A5D2	VAI SYLLABLE ZHO		
A5D3	VAI SYLLABLE CO		
A5D4	VAI SYLLABLE JO		
A5D5	VAI SYLLABLE NJO		
A5D6	VAI SYLLABLE YO		
A5D7	VAI SYLLABLE KO		
A5D8	VAI SYLLABLE NGGO		
A5D9	VAI SYLLABLE GO		
A5DA	VAI SYLLABLE MO		
A5DB	VAI SYLLABLE NO		
A5DC	VAI SYLLABLE NYO		
A5DD	VAI SYLLABLE E		
A5DE	VAI SYLLABLE EN		
A5DF	VAI SYLLABLE NGEN		
A5E0	VAI SYLLABLE HE		
A5E1	VAI SYLLABLE HEN		
A5E2	VAI SYLLABLE WE		
A5E3	VAI SYLLABLE WEN		
A5E4	VAI SYLLABLE PE		
A5E5	VAI SYLLABLE BHE		
A5E6	VAI SYLLABLE BE		
A5E7	VAI SYLLABLE MBE		
A5E8	VAI SYLLABLE KPE		
A5E9	VAI SYLLABLE KPEN		
A5EA	VAI SYLLABLE MGBE		
A5EB	VAI SYLLABLE GBE		
A5EC	VAI SYLLABLE GBEN		

Group 00

Plane 00

Row A5

Table 137 - Row A7: Modifier Tone Letters

HEX	NAME	HEX	NAME
A700	MODIFIER LETTER CHINESE TONE YIN PING		
A701	MODIFIER LETTER CHINESE TONE YANG PING		
A702	MODIFIER LETTER CHINESE TONE YIN SHANG		
A703	MODIFIER LETTER CHINESE TONE YANG SHANG		
A704	MODIFIER LETTER CHINESE TONE YIN QU		
A705	MODIFIER LETTER CHINESE TONE YANG QU		
A706	MODIFIER LETTER CHINESE TONE YIN RU		
A707	MODIFIER LETTER CHINESE TONE YANG RU		
A708	MODIFIER LETTER EXTRA-HIGH DOTTED TONE BAR		
A709	MODIFIER LETTER HIGH DOTTED TONE BAR		
A70A	MODIFIER LETTER MID DOTTED TONE BAR		
A70B	MODIFIER LETTER LOW DOTTED TONE BAR		
A70C	MODIFIER LETTER EXTRA-LOW DOTTED TONE BAR		
A70D	MODIFIER LETTER EXTRA-HIGH DOTTED LEFT-STEM TONE BAR		
A70E	MODIFIER LETTER HIGH DOTTED LEFT-STEM TONE BAR		
A70F	MODIFIER LETTER MID DOTTED LEFT-STEM TONE BAR		
A710	MODIFIER LETTER LOW DOTTED LEFT-STEM TONE BAR		
A711	MODIFIER LETTER EXTRA-LOW DOTTED LEFT-STEM TONE BAR		
A712	MODIFIER LETTER EXTRA-HIGH LEFT-STEM TONE BAR		
A713	MODIFIER LETTER HIGH LEFT-STEM TONE BAR		
A714	MODIFIER LETTER MID LEFT-STEM TONE BAR		
A715	MODIFIER LETTER LOW LEFT-STEM TONE BAR		
A716	MODIFIER LETTER EXTRA-LOW LEFT-STEM TONE BAR		
A717	MODIFIER LETTER DOT VERTICAL BAR		
A718	MODIFIER LETTER DOT SLASH		
A719	MODIFIER LETTER DOT HORIZONTAL BAR		
A71A	MODIFIER LETTER LOWER RIGHT CORNER ANGLE		
A71B	MODIFIER LETTER RAISED UP ARROW		
A71C	MODIFIER LETTER RAISED DOWN ARROW		
A71D	MODIFIER LETTER RAISED EXCLAMATION MARK		
A71E	MODIFIER LETTER RAISED INVERTED EXCLAMATION MARK		
A71F	MODIFIER LETTER LOW INVERTED EXCLAMATION MARK		

Group 00

Plane 00

Row A7

Table 141 - Row A8: Saurashtra

	A88	A89	A8A	A8B	A8C	A8D
0	◌̇ A880	ઊ A890	ઋ A8A0	ૡ A8B0	◌̇ૃ A8C0	૦ A8D0
1	◌̈̇ A881	ઋ A891	ઌ A8A1	ૢ A8B1	◌̈̇ૃ A8C1	૧ A8D1
2	૨ A882	૩ A892	૪ A8A2	૫ A8B2	◌̈̇ૃ A8C2	૨ A8D2
3	૬ A883	૭ A893	૮ A8A3	૯ A8B3	◌̈̇ૃ A8C3	૩ A8D3
4	૪ A884	૫ A894	૬ A8A4	◌̈̇૫ A8B4	◌̈̇ A8C4	૪ A8D4
5	૫ A885	૬ A895	૭ A8A5	◌̈̇૭ A8B5		૫ A8D5
6	૮ A886	૯ A896	૧૦ A8A6	◌̈̇૧૦ A8B6		૬ A8D6
7	૧૧ A887	૧૨ A897	૧૩ A8A7	◌̈̇૧૩ A8B7		૭ A8D7
8	૧૪ A888	૧૫ A898	૧૬ A8A8	◌̈̇૧૬ A8B8		૮ A8D8
9	૧૭ A889	૧૮ A899	૧૯ A8A9	◌̈̇૧૯ A8B9		૯ A8D9
A	૨૦ A88A	૨૧ A89A	૨૨ A8AA	◌̈̇૨૨ A8BA		
B	૨૩ A88B	૨૪ A89B	૨૫ A8AB	◌̈̇૨૫ A8BB		
C	૨૬ A88C	૨૭ A89C	૨૮ A8AC	◌̈̇૨૮ A8BC		
D	૨૯ A88D	૩૦ A89D	૩૧ A8AD	◌̈̇૩૧ A8BD		
E	૩૨ A88E	૩૩ A89E	૩૪ A8AE	◌̈̇૩૪ A8BE	૩૫ A8CE	
F	૩૬ A88F	૩૭ A89F	૩૮ A8AF	◌̈̇૩૮ A8BF	૩૯ A8CF	

G = 00
P = 00

Table 141 - Row A8: Saurashtra



























































































































HEX	NAME	HEX	NAME
A880	SAURASHTRA SIGN ANUSVARA	A8DD	(This position shall not be used)
A881	SAURASHTRA SIGN VISARGA	A8DE	(This position shall not be used)
A882	SAURASHTRA LETTER A	A8DF	(This position shall not be used)
A883	SAURASHTRA LETTER AA		
A884	SAURASHTRA LETTER I		
A885	SAURASHTRA LETTER II		
A886	SAURASHTRA LETTER U		
A887	SAURASHTRA LETTER UU		
A888	SAURASHTRA LETTER VOCALIC R		
A889	SAURASHTRA LETTER VOCALIC RR		
A88A	SAURASHTRA LETTER VOCALIC L		
A88B	SAURASHTRA LETTER VOCALIC LL		
A88C	SAURASHTRA LETTER E		
A88D	SAURASHTRA LETTER EE		
A88E	SAURASHTRA LETTER AI		
A88F	SAURASHTRA LETTER O		
A890	SAURASHTRA LETTER OO		
A891	SAURASHTRA LETTER AU		
A892	SAURASHTRA LETTER KA		
A893	SAURASHTRA LETTER KHA		
A894	SAURASHTRA LETTER GA		
A895	SAURASHTRA LETTER GHA		
A896	SAURASHTRA LETTER NGA		
A897	SAURASHTRA LETTER CA		
A898	SAURASHTRA LETTER CHA		
A899	SAURASHTRA LETTER JA		
A89A	SAURASHTRA LETTER JHA		
A89B	SAURASHTRA LETTER NYA		
A89C	SAURASHTRA LETTER TTA		
A89D	SAURASHTRA LETTER TTHA		
A89E	SAURASHTRA LETTER DDA		
A89F	SAURASHTRA LETTER DDHA		
A8A0	SAURASHTRA LETTER NNA		
A8A1	SAURASHTRA LETTER TA		
A8A2	SAURASHTRA LETTER THA		
A8A3	SAURASHTRA LETTER DA		
A8A4	SAURASHTRA LETTER DHA		
A8A5	SAURASHTRA LETTER NA		
A8A6	SAURASHTRA LETTER PA		
A8A7	SAURASHTRA LETTER PHA		
A8A8	SAURASHTRA LETTER BA		
A8A9	SAURASHTRA LETTER BHA		
A8AA	SAURASHTRA LETTER MA		
A8AB	SAURASHTRA LETTER YA		
A8AC	SAURASHTRA LETTER RA		
A8AD	SAURASHTRA LETTER LA		
A8AE	SAURASHTRA LETTER VA		
A8AF	SAURASHTRA LETTER SHA		
A8B0	SAURASHTRA LETTER SSA		
A8B1	SAURASHTRA LETTER SA		
A8B2	SAURASHTRA LETTER HA		
A8B3	SAURASHTRA LETTER LLA		
A8B4	SAURASHTRA LETTER UPAKSHARA		
A8B5	SAURASHTRA VOWEL SIGN AA		
A8B6	SAURASHTRA VOWEL SIGN I		
A8B7	SAURASHTRA VOWEL SIGN II		
A8B8	SAURASHTRA VOWEL SIGN U		
A8B9	SAURASHTRA VOWEL SIGN UU		
A8BA	SAURASHTRA VOWEL SIGN VOCALIC R		
A8BB	SAURASHTRA VOWEL SIGN VOCALIC RR		
A8BC	SAURASHTRA VOWEL SIGN VOCALIC L		
A8BD	SAURASHTRA VOWEL SIGN VOCALIC LL		
A8BE	SAURASHTRA VOWEL SIGN E		
A8BF	SAURASHTRA VOWEL SIGN EE		
A8C0	SAURASHTRA VOWEL SIGN AI		
A8C1	SAURASHTRA VOWEL SIGN O		
A8C2	SAURASHTRA VOWEL SIGN OO		
A8C3	SAURASHTRA VOWEL SIGN AU		
A8C4	SAURASHTRA SIGN VIRAMA		
A8C5	(This position shall not be used)		
A8C6	(This position shall not be used)		
A8C7	(This position shall not be used)		
A8C8	(This position shall not be used)		
A8C9	(This position shall not be used)		
A8CA	(This position shall not be used)		
A8CB	(This position shall not be used)		
A8CC	(This position shall not be used)		
A8CD	(This position shall not be used)		
A8CE	SAURASHTRA DANDA		
A8CF	SAURASHTRA DOUBLE DANDA		
A8D0	SAURASHTRA DIGIT ZERO		
A8D1	SAURASHTRA DIGIT ONE		
A8D2	SAURASHTRA DIGIT TWO		
A8D3	SAURASHTRA DIGIT THREE		
A8D4	SAURASHTRA DIGIT FOUR		
A8D5	SAURASHTRA DIGIT FIVE		
A8D6	SAURASHTRA DIGIT SIX		
A8D7	SAURASHTRA DIGIT SEVEN		
A8D8	SAURASHTRA DIGIT EIGHT		
A8D9	SAURASHTRA DIGIT NINE		
A8DA	(This position shall not be used)		
A8DB	(This position shall not be used)		
A8DC	(This position shall not be used)		

Group 00

Plane 00

Row A8

Table 214 - Row D1: Musical Symbols

	1D10	1D11	1D12	1D13	1D14	1D15	1D16	1D17
0	 1D100	 1D110	 1D120	 1D130	 1D140	 1D150	 1D160	 1D170
1	 1D101	 1D111	 1D121	 1D131	 1D141	 1D151	 1D161	 1D171
2	 1D102	 1D112	 1D122	 1D132	 1D142	 1D152	 1D162	 1D172
3	 1D103	 1D113	 1D123	 1D133	 1D143	 1D153	 1D163	 1D173
4	 1D104	 1D114	 1D124	 1D134	 1D144	 1D154	 1D164	 1D174
5	 1D105	 1D115	 1D125	 1D135	 1D145	 1D155	 1D165	 1D175
6	 1D106	 1D116	 1D126	<i>8^{va}</i> 1D136	 1D146	 1D156	 1D166	 1D176
7	 1D107	 1D117	 1D127	<i>8^{vb}</i> 1D137	 1D147	 1D157	 1D167	 1D177
8	 1D108	 1D118	 1D128	<i>15^{ma}</i> 1D138	 1D148	 1D158	 1D168	 1D178
9	<i>D.S.</i> 1D109	 1D119	 1D129	<i>15^{mb}</i> 1D139	 1D149	 1D159	 1D169	 1D179
A	<i>D.C.</i> 1D10A	 1D11A	 1D12A	 1D13A	 1D14A	 1D15A	 1D16A	 1D17A
B	 1D10B	 1D11B	 1D12B	 1D13B	 1D14B	 1D15B	 1D16B	 1D17B
C	 1D10C	 1D11C	 1D12C	 1D13C	 1D14C	 1D15C	 1D16C	 1D17C
D	 1D10D	 1D11D	 1D12D	 1D13D	 1D14D	 1D15D	 1D16D	 1D17D
E	 1D10E	 1D11E	 1D12E	 1D13E	 1D14E	 1D15E	 1D16E	 1D17E
F	 1D10F	 1D11F	 1D12F	 1D13F	 1D14F	 1D15F	 1D16F	 1D17F

G = 00
P = 01

Table 214 - Row D1: Musical Symbols

HEX	NAME	HEX	NAME
1D100	MUSICAL SYMBOL SINGLE BARLINE	1D15D	MUSICAL SYMBOL WHOLE NOTE
1D101	MUSICAL SYMBOL DOUBLE BARLINE	1D15E	MUSICAL SYMBOL HALF NOTE
1D102	MUSICAL SYMBOL FINAL BARLINE	1D15F	MUSICAL SYMBOL QUARTER NOTE
1D103	MUSICAL SYMBOL REVERSE FINAL BARLINE	1D160	MUSICAL SYMBOL EIGHTH NOTE
1D104	MUSICAL SYMBOL DASHED BARLINE	1D161	MUSICAL SYMBOL SIXTEENTH NOTE
1D105	MUSICAL SYMBOL SHORT BARLINE	1D162	MUSICAL SYMBOL THIRTY-SECOND NOTE
1D106	MUSICAL SYMBOL LEFT REPEAT SIGN	1D163	MUSICAL SYMBOL SIXTY-FOURTH NOTE
1D107	MUSICAL SYMBOL RIGHT REPEAT SIGN	1D164	MUSICAL SYMBOL ONE HUNDRED TWENTY-EIGHTH NOTE
1D108	MUSICAL SYMBOL REPEAT DOTS	1D165	MUSICAL SYMBOL COMBINING STEM
1D109	MUSICAL SYMBOL DAL SEGNO	1D166	MUSICAL SYMBOL COMBINING SPRECHGESANG STEM
1D10A	MUSICAL SYMBOL DA CAPO	1D167	MUSICAL SYMBOL COMBINING TREMOLO-1
1D10B	MUSICAL SYMBOL SEGNO	1D168	MUSICAL SYMBOL COMBINING TREMOLO-2
1D10C	MUSICAL SYMBOL CODA	1D169	MUSICAL SYMBOL COMBINING TREMOLO-3
1D10D	MUSICAL SYMBOL REPEATED FIGURE-1	1D16A	MUSICAL SYMBOL FINGERED TREMOLO-1
1D10E	MUSICAL SYMBOL REPEATED FIGURE-2	1D16B	MUSICAL SYMBOL FINGERED TREMOLO-2
1D10F	MUSICAL SYMBOL REPEATED FIGURE-3	1D16C	MUSICAL SYMBOL FINGERED TREMOLO-3
1D110	MUSICAL SYMBOL FERMATA	1D16D	MUSICAL SYMBOL COMBINING AUGMENTATION DOT
1D111	MUSICAL SYMBOL FERMATA BELOW	1D16E	MUSICAL SYMBOL COMBINING FLAG-1
1D112	MUSICAL SYMBOL BREATH MARK	1D16F	MUSICAL SYMBOL COMBINING FLAG-2
1D113	MUSICAL SYMBOL CAESURA	1D170	MUSICAL SYMBOL COMBINING FLAG-3
1D114	MUSICAL SYMBOL BRACE	1D171	MUSICAL SYMBOL COMBINING FLAG-4
1D115	MUSICAL SYMBOL BRACKET	1D172	MUSICAL SYMBOL COMBINING FLAG-5
1D116	MUSICAL SYMBOL ONE-LINE STAFF	1D173	MUSICAL SYMBOL BEGIN BEAM
1D117	MUSICAL SYMBOL TWO-LINE STAFF	1D174	MUSICAL SYMBOL END BEAM
1D118	MUSICAL SYMBOL THREE-LINE STAFF	1D175	MUSICAL SYMBOL BEGIN TIE
1D119	MUSICAL SYMBOL FOUR-LINE STAFF	1D176	MUSICAL SYMBOL END TIE
1D11A	MUSICAL SYMBOL FIVE-LINE STAFF	1D177	MUSICAL SYMBOL BEGIN SLUR
1D11B	MUSICAL SYMBOL SIX-LINE STAFF	1D178	MUSICAL SYMBOL END SLUR
1D11C	MUSICAL SYMBOL SIX-STRING FRETBOARD	1D179	MUSICAL SYMBOL BEGIN PHRASE
1D11D	MUSICAL SYMBOL FOUR-STRING FRETBOARD	1D17A	MUSICAL SYMBOL END PHRASE
1D11E	MUSICAL SYMBOL G CLEF	1D17B	MUSICAL SYMBOL COMBINING ACCENT
1D11F	MUSICAL SYMBOL G CLEF OTTAVA ALTA	1D17C	MUSICAL SYMBOL COMBINING STACCATO
1D120	MUSICAL SYMBOL G CLEF OTTAVA BASSA	1D17D	MUSICAL SYMBOL COMBINING TENUTO
1D121	MUSICAL SYMBOL C CLEF	1D17E	MUSICAL SYMBOL COMBINING STACCATISSIMO
1D122	MUSICAL SYMBOL F CLEF	1D17F	MUSICAL SYMBOL COMBINING MARCATO
1D123	MUSICAL SYMBOL F CLEF OTTAVA ALTA		
1D124	MUSICAL SYMBOL F CLEF OTTAVA BASSA		
1D125	MUSICAL SYMBOL DRUM CLEF-1		
1D126	MUSICAL SYMBOL DRUM CLEF-2		
1D127	(This position shall not be used)		
1D128	(This position shall not be used)		
1D129	MUSICAL SYMBOL MULTIPLE MEASURE REST		
1D12A	MUSICAL SYMBOL DOUBLE SHARP		
1D12B	MUSICAL SYMBOL DOUBLE FLAT		
1D12C	MUSICAL SYMBOL FLAT UP		
1D12D	MUSICAL SYMBOL FLAT DOWN		
1D12E	MUSICAL SYMBOL NATURAL UP		
1D12F	MUSICAL SYMBOL NATURAL DOWN		
1D130	MUSICAL SYMBOL SHARP UP		
1D131	MUSICAL SYMBOL SHARP DOWN		
1D132	MUSICAL SYMBOL QUARTER TONE SHARP		
1D133	MUSICAL SYMBOL QUARTER TONE FLAT		
1D134	MUSICAL SYMBOL COMMON TIME		
1D135	MUSICAL SYMBOL CUT TIME		
1D136	MUSICAL SYMBOL OTTAVA ALTA		
1D137	MUSICAL SYMBOL OTTAVA BASSA		
1D138	MUSICAL SYMBOL QUINDICESIMA ALTA		
1D139	MUSICAL SYMBOL QUINDICESIMA BASSA		
1D13A	MUSICAL SYMBOL MULTI REST		
1D13B	MUSICAL SYMBOL WHOLE REST		
1D13C	MUSICAL SYMBOL HALF REST		
1D13D	MUSICAL SYMBOL QUARTER REST		
1D13E	MUSICAL SYMBOL EIGHTH REST		
1D13F	MUSICAL SYMBOL SIXTEENTH REST		
1D140	MUSICAL SYMBOL THIRTY-SECOND REST		
1D141	MUSICAL SYMBOL SIXTY-FOURTH REST		
1D142	MUSICAL SYMBOL ONE HUNDRED TWENTY-EIGHTH REST		
1D143	MUSICAL SYMBOL X NOTEHEAD		
1D144	MUSICAL SYMBOL PLUS NOTEHEAD		
1D145	MUSICAL SYMBOL CIRCLE X NOTEHEAD		
1D146	MUSICAL SYMBOL SQUARE NOTEHEAD WHITE		
1D147	MUSICAL SYMBOL SQUARE NOTEHEAD BLACK		
1D148	MUSICAL SYMBOL TRIANGLE NOTEHEAD UP WHITE		
1D149	MUSICAL SYMBOL TRIANGLE NOTEHEAD UP BLACK		
1D14A	MUSICAL SYMBOL TRIANGLE NOTEHEAD LEFT WHITE		
1D14B	MUSICAL SYMBOL TRIANGLE NOTEHEAD LEFT BLACK		
1D14C	MUSICAL SYMBOL TRIANGLE NOTEHEAD RIGHT WHITE		
1D14D	MUSICAL SYMBOL TRIANGLE NOTEHEAD RIGHT BLACK		
1D14E	MUSICAL SYMBOL TRIANGLE NOTEHEAD DOWN WHITE		
1D14F	MUSICAL SYMBOL TRIANGLE NOTEHEAD DOWN BLACK		
1D150	MUSICAL SYMBOL TRIANGLE NOTEHEAD UP RIGHT WHITE		
1D151	MUSICAL SYMBOL TRIANGLE NOTEHEAD UP RIGHT BLACK		
1D152	MUSICAL SYMBOL MOON NOTEHEAD WHITE		
1D153	MUSICAL SYMBOL MOON NOTEHEAD BLACK		
1D154	MUSICAL SYMBOL TRIANGLE-ROUND NOTEHEAD DOWN WHITE		
1D155	MUSICAL SYMBOL TRIANGLE-ROUND NOTEHEAD DOWN BLACK		
1D156	MUSICAL SYMBOL PARENTHESIS NOTEHEAD		
1D157	MUSICAL SYMBOL VOID NOTEHEAD		
1D158	MUSICAL SYMBOL NOTEHEAD BLACK		
1D159	MUSICAL SYMBOL NULL NOTEHEAD		
1D15A	MUSICAL SYMBOL CLUSTER NOTEHEAD WHITE		
1D15B	MUSICAL SYMBOL CLUSTER NOTEHEAD BLACK		
1D15C	MUSICAL SYMBOL BREVE		

Group 00

Plane 01

Row D1