

Universal Multiple-Octet Coded Character Set
International Organization for Standardization
Organisation internationale de normalisation
Международная организация по стандартизации

Doc Type: Working Group Document

Title: Towards an encoding of symbol characters used as emoji

Source: Irish and German National Bodies

Status: National Body Contribution

Action: For consideration by JTC1/SC2/WG2 and UTC

Date: 2009-04-06

Documents N3582 “Proposal for Encoding Emoji Symbols” and N3583 “Emoji Symbols Proposed for New Encoding” from the Unicode Consortium propose to add 674 characters whose ultimate source is three separate coded character sets used by three mobile telephone carriers in Japan: NTT DoCoMo, KDDI, and Softbank. We recognize the interoperability concerns raised by the Unicode Consortium, and understand that this is the primary concern they have in terms of adding additional characters to the UCS.

We have also been aware that there have been many critics of the proposal to encode “emoji symbols” at all, due to the somewhat whimsical nature of a subset of the characters being proposed. Ireland and Germany take the view that the encoding of symbol sets in the UCS is legitimate and not to be avoided. We do, however, also take the view that symbol sets should be encoded in terms of the semantics of the characters. In the case of the characters proposed in N3583, we have identified certain gaps which should be filled for the encoded characters to “make sense” in the UCS.

It is our view that these characters are not “emoji symbols” despite their origin in coded character sets used in Japanese telephony. “Emoji” is a usage environment, not a semantic domain, and once these characters are encoded in the UCS they are nothing more than “symbols” available for use in any environment.

In this document we propose a number of modifications to the proposal. These modifications entail:

- Character glyph changes. In general, the reference glyphs for most of the characters in N3583 are either too “pictorial” or far too “cute” to be suitable for generic standardization. We are convinced that a character named PIG or BEAR should be represented as generically as possible in the UCS, even if a Japanese telephone implementation may represent them as smiling disembodied heads. Whilst Japanese *anime* drawings may be quite suitable for some implementation environments, that style is too specific for generically-named characters. We are of course open to discussion of the improvements or replacements we have suggested. Note also that there are many glyphs in the tables below which also ought to be replaced on the same basis, though we did not have the time to devise new glyphs for everything.
- Character name changes. We have tried to improve the names where more suitable names could be found. We have not been able (in the short time available to us) to supply a list of name deltas, but one might be generated on the basis of our mapping table.

- Character re-arrangement into more logical subsections, with a small amount of built-in room for expansion of subsections which have semantic domains which are likely to attract additional character additions.
- Character additions. Of the 674 characters proposed in N3583 we have serious concerns about encoding only 14 of them. However, as will be seen below we suggest a way of mitigating that concern. We propose about a 20% increase in the number of graphic characters added.

We will discuss the changes block by block. Code points will be given as in our revised code tables. A mapping table from N3583 to this document is given at the end of the document. In those tables, characters we propose to add to the repertoire are given in yellow; characters from N3583 which are moved to different blocks are coloured grey (characters re-arranged within a block are not coloured).

2300 Miscellaneous Technical. N3583 proposes to add 5 characters to this block, four double-triangles and one clock. We propose to move 6 user-interface characters from elsewhere in N3583 to this block, and to add additional user interface characters commonly found on hardware and software telephones, digital audio players, and similar contexts. These additions provide a more complete set of symbols needed for the composition of user instructional text. For example, U+231A WATCH and the new U+23F0 ALARM CLOCK proposed in N3583 are well-complemented by our proposed U+23F0 STOPWATCH and U+23F0 TIMER CLOCK. Some additional double triangle characters are added, as well as some user-interface symbols having to do with sound and muting, and a variety of arrows associated with playlist navigation.

2700 Dingbats. N3583 proposes to add 3 characters to this block, a check mark and two handshapes. We propose to move 8 punctuation-like characters and one star sparkle from elsewhere in N3583 to this block.

1F0A0 Playing Card Pips. N3583 proposes to add a single Joker character, but this makes no sense in the absence of an encoded set of cards as proposed in N2760 “Proposal to encode dominoes and other game symbols in the UCS”. The source documents—as well as the reference glyph in N3583—indicate that a playing-card Joker is intended, and the repertoire of playing card characters is well-known and canonical. Accordingly we propose to add one Joker which can be mapped to the Joker used in the emoji environment, a second Joker as found in many playing card decks, a generic card back, and a set of suited cards for both the 52-card deck most commonly used today and the 56-card decks used in some European games. (The difference is that the latter include a Knight in addition to Jack, Queen, and King.) These cards map completely to the Minor Arcana of the Western Tarot (from which they derive), and unification is appropriate. The 58 characters proposed here comprise about 38% of the graphic characters we propose for addition.

1F100. Enclosed Alphanumeric Supplement. We concur with the Irish NB’s comments on FPDAM 6 with regard to filling out the repertoire here. We have not counted these in our percentage tally of the graphic characters we propose for addition.

1F300 Miscellaneous Pictographic Symbols. We have divided this block into a number of notional sections. The first three columns contain Geographical, Astronomical, and Moon, Sun, and Star symbols. The next five columns contain Plant, Fruit, Food, and Beverage symbols. The next five columns contain

Celebration, Entertainment, Game, Music, and Sport Symbols. The last three columns are earmarked for Building and Map symbols. 20 of the 190 symbols proposed in this block are newly-proposed by us.

1F400 Miscellaneous Pictographic Symbols-A. The first four columns here contain Animal symbols. Of these, the first 25 are mappable to the animals used by various traditions to represent the different signs of the Asian Zodiac. 72% of these were already proposed in N3583; we have added 7 (the RAT, BULL, OX, CROCODILE, GOAT, SHEEP, and ROOSTER).

The remaining seven columns contain Facial Parts, Hand Signal, Clothing and Accessory, Portrait and Role, Fairy Tale, Role, Personal Care, Medical, Romance, Heart, and Comic-book style symbols. 17 of the 167 symbols proposed in this block are newly-proposed by us.

1F4B0 Letterlike Symbols Extended-A. We have moved most of the more obvious letterlike symbols in N3583 to this block, and allocated a total of five columns for extensions. None of the 21 symbols proposed in this block were proposed by us.

1F500 Miscellaneous Pictographic Symbols-B. This half block is nearly full with Money, Office, Communication, Audio and Video, Tool, Geometric Shape, and User-Interface symbols. 9 of the symbols proposed in this block are newly-proposed by us.

1F580 Transport and Map Symbols. This half block is about half full with Vehicle, Traffic Signs, and generic Signage symbols. 35 of the 68 symbols proposed in this block are newly-proposed by us.

1F600 Emoticons. Four columns are proposed here, though in reasonable expectation of expansion it might conceivably be wise to allocate seven. 3 of the 62 symbols proposed in this block are newly-proposed by us.

1F700 Alchemical Symbols. One character, the Zodiacal character OPHIUCHUS, used in emoji context. has been allocated to the Alchemical symbols block, because Western Zodiac symbols are used in alchemical contexts and this seems a better fit than a generic block for pictographs. If it were possible to move this character to the Miscellaneous Symbols block (by moving characters on the ballot there to positions in a different block), that would be preferable as it would allow all of the Western Zodiac symbols to be in the same block.

E0200 Symbols for Two-letter Codes. N3583 proposes to add 10 “Emoji regional indicator symbols” which clearly represent the People’s Republic of China (CN), Germany (DE), Spain (ES), France (FR), the UK (GB), Italy (IT), Japan (JP), Korea (KR), Russia (RU), and the US (US). In the context of telephony, these “regional indicator symbols” are represented by national flags. Germany (one of the 10 countries “lucky” enough to be included in emoji glyph sets) concurs with Ireland (one of the 193 countries “unlucky” enough *not* to be included in emoji glyph sets) that this is an inappropriate use of the UCS. Politically, the proposal made in N3583 is both naïve (no one is fooled) and untenable (being prejudicial against 95% of the world’s sovereign states). However, there is a simple way forward that will solve this otherwise insoluble problem.

We propose to encode a new block of 676 Symbols for Two-letter Codes, exhaustively representing the letter combinations from AA to ZZ and encoding them in Plane 14. These can be used for any purpose requiring graphic characters that might represent in any way two-letter codes, regardless of the meaning of those codes. ISO 639-1 language codes and ISO 3166-1 country codes are of course two of the obvious uses of these characters.

E0500 Emoji Compatibility Symbols. Both Germany and Ireland have very, very strong reservations about this block of characters. It is clear that what it amounts to is “stealth encoding” of characters which would never be permitted to be encoded otherwise. In an emoji context, these are obviously graphic symbols, but N3583 says only:

“Special, rarely used, carrier-specific symbols are proposed for encoding in the Emoji compatibility symbols block. They are needed to complete the set for interoperability but are only identified by their source mappings (N3585), not specific glyphs and names.”

We think that “stealth encoding” describes this pretty accurately.

We understand that some members of the Unicode Consortium may consider the allocation of these codepoints for this purpose to be essential to interoperability. Nevertheless, we consider it quite problematic to “encode” characters in the way that has been proposed. Our minimum requirement is to move this block to Plane 14, since the characters have no glyphs and are not intended to be true “graphic” characters.

In any case, we are hopeful that the Unicode Consortium will consider our request for a relatively few additional symbol characters as given here to be as compelling as they consider their own requirements to be.

Mapping Table. The column on the right gives the N3583 code positions; the right column gives the code positions proposed here. A tab-delimited text file is available.

23E9	23F0	1F307	1F307	1F32B	1F342	1F34F	1F466
23EA	23E9	1F308	1F308	1F32C	1F343	1F350	1F467
23EB	23EA	1F309	1F309	1F32D	1F33A	1F351	1F468
23EC	23EB	1F30A	1F311	1F32E	1F33B	1F352	1F469
23ED	23EC	1F30B	1F314	1F32F	1F334	1F353	1F46A
2705	2705	1F30C	1F313	1F330	1F335	1F354	1F46B
270A	270A	1F30D	1F319	1F331	1F33E	1F355	1F46C
270B	270B	1F30E	1F315	1F332	1F33D	1F356	1F46D
275F	275F	1F30F	1F31B	1F333	1F344	1F357	1F46E
2760	2760	1F310	1F4BA	1F334	1F330	1F358	1F470
2E32	2E32	1F311	1F4BB	1F335	1F33C	1F359	1F471
1F12E	1F12E	1F312	1F4BC	1F336	1F33F	1F35A	1F472
1F170	1F170	1F313	23F3	1F337	1F352	1F35B	1F473
1F171	1F171	1F314	1F572	1F338	1F34C	1F35C	1F474
1F17E	1F17E	1F315	1F573	1F339	1F34E	1F35D	1F475
1F18E	1F18E	1F316	1F574	1F33A	1F34A	1F35E	1F476
1F121	1F121	1F317	1F575	1F33B	1F353	1F35F	1F477
1F122	1F122	1F318	1F576	1F33C	1F349	1F360	1F478
1F231	1F231	1F319	1F577	1F33D	1F345	1F361	1F479
1F232	1F232	1F31A	1F578	1F33E	1F346	1F362	1F47A
1F233	1F233	1F31B	1F579	1F33F	1F348	1F363	1F47B
1F234	1F234	1F31C	1F57A	1F340	1F34D	1F364	1F47C
1F235	1F235	1F31D	1F57B	1F341	1F347	1F365	1F47D
1F236	1F236	1F31E	1F57C	1F342	1F351	1F366	1F627
1F237	1F237	1F31F	1F57D	1F343	1F34F	1F367	1F47F
1F238	1F238	1F320	1F774	1F344	1F440	1F368	1F480
1F239	1F239	1F321	1F30A	1F345	1F442	1F369	1F481
1F250	1F250	1F322	1F30D	1F346	1F443	1F36A	1F482
1F251	1F251	1F323	1F30B	1F347	1F444	1F36B	1F415
1F300	1F300	1F324	1F30C	1F348	1F445	1F36C	1F408
1F301	1F301	1F325	1F340	1F349	1F483	1F36D	1F40A
1F302	1F302	1F326	1F337	1F34A	1F484	1F36E	1F425
1F303	1F303	1F327	1F331	1F34B	1F485	1F36F	1F426
1F304	1F304	1F328	1F341	1F34C	1F486	1F370	1F424
1F305	1F305	1F329	1F338	1F34D	1F487	1F371	1F428
1F306	1F306	1F32A	1F339	1F34E	1F464	1F372	1F41F

1F373	1F40E	1F3B0	1F619	1F3ED	1F462	1F42A	1F384
1F374	1F416	1F3B1	1F61A	1F3EE	1F453	1F42B	1F385
1F375	1F405	1F3B2	1F61B	1F3EF	1F455	1F42C	1F38C
1F376	1F42C	1F3B3	1F61C	1F3F0	1F456	1F42D	1F386
1F377	1F401	1F3B4	1F61D	1F3F1	1F451	1F42E	1F388
1F378	1F40C	1F3B5	1F61E	1F3F2	1F454	1F42F	1F389
1F379	1F435	1F3B6	1F61F	1F3F3	1F452	1F430	1F38D
1F37A	1F419	1F3B7	1F620	1F3F4	1F457	1F431	1F38E
1F37B	1F41A	1F3B8	1F621	1F3F5	1F458	1F432	1F393
1F37C	1F434	1F3B9	1F622	1F3F6	1F459	1F433	1F392
1F37D	1F427	1F3BA	1F623	1F3F7	1F45A	1F434	1F38F
1F37E	1F420	1F3BB	1F624	1F3F8	1F45B	1F435	1F387
1F37F	1F42B	1F3BC	1F625	1F3F9	1F500	1F436	1F390
1F380	1F41B	1F3BD	1F62A	1F3FA	1F501	1F437	1F383
1F381	1F418	1F3BE	1F62B	1F3FB	1F509	1F438	1F38A
1F382	1F429	1F3BF	1F62C	1F3FC	1F502	1F439	1F38B
1F383	1F412	1F3C0	1F62D	1F3FD	1F503	1F43A	1F391
1F384	1F40F	1F3C1	1F62E	1F3FE	1F504	1F43B	1F52F
1F385	1F42E	1F3C2	1F62F	1F3FF	1F505	1F43C	1F52E
1F386	1F404	1F3C3	1F630	1F400	1F400	1F43D	1F540
1F387	1F407	1F3C4	1F631	1F401	E0241	1F43E	1F541
1F388	1F40D	1F3C5	1F632	1F402	E0252	1F43F	1F52D
1F389	1F414	1F3C6	1F633	1F403	E027A	1F440	1F530
1F38A	1F417	1F3C7	1F634	1F404	E0293	1F441	1F539
1F38B	1F430	1F3C8	1F635	1F405	E029D	1F442	1F53A
1F38C	1F422	1F3C9	1F636	1F406	E02E3	1F443	1F53B
1F38D	1F42F	1F3CA	1F637	1F407	E02F9	1F444	1F53C
1F38E	1F421	1F3CB	1F638	1F408	E0315	1F445	1F53D
1F38F	1F41C	1F3CC	1F639	1F409	E03CE	1F446	1F533
1F390	1F436	1F3CD	1F63A	1F40A	E041A	1F447	1F534
1F391	1F423	1F3CE	1F63B	1F40B	1F547	1F448	1F531
1F392	1F409	1F3CF	1F63C	1F40C	1F45C	1F449	1F4AC
1F393	1F42D	1F3D0	1F63D	1F40D	1F45D	1F44A	1F535
1F394	1F435	1F3D1	1F3D0	1F40E	23F4	1F44B	1F536
1F395	1F41D	1F3D2	1F3D1	1F40F	1F5AA	1F44C	1F537
1F396	1F41E	1F3D3	1F3D2	1F410	1F4A9	1F44D	1F50A
1F397	1F600	1F3D4	1F3D3	1F411	1F55F	1F44E	1F50B
1F398	1F601	1F3D5	1F3D5	1F412	1F558	1F44F	1F51E
1F399	1F602	1F3D6	1F3D6	1F413	1F562	1F450	1F50C
1F39A	1F603	1F3D7	1F3D7	1F414	1F563	1F451	1F50D
1F39B	1F604	1F3D8	1F3D8	1F415	1F548	1F452	1F50E
1F39C	1F605	1F3D9	1F3D9	1F416	1F55E	1F453	1F51D
1F39D	1F606	1F3DA	1F3DA	1F417	1F55A	1F454	1F513
1F39E	1F607	1F3DB	1F3DB	1F418	1F54E	1F455	1F514
1F39F	1F608	1F3DC	1F3DC	1F419	1F52C	1F456	1F515
1F3A0	1F609	1F3DD	1F3DF	1F41A	1F54F	1F457	1F511
1F3A1	1F60A	1F3DE	1F3E0	1F41B	1F527	1F458	1F512
1F3A2	1F60B	1F3DF	1F3DD	1F41C	1F528	1F459	1F523
1F3A3	1F60C	1F3E0	1F3DE	1F41D	1F529	1F45A	1F526
1F3A4	1F60D	1F3E1	E0542	1F41E	1F525	1F45B	1F524
1F3A5	1F60E	1F3E2	1F532	1F41F	1F52A	1F45C	1F51B
1F3A6	1F60F	1F3E3	E0543	1F420	1F52B	1F45D	1F516
1F3A7	1F610	1F3E4	E0544	1F421	1F5BC	1F45E	1F51A
1F3A8	1F611	1F3E5	E0545	1F422	1F5BB	1F45F	1F518
1F3A9	1F612	1F3E6	1F55B	1F423	1F5BF	1F460	1F519
1F3AA	1F613	1F3E7	1F55C	1F424	1F5C0	1F461	1F517
1F3AB	1F614	1F3E8	1F55D	1F425	1F488	1F462	1F51C
1F3AC	1F615	1F3E9	1F45E	1F426	1F489	1F463	1F522
1F3AD	1F616	1F3EA	1F45F	1F427	1F380	1F464	1F51F
1F3AE	1F617	1F3EB	1F460	1F428	1F381	1F465	1F520
1F3AF	1F618	1F3EC	1F461	1F429	1F382	1F466	1F521

1F467	1F463	1F4A4	1F3B9	1F4E1	1F37B	1F51E	1F566
1F468	1F3BD	1F4A5	1F3BA	1F4E2	1F379	1F51F	1F567
1F469	1F3BE	1F4A6	1F3BB	1F4E3	1F56E	1F520	1F31F
1F46A	1F3BF	1F4A7	1F3BC	1F4E4	1F56F	1F521	1F320
1F46B	1F3C0	1F4A8	1F549	1F4E5	1F570	1F522	1F56A
1F46C	1F3C1	1F4A9	1F50F	1F4E6	1F571	1F523	1F56B
1F46D	1F3C2	1F4AA	1F510	1F4E7	2753	1F524	1F56C
1F46E	1F3C3	1F4AB	1F54A	1F4E8	2754	1F525	1F56D
1F46F	1F3C4	1F4AC	1F54B	1F4E9	2755	1F526	1F4AE
1F470	1F3C6	1F4AD	23F9	1F4EA	1F492	1F527	1F4AF
1F471	1F3C7	1F4AE	1F53F	1F4EB	1F493	1F528	1F4C3
1F472	1F3C8	1F4AF	1F48A	1F4EC	1F494	1F529	1F4C4
1F473	1F3CA	1F4B0	1F48B	1F4ED	1F495	1F52A	1F550
1F474	1F586	1F4B1	1F48C	1F4EE	1F496	1F52B	1F551
1F475	1F587	1F4B2	1F48D	1F4EF	1F497	1F52C	23FE
1F476	1F584	1F4B3	1F48E	1F4F0	1F498	1F52D	23FF
1F477	1F585	1F4B4	1F48F	1F4F1	1F499	1F52E	1F552
1F478	1F597	1F4B5	1F490	1F4F2	1F49A	1F52F	1F553
1F479	1F599	1F4B6	1F491	1F4F3	1F49B	1F530	1F554
1F47A	1F58D	1F4B7	1F546	1F4F4	1F49C	1F531	1F555
1F47B	1F58F	1F4B8	1F545	1F4F5	1F49D	1F532	1F4BD
1F47C	1F5A2	1F4B9	1F542	1F4F6	1F49E	1F533	1F556
1F47D	1F5B2	1F4BA	1F543	1F4F7	1F5AC	1F534	23FA
1F47E	1F589	1F4BB	1F354	1F4F8	1F5AD	1F535	1F538
1F47F	1F580	1F4BC	1F359	1F4F9	1F564	1F536	1F446
1F480	1F5A4	1F4BD	1F370	1F4FA	1F565	1F537	1F447
1F481	1F595	1F4BE	1F35C	1F4FB	1F5A9	1F538	1F448
1F482	1F5B6	1F4BF	1F35E	1F4FC	1F5B9	1F539	1F448
1F483	1F59A	1F4C0	1F373	1F4FD	1F5BA	1F53A	1F44A
1F484	1F592	1F4C1	1F366	1F4FE	1F5BC	1F53B	1F44B
1F485	1F591	1F4C2	1F35F	1F4FF	274C	1F53C	1F44C
1F486	1F593	1F4C3	1F361	1F500	274E	1F53D	1F44D
1F487	1F5A5	1F4C4	1F358	1F501	1F5AB	1F53E	1F44E
1F488	1F5A7	1F4C5	1F35A	1F502	1F557	1F53F	1F44F
1F489	1F3A8	1F4C6	1F35D	1F503	1F4B0	1F540	1F450
1F48A	1F3A0	1F4C7	1F35B	1F504	1F4B1	1F541	1F4BE
1F48B	1F3A1	1F4C8	1F362	1F505	1F4B2	1F542	1F4BF
1F48C	1F3A2	1F4C9	1F363	1F506	1F4B3	1F543	1F4C0
1F48D	1F3A3	1F4CA	1F371	1F507	1F4B4	1F544	1F4C1
1F48E	1F3A4	1F4CB	1F372	1F508	1F4B5	1F545	1F4C2
1F48F	1F3A5	1F4CC	1F367	1F509	1F4B6	1F600	E0500
1F490	1F3A6	1F4CD	1F356	1F50A	1F4B7	1F601	E0501
1F491	1F3A7	1F4CE	1F365	1F50B	1F4B8	1F602	E0502
1F492	1F3A8	1F4CF	1F360	1F50C	1F4B9	1F603	E0503
1F493	1F3A9	1F4D0	1F355	1F50D	2795	1F604	E0504
1F494	1F3AA	1F4D1	1F357	1F50E	2796	1F605	E0505
1F495	1F3AB	1F4D2	1F368	1F50F	2797	1F606	E0506
1F496	1F3AC	1F4D3	1F369	1F510	1F4A0	1F607	E0507
1F497	1F3AD	1F4D4	1F36A	1F511	1F4A1	1F608	E0508
1F498	1F3AE	1F4D5	1F36B	1F512	1F4A2	1F609	E0509
1F499	1F3AF	1F4D6	1F36C	1F513	1F4A3	1F60A	E050A
1F49A	1F3B0	1F4D7	1F36D	1F514	1F4A4	1F60B	E050B
1F49B	1F3B1	1F4D8	1F36E	1F515	1F4A5	1F60C	E050C
1F49C	1F3B2	1F4D9	1F36F	1F516	1F4A6	1F60D	E050D
1F49D	1F3B3	1F4DA	1F364	1F517	1F4A7	1F60E	E050E
1F49E	1F3B4	1F4DB	1F374	1F518	1F4A8	1F60F	E050F
1F49F	1F0CF	1F4DC	1F378	1F519	1F4AA	1F610	E0510
1F4A0	1F3B5	1F4DD	1F37A	1F51A	1F4AB	1F611	E0511
1F4A1	1F3B6	1F4DE	1F375	1F51B	2728	1F612	E0512
1F4A2	1F3B7	1F4DF	1F376	1F51C	1F568	1F613	E0513
1F4A3	1F3B8	1F4E0	1F377	1F51D	1F568	1F614	E0514

1F615	E0515	-----	1F0A3	-----	1F135	-----	1F187
1F616	E0516	-----	1F0A4	-----	1F136	-----	1F188
1F617	E0517	-----	1F0A5	-----	1F137	-----	1F189
1F618	E0518	-----	1F0A6	-----	1F138	-----	1F18E
1F619	E0519	-----	1F0A7	-----	1F139	-----	1F18F
1F61A	E051A	-----	1F0A8	-----	1F13A	-----	1F190
1F61B	E051B	-----	1F0A9	-----	1F13B	-----	1F30E
1F61C	E051C	-----	1F0AA	-----	1F13C	-----	1F30F
1F61D	E051D	-----	1F0AB	-----	1F13E	-----	1F310
1F61E	E051E	-----	1F0AC	-----	1F140	-----	1F312
1F61F	E051F	-----	1F0AD	-----	1F141	-----	1F316
1F620	E0520	-----	1F0AE	-----	1F143	-----	1F317
1F621	E0521	-----	1F0B1	-----	1F144	-----	1F318
1F622	E0522	-----	1F0B2	-----	1F145	-----	1F31A
1F623	E0523	-----	1F0B3	-----	1F147	-----	1F31C
1F624	E0524	-----	1F0B4	-----	1F148	-----	1F31D
1F625	E0525	-----	1F0B5	-----	1F149	-----	1F31E
1F626	E0526	-----	1F0B6	-----	1F14F	-----	1F332
1F627	E0527	-----	1F0B7	-----	1F150	-----	1F333
1F628	E0528	-----	1F0B8	-----	1F151	-----	1F336
1F629	E0529	-----	1F0B9	-----	1F152	-----	1F34B
1F62A	E052A	-----	1F0BA	-----	1F153	-----	1F350
1F62B	E052B	-----	1F0BB	-----	1F154	-----	1F37C
1F62C	E052C	-----	1F0BC	-----	1F155	-----	1F3C5
1F62D	E052D	-----	1F0BD	-----	1F156	-----	1F3C9
1F62E	E052E	-----	1F0BE	-----	1F158	-----	1F3D4
1F62F	E052F	-----	1F0C1	-----	1F159	-----	1F400
1F630	E0530	-----	1F0C2	-----	1F15A	-----	1F402
1F631	E0531	-----	1F0C3	-----	1F15B	-----	1F403
1F632	E0532	-----	1F0C4	-----	1F15C	-----	1F406
1F633	E0533	-----	1F0C5	-----	1F15D	-----	1F40B
1F634	E0534	-----	1F0C6	-----	1F15E	-----	1F410
1F635	E0535	-----	1F0C7	-----	1F160	-----	1F411
1F636	E0536	-----	1F0C8	-----	1F161	-----	1F413
1F637	E0537	-----	1F0C9	-----	1F162	-----	1F42A
1F638	E0538	-----	1F0CA	-----	1F163	-----	1F431
1F639	E0539	-----	1F0CB	-----	1F164	-----	1F432
1F63A	E053A	-----	1F0CC	-----	1F165	-----	1F433
1F63B	E053B	-----	1F0CD	-----	1F166	-----	1F441
1F63C	E053C	-----	1F0CE	-----	1F167	-----	1F465
1F63D	E053D	-----	1F0CF	-----	1F168	-----	1F46F
1F63E	E053E	-----	1F0D1	-----	1F169	-----	1F47E
1F63F	E053F	-----	1F0D2	-----	1F170	-----	1F4AD
1F640	E0540	-----	1F0D3	-----	1F171	-----	1F506
1F641	E0541	-----	1F0D4	-----	1F172	-----	1F507
		-----	1F0D5	-----	1F173	-----	1F53E
-----	23ED	-----	1F0D6	-----	1F174	-----	1F544
-----	23EE	-----	1F0D7	-----	1F175	-----	1F54C
-----	23EF	-----	1F0D8	-----	1F176	-----	1F54D
-----	23F1	-----	1F0D9	-----	1F177	-----	1F559
-----	23F2	-----	1F0DA	-----	1F178	-----	1F560
-----	23F5	-----	1F0DB	-----	1F17A	-----	1F561
-----	23F6	-----	1F0DC	-----	1F17D	-----	1F581
-----	23F7	-----	1F0DD	-----	1F17E	-----	1F582
-----	23F8	-----	1F0DE	-----	1F180	-----	1F583
-----	23FB	-----	1F0DF	-----	1F181	-----	1F588
-----	23FC	-----	1F12E	-----	1F182	-----	1F58A
-----	23FD	-----	1F130	-----	1F183	-----	1F58B
-----	1F0A0	-----	1F132	-----	1F184	-----	1F58C
-----	1F0A1	-----	1F133	-----	1F185	-----	1F58E
-----	1F0A2	-----	1F134	-----	1F186	-----	1F590

-----	1F594	-----	1F5A0	-----	1F5B3	-----	1F5C3
-----	1F596	-----	1F5A1	-----	1F5B4	-----	1F5C4
-----	1F598	-----	1F5A3	-----	1F5B5	-----	1F626
-----	1F59B	-----	1F5A6	-----	1F5B7	-----	1F628
-----	1F59C	-----	1F5AE	-----	1F5B8	-----	1F629
-----	1F59D	-----	1F5AF	-----	1F5BE	-----	
-----	1F59E	-----	1F5B0	-----	1F5C1	-----	
-----	1F59F	-----	1F5B1	-----	1F5C2	-----	

A. Administrative

1. Title

Towards an encoding of symbol characters used as emoji.

2. Requester's name

Irish and German National Bodies

3. Requester type (Member body/Liaison/Individual contribution)

Member Body contribution.

4. Submission date

2009-04-06

5. Requester's reference (if applicable)

6. Choose one of the following:

6a. This is a complete proposal

Yes.

6b. More information will be provided later

No.

B. Technical -- General

1. Choose one of the following:

1a. This proposal is for a new script (set of characters)

Yes.

Proposed name of script

Playing Card Pips, Miscellaneous Pictographic Symbols, Miscellaneous Pictographic Symbols-A, Letterlike Symbols Extended-A, Miscellaneous Pictographic Symbols-B, Emoticons, Alchemical Symbols, Symbols for Two-letter Codes, Emoji Compatibility Symbols.

1b. The proposal is for addition of character(s) to an existing block

1b. Name of the existing block

Miscellaneous Technical, Dingbats, Supplemental Punctuation, Enclosed Alphanumeric Supplement, Enclosed Ideographic Supplement.

2. Number of characters in proposal

1544 (1a: 1424 = (59 + 190 + 167 + 21 + 178 + 62 + 1 + 676 + 70)) + (1b: 120 = (23 + 12 + 1 + 71 + 13)). To give an estimate to put this into perspective, 1544 less 666 of the Two-Letter-Code characters is 878; 878 less the 674 characters asked for in N3583 is 204; 204 less the 67 Enclosed Alphanumerics asked for by Ireland in ballot comments on FPDAM 6 is 137, the real number of additions proposed by us (about a 20% increase on the 674 asked for in N3583).

3. Proposed category (see section II, Character Categories)

Category A.

4a. Is a repertoire including character names provided?

Yes.

4b. If YES, are the names in accordance with the character naming guidelines in Annex L of ISO/IEC 10646-1: 2000?

Yes.

4c. Are the character shapes attached in a legible form suitable for review?

Yes.

5a. Who will provide the appropriate computerized font (ordered preference: True Type, or PostScript format) for publishing the standard?

Michael Everson and others.

5b. If available now, identify source(s) for the font (include address, e-mail, ftp-site, etc.) and indicate the tools used:

Michael Everson, Fontographer.

6a. Are references (to other character sets, dictionaries, descriptive texts etc.) provided?

No.

6b. Are published examples of use (such as samples from newspapers, magazines, or other sources) of proposed characters attached?

Yes.

7. Does the proposal address other aspects of character data processing (if applicable) such as input, presentation, sorting, searching, indexing, transliteration etc. (if yes please enclose information)?

No.

8. Submitters are invited to provide any additional information about Properties of the proposed Character(s) or Script that will assist in correct understanding of and correct linguistic processing of the proposed character(s) or script. Examples of such properties are: Casing information, Numeric information, Currency information, Display behaviour information such as line breaks, widths etc.,

Combining behaviour, Spacing behaviour, Directional behaviour, Default Collation behaviour, relevance in Mark Up contexts, Compatibility equivalence and other Unicode normalization related information. See the Unicode standard at <http://www.unicode.org> for such information on other scripts. Also see Unicode Character Database <http://www.unicode.org/Public/UNIDATA/UnicodeCharacterDatabase.html> and associated Unicode Technical Reports for information needed for consideration by the Unicode Technical Committee for inclusion in the Unicode Standard.

The characters should have the same properties as other generic dingbat symbols.

C. Technical -- Justification

1. Has this proposal for addition of character(s) been submitted before? If YES, explain.

No.

2a. Has contact been made to members of the user community (for example: National Body, user groups of the script or characters, other experts, etc.)?

No.

2b. If YES, with whom?

2c. If YES, available relevant documents

3. Information on the user community for the proposed characters (for example: size, demographics, information technology use, or publishing use) is included?

No.

4a. The context of use for the proposed characters (type of use; common or rare)

Generic symbol use.

4b. Reference

5a. Are the proposed characters in current use by the user community?

Yes.

5b. If YES, where?

In Japan and elsewhere.

6a. After giving due considerations to the principles in Principles and Procedures document (a WG 2 standing document) must the proposed characters be entirely in the BMP?

No.

6b. If YES, is a rationale provided?

6c. If YES, reference

7. Should the proposed characters be kept together in a contiguous range (rather than being scattered)?

8a. Can any of the proposed characters be considered a presentation form of an existing character or character sequence?

No.

8b. If YES, is a rationale for its inclusion provided?

8c. If YES, reference

9a. Can any of the proposed characters be encoded using a composed character sequence of either existing characters or other proposed characters?

No.

9b. If YES, is a rationale for its inclusion provided?

9c. If YES, reference

10a. Can any of the proposed character(s) be considered to be similar (in appearance or function) to an existing character?

No.

10b. If YES, is a rationale for its inclusion provided?

10c. If YES, reference

11a. Does the proposal include use of combining characters and/or use of composite sequences (see clauses 4.12 and 4.14 in ISO/IEC 10646-1: 2000)?

No.

11b. If YES, is a rationale for such use provided?

11c. If YES, reference

12a. Is a list of composite sequences and their corresponding glyph images (graphic symbols) provided?

No.

12b. If YES, reference

13a. Does the proposal contain characters with any special properties such as control function or similar semantics?

No.

13b. If YES, describe in detail (include attachment if necessary)

14a. Does the proposal contain any Ideographic compatibility character(s)?

No.

14b. If YES, is the equivalent corresponding unified ideographic character(s) identified?

230	231	232	233	234	235	236	237	238	239	23A	23B	23C	23D	23E	23F
Ø 2300	⊍ 2310	ſ 2320	₩ 2330	✗ 2340	⊤ 2350	⊥ 2360	՞ 2370	՞ 2380	՞ 2390	՞ 23A0	՞ 23B0	՞ 23C0	՞ 23D0	՞ 23E0	⌚ 23F0
⚡ 2301	¤ 2311	Ј 2321	⌚ 2331	□ 2341	⊤ 2351	՞ 2361	՞ 2371	՞ 2381	՞ 2391	՞ 23A1	՞ 23B1	՞ 23C1	՞ 23D1	՞ 23E1	⌚ 23F1
◊ 2302	⌚ 2312	— 2322	▷ 2332	▢ 2342	՞ 2352	՞ 2362	՞ 2372	՞ 2382	՞ 2392	՞ 23A2	՞ 23B2	՞ 23C2	՞ 23D2	՞ 23E2	⌚ 23F2
^K 2303	D 2313	— 2323	▷ 2333	▢ 2343	▢ 2353	՞ 2363	՞ 2373	՞ 2383	՞ 2393	՞ 23A3	՞ 23B3	՞ 23C3	՞ 23D3	՞ 23E3	⌚ 23F3
∨ 2304	❖ 2314	☒ 2324	□ 2334	▢ 2344	▢ 2354	ö 2364	ρ 2374	▫ 2384	◊ 2394	՞ 23A4	՞ 23B4	՞ 23C4	՞ 23D4	— 23E4	🔔 23F4
Ἀ 2305	Ϙ 2315	Ϫ 2325	Վ 2335	✚ 2345	Փ 2355	՞ 2365	՞ 2375	՞ 2385	՞ 2395	՞ 23A5	՞ 23B5	՞ 23C5	՞ 23D5	՞ 23E5	🔕 23F5
܂ 2306	܃ 2316	܄ 2326	܅ 2336	܆ 2346	܇ 2356	܈ 2366	܉ 2376	܊ 2386	܋ 2396	܌ 23A6	܌ 23B6	܌ 23C6	܌ 23D6	܌ 23E6	܌ 23F6
܂ 2307	# 2317	܂ 2327	܂ 2337	܂ 2347	܂ 2357	܂ 2367	܂ 2377	܂ 2387	܂ 2397	܂ 23A7	܂ 23B7	܂ 23C7	܂ 23D7	܂ 23E7	܂ 23F7
܂ 2308	܂ 2318	܂ 2328	܂ 2338	܂ 2348	܂ 2358	܂ 2368	܂ 2378	܂ 2388	܂ 2398	܂ 23A8	܂ 23B8	܂ 23C8	܂ 23D8	10 23E8	܂ 23F8
܂ 2309	܂ 2319	܂ 2329	܂ 2339	܂ 2349	܂ 2359	܂ 2369	܂ 2379	܂ 2389	܂ 2399	܂ 23A9	܂ 23B9	܂ 23C9	܂ 23D9	܂ 23E9	܂ 23F9
܂ 230A	܂ 231A	܂ 232A	܂ 233A	܂ 234A	܂ 235A	܂ 236A	܂ 237A	܂ 238A	܂ 239A	܂ 23AA	܂ 23BA	܂ 23CA	܂ 23DA	܂ 23EA	܂ 23FA
܂ 230B	܂ 231B	܂ 232B	܂ 233B	܂ 234B	܂ 235B	܂ 236B	܂ 237B	܂ 238B	܂ 239B	܂ 23AB	܂ 23BB	܂ 23CB	܂ 23DB	܂ 23EB	܂ 23FB
܂ 230C	܂ 231C	܂ 232C	܂ 233C	܂ 234C	܂ 235C	܂ 236C	܂ 237C	܂ 238C	܂ 239C	܂ 23AC	܂ 23BC	܂ 23CC	܂ 23DC	܂ 23EC	܂ 23FC
܂ 230D	܂ 231D	܂ 232D	܂ 233D	܂ 234D	܂ 235D	܂ 236D	܂ 237D	܂ 238D	܂ 239D	܂ 23AD	܂ 23BD	܂ 23CD	܂ 23DD	܂ 23ED	܂ 23FD
܂ 230E	܂ 231E	܂ 232E	܂ 233E	܂ 234E	܂ 235E	܂ 236E	܂ 237E	܂ 238E	܂ 239E	܂ 23AE	܂ 23BE	܂ 23CE	܂ 23DE	܂ 23EE	܂ 23FE
܂ 230F	܂ 231F	܂ 232F	܂ 233F	܂ 234F	܂ 235F	܂ 236F	܂ 237F	܂ 238F	܂ 239F	܂ 23AF	܂ 23BF	܂ 23CF	܂ 23DF	܂ 23EF	܂ 23FF

UTC: 2009-02-06
WG2: \$\$\$\$
contact: Michael Everson
document: Nxxxx, L2/09:
026
font: Apple Emoji
target: Amd7

Miscellaneous technical

2300	∅ DIAMETER SIGN → 2205 ∅ empty set
2301	↖ ELECTRIC ARROW • from ISO 2047 • symbol for End of Transmission
2302	⌂ HOUSE
2303	^K UP ARROWHEAD → 005E ^ circumflex accent → 02C4 ^ modifier letter up arrowhead → 2038 ^ caret → 2227 ^ logical and
2304	↙ DOWN ARROWHEAD → 02C5 ^ modifier letter down arrowhead → 2228 √ logical or → 2335 √ countersink
2305	⌁ PROJECTIVE → 22BC ⌁ nand
2306	⌂ PERSPECTIVE
2307	⌃ WAVY LINE → 3030 ~ wavy dash

Ceilings and floors

These characters are tall and narrow mathematical delimiters, in contrast to the quine corners or half brackets. They are also distinct from CJK corner brackets, which are wide quotation marks.

2308	⌈ LEFT CEILING = APL upstile → 2E22 ⌈ top left half bracket → 300C ⌈ left corner bracket
2309	⌉ RIGHT CEILING → 20E7 ⌉ combining annuity symbol → 2E23 ⌉ top right half bracket
230A	⌊ LEFT FLOOR = APL downstile → 2E24 ⌊ bottom left half bracket
230B	⌋ RIGHT FLOOR → 300D ⌋ right corner bracket → 2E25 ⌋ bottom right half bracket

Crops

230C	⌋ BOTTOM RIGHT CROP • set of four "crop" corners, arranged facing outward
230D	⌋ BOTTOM LEFT CROP
230E	⌋ TOP RIGHT CROP
230F	⌋ TOP LEFT CROP

Miscellaneous technical

2310	⌜ REVERSED NOT SIGN = beginning of line → 00AC ⌈ not sign
2311	⌂ SQUARE LOZENGE = Kissen (pillow) • used as a command delimiter in some very old computers
2312	⌓ ARC → 25E0 ⌓ upper half circle
2313	⌄ SEGMENT

2314	⌁ SECTOR
2315	⌚ TELEPHONE RECORDER
2316	⌢ POSITION INDICATOR
2317	# VIEWDATA SQUARE → 22D5 # equal and parallel to
2318	⌘ PLACE OF INTEREST SIGN = command key (1.0)
2319	⌍ TURNED NOT SIGN = line marker

GUI icons

231A	⌚ WATCH
231B	⌚ HOURGLASS

Quine corners

These form a set of four quine corners, for quincuncial arrangement. They are also used in upper and lower pairs in mathematic, or more rarely in editorial usage as alternatives to half brackets.

231C	⌜ TOP LEFT CORNER → 2E00 ⌈ right angle substitution marker → 2E22 ⌈ top left half bracket
231D	⌋ TOP RIGHT CORNER
231E	⌌ BOTTOM LEFT CORNER
231F	⌍ BOTTOM RIGHT CORNER

Integral pieces

2320	⌠ TOP HALF INTEGRAL → 23AE ⌠ integral extension
2321	⌡ BOTTOM HALF INTEGRAL

Frown and smile

2322	⌐ FROWN → 2040 ⌐ character tie
2323	⌑ SMILE → 203F ⌑ undtie

Keyboard symbols

2324	⌁ UP ARROWHEAD BETWEEN TWO HORIZONTAL BARS = enter key
2325	⌂ OPTION KEY
2326	⌃ ERASE TO THE RIGHT = delete to the right key
2327	⌄ X IN A RECTANGLE BOX = clear key
2328	⌨ KEYBOARD

Deprecated angle brackets

These characters are deprecated and are strongly discouraged for mathematical use because of their canonical equivalence to CJK punctuation.

2329	⟨ LEFT-POINTING ANGLE BRACKET → 003C < less-than sign → 2039 ⟨ single left-pointing angle quotation mark → 27E8 ⟨ mathematical left angle bracket ≡ 3008 ⟨ left angle bracket
------	---

232A >	RIGHT-POINTING ANGLE BRACKET → 003E > greater-than sign → 203A > single right-pointing angle quotation mark → 27E9 > mathematical right angle bracket ≡ 3009 > right angle bracket	2346 + APL FUNCTIONAL SYMBOL RIGHTWARDS VANE 2347 ⓧ APL FUNCTIONAL SYMBOL QUAD LEFTWARDS ARROW 2348 ⓨ APL FUNCTIONAL SYMBOL QUAD RIGHTWARDS ARROW 2349 ⓩ APL FUNCTIONAL SYMBOL CIRCLE BACKSLASH → 29B0 ⓩ reversed empty set
--------	--	---

Keyboard symbol

232B ⓠ ERASE TO THE LEFT
= delete to the left key

Chemistry symbol

232C ⓦ BENZENE RING

Drafting symbols

232D Ⓢ	CYLINDRICITY
232E Ⓣ	ALL AROUND-PROFILE
232F Ⓤ	SYMMETRY
2330 Ⓥ	TOTAL RUNOUT
2331 Ⓦ	DIMENSION ORIGIN
2332 Ⓧ	CONICAL TAPER
2333 Ⓨ	SLOPE → 25FA lower left triangle
2334 Ⓩ	COUNTERBORE → 2423 open box
2335 ⓐ	COUNTERSINK → 2304 ⓐ down arrowhead

APL

2336 ⓪	APL FUNCTIONAL SYMBOL I-BEAM
2337 ⓫	APL FUNCTIONAL SYMBOL SQUISH QUAD → 2395 ⓫ apl functional symbol quad → 25AF white vertical rectangle → 2AFF ⓫ n-ary white vertical bar
2338 ⓬	APL FUNCTIONAL SYMBOL QUAD EQUAL
2339 ⓭	APL FUNCTIONAL SYMBOL QUAD DIVIDE
233A ⓮	APL FUNCTIONAL SYMBOL QUAD DIAMOND
233B ⓯	APL FUNCTIONAL SYMBOL QUAD JOT → 29C7 ⓯ squared small circle
233C ⓰	APL FUNCTIONAL SYMBOL QUAD CIRCLE
233D ⓱	APL FUNCTIONAL SYMBOL CIRCLE STILE
233E ⓲	APL FUNCTIONAL SYMBOL CIRCLE JOT → 229A ⓲ circled ring operator → 29BE ⓲ circled white bullet
233F ⓳	APL FUNCTIONAL SYMBOL SLASH BAR → 1019A ⓳ roman as sign
2340 ⓴	APL FUNCTIONAL SYMBOL BACKSLASH BAR → 29F7 ⓴ reverse solidus with horizontal stroke
2341 ⓵	APL FUNCTIONAL SYMBOL QUAD SLASH → 29C4 ⓵ squared rising diagonal slash
2342 ⓶	APL FUNCTIONAL SYMBOL QUAD BACKSLASH → 29C5 ⓶ squared falling diagonal slash
2343 ⓷	APL FUNCTIONAL SYMBOL QUAD LESS-THAN
2344 ⓸	APL FUNCTIONAL SYMBOL QUAD GREATER-THAN
2345 ⓹	APL FUNCTIONAL SYMBOL LEFTWARDS VANE
2346 +	APL FUNCTIONAL SYMBOL RIGHTWARDS VANE
2347 ⓧ	APL FUNCTIONAL SYMBOL QUAD LEFTWARDS ARROW
2348 ⓨ	APL FUNCTIONAL SYMBOL QUAD RIGHTWARDS ARROW
2349 ⓩ	APL FUNCTIONAL SYMBOL CIRCLE BACKSLASH = up tack underbar • preferred naming for APL tack symbols now follows the London Convention in ISO/IEC 13751:2000 (APL Extended) → 22A5 ⓩ up tack
234B ⓪	APL FUNCTIONAL SYMBOL DEL STILE
234C ⓫	APL FUNCTIONAL SYMBOL QUAD DOWN CARET
234D ⓬	APL FUNCTIONAL SYMBOL QUAD DELTA
234E ⓭	APL FUNCTIONAL SYMBOL DOWN TACK JOT = up tack jot → 22A5 ⓭ up tack
234F ⓵	APL FUNCTIONAL SYMBOL UPWARDS VANE
2350 ⓱	APL FUNCTIONAL SYMBOL QUAD UPWARDS ARROW
2351 ⓷	APL FUNCTIONAL SYMBOL UP TACK OVERBAR = down tack overbar → 22A4 ⓷ down tack → 3012 ⓷ postal mark
2352 ⓴	APL FUNCTIONAL SYMBOL DEL STILE
2353 ⓫	APL FUNCTIONAL SYMBOL QUAD UP CARET
2354 ⓬	APL FUNCTIONAL SYMBOL QUAD DEL
2355 ⓭	APL FUNCTIONAL SYMBOL UP TACK JOT = down tack jot → 22A4 ⓭ down tack
2356 ⓹	APL FUNCTIONAL SYMBOL DOWNTWARDS VANE
2357 ⓱	APL FUNCTIONAL SYMBOL QUAD DOWNTWARDS ARROW
2358 ⓸	APL FUNCTIONAL SYMBOL QUOTE UNDERBAR
2359 ⓪	APL FUNCTIONAL SYMBOL DELTA UNDERBAR
235A ⓷	APL FUNCTIONAL SYMBOL DIAMOND UNDERBAR
235B ⓲	APL FUNCTIONAL SYMBOL JOT UNDERBAR
235C ⓩ	APL FUNCTIONAL SYMBOL CIRCLE UNDERBAR
235D ⓹	APL FUNCTIONAL SYMBOL UP SHOE JOT → 2A40 ⓹ intersection with dot
235E ⓫	APL FUNCTIONAL SYMBOL QUOTE QUAD
235F ⓸	APL FUNCTIONAL SYMBOL CIRCLE STAR → 229B ⓸ circled asterisk operator
2360 ⓷	APL FUNCTIONAL SYMBOL QUAD COLON
2361 ⓷	APL FUNCTIONAL SYMBOL UP TACK DIAERESIS = down tack diaeresis → 22A4 ⓷ down tack

2362	ߵ	APL FUNCTIONAL SYMBOL DEL DIAERESIS
2363	*	APL FUNCTIONAL SYMBOL STAR DIAERESIS
2364	߶	APL FUNCTIONAL SYMBOL JOT DIAERESIS = hoot
2365	߷	APL FUNCTIONAL SYMBOL CIRCLE DIAERESIS = holler
2366	߸	APL FUNCTIONAL SYMBOL DOWN SHOE STILE
2367	߹	APL FUNCTIONAL SYMBOL LEFT SHOE STILE
2368	߻	APL FUNCTIONAL SYMBOL TILDE DIAERESIS = smirk
2369	߼	APL FUNCTIONAL SYMBOL GREATER-THAN DIAERESIS
236A	߾	APL FUNCTIONAL SYMBOL COMMA BAR
236B	߿	APL FUNCTIONAL SYMBOL DEL TILDE
236C	߿	APL FUNCTIONAL SYMBOL ZILDE
236D	ߺ	APL FUNCTIONAL SYMBOL STILE TILDE
236E	߻	APL FUNCTIONAL SYMBOL SEMICOLON UNDERBAR
236F	߻	APL FUNCTIONAL SYMBOL QUAD NOT EQUAL
2370	߻	APL FUNCTIONAL SYMBOL QUAD QUESTION
2371	߻	APL FUNCTIONAL SYMBOL DOWN CARET TILDE
2372	߻	APL FUNCTIONAL SYMBOL UP CARET TILDE
2373	߻	APL FUNCTIONAL SYMBOL IOTA
2374	߻	APL FUNCTIONAL SYMBOL RHO
2375	߻	APL FUNCTIONAL SYMBOL OMEGA
2376	߻	APL FUNCTIONAL SYMBOL ALPHA UNDERBAR
2377	߻	APL FUNCTIONAL SYMBOL EPSILON UNDERBAR
2378	߻	APL FUNCTIONAL SYMBOL IOTA UNDERBAR
2379	߻	APL FUNCTIONAL SYMBOL OMEGA UNDERBAR
237A	߻	APL FUNCTIONAL SYMBOL ALPHA

Graphics for control codes

237B	܁	NOT CHECK MARK
		• from ISO 2047
		• symbol for Negative Acknowledge

Miscellaneous technical

237C	܂	RIGHT ANGLE WITH DOWNTWARDS ZIGZAG ARROW
------	---	--

Graphics for control codes

237D	܃	SHOULDERED OPEN BOX
		• from ISO 9995-7
		• keyboard symbol for No Break Space → 2423 open box

237E	܄	BELL SYMBOL
		• from ISO 2047

237F	܅	VERTICAL LINE WITH MIDDLE DOT
		• from ISO 2047
		• symbol for End of Medium

Keyboard symbols from ISO 9995-7

2380	܆	INSERTION SYMBOL
2381	܇	CONTINUOUS UNDERLINE SYMBOL
2382	܈	DISCONTINUOUS UNDERLINE SYMBOL
2383	܉	EMPHASIS SYMBOL
2384	܊	COMPOSITION SYMBOL
2385	܋	WHITE SQUARE WITH CENTRE VERTICAL LINE = center
2386	܌	ENTER SYMBOL
2387	܍	ALTERNATIVE KEY SYMBOL
2388	܎	HELM SYMBOL = control → 2638 ܎ wheel of dharma
2389	܏	CIRCLED HORIZONTAL BAR WITH NOTCH = pause
238A	ܐ	CIRCLED TRIANGLE DOWN = interrupt, break
238B	ܑ	BROKEN CIRCLE WITH NORTHWEST ARROW = escape
238C	ܒ	UNDO SYMBOL

Electrotechnical symbols from IR 181

238D	ܓ	MONOSTABLE SYMBOL
238E	ܔ	HYSTeresis SYMBOL
238F	ܕ	OPEN-CIRCUIT-OUTPUT H-TYPE SYMBOL
2390	ܖ	OPEN-CIRCUIT-OUTPUT L-TYPE SYMBOL
2391	ܗ	PASSIVE-PULL-DOWN-OUTPUT SYMBOL
2392	ܘ	PASSIVE-PULL-UP-OUTPUT SYMBOL
2393	ܙ	DIRECT CURRENT SYMBOL FORM TWO
2394	ܚ	SOFTWARE-FUNCTION SYMBOL

APL

2395	ܚ	APL FUNCTIONAL SYMBOL QUAD
		→ 2337 ܚ apl functional symbol squish quad
		→ 25AF white vertical rectangle

Keyboard symbols from ISO 9995-7

2396	܊	DECIMAL SEPARATOR KEY SYMBOL
2397	܋	PREVIOUS PAGE
2398	܌	NEXT PAGE
2399	܍	PRINT SCREEN SYMBOL
239A	܎	CLEAR SCREEN SYMBOL → 20E2 ܎ combining enclosing screen

Bracket pieces

239B	܏	LEFT PARENTHESIS UPPER HOOK
239C	܏	LEFT PARENTHESIS EXTENSION
239D	܏	LEFT PARENTHESIS LOWER HOOK
239E	܏	RIGHT PARENTHESIS UPPER HOOK
239F	܏	RIGHT PARENTHESIS EXTENSION
23A0	܏	RIGHT PARENTHESIS LOWER HOOK
23A1	܏	LEFT SQUARE BRACKET UPPER CORNER
23A2	܏	LEFT SQUARE BRACKET EXTENSION
23A3	܏	LEFT SQUARE BRACKET LOWER CORNER
23A4	܏	RIGHT SQUARE BRACKET UPPER CORNER

23A5	RIGHT SQUARE BRACKET EXTENSION
23A6	RIGHT SQUARE BRACKET LOWER CORNER
23A7	LEFT CURLY BRACKET UPPER HOOK
23A8	LEFT CURLY BRACKET MIDDLE PIECE
23A9	LEFT CURLY BRACKET LOWER HOOK
23AA	CURLY BRACKET EXTENSION
23AB	RIGHT CURLY BRACKET UPPER HOOK
23AC	RIGHT CURLY BRACKET MIDDLE PIECE
23AD	RIGHT CURLY BRACKET LOWER HOOK

Special character extensions

23AE	INTEGRAL EXTENSION → 2320 top half integral → 2321 bottom half integral
23AF	— HORIZONTAL LINE EXTENSION • used for extension of arrows → 23D0 vertical line extension

Bracket pieces

23B0	UPPER LEFT OR LOWER RIGHT CURLY BRACKET SECTION = left moustache
23B1	UPPER RIGHT OR LOWER LEFT CURLY BRACKET SECTION = right moustache

Summation sign parts

23B2	Σ SUMMATION TOP
23B3	Σ SUMMATION BOTTOM → 2211 Σ n-ary summation

Horizontal brackets

These characters are also used as delimiters of vertical text in non-CJK terminal emulation.

23B4	⊜ TOP SQUARE BRACKET → FE47 ⊜ presentation form for vertical left square bracket
23B5	⊟ BOTTOM SQUARE BRACKET → FE48 ⊟ presentation form for vertical right square bracket
23B6	⊠ BOTTOM SQUARE BRACKET OVER TOP SQUARE BRACKET • only used for terminal emulation

Terminal graphic characters

23B7	⊤ RADICAL SYMBOL BOTTOM
23B8	LEFT VERTICAL BOX LINE
23B9	RIGHT VERTICAL BOX LINE

Scan lines for terminal graphics

The scan line numbers here refer to old, low-resolution technology for terminals, with only 9 scan lines per fixed-size character glyph. Even-numbered scan lines are unified with box-drawing graphics.

23BA	- HORIZONTAL SCAN LINE-1
23BB	- HORIZONTAL SCAN LINE-3
23BC	- HORIZONTAL SCAN LINE-7
23BD	- HORIZONTAL SCAN LINE-9

Dentistry notation symbols

23BE	⊲ DENTISTRY SYMBOL LIGHT VERTICAL AND TOP RIGHT → 2308 ⊲ left ceiling
23BF	⊳ DENTISTRY SYMBOL LIGHT VERTICAL AND BOTTOM RIGHT → 230A ⊳ left floor
23C0	⊴ DENTISTRY SYMBOL LIGHT VERTICAL WITH CIRCLE
23C1	⊵ DENTISTRY SYMBOL LIGHT DOWN AND HORIZONTAL WITH CIRCLE
23C2	⊶ DENTISTRY SYMBOL LIGHT UP AND HORIZONTAL WITH CIRCLE
23C3	⊷ DENTISTRY SYMBOL LIGHT VERTICAL WITH TRIANGLE
23C4	⊸ DENTISTRY SYMBOL LIGHT DOWN AND HORIZONTAL WITH TRIANGLE
23C5	⊹ DENTISTRY SYMBOL LIGHT UP AND HORIZONTAL WITH TRIANGLE
23C6	⊺ DENTISTRY SYMBOL LIGHT VERTICAL AND WAVE
23C7	⊻ DENTISTRY SYMBOL LIGHT DOWN AND HORIZONTAL WITH WAVE
23C8	⊼ DENTISTRY SYMBOL LIGHT UP AND HORIZONTAL WITH WAVE
23C9	⊽ DENTISTRY SYMBOL LIGHT DOWN AND HORIZONTAL → 22A4 ⊽ down tack → 252C ⊽ box drawings light down and horizontal
23CA	⊾ DENTISTRY SYMBOL LIGHT UP AND HORIZONTAL → 22A5 ⊾ up tack → 2534 ⊾ box drawings light up and horizontal
23CB	⊿ DENTISTRY SYMBOL LIGHT VERTICAL AND TOP LEFT → 2309 ⊿ right ceiling
23CC	⊻ DENTISTRY SYMBOL LIGHT VERTICAL AND BOTTOM LEFT → 230B ⊻ right floor

Miscellaneous technical

23CD	⊻ SQUARE FOOT
------	---------------

Keyboard and UI symbols

23CE	⤒ RETURN SYMBOL • may be shown with either hollow or filled glyph → 21B5 ⤒ downwards arrow with corner leftwards
23CF	⤓ EJECT SYMBOL • UI symbol to eject media

Special character extension

23D0	VERTICAL LINE EXTENSION • used for extension of arrows → 23AF — horizontal line extension
------	---

Metrical symbols

23D1	⊸ METRICAL BREVE
23D2	⊹ METRICAL LONG OVER SHORT
23D3	⊺ METRICAL SHORT OVER LONG
23D4	⊻ METRICAL LONG OVER TWO SHORTS

23D5	\simeq	METRICAL TWO SHORTS OVER LONG
23D6	\sim	METRICAL TWO SHORTS JOINED
23D7	\lrcorner	METRICAL TRISEME → 1D242 Ⓜ combining greek musical triseme
23D8	\llcorner	METRICAL TETRASEME → 1D243 Ⓝ combining greek musical tetraseme
23D9	\lll	METRICAL PENTASEME → 1D244 Ⓞ combining greek musical pentaseme

Electrotechnical symbols

23DA	\perp	EARTH GROUND
23DB	\equiv	FUSE

Horizontal brackets

These are intended for bracketing terms of mathematical expressions where their glyph extends to accommodate the width of the bracketed expression		
23DC	\wedge	TOP PARENTHESIS → FE35 ⌈ presentation form for vertical left parenthesis
23DD	\wedge	BOTTOM PARENTHESIS → FE36 ⌉ presentation form for vertical right parenthesis
23DE	—	TOP CURLY BRACKET → FE37 ⌊ presentation form for vertical left curly bracket
23DF	—	BOTTOM CURLY BRACKET → FE38 ⌋ presentation form for vertical right curly bracket
23E0	—	TOP TORTOISE SHELL BRACKET → FE39 ⌊ presentation form for vertical left tortoise shell bracket
23E1	—	BOTTOM TORTOISE SHELL BRACKET → FE3A ⌋ presentation form for vertical right tortoise shell bracket

Miscellaneous technical

23E2	\square	WHITE TRAPEZIUM
------	-----------	-----------------

Chemistry symbol

23E3	\circ	BENZENE RING WITH CIRCLE
------	---------	--------------------------

Miscellaneous technical

23E4	—	STRAIGHTNESS
23E5	\square	FLATNESS
23E6	\approx	AC CURRENT
23E7	\times	ELECTRICAL INTERSECTION
23E8	$_{10}$	DECIMAL EXPONENT SYMBOL • Algol-60 token for scientific notation literals

User interface symbols

23E9	\blacktriangleright	BLACK RIGHT-POINTING DOUBLE TRIANGLE = fast forward
23EA	\blacktriangleleft	BLACK LEFT-POINTING DOUBLE TRIANGLE = fast rewind
23EB	\blacktriangleup	BLACK UP-POINTING DOUBLE TRIANGLE
23EC	\blacktriangledown	BLACK DOWN-POINTING DOUBLE TRIANGLE

23ED	$\blacktriangleright\!\!\!$	BLACK RIGHT-POINTING DOUBLE TRIANGLE WITH VERTICAL BAR = fast forward to next track
23EE	$\blacktriangleleft\!\!\!$	BLACK LEFT-POINTING DOUBLE TRIANGLE WITH VERTICAL BAR = fast rewind to previous track
23EF	$\blacktriangleright\!\!\!\!\!$	BLACK RIGHT-POINTING TRIANGLE WITH DOUBLE VERTICAL BAR
23F0	\odot	ALARM CLOCK
23F1	$\odot\!\!\!$	STOPWATCH
23F2	$\odot\!\!\!\!$	TIMER CLOCK
23F3	\hourglass	HOURGLASS WITH FLOWING SAND → 231B ☰ hourglass
23F4	\bell	BELL = alarm set
23F5	$\blacktriangleleft\!\!\!\!\!$	BELL WITH CANCELLATION STROKE = alarm disabled
23F6	$\blacktriangleleft\!\!\!\!\!\!$	SPEAKER WITH CANCELLATION STROKE = sound disabled
23F7	$\blacktriangleleft\!\!\!$	SPEAKER = sound
23F8	$\blacktriangleleft\!\!\!\!$	SPEAKER WITH ONE SOUND WAVE = low volume
23F9	$\blacktriangleleft\!\!\!\!\!$	SPEAKER WITH THREE SOUND WAVES = full volume
23FA	$\curvearrowright\curvearrowleft$	CLOCKWISE UPWARDS AND DOWNWARDS OPEN CIRCLE ARROWS = reload
23FB	$\blacktriangleleft\!\!\!\!\!$	TWISTED RIGHTWARDS ARROWS = shuffle
23FC	$\blacktriangleleft\!\!\!\!\!$	CLOCKWISE RIGHTWARDS AND LEFTWARDS OPEN CIRCLE ARROWS = replay
23FD	$\odot\!\!\!\!\!$	CLOCKWISE RIGHTWARDS AND LEFTWARDS OPEN CIRCLE ARROWS WITH CIRCLED ONE OVERLAY = play through once
23FE	\lock	LOCK = padlock in locked position
23FF	\unlock	OPEN LOCK = padlock in unlocked position

	270	271	272	273	274	275	276	277	278	279	27A	27B
0												
1												
2												
3												
4												
5												
6												
7												
8												
9												
A												
B												
C												
D												
E												
F												

UTC: 2009-02-06
WG2 \$\$\$\$
contact: Markus Scherer,
German NB
document: Nxxxx, L2/09-
021
font: Apple Emoj
target: Amd7

*ITC Zapf dingbats series 100***Miscellaneous**

- 2701 ⚪ UPPER BLADE SCISSORS
2702 ⚫ BLACK SCISSORS
2703 ⚮ LOWER BLADE SCISSORS
2704 ⚭ WHITE SCISSORS
2705 ✓ WHITE HEAVY CHECK MARK
→ 2714 ✓ heavy check mark
2706 ☎ TELEPHONE LOCATION SIGN
→ 2121 TEL telephone sign
2707 ⚧ TAPE DRIVE
2708 ✈ AIRPLANE
2709 ✉ ENVELOPE
270A ⚩ RAISED FIST
= rock in Rock, Paper, Scissors game
→ 270B ⚪ raised hand
→ 270C ⚫ victory hand
270B ⚪ RAISED HAND
= paper in Rock, Paper, Scissors game
→ 270A ⚩ raised fist
→ 270C ⚫ victory hand
270C ⚫ VICTORY HAND
270D ✍ WRITING HAND
270E ✏ LOWER RIGHT PENCIL
270F ✏ PENCIL
2710 ✏ UPPER RIGHT PENCIL
2711 ⚪ WHITE NIB
2712 ⚫ BLACK NIB
2713 ✓ CHECK MARK
→ 221A ✓ square root
2714 ✓ HEAVY CHECK MARK
2715 ✕ MULTIPLICATION X
→ 00D7 ✕ multiplication sign
→ 2573 ✕ box drawings light diagonal cross
2716 ✕ HEAVY MULTIPLICATION X
2717 ✕ BALLOT X
→ 2613 ✕ saltire
2718 ✕ HEAVY BALLOT X

Crosses

- 2719 ✋ OUTLINED GREEK CROSS
271A ✋ HEAVY GREEK CROSS
271B ✋ OPEN CENTRE CROSS
271C ✋ HEAVY OPEN CENTRE CROSS
271D ✋ LATIN CROSS
271E ✋ SHADOWED WHITE LATIN CROSS
271F ✋ OUTLINED LATIN CROSS
2720 ✋ MALTESE CROSS
• Historically, the Maltese cross took many forms; the shape shown in the Zapf Dingbats is similar to one known as the Cross Formée.

Stars, asterisks and snowflakes

- 2721 ✡ STAR OF DAVID
2722 ✋ FOUR TEARDROP-SPOKED ASTERISK
2723 ✋ FOUR BALLOON-SPOKED ASTERISK
2724 ✋ HEAVY FOUR BALLOON-SPOKED ASTERISK
2725 ✋ FOUR CLUB-SPOKED ASTERISK
2726 ✡ BLACK FOUR POINTED STAR

- 2727 ✢ WHITE FOUR POINTED STAR
2728 ✠ SPARKLES
2729 ✤ STRESS OUTLINED WHITE STAR
→ 2606 ✤ white star
272A ✥ CIRCLED WHITE STAR
272B ✤ OPEN CENTRE BLACK STAR
272C ✤ BLACK CENTRE WHITE STAR
272D ✤ OUTLINED BLACK STAR
272E ✤ HEAVY OUTLINED BLACK STAR
272F ✤ PINWHEEL STAR
2730 ✤ SHADOWED WHITE STAR
2731 ✡ HEAVY ASTERISK
→ 002A ✡ asterisk
2732 ✡ OPEN CENTRE ASTERISK
2733 ✡ EIGHT SPOKED ASTERISK
2734 ✡ EIGHT POINTED BLACK STAR
2735 ✡ EIGHT POINTED PINWHEEL STAR
2736 ✡ SIX POINTED BLACK STAR
= sextile
2737 ✡ EIGHT POINTED RECTILINEAR BLACK STAR
2738 ✡ HEAVY EIGHT POINTED RECTILINEAR BLACK STAR
2739 ✡ TWELVE POINTED BLACK STAR
273A ✡ SIXTEEN POINTED ASTERISK
= starburst
273B ✡ TEARDROP-SPOKED ASTERISK
273C ✡ OPEN CENTRE TEARDROP-SPOKED ASTERISK
273D ✡ HEAVY TEARDROP-SPOKED ASTERISK
273E ✡ SIX PETALLED BLACK AND WHITE FLORETTE
273F ✡ BLACK FLORETTE
2740 ✡ WHITE FLORETTE
2741 ✡ EIGHT PETALLED OUTLINED BLACK FLORETTE
2742 ✥ CIRCLED OPEN CENTRE EIGHT POINTED STAR
2743 ✡ HEAVY TEARDROP-SPOKED PINWHEEL ASTERISK
2744 ✡ SNOWFLAKE
2745 ✡ TIGHT TRIFOLIATE SNOWFLAKE
2746 ✡ HEAVY CHEVRON SNOWFLAKE
2747 ✡ SPARKLE
2748 ✡ HEAVY SPARKLE
2749 ✡ BALLOON-SPOKED ASTERISK
= jack
274A ✡ EIGHT TEARDROP-SPOKED PROPELLER ASTERISK
274B ✡ HEAVY EIGHT TEARDROP-SPOKED PROPELLER ASTERISK
= turbofan

Miscellaneous

- 274C ✕ CROSS MARK
• forms a pair with 26E2 ○ heavy large circle
274D ○ SHADOWED WHITE CIRCLE
274E ✕ NEGATIVE SQUARED CROSS MARK
274F □ LOWER RIGHT DROP-SHADOWED WHITE SQUARE
2750 □ UPPER RIGHT DROP-SHADOWED WHITE SQUARE

2751	□ LOWER RIGHT SHADOWED WHITE SQUARE
2752	□ UPPER RIGHT SHADOWED WHITE SQUARE
2753	? BLACK QUESTION MARK ORNAMENT
2754	? WHITE QUESTION MARK ORNAMENT
2755	! WHITE EXCLAMATION MARK ORNAMENT → 2762 ? heavy exclamation mark ornament → 26CE ! heavy exclamation mark symbol
2756	❖ BLACK DIAMOND MINUS WHITE X
2757	<reserved> → 25D7 right half black circle
2758	LIGHT VERTICAL BAR → 007C vertical line
2759	MEDIUM VERTICAL BAR
275A	HEAVY VERTICAL BAR

Punctuation ornaments

275B	‘ HEAVY SINGLE TURNED COMMA QUOTATION MARK ORNAMENT → 2018 ‘ left single quotation mark
275C	’ HEAVY SINGLE COMMA QUOTATION MARK ORNAMENT → 2019 ’ right single quotation mark
275D	“ HEAVY DOUBLE TURNED COMMA QUOTATION MARK ORNAMENT → 201C “ left double quotation mark
275E	” HEAVY DOUBLE COMMA QUOTATION MARK ORNAMENT → 201D ” right double quotation mark
275F	„ HEAVY LOW SINGLE COMMA QUOTATION MARK ORNAMENT → 201A „ single low-9 quotation mark
2760	„ HEAVY LOW DOUBLE COMMA QUOTATION MARK ORNAMENT → 201E „ double low-9 quotation mark
2761	¶ CURVED STEM PARAGRAPH SIGN ORNAMENT → 00B6 ¶ pilcrow sign
2762	!: HEAVY EXCLAMATION MARK ORNAMENT → 0021 ! exclamation mark → 26CE ! heavy exclamation mark symbol
2763	♥ HEAVY HEART EXCLAMATION MARK ORNAMENT
2764	♥ HEAVY BLACK HEART → 2665 ♥ black heart suit
2765	♣ ROTATED HEAVY BLACK HEART BULLET
2766	❧ FLORAL HEART = Aldus leaf
2767	❧ ROTATED FLORAL HEART BULLET = hedera, ivy leaf → 2619 ❧ reversed rotated floral heart bullet

Ornamental brackets

2768	(MEDIUM LEFT PARENTHESIS ORNAMENT → 0028 (left parenthesis
2769) MEDIUM RIGHT PARENTHESIS ORNAMENT → 0029) right parenthesis
276A	(MEDIUM FLATTENED LEFT PARENTHESIS ORNAMENT

276B) MEDIUM FLATTENED RIGHT PARENTHESIS ORNAMENT
276C	(MEDIUM LEFT-POINTING ANGLE BRACKET ORNAMENT → 2329 < left-pointing angle bracket
276D) MEDIUM RIGHT-POINTING ANGLE BRACKET ORNAMENT → 232A > right-pointing angle bracket
276E	< HEAVY LEFT-POINTING ANGLE QUOTATION MARK ORNAMENT → 2039 < single left-pointing angle quotation mark
276F	> HEAVY RIGHT-POINTING ANGLE QUOTATION MARK ORNAMENT → 203A > single right-pointing angle quotation mark
2770	(HEAVY LEFT-POINTING ANGLE BRACKET ORNAMENT
2771) HEAVY RIGHT-POINTING ANGLE BRACKET ORNAMENT
2772	(LIGHT LEFT TORTOISE SHELL BRACKET ORNAMENT → 3014 (left tortoise shell bracket
2773) LIGHT RIGHT TORTOISE SHELL BRACKET ORNAMENT → 3015) right tortoise shell bracket
2774	{ MEDIUM LEFT CURLY BRACKET ORNAMENT → 007B { left curly bracket
2775	} MEDIUM RIGHT CURLY BRACKET ORNAMENT → 007D } right curly bracket

Dingbat circled digits

2776	① DINGBAT NEGATIVE CIRCLED DIGIT ONE
2777	② DINGBAT NEGATIVE CIRCLED DIGIT TWO
2778	③ DINGBAT NEGATIVE CIRCLED DIGIT THREE
2779	④ DINGBAT NEGATIVE CIRCLED DIGIT FOUR
277A	⑤ DINGBAT NEGATIVE CIRCLED DIGIT FIVE
277B	⑥ DINGBAT NEGATIVE CIRCLED DIGIT SIX
277C	⑦ DINGBAT NEGATIVE CIRCLED DIGIT SEVEN
277D	⑧ DINGBAT NEGATIVE CIRCLED DIGIT EIGHT
277E	⑨ DINGBAT NEGATIVE CIRCLED DIGIT NINE
277F	⑩ DINGBAT NEGATIVE CIRCLED NUMBER TEN
2780	⑪ DINGBAT CIRCLED SANS-SERIF DIGIT ONE
2781	⑫ DINGBAT CIRCLED SANS-SERIF DIGIT TWO
2782	⑬ DINGBAT CIRCLED SANS-SERIF DIGIT THREE
2783	⑭ DINGBAT CIRCLED SANS-SERIF DIGIT FOUR
2784	⑮ DINGBAT CIRCLED SANS-SERIF DIGIT FIVE
2785	⑯ DINGBAT CIRCLED SANS-SERIF DIGIT SIX
2786	⑰ DINGBAT CIRCLED SANS-SERIF DIGIT SEVEN
2787	⑱ DINGBAT CIRCLED SANS-SERIF DIGIT EIGHT

2788	⑨	DINGBAT CIRCLED SANS-SERIF DIGIT NINE	27A9	⇒ RIGHT-SHADED WHITE RIGHTWARDS ARROW
2789	⑩	DINGBAT CIRCLED SANS-SERIF NUMBER TEN	27AA	⇒ LEFT-SHADED WHITE RIGHTWARDS ARROW
278A	❶	DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT ONE	27AB	⤵ BACK-TILTED SHADOWED WHITE RIGHTWARDS ARROW
278B	❷	DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT TWO	27AC	⤶ FRONT-TILTED SHADOWED WHITE RIGHTWARDS ARROW
278C	❸	DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT THREE	27AD	⤷ HEAVY LOWER RIGHT-SHADED WHITE RIGHTWARDS ARROW
278D	❹	DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT FOUR	27AE	⤸ HEAVY UPPER RIGHT-SHADED WHITE RIGHTWARDS ARROW
278E	❺	DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT FIVE	27AF	⤹ NOTCHED LOWER RIGHT-SHADED WHITE RIGHTWARDS ARROW
278F	❻	DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT SIX	27B0	⤻ <reserved>
2790	❼	DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT SEVEN	27B1	⤻ NOTCHED UPPER RIGHT-SHADED WHITE RIGHTWARDS ARROW
2791	➋	DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT EIGHT	27B2	⤼ CIRCLED HEAVY WHITE RIGHTWARDS ARROW
2792	⌽	DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT NINE	27B3	⤾ WHITE-FEATHERED RIGHTWARDS ARROW
2793	⌿	DINGBAT NEGATIVE CIRCLED SANS-SERIF NUMBER TEN	27B4	⤻ BLACK-FEATHERED SOUTH EAST ARROW

Dingbat arrow

2794	→	HEAVY WIDE-HEADED RIGHTWARDS ARROW
------	---	------------------------------------

Arithmetic symbols

2795	+	HEAVY PLUS SIGN
2796	-	HEAVY MINUS SIGN
2797	÷	HEAVY DIVISION SIGN

Dingbat arrows

2798	↖	HEAVY SOUTH EAST ARROW
2799	→	HEAVY RIGHTWARDS ARROW
279A	↗	HEAVY NORTH EAST ARROW
279B	→	DRAFTING POINT RIGHTWARDS ARROW
279C	→	HEAVY ROUND-TIPPED RIGHTWARDS ARROW
279D	→	TRIANGLE-HEADED RIGHTWARDS ARROW
279E	→	HEAVY TRIANGLE-HEADED RIGHTWARDS ARROW
279F	→	DASHED TRIANGLE-HEADED RIGHTWARDS ARROW
27A0	→	HEAVY DASHED TRIANGLE-HEADED RIGHTWARDS ARROW
27A1	→	BLACK RIGHTWARDS ARROW
		• fonts may harmonize this glyph with the style for other black arrows
		→ 2B05 ← leftwards black arrow
27A2	→	THREE-D TOP-LIGHTED RIGHTWARDS ARROWHEAD
27A3	→	THREE-D BOTTOM-LIGHTED RIGHTWARDS ARROWHEAD
27A4	→	BLACK RIGHTWARDS ARROWHEAD
27A5	→	HEAVY BLACK CURVED DOWNWARDS AND RIGHTWARDS ARROW
27A6	→	HEAVY BLACK CURVED UPWARDS AND RIGHTWARDS ARROW
27A7	⤵	SQUAT BLACK RIGHTWARDS ARROW
27A8	→	HEAVY CONCAVE-POINTED BLACK RIGHTWARDS ARROW

27A9	⇒	RIGHT-SHADED WHITE RIGHTWARDS ARROW
27AA	⇒	LEFT-SHADED WHITE RIGHTWARDS ARROW
27AB	⤵	BACK-TILTED SHADOWED WHITE RIGHTWARDS ARROW
27AC	⤶	FRONT-TILTED SHADOWED WHITE RIGHTWARDS ARROW
27AD	⤷	HEAVY LOWER RIGHT-SHADED WHITE RIGHTWARDS ARROW
27AE	⤸	HEAVY UPPER RIGHT-SHADED WHITE RIGHTWARDS ARROW
27AF	⤹	NOTCHED LOWER RIGHT-SHADED WHITE RIGHTWARDS ARROW
27B0	⤻	<reserved>
27B1	⤻	NOTCHED UPPER RIGHT-SHADED WHITE RIGHTWARDS ARROW
27B2	⤼	CIRCLED HEAVY WHITE RIGHTWARDS ARROW
27B3	⤾	WHITE-FEATHERED RIGHTWARDS ARROW
27B4	⤻	BLACK-FEATHERED SOUTH EAST ARROW
27B5	⤾	BLACK-FEATHERED RIGHTWARDS ARROW
27B6	⤻	BLACK-FEATHERED NORTH EAST ARROW
27B7	⤻	HEAVY BLACK-FEATHERED SOUTH EAST ARROW
27B8	⤾	HEAVY BLACK-FEATHERED RIGHTWARDS ARROW
27B9	⤻	HEAVY BLACK-FEATHERED NORTH EAST ARROW
27BA	⤻	TEARDROP-BARBED RIGHTWARDS ARROW
27BB	⤻	HEAVY TEARDROP-SHANKED RIGHTWARDS ARROW
27BC	⤾	WEDGE-TAILED RIGHTWARDS ARROW
27BD	⤾	HEAVY WEDGE-TAILED RIGHTWARDS ARROW
27BE	⤻	OPEN-OUTLINED RIGHTWARDS ARROW

	2E0	2E1	2E2	2E3	2E4	2E5	2E6	2E7
0	Γ		━	━	○			
1	━		━	━	・			
2	━		━	━	━	━	━	
3	━	━	━	━	━	━	━	
4	━	━	━	━	━	━	━	
5	━	━	━	━	━	━	━	
6	━	━	━	━	━	━	━	
7	━	━	━	━	━	━	━	
8	━	━	━	━	━	━	━	
9	━	━	━	━	━	━	━	
A	━	━	━	━	━	━	━	
B	━	━	━	━	━	━	━	
C	━	━	━	━	━	━	━	
D	━	━	━	━	━	━	━	
E	━	━	━	━	━	━	━	
F	━	━	━	━	━	━	━	

UTC: 2009-02-06
WG2: \$\$\$
contact: Markus Scherer
document: Nxxxx, L2/09-
026
font: Apple Emoji
target: Amd7

New Testament editorial symbols

2E00	RIGHT ANGLE SUBSTITUTION MARKER → 231C ↗ top left corner
2E01	RIGHT ANGLE DOTTED SUBSTITUTION MARKER
2E02	LEFT SUBSTITUTION BRACKET
2E03	RIGHT SUBSTITUTION BRACKET
2E04	LEFT DOTTED SUBSTITUTION BRACKET
2E05	RIGHT DOTTED SUBSTITUTION BRACKET
2E06	RAISED INTERPOLATION MARKER → 22A4 ↘ down tack
2E07	RAISED DOTTED INTERPOLATION MARKER
2E08	DOTTED TRANSPOSITION MARKER
2E09	LEFT TRANSPOSITION BRACKET
2E0A	RIGHT TRANSPOSITION BRACKET
2E0B	RAISED SQUARE • used as an opening raised omission bracket
2E0C	LEFT RAISED OMISSION BRACKET • used as an opening or closing raised omission bracket
2E0D	RIGHT RAISED OMISSION BRACKET • used as a closing or opening raised omission bracket

Ancient Greek textual symbols

2E0E	EDITORIAL CORONIS → 1FBD ἡ greek koronis
2E0F	PARAGRAPHOS
2E10	FORKED PARAGRAPHOS
2E11	REVERSED FORKED PARAGRAPHOS
2E12	HYPODIASTOLE
2E13	DOTTED OBELOS • glyph variants may look like ‘÷’ or ‘·’ → 2052 ℯ commercial minus sign
2E14	DOWNTWARDS ANCORA • contrary to its formal name this symbol points upwards
2E15	UPWARDS ANCORA • contrary to its formal name this symbol points downwards
2E16	DOTTED RIGHT-POINTING ANGLE = diple peristigmene

Ancient Near-Eastern linguistic symbol

2E17	DOUBLE OBLIQUE HYPHEN • used in ancient Near-Eastern linguistics • hyphen in Fraktur text uses 002D - or 2010 - , but with a ‘ׁ’ glyph in Fraktur fonts → 002D - hyphen-minus → 003D = equals sign → 2010 - hyphen
------	--

General punctuation

2E18	INVERTED INTERROBANG = gnaborretni → 203D ؟ interrobang
2E19	PALM BRANCH • used as a separator

Dictionary punctuation

These punctuation marks are used mostly in German dictionaries, to indicate umlaut or case changes with abbreviated stems.

2E1A	— HYPHEN WITH DIAERESIS • indicates umlaut of the stem vowel of a plural form
2E1B	~ TILDE WITH RING ABOVE • indicates change in case for derived form

Brackets

2E1C	` LEFT LOW PARAPHRASE BRACKET
2E1D	‘ RIGHT LOW PARAPHRASE BRACKET • used in N'Ko

Dictionary punctuation

2E1E	~ TILDE WITH DOT ABOVE • indicates derived form changes to uppercase
2E1F	~ TILDE WITH DOT BELOW • indicates derived form changes to lowercase

Brackets

2E20	LEFT VERTICAL BAR WITH QUILL
2E21	RIGHT VERTICAL BAR WITH QUILL

Half brackets

These form a set of four corner brackets and are used editorially. They are distinguished from mathematical floor and ceiling characters. Occasionally quine corners are substituted for half brackets.

2E22	↖ TOP LEFT HALF BRACKET → 2308 ↖ left ceiling → 231C ↗ top left corner → 300C ↙ left corner bracket
2E23	↗ TOP RIGHT HALF BRACKET
2E24	↙ BOTTOM LEFT HALF BRACKET
2E25	↘ BOTTOM RIGHT HALF BRACKET

Brackets

2E26	« LEFT SIDEWAYS U BRACKET → 2282 « subset of
2E27	» RIGHT SIDEWAYS U BRACKET → 2283 » superset of
2E28	⟨ LEFT DOUBLE PARENTHESIS → 2985 ⟨ left white parenthesis → FF5F ⟨ fullwidth left white parenthesis
2E29) RIGHT DOUBLE PARENTHESIS

Historic punctuation

2E2A	⁚ TWO DOTS OVER ONE DOT PUNCTUATION
2E2B	⁚ ONE DOT OVER TWO DOTS PUNCTUATION
2E2C	⁚ SQUARED FOUR DOT PUNCTUATION
2E2D	⁚ FIVE DOT MARK
2E2E	⸮ REVERSED QUESTION MARK = punctus percontativus → 003F ? question mark → 00BF ؟ inverted question mark → 061F ؟ arabic question mark

- 2E2F ' VERTICAL TILDE
 - used for Cyrillic yerik
 - 033E ° combining vertical tilde
 - A67F " cyrillic payerok
- 2E30 ° RING POINT
 - used in Avestan
 - 2218 ° ring operator
 - 25E6 ° white bullet
- 2E31 · WORD SEPARATOR MIDDLE DOT
 - used in Avestan, Samaritan, ...
 - 00B7 · middle dot

Length mark

2E32 ⌗ LOOPED LENGTH MARK

	1F0A	1F0B	1F0C	1F0D
0				
1				
2				
3				
4				
5				
6				
7				
8				
9				
A				
B				
C				
D				
E				
F				

These characters are used to represent the 52-card and 56-card variants of modern playing cards, as well as the 56-card Minor Arcana of the Western Tarot.

1F0A0 ♦ PLAYING CARD BACK

Spades or Swords

- 1F0A1 ♦ PLAYING CARD ACE OF SPADES
 - ace of swords
- 1F0A2 ♦ PLAYING CARD TWO OF SPADES
- 1F0A3 ♦ PLAYING CARD THREE OF SPADES
- 1F0A4 ♦ PLAYING CARD FOUR OF SPADES
- 1F0A5 ♦ PLAYING CARD FIVE OF SPADES
- 1F0A6 ♦ PLAYING CARD SIX OF SPADES
- 1F0A7 ♦ PLAYING CARD SEVEN OF SPADES
- 1F0A8 ♦ PLAYING CARD EIGHT OF SPADES
- 1F0A9 ♦ PLAYING CARD NINE OF SPADES
- 1FOAA ♦ PLAYING CARD TEN OF SPADES
- 1FOAB ♦ PLAYING CARD JACK OF SPADES
 - = valet, Bube, Unter, Page, fante
 - = page of swords
- 1FOAC ♦ PLAYING CARD KNIGHT OF SPADES
 - = chevalier, Ober, Ritter, cavall, cavaliere
 - = knight of swords
- 1FOAD ♦ PLAYING CARD QUEEN OF SPADES
 - = dame, Dame, Königin, regina
 - = queen of swords
- 1FOAE ♦ PLAYING CARD KING OF SPADES
 - = roi, König, re
 - = king of swords

Hearts or Cups

- 1F0B1 ♦ PLAYING CARD ACE OF HEARTS
 - = ace of cups
- 1F0B2 ♦ PLAYING CARD TWO OF HEARTS
- 1F0B3 ♦ PLAYING CARD THREE OF HEARTS
- 1F0B4 ♦ PLAYING CARD FOUR OF HEARTS
- 1F0B5 ♦ PLAYING CARD FIVE OF HEARTS
- 1F0B6 ♦ PLAYING CARD SIX OF HEARTS
- 1F0B7 ♦ PLAYING CARD SEVEN OF HEARTS
- 1F0B8 ♦ PLAYING CARD EIGHT OF HEARTS
- 1F0B9 ♦ PLAYING CARD NINE OF HEARTS
- 1FOBA ♦ PLAYING CARD TEN OF HEARTS
- 1FOBB ♦ PLAYING CARD JACK OF HEARTS
 - = valet, Bube, Unter, Page, fante
 - = page of cups
- 1FOBC ♦ PLAYING CARD KNIGHT OF HEARTS
 - = chevalier, Ober, Ritter, cavall, cavaliere
 - = knight of cups
- 1FOBD ♦ PLAYING CARD QUEEN OF HEARTS
 - = dame, Dame, Königin, regina
 - = queen of cups
- 1FOBE ♦ PLAYING CARD KING OF HEARTS
 - = roi, König, re
 - = king of cups

Diamonds or Pentacles

- 1F0C1 ♦ PLAYING CARD ACE OF DIAMONDS
 - = ace of pentacles
- 1F0C2 ♦ PLAYING CARD TWO OF DIAMONDS
- 1F0C3 ♦ PLAYING CARD THREE OF DIAMONDS
- 1F0C4 ♦ PLAYING CARD FOUR OF DIAMONDS
- 1F0C5 ♦ PLAYING CARD FIVE OF DIAMONDS

- 1F0C6 ♦ PLAYING CARD SIX OF DIAMONDS
- 1F0C7 ♦ PLAYING CARD SEVEN OF DIAMONDS
- 1F0C8 ♦ PLAYING CARD EIGHT OF DIAMONDS
- 1F0C9 ♦ PLAYING CARD NINE OF DIAMONDS
- 1FOCA ♦ PLAYING CARD TEN OF DIAMONDS
- 1FOCB ♦ PLAYING CARD JACK OF DIAMONDS
 - = valet, Bube, Unter, Page, fante
 - = page of pentacles
- 1FOCC ♦ PLAYING CARD KNIGHT OF DIAMONDS
 - = chevalier, Ober, Ritter, cavall, cavaliere
 - = knight of pentacles
- 1FOCD ♦ PLAYING CARD QUEEN OF DIAMONDS
 - = dame, Dame, Königin, regina
 - = queen of pentacles
- 1FOCE ♦ PLAYING CARD KING OF DIAMONDS
 - = roi, König, re
 - = king of pentacles
- 1FOCF ♦ ♣ PLAYING CARD BLACK JOKER

Clubs or Wands

- 1F0D1 ♦ PLAYING CARD ACE OF CLUBS
 - = ace of wands
- 1F0D2 ♦ PLAYING CARD TWO OF CLUBS
- 1F0D3 ♦ PLAYING CARD THREE OF CLUBS
- 1F0D4 ♦ PLAYING CARD FOUR OF CLUBS
- 1F0D5 ♦ PLAYING CARD FIVE OF CLUBS
- 1F0D6 ♦ PLAYING CARD SIX OF CLUBS
- 1F0D7 ♦ PLAYING CARD SEVEN OF CLUBS
- 1F0D8 ♦ PLAYING CARD EIGHT OF CLUBS
- 1F0D9 ♦ PLAYING CARD NINE OF CLUBS
- 1F0DA ♦ PLAYING CARD TEN OF CLUBS
- 1F0DB ♦ PLAYING CARD JACK OF CLUBS
 - = valet, Bube, Unter, Page, fante
 - = page of wands
- 1F0DC ♦ PLAYING CARD KNIGHT OF CLUBS
 - = chevalier, Ober, Ritter, cavall, cavaliere
 - = knight of wands
- 1F0DD ♦ PLAYING CARD QUEEN OF CLUBS
 - = dame, Dame, Königin, regina
 - = queen of wands
- 1F0DE ♦ PLAYING CARD KING OF CLUBS
 - = roi, König, re
 - = king of wands
- 1F0DF ♦ ♣ PLAYING CARD WHITE JOKER
 - may also be red

	1F10	1F11	1F12	1F13	1F14	1F15	1F16	1F17	1F18	1F19	1F1A	1F1B	1F1C	1F1D	1F1E	1F1F
0	O	(A)	(Q)	A	Q	A	Q	A	Q	DJ						
1	O,	(B)	(R)	B	R	B	R	B	R							
2	1,	(C)	(S)	C	S	C	S	C	S							
3	2,	(D)	(T)	D	T	D	T	D	T							
4	3,	(E)	(U)	E	U	E	U	E	U							
5	4,	(F)	(V)	F	V	F	V	F	V							
6	5,	(G)	(W)	G	W	G	W	G	W							
7	6,	(H)	(X)	H	X	H	X	H	X							
8	7,	(I)	(Y)	I	Y	I	Y	I	Y							
9	8,	(J)	(Z)	J	Z	J	Z	J	Z							
A	9,	(K)	[S]	K	HV	K		K								
B		(L)	(C)	L	MV	L		L								
C		(M)	(R)	M	SD	M		M								
D		(N)	(CD)	N	SS	N		N								
E		(O)	(wz)	O	PPV	O		O								
F		(P)		P	WC	P		P	WC							

UTC: 2009-02-06
WG2: \$\$\$\$
contact: Karl Penzlin,
Markus Scherer
document L2/09-026,
L2/09-034
font: Apple Emoji
target: Amd7

Number with full stop

1F100 0. DIGIT ZERO FULL STOP
≈ 0030 0 002E .

Numbers with comma

1F101 0, DIGIT ZERO COMMA
≈ 0030 0 002C ,
1F102 1, DIGIT ONE COMMA
≈ 0031 1 002C ,
1F103 2, DIGIT TWO COMMA
≈ 0032 2 002C ,
1F104 3, DIGIT THREE COMMA
≈ 0033 3 002C ,
1F105 4, DIGIT FOUR COMMA
≈ 0034 4 002C ,
1F106 5, DIGIT FIVE COMMA
≈ 0035 5 002C ,
1F107 6, DIGIT SIX COMMA
≈ 0036 6 002C ,
1F108 7, DIGIT SEVEN COMMA
≈ 0037 7 002C ,
1F109 8, DIGIT EIGHT COMMA
≈ 0038 8 002C ,
1F10A 9, DIGIT NINE COMMA
≈ 0039 9 002C ,

Parenthesized Latin letters

1F110 (A) PARENTHESIZED LATIN CAPITAL LETTER A
≈ 0028 (0041 A 0029)
1F111 (B) PARENTHESIZED LATIN CAPITAL LETTER B
≈ 0028 (0042 B 0029)
1F112 (C) PARENTHESIZED LATIN CAPITAL LETTER C
≈ 0028 (0043 C 0029)
1F113 (D) PARENTHESIZED LATIN CAPITAL LETTER D
≈ 0028 (0044 D 0029)
1F114 (E) PARENTHESIZED LATIN CAPITAL LETTER E
≈ 0028 (0045 E 0029)
1F115 (F) PARENTHESIZED LATIN CAPITAL LETTER F
≈ 0028 (0046 F 0029)
1F116 (G) PARENTHESIZED LATIN CAPITAL LETTER G
≈ 0028 (0047 G 0029)
1F117 (H) PARENTHESIZED LATIN CAPITAL LETTER H
≈ 0028 (0048 H 0029)
1F118 (I) PARENTHESIZED LATIN CAPITAL LETTER I
≈ 0028 (0049 I 0029)
1F119 (J) PARENTHESIZED LATIN CAPITAL LETTER J
≈ 0028 (004A J 0029)
1F11A (K) PARENTHESIZED LATIN CAPITAL LETTER K
≈ 0028 (004B K 0029)

1F11B (L) PARENTHESIZED LATIN CAPITAL LETTER L
≈ 0028 (004C L 0029)
1F11C (M) PARENTHESIZED LATIN CAPITAL LETTER M
≈ 0028 (004D M 0029)
1F11D (N) PARENTHESIZED LATIN CAPITAL LETTER N
≈ 0028 (004E N 0029)
1F11E (O) PARENTHESIZED LATIN CAPITAL LETTER O
≈ 0028 (004F O 0029)
1F11F (P) PARENTHESIZED LATIN CAPITAL LETTER P
≈ 0028 (0050 P 0029)
1F120 (Q) PARENTHESIZED LATIN CAPITAL LETTER Q
≈ 0028 (0051 Q 0029)
1F121 (R) PARENTHESIZED LATIN CAPITAL LETTER R
≈ 0028 (0052 R 0029)
1F122 (S) PARENTHESIZED LATIN CAPITAL LETTER S
≈ 0028 (0053 S 0029)
1F123 (T) PARENTHESIZED LATIN CAPITAL LETTER T
≈ 0028 (0054 T 0029)
1F124 (U) PARENTHESIZED LATIN CAPITAL LETTER U
≈ 0028 (0055 U 0029)
1F125 (V) PARENTHESIZED LATIN CAPITAL LETTER V
≈ 0028 (0056 V 0029)
1F126 (W) PARENTHESIZED LATIN CAPITAL LETTER W
≈ 0028 (0057 W 0029)
1F127 (X) PARENTHESIZED LATIN CAPITAL LETTER X
≈ 0028 (0058 X 0029)
1F128 (Y) PARENTHESIZED LATIN CAPITAL LETTER Y
≈ 0028 (0059 Y 0029)
1F129 (Z) PARENTHESIZED LATIN CAPITAL LETTER Z
≈ 0028 (005A Z 0029)

Latin letter with tortoise shell brackets

1F12A [S] TORTOISE SHELL BRACKETED LATIN CAPITAL LETTER S
= baseball scoring
≈ 3014 (0053 S 3015)

Circled italic Latin letters

1F12B © CIRCLED ITALIC LATIN CAPITAL LETTER C
= compact disc or single disc record
≈ <circle> 0043 C
1F12C ® CIRCLED ITALIC LATIN CAPITAL LETTER R
= disc record
≈ <circle> 0052 R

Circled Latin letters

- 1F12D Ⓛ CIRCLED CD
→ 33C5 cd square cd
≈ <circle> 0043 C 0044 D
- 1F12E Ⓜ CIRCLED WZ
• from the German term "Warenzeichen"
• indicates a trademarked term without making a legal claim of trademark status
≈ <circle> 0057 W 007A Z

Squared Latin letters

- 1F130 Ⓝ SQUARED LATIN CAPITAL LETTER A
≈ <square> 0041 A
- 1F131 Ⓞ SQUARED LATIN CAPITAL LETTER B
= b-mode stereo compression broadcasting service ARIB STD B24
≈ <square> 0042 B
- 1F132 Ⓟ SQUARED LATIN CAPITAL LETTER C
≈ <square> 0043 C
- 1F133 Ⓠ SQUARED LATIN CAPITAL LETTER D
≈ <square> 0044 D
- 1F134 Ⓡ SQUARED LATIN CAPITAL LETTER E
≈ <square> 0045 E
- 1F135 Ⓢ SQUARED LATIN CAPITAL LETTER F
= fire station, Feuerwache
≈ <square> 0046 F
- 1F136 Ⓣ SQUARED LATIN CAPITAL LETTER G
≈ <square> 0047 G
- 1F137 Ⓤ SQUARED LATIN CAPITAL LETTER H
= Hotel
≈ <square> 0048 H
- 1F138 Ⓥ SQUARED LATIN CAPITAL LETTER I
≈ <square> 0049 I
- 1F139 Ⓦ SQUARED LATIN CAPITAL LETTER J
≈ <square> 004A J
- 1F13A Ⓧ SQUARED LATIN CAPITAL LETTER K
≈ <square> 004B K
- 1F13B Ⓨ SQUARED LATIN CAPITAL LETTER L
≈ <square> 004C L
- 1F13C Ⓩ SQUARED LATIN CAPITAL LETTER M
= Museum
≈ <square> 004D M
- 1F13D ⓐ SQUARED LATIN CAPITAL LETTER N
= news ARIB STD B24
≈ <square> 004E N
- 1F13E ⓑ SQUARED LATIN CAPITAL LETTER O
≈ <square> 004F O
- 1F13F ⓒ SQUARED LATIN CAPITAL LETTER P
= progressive broadcasting ARIB STD B24
= Parking, Parkplatz
≈ <square> 0050 P
- 1F140 ⓓ SQUARED LATIN CAPITAL LETTER Q
≈ <square> 0051 Q
- 1F141 ⓔ SQUARED LATIN CAPITAL LETTER R
≈ <square> 0052 R
- 1F142 ⓕ SQUARED LATIN CAPITAL LETTER S
= stereo broadcasting service ARIB STD B24
= School, Schule
≈ <square> 0053 S
- 1F143 ⓖ SQUARED LATIN CAPITAL LETTER T
≈ <square> 0054 T

- 1F144 ⓗ SQUARED LATIN CAPITAL LETTER U
= Underground railway, U-Bahn
≈ <square> 0055 U
- 1F145 ⓘ SQUARED LATIN CAPITAL LETTER V
≈ <square> 0056 V
- 1F146 ⓙ SQUARED LATIN CAPITAL LETTER W
= wide-format 16:9 broadcasting service ARIB STD B24
≈ <square> 0057 W
- 1F147 ⓚ SQUARED LATIN CAPITAL LETTER X
≈ <square> 0058 X
- 1F148 ⓛ SQUARED LATIN CAPITAL LETTER Y
≈ <square> 0059 Y
- 1F149 ⓜ SQUARED LATIN CAPITAL LETTER Z
≈ <square> 005A Z
- 1F14A ⓝ SQUARED HV
= hdtv
≈ <square> 0048 H 0056 V
- 1F14B ⓞ SQUARED MV
= multi-view television
≈ <square> 004D M 0056 V
- 1F14C ⓟ SQUARED SD
= sdtv
≈ <square> 0053 S 0044 D
- 1F14D ⓠ SQUARED SS
= surround stereo broadcasting service
≈ <square> 0053 S 0053 S
- 1F14E ⓡ SQUARED PPV
= pay-per-view
≈ <square> 0050 P 0050 P 0056 V
- 1F14F ⓢ SQUARED WC
= public toilet, water closet
≈ <square> 0057 W 0043 C

Negative circled Latin letters

- 1F150 ⓑ NEGATIVE CIRCLED LATIN CAPITAL LETTER A
- 1F151 ⓒ NEGATIVE CIRCLED LATIN CAPITAL LETTER B
- 1F152 ⓓ NEGATIVE CIRCLED LATIN CAPITAL LETTER C
- 1F153 ⓔ NEGATIVE CIRCLED LATIN CAPITAL LETTER D
- 1F154 ⓕ NEGATIVE CIRCLED LATIN CAPITAL LETTER E
- 1F155 ⓖ NEGATIVE CIRCLED LATIN CAPITAL LETTER F
- 1F156 ⓗ NEGATIVE CIRCLED LATIN CAPITAL LETTER G
- 1F157 ⓧ NEGATIVE CIRCLED LATIN CAPITAL LETTER H
= hotel ARIB STD B24
= Haltstelle (bus stop)
- 1F158 ⓨ NEGATIVE CIRCLED LATIN CAPITAL LETTER I
- 1F159 ⓩ NEGATIVE CIRCLED LATIN CAPITAL LETTER J
- 1F15A ⓪ NEGATIVE CIRCLED LATIN CAPITAL LETTER K
- 1F15B ⓫ NEGATIVE CIRCLED LATIN CAPITAL LETTER L
- 1F15C ⓬ NEGATIVE CIRCLED LATIN CAPITAL LETTER M
= Metro

1F15D	Ⓐ	NEGATIVE CIRCLED LATIN CAPITAL LETTER N
1F15E	Ⓑ	NEGATIVE CIRCLED LATIN CAPITAL LETTER O
1F15F	Ⓒ	NEGATIVE CIRCLED LATIN CAPITAL LETTER P = parking space ARIB STD B24
1F160	Ⓓ	NEGATIVE CIRCLED LATIN CAPITAL LETTER Q
1F161	Ⓔ	NEGATIVE CIRCLED LATIN CAPITAL LETTER R = Raststätte (rest stop)
1F162	Ⓕ	NEGATIVE CIRCLED LATIN CAPITAL LETTER S = Stadtbahn (metropolitan railway)
1F163	Ⓖ	NEGATIVE CIRCLED LATIN CAPITAL LETTER T = Tankstelle (petrol station)
1F164	Ⓗ	NEGATIVE CIRCLED LATIN CAPITAL LETTER U = underground rail
1F165	Ⓘ	NEGATIVE CIRCLED LATIN CAPITAL LETTER V
1F166	Ⓙ	NEGATIVE CIRCLED LATIN CAPITAL LETTER W
1F167	Ⓘ	NEGATIVE CIRCLED LATIN CAPITAL LETTER X
1F168	Ⓙ	NEGATIVE CIRCLED LATIN CAPITAL LETTER Y
1F169	Ⓘ	NEGATIVE CIRCLED LATIN CAPITAL LETTER Z

Negative squared Latin letters

The square edges may be slightly rounded.

1F170	Ⓐ	NEGATIVE SQUARED LATIN CAPITAL LETTER A = blood type A
1F171	Ⓑ	NEGATIVE SQUARED LATIN CAPITAL LETTER B = blood type B
1F172	Ⓒ	NEGATIVE SQUARED LATIN CAPITAL LETTER C
1F173	Ⓓ	NEGATIVE SQUARED LATIN CAPITAL LETTER D
1F174	Ⓔ	NEGATIVE SQUARED LATIN CAPITAL LETTER E
1F175	Ⓕ	NEGATIVE SQUARED LATIN CAPITAL LETTER F = fire station, Feuerwache
1F176	Ⓖ	NEGATIVE SQUARED LATIN CAPITAL LETTER G
1F177	Ⓗ	NEGATIVE SQUARED LATIN CAPITAL LETTER H
1F178	Ⓘ	NEGATIVE SQUARED LATIN CAPITAL LETTER I
1F179	Ⓙ	NEGATIVE SQUARED LATIN CAPITAL LETTER J = junction ARIB STD B24
1F17A	Ⓙ	NEGATIVE SQUARED LATIN CAPITAL LETTER K
1F17B	Ⓛ	NEGATIVE SQUARED LATIN CAPITAL LETTER L = leisure centre ARIB STD B24

1F17C	Ⓜ	NEGATIVE SQUARED LATIN CAPITAL LETTER M = museum or cultural centre ARIB STD B24
1F17D	Ⓝ	NEGATIVE SQUARED LATIN CAPITAL LETTER N
1F17E	Ⓞ	NEGATIVE SQUARED LATIN CAPITAL LETTER O = blood type O
1F17F	Ⓟ	NEGATIVE SQUARED LATIN CAPITAL LETTER P = parking space empty-full ARIB STD B24
1F180	Ⓡ	NEGATIVE SQUARED LATIN CAPITAL LETTER Q
1F181	Ⓣ	NEGATIVE SQUARED LATIN CAPITAL LETTER R
1F182	Ⓢ	NEGATIVE SQUARED LATIN CAPITAL LETTER S
1F183	Ⓣ	NEGATIVE SQUARED LATIN CAPITAL LETTER T
1F184	Ⓤ	NEGATIVE SQUARED LATIN CAPITAL LETTER U
1F185	Ⓥ	NEGATIVE SQUARED LATIN CAPITAL LETTER V
1F186	Ⓦ	NEGATIVE SQUARED LATIN CAPITAL LETTER W
1F187	Ⓧ	NEGATIVE SQUARED LATIN CAPITAL LETTER X
1F188	Ⓨ	NEGATIVE SQUARED LATIN CAPITAL LETTER Y
1F189	Ⓩ	NEGATIVE SQUARED LATIN CAPITAL LETTER Z
1F18A	ⓒ	CROSSED WHITE ON BLACK SQUARED LATIN CAPITAL LETTER P = parking space closed
1F18B	ⓓ	WHITE ON BLACK SQUARED IC = interchange or ramp
1F18C	ⓔ	WHITE ON BLACK SQUARED PA = parking area
1F18D	ⓕ	WHITE ON BLACK SQUARED SA = service area
1F18E	ⓖ	WHITE ON BLACK SQUARED AB = blood type AB
1F18F	ⓗ	WHITE ON BLACK SQUARED WC = public toilet, water closet
1F190	DJ	SQUARE DJ = disc jockey ≈ <square> 0044 D 004A J

	1F20	1F21	1F22	1F23	1F24	1F25	1F26	1F27	1F28	1F29	1F2A	1F2B	1F2C	1F2D	1F2E	1F2F
0	ほか	一	後	遊	(三)	得										
1		コ	三	手	禁	(二)	可									
2		サ	中	打	空	勝										
3		二	投	合	安											
4		交	指	滿	打											
5		再	捕	有	敗											
6		初	料	月	本											
7		前	新	申	点											
8		双	映	割	盜											
9		右	演	宮												
A		吹	無													
B		声	生													
C		多	終													
D		天	解													
E		字	販													
F		左	走													
	1F200	1F210	1F220	1F230	1F240	1F250										
	1F21A	1F22A														
	1F21B	1F22B														
	1F21C	1F22C														
	1F21D	1F22D														
	1F21E	1F22E														
	1F21F	1F22F														

UTC: 2009-02-06
WG2: \$\$\$\$
contact: Markus Scherer
document: L2/09-026
font: Apple Emojii
target: Am07

Square hiragana from ARIB STD B24

1F200 ほか SQUARE HIRAGANA HOKA
= and others
≈ <square> 307B ほ 304B か

Square katakanas

1F201 𩫔 SQUARED KATAKANA KOKO
= here sign
≈ <square> 30B3 𩫔 30B3 𩫔

1F202 𩫕 SQUARED KATAKANA SA
= service sign
→ 32DA 𩫕 circled katakana sa
≈ <square> 30B5 𩫕

Squared ideographs from ARIB STD B24

1F210 𩫑 SQUARED CJK UNIFIED IDEOGRAPH-4E00
= first base
≈ <square> 4E00 一

1F211 𩫒 SQUARED CJK UNIFIED IDEOGRAPH-4E09
= third base
≈ <square> 4E09 三

1F212 𩫓 SQUARED CJK UNIFIED IDEOGRAPH-4E2D
= center field
≈ <square> 4E2D 中

1F213 𩫔 SQUARED CJK UNIFIED IDEOGRAPH-4E8C
= second base
= bilingual broadcasting service
≈ <square> 4E8C 二

1F214 𩫕 SQUARED CJK UNIFIED IDEOGRAPH-4EA4
= traffic information
≈ <square> 4EA4 交

1F215 𩫖 SQUARED CJK UNIFIED IDEOGRAPH-518D
= rebroadcast
≈ <square> 518D 再

1F216 𩫗 SQUARED CJK UNIFIED IDEOGRAPH-521D
= first released program
≈ <square> 521D 初

1F217 𩫘 SQUARED CJK UNIFIED IDEOGRAPH-524D
= the first part
≈ <square> 524D 前

1F218 𩫙 SQUARED CJK UNIFIED IDEOGRAPH-53CC
= two-way broadcasting service
≈ <square> 53CC 双

1F219 𩫚 SQUARED CJK UNIFIED IDEOGRAPH-53F3
= right field
≈ <square> 53F3 右

1F21A 𩫛 SQUARED CJK UNIFIED IDEOGRAPH-5439
= dubbed version
≈ <square> 5439 吹

1F21B 𩫜 SQUARED CJK UNIFIED IDEOGRAPH-58F0
= voice actors
≈ <square> 58F0 声

1F21C 𩫟 SQUARED CJK UNIFIED IDEOGRAPH-591A
= sound-multiplex broadcasting service
≈ <square> 591A 多

1F21D 𩫠 SQUARED CJK UNIFIED IDEOGRAPH-5929
= weather forecast
≈ <square> 5929 天

1F21E 𩫡 SQUARED CJK UNIFIED IDEOGRAPH-5B57
= close-captioned broadcasting
≈ <square> 5B57 字

1F21F 𩫢 SQUARED CJK UNIFIED IDEOGRAPH-5DE6
= left field
≈ <square> 5DE6 左

1F220 𩫤 SQUARED CJK UNIFIED IDEOGRAPH-5F8C
= the latter part
≈ <square> 5F8C 後

1F221 𩫥 SQUARED CJK UNIFIED IDEOGRAPH-624B
= broadcasting service with sign language interpretation
≈ <square> 624B 手

1F222 𩫦 SQUARED CJK UNIFIED IDEOGRAPH-6253
= batter
≈ <square> 6253 打

1F223 𩫧 SQUARED CJK UNIFIED IDEOGRAPH-6295
= pitcher
≈ <square> 6295 投

1F224 𩫨 SQUARED CJK UNIFIED IDEOGRAPH-6307
= designated hitter
≈ <square> 6307 指

1F225 𩫩 SQUARED CJK UNIFIED IDEOGRAPH-6355
= catcher
≈ <square> 6355 捕

1F226 𩫪 SQUARED CJK UNIFIED IDEOGRAPH-6599
= pay broadcasting
≈ <square> 6599 料

1F227 𩫮 SQUARED CJK UNIFIED IDEOGRAPH-65B0
= new series of programme
≈ <square> 65B0 新

1F228 𩫯 SQUARED CJK UNIFIED IDEOGRAPH-6620
= drama film
≈ <square> 6620 映

1F229 𩫱 SQUARED CJK UNIFIED IDEOGRAPH-6F14
= performed by
≈ <square> 6F14 演

1F22A 𩫲 SQUARED CJK UNIFIED IDEOGRAPH-7121
= free broadcasting service
≈ <square> 7121 無

1F22B 𩫳 SQUARED CJK UNIFIED IDEOGRAPH-751F
= live broadcast
≈ <square> 751F 生

1F22C 𩫴 SQUARED CJK UNIFIED IDEOGRAPH-7D42
= the last episode
≈ <square> 7D42 終

1F22D 𩫵 SQUARED CJK UNIFIED IDEOGRAPH-89E3
= commentary broadcasting
≈ <square> 89E3 解

1F22E 𩫶 SQUARED CJK UNIFIED IDEOGRAPH-8CA9
= mail-order
≈ <square> 8CA9 販

1F22F 𩫷 SQUARED CJK UNIFIED IDEOGRAPH-8D70
= runner
≈ <square> 8D70 走

1F230 𩫸 SQUARED CJK UNIFIED IDEOGRAPH-904A
= short stop
≈ <square> 904A 遊

Squared ideographs

- 1F231 禁 SQUARED CJK UNIFIED IDEOGRAPH-7981
= prohibited sign
≈ <square> 7981 禁
- 1F232 空 SQUARED CJK UNIFIED IDEOGRAPH-7A7A
= empty sign
≈ <square> 7A7A 空
- 1F233 合 SQUARED CJK UNIFIED IDEOGRAPH-5408
= passed sign
≈ <square> 5408 合
- 1F234 满 SQUARED CJK UNIFIED IDEOGRAPH-6E80
= full sign
≈ <square> 6E80 满
- 1F235 有 SQUARED CJK UNIFIED IDEOGRAPH-6709
= existence sign
→ 3292 有 circled ideograph have
≈ <square> 6709 有
- 1F236 月 SQUARED CJK UNIFIED IDEOGRAPH-6708
= monthly sign
→ 328A 月 circled ideograph moon
≈ <square> 6708 月
- 1F237 申 SQUARED CJK UNIFIED IDEOGRAPH-7533
= application sign
≈ <square> 7533 申
- 1F238 割 SQUARED CJK UNIFIED IDEOGRAPH-5272
= discount sign
≈ <square> 5272 割
- 1F239 評 SQUARED CJK UNIFIED IDEOGRAPH-55B6
= in business sign
≈ <square> 55B6 評

Ideographs with tortoise shell brackets from ARIB STD B24

- 1F240 三 TORTOISE SHELL BRACKETED CJK UNIFIED IDEOGRAPH-4E09
= triple
≈ <compat> 3014 (4E09 三 3015)
- 1F241 二 TORTOISE SHELL BRACKETED CJK UNIFIED IDEOGRAPH-4E8C
= double
≈ <compat> 3014 (4E8C 二 3015)
- 1F242 勝 TORTOISE SHELL BRACKETED CJK UNIFIED IDEOGRAPH-52DD
= win
≈ <compat> 3014 (52DD 勝 3015)
- 1F243 安 TORTOISE SHELL BRACKETED CJK UNIFIED IDEOGRAPH-5B89
= safe or single?
≈ <compat> 3014 (5B89 安 3015)
- 1F244 打 TORTOISE SHELL BRACKETED CJK UNIFIED IDEOGRAPH-6253
= hit
≈ <compat> 3014 (6253 打 3015)
- 1F245 敗 TORTOISE SHELL BRACKETED CJK UNIFIED IDEOGRAPH-6557
= loss
≈ <compat> 3014 (6557 敗 3015)
- 1F246 本 TORTOISE SHELL BRACKETED CJK UNIFIED IDEOGRAPH-672C
= home run
≈ <compat> 3014 (672C 本 3015)

- 1F247 翳 TORTOISE SHELL BRACKETED CJK UNIFIED IDEOGRAPH-70B9
= run
≈ <compat> 3014 (70B9 翳 3015)
- 1F248 盜 TORTOISE SHELL BRACKETED CJK UNIFIED IDEOGRAPH-76D7
= walk or error?
≈ <compat> 3014 (76D7 盜 3015)

Circled ideographs

- 1F250 々 CIRCLED IDEOGRAPH ADVANTAGE
= advantage sign
≈ <circle> 5F97 得
- 1F251 々 CIRCLED IDEOGRAPH ACCEPT
= accept sign
≈ <circle> 53EF 可

1F30 1F31 1F32 1F33 1F34 1F35 1F36 1F37 1F38 1F39 1F3A 1F3B 1F3C 1F3D 1F3E 1F3F														
0 1F300	9 1F310	1F320 1F311	1F330 1F312	1F340 1F313	1F350 1F314	1F360 1F315	1F370 1F316	1F380 1F317	1F390 1F318	1F3A0 1F319	1F3B0 1F31A	1F3C0 1F31B	1F3D0 1F31C	1F3E0 1F31D
1 1F301	1F331 1F312	1F341 1F313	1F351 1F314	1F361 1F315	1F371 1F316	1F381 1F317	1F391 1F318	1F3A1 1F319	1F3B1 1F31A	1F3C1 1F31B	1F3D1 1F31C			
2 1F302	1F332 1F312	1F342 1F313	1F352 1F314	1F362 1F315	1F372 1F316	1F382 1F317	1F392 1F318	1F3A2 1F319	1F3B2 1F31A	1F3C2 1F31B	1F3D2 1F31C			
3 1F303	1F333 1F312	1F343 1F313	1F353 1F314	1F363 1F315	1F373 1F316	1F383 1F317	1F393 1F318	1F3A3 1F319	1F3B3 1F31A	1F3C3 1F31B	1F3D3 1F31C			
4 1F304	1F334 1F312	1F344 1F313	1F354 1F314	1F364 1F315	1F374 1F316	1F384 1F317		1F3A4 1F318	1F3B4 1F319	1F3C4 1F31A	1F3D4 1F31B			
5 1F305	1F335 1F312	1F345 1F313	1F355 1F314	1F365 1F315	1F375 1F316	1F385 1F317		1F3A5 1F318	1F3B5 1F319	1F3C5 1F31A	1F3D5 1F31B			
6 1F306	1F336 1F312	1F346 1F313	1F356 1F314	1F366 1F315	1F376 1F316	1F386 1F317		1F3A6 1F318	1F3B6 1F319	1F3C6 1F31A	1F3D6 1F31B			
7 1F307	1F337 1F312	1F347 1F313	1F357 1F314	1F367 1F315	1F377 1F316	1F387 1F317		1F3A7 1F318	1F3B7 1F319	1F3C7 1F31A	1F3D7 1F31B			
8 1F308	1F338 1F312	1F348 1F313	1F358 1F314	1F368 1F315	1F378 1F316	1F388 1F317		1F3A8 1F318	1F3B8 1F319	1F3C8 1F31A	1F3D8 1F31B			
9 1F309	1F339 1F312	1F349 1F313	1F359 1F314	1F369 1F315	1F379 1F316	1F389 1F317		1F3A9 1F318	1F3B9 1F319	1F3C9 1F31A	1F3D9 1F31B			
A 1F30A	1F33A 1F312	1F34A 1F313	1F35A 1F314	1F36A 1F315	1F37A 1F316	1F38A 1F317		1F3AA 1F318	1F3BA 1F319	1F3CA 1F31A	1F3DA 1F31B			
B 1F30B	1F33B 1F312	1F34B 1F313	1F35B 1F314	1F36B 1F315	1F37B 1F316	1F38B 1F317		1F3AB 1F318	1F3BB 1F319		1F3DB 1F31A			
C 1F30C	1F33C 1F312	1F34C 1F313	1F35C 1F314	1F36C 1F315	1F37C 1F316	1F38C 1F317		1F3AC 1F318	1F3BC 1F319		1F3DC 1F31A			
D 1F30D	1F33D 1F312	1F34D 1F313	1F35D 1F314	1F36D 1F315		1F38D 1F316		1F3AD 1F317	1F3BD 1F318		1F3DD 1F319			
E 1F30E	1F33E 1F312	1F34E 1F313	1F35E 1F314	1F36E 1F315		1F38E 1F316		1F3AE 1F317	1F3BE 1F318		1F3DE 1F319			
F 1F30F	1F33F 1F312	1F34F 1F313	1F35F 1F314	1F36F 1F315		1F38F 1F316		1F3AF 1F317	1F3BF 1F318		1F3DF 1F319			

UTC: 2009-02-06
WG2: \$\$\$\$
contact: Markus Scherer
document: L2/09-026
font: Apple Emoji
target: Amd7

Geographical symbols

- 1F300 ⚭ CYCLONE
= typhoon, hurricane
1F301 ☁ FOGGY
1F302 ☂ CLOSED UMBRELLA
1F303 ☀ NIGHT WITH STARS
1F304 ☁ SUNRISE OVER MOUNTAINS
1F305 ☀ SUNRISE
1F306 ☁ CITYSCAPE AT DUSK
1F307 ☁ SUNSET OVER BUILDINGS
1F308 ☀ RAINBOW
1F309 ☀ BRIDGE AT NIGHT
1F30A ⚪ WATER WAVE
1F30B ☁ VOLCANO

Astronomical symbols

- 1F30C ☿ MILKY WAY
1F30D 🌎 EARTH GLOBE WITH MERIDIANS
= international
1F30E 🌏 EARTH GLOBE EUROPE-AFRICA
1F30F 🌏 EARTH GLOBE ASIA-AUSTRALIA
1F310 🌏 EARTH GLOBE AMERICAS

Moon, sun, and star symbols

- 1F311 ☽ NEW MOON SYMBOL
1F312 ☾ WAXING CRESCENT MOON SYMBOL
1F313 ☿ FIRST QUARTER MOON SYMBOL
→ 263D ☽ first quarter moon
1F314 ☿ WAXING GIBBOUS MOON SYMBOL
1F315 ☽ FULL MOON SYMBOL
1F316 ☾ WANING GIBBOUS MOON SYMBOL
1F317 ☾ LAST QUARTER MOON SYMBOL
→ 263E ☽ last quarter moon
1F318 ☾ WANING CRESCENT MOON SYMBOL
1F319 ☽ CRESCENT MOON
• indicates either first or last quarter moon
→ 263D ☽ first quarter moon
→ 263E ☽ last quarter moon
1F31A ☽ NEW MOON WITH FACE
1F31B ☽ FIRST QUARTER MOON WITH FACE
1F31C ☽ LAST QUARTER MOON WITH FACE
1F31D ☽ FULL MOON WITH FACE
1F31E ☽ SUN WITH FACE
= sun in splendour
1F31F ☽ GLOWING STAR
1F320 ☽ SHOOTING STAR

Plant symbols

- 1F330 ☺ CHESTNUT
1F331 ☺ SEEDLING
1F332 ☺ EVERGREEN TREE
1F333 ☺ DECIDUOUS TREE
1F334 ☺ PALM TREE
1F335 ☺ SAGUARO CACTUS
1F336 ☺ POTTED CACTUS
1F337 ☺ TULIP
1F338 ☺ CHERRY BLOSSOM
1F339 ☺ ROSE
1F33A ☺ HIBISCUS
1F33B ☺ SUNFLOWER

- 1F33C ☺ DAISY
= blossom
1F33D ☺ EAR OF MAIZE
1F33E ☺ EAR OF RICE
1F33F ☺ HERB
1F340 ☺ FOUR LEAFED CLOVER
→ 2618 ☺ shamrock
1F341 ☺ MAPLE LEAF
1F342 ☺ LEAF
1F343 ☺ LEAF FLUTTERING IN WIND
1F344 ☺ MUSHROOM

Fruit symbols

- 1F345 ☺ TOMATO
1F346 ☺ AUBERGINE
= eggplant
1F347 ☺ GRAPES
1F348 ☺ MELON
1F349 ☺ WATERMELON
1F34A ☺ TANGERINE
1F34B ☺ LEMON
1F34C ☺ BANANA
1F34D ☺ PINEAPPLE
1F34E ☺ APPLE-1
1F34F ☺ APPLE-2
1F350 ☺ PEAR
1F351 ☺ PEACH
1F352 ☺ CHERRIES
1F353 ☺ STRAWBERRY

Food symbols

- 1F354 ☺ HAMBURGER
= fast food restaurant
1F355 ☺ SLICE OF PIZZA
1F356 ☺ MEAT ON BONE
1F357 ☺ POULTRY LEG
1F358 ☺ RICE CRACKER
1F359 ☺ RICE BALL
1F35A ☺ COOKED RICE
= bowl of rice
1F35B ☺ CURRY AND RICE
= Japanese style curry
1F35C ☺ STEAMING BOWL
= ramen noodles, rice donburi
1F35D ☺ SPAGHETTI
1F35E ☺ BREAD
1F35F ☺ FRENCH FRIES
1F360 ☺ ROASTED SWEET POTATO
1F361 ☺ MOCHI BALLS ON SKEWER
1F362 ☺ SEAFOOD ON SKEWER
1F363 ☺ SUSHI
1F364 ☺ FRIED SHRIMP
1F365 ☺ FISH CAKE WITH SWIRL DESIGN
1F366 ☺ SOFT ICE CREAM
1F367 ☺ SHAVED ICE
1F368 ☺ ICE CREAM
1F369 ☺ DOUGHNUT
1F36A ☺ COOKIE
= biscuit
1F36B ☺ CHOCOLATE BAR
1F36C ☺ CANDY

1F36D		LOLLIPOP
1F36E		CUSTARD
1F36F		HONEY POT
1F370		SHORTCAKE
1F371		LUNCHBOX
1F372		POT OF FOOD
1F373		FRYING PAN = cooking utensil = cooking
1F374		FORK AND KNIFE = restaurant, meal • glyph may show a fork and spoon • glyph may show a crossed fork and knife • glyph may show a fork and knife with a plate

Beverage symbols

1F375		TEACUP WITHOUT HANDLE → 26FE
1F376		SAKE BOTTLE AND CUP
1F377		WINE GLASS
1F378		COCKTAIL GLASS
1F379		TROPICAL DRINK
1F37A		BEER MUG
1F37B		CLINKING BEER MUGS = cheers
1F37C		BABY BOTTLE

Celebration symbols

1F380		RIBBON
1F381		WRAPPED PRESENT
1F382		BIRTHDAY CAKE
1F383		JACK O LANTERN = Hallowe'en
1F384		CHRISTMAS TREE
1F385		SANTA CLAUS = Father Christmas
1F386		FIREWORKS
1F387		FIREWORK SPARKLER • long, stick-like firework that looks like a burning incense stick
1F388		BALLOON
1F389		PARTY POPPER
1F38A		CONFETTI BALL = congratulations
1F38B		TANABATA TREE = tanabata tree with wishing papers
1F38C		CROSSED FLAGS • Japanese national holiday
1F38D		PINE DECORATION • Japanese new year's door decoration
1F38E		GIRLS DOLL FESTIVAL
1F38F		CARP STREAMER
1F390		WIND CHIME
1F391		MOON VIEWING CEREMONY
1F392		SCHOOL SATCHEL • Japanese school entrance ceremony
1F393		GRADUATION CAP • graduation ceremony

Entertainment symbols

1F3A0		CAROUSEL HORSE = amusement park
-------	--	------------------------------------

1F3A1		FERRIS WHEEL = amusement park
1F3A2		ROLLER COASTER
1F3A3		FISHING = fishing pole and fish
1F3A4		MICROPHONE = karaoke
1F3A5		FILM = movie
1F3A6		CINEMA = movie theatre = movie projector
1F3A7		HEADPHONE = music
1F3A8		ART = painter's palette
1F3A9		TOP HAT = drama, performing arts, theatre
1F3AA		EVENT = circus tent
1F3AB		TICKET = indicate an event
1F3AC		MOVIE SHOOTING CLAPBOARD
1F3AD		PERFORMING ARTS

Game symbols

1F3AE		VIDEO GAME = video game controller
1F3AF		ARCHERY TARGET → 25CE bullseye
1F3B0		SLOT MACHINE
1F3B1		BILLIARDS
1F3B2		GAME DIE
1F3B3		BOWLING
1F3B4		FLOWER PLAYING CARDS = flower cards

Music symbols

1F3B5		MUSICAL NOTE = music, being in good mood → 266A ♪ eighth note
1F3B6		MULTIPLE MUSICAL NOTES = dancing notes, mood, melody
1F3B7		SAXOPHONE
1F3B8		GUITAR
1F3B9		MUSICAL KEYBOARD
1F3BA		TRUMPET
1F3BB		VIOLIN
1F3BC		MUSICAL SCORE → 1D11E ♫ musical symbol g clef

Sport symbols

1F3BD		RUNNING SHIRT WITH SASH
1F3BE		TENNIS
1F3BF		SKIING → 26F7 ⛷ skier
1F3C0		BASKETBALL
1F3C1		CHECKERED FLAG = motor sports
1F3C2		SNOWBOARDER
1F3C3		RUNNER = running, marathon, track and fields

- 1F3C4 ⚓ SURFER
= surfing
- 1F3C5 ⚔ WATER SKIER
- 1F3C6 ⚕ TROPHY
- 1F3C7 ⚖ HORSE RACING
- 1F3C8 ⚘ AMERICAN FOOTBALL
- 1F3C9 ⚙ RUGBY FOOTBALL
- 1F3CA ⚗ SWIMMER

Building and map symbols

- 1F3D0 🏠 HOUSE BUILDING
- 1F3D1 🏡 HOUSE WITH GARDEN
- 1F3D2 🏢 OFFICE BUILDING
- 1F3D3 🏤 JAPANESE POST OFFICE
→ 3012 ⏵ postal mark
- 1F3D4 🏪 EUROPEAN POST OFFICE
- 1F3D5 🏥 HOSPITAL
- 1F3D6 🏦 BANK
- 1F3D7 🏴 ATM
= automatic teller machine
- 1F3D8 🏨 HOTEL
- 1F3D9 🏮 LOVE HOTEL
- 1F3DA 🏫 CONVENIENCE STORE
- 1F3DB 🏫 SCHOOL
- 1F3DC 🏫 DEPARTMENT STORE
- 1F3DD 🏭 FACTORY
- 1F3DE 🍔 IZAKAYA LANTERN
= japanese izakaya restaurant
- 1F3DF 🏯 JAPANESE CASTLE
- 1F3E0 🏯 EUROPEAN CASTLE

	1F40	1F41	1F42	1F43	1F44	1F45	1F46	1F47	1F48	1F49	1F4A
0											
1											
2											
3											
4											
5											
6											
7											
8											
9											
A											
B											
C											
D											
E											
F											

UTC: 2009-02-06
WG2 \$\$\$
contact: Markus Scherer
document: L2/09-026
font: AppleEmoji
target: Amd7

Animal symbols

- 1F400 RAT
• first of the signs of the Asian zodiac
- 1F401 MOUSE
• first of the signs of the Asian zodiac, used in Persia
- 1F402 OX
• second of the signs of the Asian zodiac
- 1F403 WATER BUFFALO
• second of the signs of the Asian zodiac, used in Vietnam
- 1F404 COW
• indicates beef (on menus)
- 1F405 TIGER
• third of the signs of the Asian zodiac
- 1F406 LEOPARD
- 1F407 RABBIT
• fourth of the signs of the Asian zodiac
- 1F408 CAT
• fourth of the signs of the Asian zodiac, used in Vietnam
- 1F409 DRAGON
• fifth of the signs of the Asian zodiac
- 1F40A SNAIL
• fifth of the signs of the Asian zodiac, used in Kazakhstan
- 1F40B CROCODILE
• alligator
• fifth of the signs of the Asian zodiac, used in Persia
- 1F40C WHALE
• fifth of the signs of the Asian zodiac, used in Persia
- 1F40D SNAKE
• sixth of the signs of the Asian zodiac
- 1F40E HORSE
• seventh of the signs of the Asian zodiac
= riding, equestrian sports
- 1F40F RAM
• eighth of the signs of the Asian zodiac
- 1F410 GOAT
• eighth of the signs of the Asian zodiac, used in Vietnam
- 1F411 SHEEP
- 1F412 MONKEY
• ninth of the signs of the Asian zodiac
- 1F413 ROOSTER
= cock
• tenth of the signs of the Asian zodiac
- 1F414 CHICKEN
= hen
• indicates poultry (on menus)
- 1F415 DOG
• eleventh of the signs of the Asian zodiac
- 1F416 PIG
• twelfth of the signs of the Asian zodiac
• indicates pork (on menus)
- 1F417 BOAR
• twelfth of the signs of the Asian zodiac, used in Japan

- 1F418 ELEPHANT
• twelfth of the signs of the Asian zodiac, used in Thailand
- 1F419 OCTOPUS
- 1F41A SPIRAL SHELL
- 1F41B CENTIPEDE
- 1F41C ANT
- 1F41D HONEYBEE
- 1F41E LADYBIRD
= ladybug, lady beetle, coccinellids
- 1F41F FISH
- 1F420 TROPICAL FISH
- 1F421 BLOWFISH
- 1F422 FROG
- 1F423 TURTLE
- 1F424 HATCHING CHICK
- 1F425 BABY CHICK
- 1F426 FRONT-FACING BABY CHICK
- 1F427 BIRD
- 1F428 PENGUIN
- 1F429 KOALA
- 1F42A KANGAROO
- 1F42B HAMSTER
- 1F42C BEAR
- 1F42D PANDA
- 1F42E WOLF
- 1F42F POODLE
- 1F430 DROMEDARY CAMEL
- 1F431 BACTRIAN CAMEL
- 1F432 DEER
- 1F433 REINDEER
- 1F434 DOLPHIN
- 1F435 MONKEY FACE
- 1F436 PIG NOSE
- 1F437 PAW PRINTS

Facial parts symbols

- 1F440 EYES
- 1F441 EYE
- 1F442 EAR
- 1F443 NOSE
- 1F444 MOUTH
- 1F445 TONGUE

Hand signal symbols

- 1F446 FISTED HAND
= punch
- 1F447 THUMBS UP SIGN
- 1F448 WHITE UP POINTING BACKHAND INDEX
- 1F449 WHITE DOWN POINTING BACKHAND INDEX
- 1F44A WHITE LEFT POINTING BACKHAND INDEX
- 1F44B WHITE RIGHT POINTING BACKHAND INDEX
- 1F44C WAVING HAND
- 1F44D CLAPPING HANDS
- 1F44E OK HAND SIGN
- 1F44F THUMBS DOWN SIGN
- 1F450 OPEN HANDS

Clothing and accessories

- 1F451 CROWN
 1F452 WOMANS HAT
 1F453 EYEGLASSES
 1F454 NECKTIE
 1F455 T-SHIRT
 1F456 JEANS
 1F457 DRESS
 1F458 KIMONO
 1F459 BIKINI
 1F45A WOMANS CLOTHES
 1F45B PURSE
 1F45C HANDBAG
 1F45D POUCH
 1F45E MANS SHOE
 1F45F TENNIS SHOE
 = sneaker, runner
 1F460 HIGH-HEELED SHOE
 1F461 WOMANS SANDAL
 1F462 WOMANS BOOTS
 1F463 FOOTPRINTS

Portrait and role symbols

- 1F464 BUST IN SILHOUETTE
 = guest account
 1F465 BUSTS IN SILHOUETTE
 = accounts
 1F466 BOYS HEAD
 1F467 GIRLS HEAD
 1F468 MANS HEAD
 1F469 WOMANS HEAD
 1F46A FAMILY
 1F46B COUPLE
 1F46C POLICE OFFICER
 1F46D WOMAN WITH BUNNY EARS
 1F46E BRIDE WITH VEIL
 1F46F MAN WITH BLOND HAIR
 = Euro-American person
 1F470 WOMAN WITH BLOND HAIR
 1F471 MAN WITH GUA PI MAO
 1F472 MAN WITH TURBAN
 1F473 OLDER MAN
 1F474 OLDER WOMAN
 1F475 BABY
 1F476 CONSTRUCTION WORKER

Fairy tale symbols

- 1F477 PRINCESS
 1F478 OGRE
 1F479 GOBLIN
 1F47A GHOST
 1F47B CHERUB
 1F47C EXTRATERRESTRIAL ALIEN
 1F47D ALIEN MONSTER
 1F47E MONSTER
 1F47F SKULL

Role symbols

- 1F480 INFORMATION DESK PERSON
 1F481 GUARDSMAN
 1F482 DANCER

Personal care symbols

- 1F483 LIPSTICK
 1F484 NAIL CARE
 1F485 FACE MASSAGE
 1F486 HAIRCUT
 • usually indicates a beauty parlor
 1F487 BARBER POLE

Medical symbols

- 1F488 SYRINGE
 1F489 PILL

Romance symbols

- 1F48A KISS MARK
 = lips
 1F48B LOVE LETTER
 1F48C RING
 = jewelry
 1F48D GEM STONE
 1F48E KISS
 = two people kissing
 1F48F BOUQUET
 1F490 COUPLE WITH HEART
 1F491 WEDDING
 = wedding chapel

Heart symbols

- 1F492 BEATING HEART
 1F493 BROKEN HEART
 1F494 TWO HEARTS
 1F495 SPARKLING HEART
 1F496 GROWING HEART
 1F497 HEART WITH ARROW
 1F498 HEART-1
 1F499 HEART-2
 1F49A HEART-3
 1F49B HEART-4
 1F49C HEART WITH RIBBON
 1F49D REVOLVING HEARTS
 1F49E HEART DECORATION

Comic-book style symbols

- 1F4A0 DIAMOND SHAPE WITH A DOT INSIDE
 1F4A1 ELECTRIC LIGHT BULB
 = idea
 1F4A2 ANGER SIGN
 1F4A3 BOMB
 1F4A4 SLEEPING SIGN
 1F4A5 COLLISION SYMBOL
 1F4A6 SPLASHING SWEAT
 1F4A7 DRIP
 1F4A8 DASH SYMBOL
 = running dash
 1F4A9 DOG DIRT
 = dung
 1F4AA FLEXED BICEP
 = strong, muscled
 1F4AB DIZZY SYMBOL
 = circling stars
 1F4AC SPEECH BALLOON
 = comic-book conversation bubble

1F4AD 💬 THOUGHT BALLOON

Japanese school grade symbols

1F4AE ☺ WHITE FLOWER

= brilliant homework

1F4AF 💯 HUNDRED POINTS SYMBOL

= perfect score

	1F4B	1F4C	1F4D	1F4E	1F4F
0	FREE	12 34			
1	18	♫♪@%			
2	OK	A B C			
3	NG	ID			
4	VS	CL			
5	NEW				
6	UP!				
7	COOL				
8	TOP				
9	SOS				
A	➡ SOON				
B	↔ ON!				
C	⬅ END				
D	⬅ BACK				
E	AB CD				
F	ab cd				

Letterlike Symbols

- 1F4B0 FREE SIGN
= free postage
- 1F4B1 NO ONE UNDER EIGHTEEN SIGN
- 1F4B2 OK SIGN
- 1F4B3 NO GOOD SIGN
- 1F4B4 VS SIGN
= versus
- 1F4B5 NEW SIGN
- 1F4B6 UP SIGN
= new information, update
- 1F4B7 COOL SIGN
- 1F4B8 TOP WITH UP-POINTING TRIANGLE SIGN
= top of page
- 1F4B9 SOS SIGN
= search, hunt for missing person

Time symbols

- 1F4BA SOON WITH RIGHT ARROW ABOVE
- 1F4BB ON WITH DOUBLE POINTING ARROW ABOVE
- 1F4BC END WITH LEFT ARROW ABOVE
- 1F4BD BACK WITH LEFT ARROW ABOVE

User interface input status symbols

- 1F4BE LATIN CAPITAL LETTERS INPUT SYMBOL
- 1F4BF LATIN SMALL LETTERS INPUT SYMBOL
- 1F4C0 NUMBERS INPUT SYMBOL
- 1F4C1 SYMBOLS INPUT SYMBOL
- 1F4C2 LATIN LETTERS INPUT SYMBOL
= English input (ABC)

User interface symbols

- 1F4C3 IDENTIFICATION SIGN
- 1F4C4 CLEAR SIGN

	1F50	1F51	1F52	1F53	1F54	1F55	1F56	1F57
0	กระเป๋าเงิน (1F500)	DVD (1F510)	ตรี角形 (1F520)	เอกสาร (1F530)	โทรศัพท์ (1F540)	ลูกศร (1F550)	เสือ (1F560)	▲ (1F570)
1	ธนบัตร (1F501)	หนังสือ (1F511)	เอกสาร (1F521)	ดาวเทียม (1F531)	โทรศัพท์ (1F541)	ลูกศร (1F551)	ไม้ตัดหญ้า (1F561)	▼ (1F571)
2	ดอลลาร์ (1F502)	หนังสือ (1F512)	เอกสาร (1F522)	เสา (1F532)	โทรศัพท์ (1F542)	ล็อก (1F552)	หัวใจ (1F562)	นาฬิกา (1F572)
3	บัตรเดบิต (1F503)	เอกสาร (1F513)	เอกสาร (1F523)	ลำโพง (1F533)	โทรศัพท์ (1F543)	ล็อก (1F553)	ดาวหلال (1F563)	นาฬิกา (1F573)
4	เยน (1F504)	เอกสาร (1F514)	เอกสาร (1F524)	ปากกา (1F534)	ห้าม (1F544)	กุญแจ (1F554)	หัวใจ (1F564)	นาฬิกา (1F574)
5	ดอลลาร์ (1F505)	ปฏิทิน (1F515)	เอกสาร (1F525)	ขึ้น (1F535)	โทรทัศน์ (1F545)	กล้อง (1F555)	เรือสำราญ (1F565)	นาฬิกา (1F575)
6	ยูโร (1F506)	ปฏิทิน (1F516)	เอกสาร (1F526)	ตู้ของขวัญ (1F536)	เลขที่ 10 (1F546)	จ่าย (1F556)	หน้าจอ (1F566)	นาฬิกา (1F576)
7	ปอนด์ (1F507)	ถุงเงิน (1F517)	บันได (1F527)	ของขวัญ (1F537)	กล้อง (1F547)	เชือก (1F557)	หน้าจอ (1F567)	นาฬิกา (1F577)
8	กระดาษ (1F508)	กราฟ (1F518)	บันได (1F528)	เอกสาร (1F538)	หนังสือ (1F548)	ไฟ (1F558)	วงกลม (1F568)	นาฬิกา (1F578)
9	กราฟ (1F509)	กราฟ (1F519)	บันได (1F529)	จดหมาย (1F539)	โทรทัศน์ (1F549)	火 (1F559)	วงกลม (1F569)	นาฬิกา (1F579)
A	เก้าอี้ (1F50A)	บันได (1F51A)	เอกสาร (1F52A)	จดหมาย (1F53A)	วิทยุ (1F54A)	ไฟฉาย (1F55A)	◇ (1F56A)	นาฬิกา (1F57A)
B	คอมพิวเตอร์ (1F50B)	เอกสาร (1F51B)	เครื่องเขียน (1F52B)	โทรศัพท์ (1F53B)	วิดีโอ (1F54B)	ไขควง (1F55B)	◇ (1F56B)	นาฬิกา (1F57B)
C	กระเป๋าเดินทาง (1F50C)	เข็มขัด (1F51C)	ผ้าพันคอ (1F52C)	โทรศัพท์ (1F53C)	ดวงอาทิตย์ (1F54C)	ไขควง (1F55C)	◆ (1F56C)	นาฬิกา (1F57C)
D	ดิสก์ (1F50D)	กุญแจ (1F51D)	เอกสาร (1F52D)	กล่อง (1F53D)	ดวงอาทิตย์ (1F54D)	หัวใจ (1F55D)	◆ (1F56D)	นาฬิกา (1F57D)
E	floppy disk (1F50E)	ปากกา (1F51E)	โทรศัพท์ (1F52E)	ตา (1F53E)	แบตเตอรี่ (1F54E)	ช้อน (1F55E)	▲ (1F56E)	
F	ดิสก์ (1F50F)	ดินสอ (1F51F)	เครื่องเขียน (1F52F)	เอกสาร (1F53F)	สายชาร์จ (1F54F)	ปืน (1F55F)	▽ (1F56F)	

Money symbols

1F500	MONEY BAG
1F501	CURRENCY EXCHANGE
1F502	HEAVY DOLLAR SIGN
1F503	CREDIT CARD
1F504	BANKNOTE WITH YEN SIGN
1F505	BANKNOTE WITH DOLLAR SIGN
1F506	BANKNOTE WITH EURO SIGN
1F507	BANKNOTE WITH POUND SIGN
1F508	MONEY WITH WINGS
1F509	CHART WITH UPWARDS TREND AND YEN SYMBOL

Office symbols

1F50A	SEAT
1F50B	COMPUTER
1F50C	BRIEFCASE
1F50D	MINI DISC
1F50E	FLOPPY DISK
1F50F	OPTICAL DISK
1F510	DVD
1F511	FILE FOLDER
1F512	OPEN FILE FOLDER
1F513	PAGE WITH CURL
1F514	PAGE FACING UP
1F515	CALENDAR
1F516	TEAR OFF CALENDAR
1F517	CARD INDEX
1F518	CHART WITH UPWARDS TREND
1F519	CHART WITH DOWNWARDS TREND
1F51A	BAR CHART
1F51B	CLIPBOARD
1F51C	PUSHPIN
1F51D	ROUND PUSHPIN
1F51E	PAPERCLIP
1F51F	STRAIGHT RULER
1F520	TRIANGULAR RULER
1F521	BOOKMARK TABS
1F522	LEDGER
1F523	NOTEBOOK
1F524	NOTEBOOK WITH DECORATIVE COVER
1F525	VERTICAL CLOSED BOOK
1F526	OPEN BOOK
1F527	BOOK-1
1F528	BOOK-2
1F529	BOOK-3
1F52A	BOOKS
1F52B	NAME BADGE
1F52C	SCROLL

Communication symbols

1F52D	MEMO
1F52E	TELEPHONE RECEIVER
1F52F	PAGER
1F530	FAX
1F531	SATELLITE ANTENNA = position indicator, news
1F532	TRANSMISSION TOWER = Tokyo Tower, Space Needle, Berliner Fernsehturm, etc.
1F533	PUBLIC ADDRESS LOUDSPEAKER

1F534 CHEERING MEGAPHONE

1F535 OUTBOX TRAY

1F536 INBOX TRAY

1F537 PACKAGE

1F538 E-MAIL SYMBOL

1F539 INCOMING ENVELOPE

→ 2709 envelope

1F53A ENVELOPE WITH ARROW

• sending mail

1F53B MAILBOX

= letter box, mail reception

1F53C MAILBOX WITH RAISED FLAG

1F53D POSTBOX

= mailbox for sending mail

1F53E POSTAL HORN

1F53F NEWSPAPER

1F540 MOBILE PHONE

1F541 PHONE WITH ARROW

• making a phone call

1F542 VIBRATION MODE

1F543 MOBILE PHONE OFF

1F544 NO MOBILE PHONES

1F545 ANTENNA WITH BARS

= cellular reception

1F546 KEYCAP TEN

Audio and video

1F547 CAMERA

1F548 VIDEO CAMERA

1F549 TELEVISION

1F54A RADIO

1F54B VIDEO CASSETTE TAPE

Tool symbols

1F54C DIM SCREEN SYMBOL

1F54D BRIGHT SCREEN SYMBOL

1F54E BATTERY

1F54F ELECTRIC PLUG

1F550 LEFT-POINTING MAGNIFYING GLASS

= search

1F551 RIGHT-POINTING MAGNIFYING GLASS

= get more details

1F552 LOCK WITH INK PEN

= privacy

1F553 CLOSED LOCK WITH KEY

= secure

1F554 KEY

1F555 RADIO BUTTON

1F556 BOOKMARK

1F557 LINK SYMBOL

1F558 FIRE

1F559 MATCH

1F55A ELECTRIC TORCH

= flashlight

1F55B WRENCH

1F55C HAMMER

1F55D NUT AND BOLT

1F55E KNIFE

1F55F PISTOL

1F560 MICROSCOPE

1F561 TELESCOPE

- 1F562 ⚜ CRYSTAL BALL
 1F563 ⚪ SIX POINTED STAR WITH MIDDLE DOT
 1F564 ⚫ JAPANESE SYMBOL FOR BEGINNER
 1F565 ⚬ TRIDENT EMBLEM

Geometric shapes

- 1F566 ■ BLACK ROUNDED SQUARE
 1F567 □ WHITE ROUNDED SQUARE
 1F568 ● LARGE CIRCLE-1
 → 25EF large circle
 → 2B24 ● black large circle
 1F569 ● LARGE CIRCLE-2
 → 25EF large circle
 → 2B55 checkered large circle
 1F56A ◆ LARGE DIAMOND-1
 1F56B ◆ LARGE DIAMOND-2
 1F56C ◆ SMALL DIAMOND-1
 1F56D ◆ SMALL DIAMOND-2

User interface symbols

- 1F56E ▲ UP-POINTING TRIANGLE-1
 1F56F ▼ DOWN-POINTING TRIANGLE-1
 1F570 ▲ UP-POINTING SMALL TRIANGLE-1
 = play arrow up
 1F571 ▼ DOWN-POINTING SMALL TRIANGLE-1
 = play arrow down
 1F572 ⌂ CLOCK FACE ONE OCLOCK
 1F573 ⌂ CLOCK FACE TWO OCLOCK
 1F574 ⌂ CLOCK FACE THREE OCLOCK
 1F575 ⌂ CLOCK FACE FOUR OCLOCK
 1F576 ⌂ CLOCK FACE FIVE OCLOCK
 1F577 ⌂ CLOCK FACE SIX OCLOCK
 1F578 ⌂ CLOCK FACE SEVEN OCLOCK
 1F579 ⌂ CLOCK FACE EIGHT OCLOCK
 1F57A ⌂ CLOCK FACE NINE OCLOCK
 1F57B ⌂ CLOCK FACE TEN OCLOCK
 1F57C ⌂ CLOCK FACE ELEVEN OCLOCK
 1F57D ⌂ CLOCK FACE TWELVE OCLOCK

	1F58	1F59	1F5A	1F5B	1F5C	1F5D	1F5E	1F5F
0	🚀 1F580	🚌 1F590	🎬 1F5A0	🚽 1F5B0	🚾 1F5C0			
1	🚁 1F581	🚑 1F591	🚤 1F5A1	🚫 1F5B1	🚻 1F5C1			
2	🚂 1F582	🚐 1F592	🏛️ 1F5A2	🚲 1F5B2	🚹 1F5C2			
3	🚋 1F583	🚕 1F593	🏊 1F5A3	🚫 1F5B3	🛤️ 1F5C3			
4	⛴️ 1F584	🚕 1F594	🚣 1F5A4	🚴 1F5B4	🧳 1F5C4			
5	🚎 1F585	🚕 1F595	🚧 1F5A5	🛴 1F5B5				
6	🚏 1F586	🚕 1F596	🚦 1F5A6	🚶 1F5B6				
7	🚈 1F587	🚗 1F597	🚧 1F5A7	🚫 1F5B7				
8	🚏 1F588	🚗 1F598	⚠️ 1F5A8	🚶‍♂️ 1F5B8				
9	🚏 1F589	🚐 1F599	🚩 1F5A9	👤 1F5B9				
A	🚏 1F58A	🚚 1F59A	✉️ 1F5AA	👤 1F5BA				
B	🚏 1F58B	🚚 1F59B	🚫 1F5AB	👤 👤 1F5BB				
C	🚌 1F58C	🚜 1F59C	🚽 1F5AC	👶 1F5BC				
D	🚌 1F58D	🚋 1F59D	🚫 1F5AD	🛁 1F5BD				
E	🚌 1F58E	🚋 1F59E	🚺 1F5AE	🚿 1F5BE				
F	桅 1F58F	🚋 1F59F	🚫 1F5AF	🚾 1F5BF				

Vehicles

1F580	rocket	ROCKET
1F581	helicopter	HELICOPTER
1F582	steam locomotive	STEAM LOCOMOTIVE
1F583	railway car	RAILWAY CAR
1F584	high-speed train	HIGH-SPEED TRAIN
1F585	high-speed train with bullet nose	HIGH-SPEED TRAIN WITH BULLET NOSE
1F586	intercity train	INTERCITY TRAIN
1F587	underground train	UNDERGROUND TRAIN = metro, subway
1F588	light rail	LIGHT RAIL
1F589	station	STATION = train, subway station
1F58A	tram	TRAM
1F58B	tram car	TRAM CAR
1F58C	bus-1	BUS-1
1F58D	bus-2	BUS-2
1F58E	trolleybus	TROLLEYBUS
1F58F	bus stop	BUS STOP
1F590	minibus	MINIBUS
1F591	ambulance	AMBULANCE
1F592	fire engine	FIRE ENGINE
1F593	police car-1	POLICE CAR-1
1F594	police car-2	POLICE CAR-2
1F595	taxi-1	TAXI-1
1F596	taxi-2	TAXI-2
1F597	automobile-1	AUTOMOBILE-1
1F598	automobile-2	AUTOMOBILE-2
1F599	recreational vehicle	RECREATIONAL VEHICLE
1F59A	truck	TRUCK
1F59B	articulated lorry	ARTICULATED LORRY
1F59C	tractor	TRACTOR
1F59D	monorail	MONORAIL
1F59E	mountain railway	MOUNTAIN RAILWAY
1F59F	suspension railway	SUSPENSION RAILWAY
1F5A0	mountain cableway	MOUNTAIN CABLEWAY
1F5A1	aerial tramway	AERIAL TRAMWAY
1F5A2	ship	SHIP → 26F4 ferry
1F5A3	rowboat	ROWBOAT
1F5A4	speedboat	SPEEDBOAT

Traffic signs

1F5A5	horizontal traffic light	HORIZONTAL TRAFFIC LIGHT
1F5A6	vertical traffic light	VERTICAL TRAFFIC LIGHT
1F5A7	construction sign	CONSTRUCTION SIGN
1F5A8	rotating beacon	ROTATING BEACON

Signage and other symbols

1F5A9	triangular flag on post	TRIANGULAR FLAG ON POST = location information
1F5AA	door	DOOR
1F5AB	no entry sign	NO ENTRY SIGN → 26D4 no entry
1F5AC	smoking symbol	SMOKING SYMBOL
1F5AD	no smoking symbol	NO SMOKING SYMBOL
1F5AE	put litter in its place symbol	PUT LITTER IN ITS PLACE SYMBOL
1F5AF	do not litter symbol	DO NOT LITTER SYMBOL
1F5B0	potable water symbol	POTABLE WATER SYMBOL
1F5B1	non-potable water symbol	NON-POTABLE WATER SYMBOL

	1F60	1F61	1F62	1F63	1F64
0	😊	😊	😢	😢	
1	😊	😊	😊	😺	
2	😘	😁	😌	😺	
3	😘	😁	😌	☠️	
4	😘	😁	😊	☺️	
5	😘	😊	😊	😴	
6	😑	😊	😊	😴	
7	😍	😢	😊	🦉	
8	😃	😁	😎	🐵	
9):-)	😢	😐	keppe	
A):-)	😢	😺	keppe	
B):-)	😢	😺	keppe	
C	😍	😊	😺	keppe	
D):-)	😢	😺	keppe	
E):-)	😢	😺		
F	⠇	😱	😺		

Emoticons

1F600	ಠ	ANGRY FACE
1F601	ಠ	ANGUISHED FACE
1F602	ಠ	ASTONISHED FACE
1F603	ಠ	DISAPPOINTED FACE
1F604	ಠ	DIZZY FACE
1F605	ಠ	EXASPERATED FACE
1F606	Ѡ	EXPRESSIONLESS FACE
1F607	Ѡ	FACE WITH HEART SHAPED EYES
1F608	Ѡ	FACE WITH LOOK OF TRIUMPH
1F609	Ѡ	WINKING FACE WITH STUCK OUT TONGUE
1F60A	Ѡ	FACE WITH STUCK OUT TONGUE
1F60B	Ѡ	FACE SAVORING DELICIOUS FOOD
1F60C	Ѡ	FACE THROWING A KISS
1F60D	Ѡ	FACE KISSING
1F60E	Ѡ	FACE WITH MASK
1F60F	Ѡ	FLUSHED FACE
1F610	Ѡ	HAPPY FACE WITH OPEN MOUTH
1F611	Ѡ	HAPPY FACE WITH OPEN MOUTH AND COLD SWEAT
1F612	Ѡ	HAPPY FACE WITH OPEN MOUTH AND CLOSED EYES
1F613	Ѡ	HAPPY FACE WITH GRIN
1F614	Ѡ	HAPPY AND CRYING FACE
1F615	Ѡ	HAPPY FACE WITH WIDE MOUTH AND RAISED EYEBROWS
1F616	Ѡ	HAPPY FACE WITH OPEN MOUTH AND RAISED EYEBROWS
1F617	Ѡ	CRYING FACE
1F618	Ѡ	LOUDLY CRYING FACE
1F619	Ѡ	FEARFUL FACE
1F61A	Ѡ	PERSEVERING FACE
1F61B	Ѡ	POUTING FACE
1F61C	Ѡ	RELIEVED FACE
1F61D	Ѡ	CONFOUNDED FACE
1F61E	Ѡ	PENSIVE FACE
1F61F	Ѡ	FACE SCREAMING IN FEAR
1F620	Ѡ	SLEEPY FACE
1F621	Ѡ	SMIRKING FACE
1F622	Ѡ	FACE WITH COLD SWEAT
1F623	Ѡ	DISAPPOINTED BUT RELIEVED FACE
1F624	Ѡ	TIRED FACE
1F625	Ѡ	WINKING FACE
1F626	Ѡ	FACE WITH HALO
1F627	Ѡ	FACE WITH HORNS
1F628	Ѡ	FACE WITH SUNGLASSES
1F629	Ѡ	DEADPAN FACE

Emoticons with cat faces

1F62A	😺	CAT FACE WITH OPEN MOUTH
1F62B	😺	HAPPY CAT FACE WITH GRIN
1F62C	😺	HAPPY AND CRYING CAT FACE
1F62D	😺	CAT FACE KISSING
1F62E	😺	CAT FACE WITH HEART SHAPED EYES
1F62F	😺	CRYING CAT FACE
1F630	😺	POUTING CAT FACE
1F631	😺	CAT FACE WITH TIGHTLY CLOSED LIPS
1F632	😺	ANGUISHED CAT FACE

Gesture symbols

1F633	👤	FACE WITH NO GOOD GESTURE
1F634	👤	FACE WITH OK GESTURE
1F635	👤	PERSON BOWING DEEPLY
1F636	👤	SEE NO EVIL MONKEY
1F637	👤	SPEAK NO EVIL MONKEY
1F638	👤	HEAR NO EVIL MONKEY
1F639	👤	PERSON RAISING ONE HAND
1F63A	👤	PERSON RAISING BOTH HANDS IN CHEERS
1F63B	👤	PERSON FROWNING
1F63C	👤	PERSON WITH POUTING FACE
1F63D	👤	PERSON WITH FOLDED HANDS

	1F70	1F71	1F72	1F73	1F74	1F75	1F76	1F77
0	QE	Ѡ	Ѡ	Ѿ	Ӯ	Ӯ	Ӯ	Ӯ
1	triangle	Ѡ	Ѡ°	Ѡ	Ӯ	Ӯ	Ӯ	Ӯ
2	triangle	ѿ	ѿ	ѿ	ѿ	ѿ	ѿ	ѿ
3	triangle	ѿ	ѿ	ѿ	ѿ	ѿ	ѿ	ѿ
4	triangle	Ѡ	Ѡ	ѿ	ѿ	ѿ	ѿ	ѿ
5	triangle	Ѡ	ѿ	ѿ	ѿ	ѿ	ѿ	
6	triangle	Ѡ	ѿ	ѿ	ѿ	ѿ	ѿ	
7	triangle	Ѡ	ѿ	ѿ	ѿ	ѿ	ѿ	
8	V	Ѡ	ѿ	ѿ	ѿ	ѿ	ѿ	
9	Ѡ	ѿ	ѿ	ѿ	ѿ	ѿ	ѿ	
A	ѿ	ѿ	ѿ	ѿ	ѿ	ѿ	ѿ	
B	ѿ	ѿ	ѿ	ѿ	ѿ	ѿ	ѿ	
C	ѿ	ѿ	ѿ	ѿ	ѿ	ѿ	ѿ	
D	ѿ	ѿ	ѿ	ѿ	ѿ	ѿ	ѿ	
E	ѿ	ѿ	ѿ	ѿ	ѿ	ѿ	ѿ	
F	ѿ	ѿ	ѿ	ѿ	ѿ	ѿ	ѿ	

UTC: 2009-02-06
WG2: \$\$\$
contact: William R.
Newman
document L2/09-037
font: --
target: Amd7

Aristotelian elements symbols

- 1F700 Ⓢ ALCHEMICAL SYMBOL FOR QUINTESSENCE
 1F701 Ⓡ ALCHEMICAL SYMBOL FOR AIR
 1F702 Ⓡ ALCHEMICAL SYMBOL FOR FIRE
 → 25B3 white up-pointing triangle
 1F703 Ⓣ ALCHEMICAL SYMBOL FOR EARTH
 → 2641 ♂ earth
 1F704 Ⓤ ALCHEMICAL SYMBOL FOR WATER
 → 25BD white down-pointing triangle

Symbols for important solvents

- 1F705 Ⓥ ALCHEMICAL SYMBOL FOR AQUAFORTIS
 1F706 Ⓦ ALCHEMICAL SYMBOL FOR AQUA REGIA
 1F707 Ⓧ ALCHEMICAL SYMBOL FOR AQUA REGIA-2
 = balneum arenae (sand bath), lapis armenus (Armenian stone)
 1F708 Ⓨ ALCHEMICAL SYMBOL FOR AQUA-VITAE
 = spiritus vini
 1F709 Ⓩ ALCHEMICAL SYMBOL FOR AQUA-VITAE-2
 1F70A ⓐ ALCHEMICAL SYMBOL FOR VINEGAR
 = crucible; acid; distill; atrament; vitriol; red sulfur; borax; wine; alkali salt; mercurius vivus, quick silver
 → 002B + plus sign
 1F70B ⓑ ALCHEMICAL SYMBOL FOR VINEGAR-2
 = distilled vinegar
 1F70C ⓒ ALCHEMICAL SYMBOL FOR VINEGAR-3

Symbols for sulfur and mercury

- 1F70D ⓔ ALCHEMICAL SYMBOL FOR SULFUR
 = brimstone
 1F70E ⓕ ALCHEMICAL SYMBOL FOR PHILOSOPHERS SULFUR
 1F70F ⓖ ALCHEMICAL SYMBOL FOR BLACK SULFUR
 = sulphur nigra, dye
 1F710 ⓗ ALCHEMICAL SYMBOL FOR MERCURY SUBLIMATE
 → 263F ♀ mercury
 → 1F75E ⓘ alchemical symbol for sublimation
 1F711 ⓙ ALCHEMICAL SYMBOL FOR MERCURY SUBLIMATE-2
 1F712 ⓚ ALCHEMICAL SYMBOL FOR MERCURY SUBLIMATE-3
 1F713 ⓛ ALCHEMICAL SYMBOL FOR CINNABAR

Symbols for salt, vitriol, and niter

- 1F714 ⓜ ALCHEMICAL SYMBOL FOR SALT
 → 25A1 □ white square
 → 2296 ⓘ circled minus
 1F715 ⓝ ALCHEMICAL SYMBOL FOR NITER
 → 29B6 ⓠ circled vertical bar
 1F716 ⓞ ALCHEMICAL SYMBOL FOR VITRIOL
 1F717 ⓟ ALCHEMICAL SYMBOL FOR VITRIOL-2
 1F718 ⓠ ALCHEMICAL SYMBOL FOR ROCK SALT
 = sal gemmae
 1F719 ⓡ ALCHEMICAL SYMBOL FOR ROCK SALT-2

Symbol for gold

- 1F71A ⓢ ALCHEMICAL SYMBOL FOR GOLD
 → 2609 ☽ sun

Symbol for silver

- 1F71B Ⓞ ALCHEMICAL SYMBOL FOR SILVER
 → 263D ☿ first quarter moon
 → 263E ☽ last quarter moon

Symbols for iron, iron ore and derivatives

- 1F71C Ⓠ ALCHEMICAL SYMBOL FOR IRON ORE
 → 2642 ♂ male sign
 1F71D Ⓡ ALCHEMICAL SYMBOL FOR IRON ORE-2
 1F71E Ⓢ ALCHEMICAL SYMBOL FOR CROCUS OF IRON
 = crocus martis, red or yellow calcined powder of iron
 1F71F Ⓣ ALCHEMICAL SYMBOL FOR REGULUS OF IRON
 = regulus martis, scoria from refining stibnite/antimony with iron

Symbols for copper, copper ore and derivatives

- 1F720 ♀ ALCHEMICAL SYMBOL FOR COPPER ORE
 → 2640 ♀ female sign
 1F721 Ⓛ ALCHEMICAL SYMBOL FOR IRON-COPPER ORE
 → 2640 ♀ female sign
 → 2642 ♂ male sign
 → 26A5 ♂ male and female sign
 1F722 Ⓜ SUBLIMATE OF COPPER
 → 2640 ♀ female sign
 → 1F739 Ⓝ alchemical symbol for sal-ammoniac
 1F723 Ⓞ ALCHEMICAL SYMBOL FOR CROCUS OF COPPER
 = crocus veneris, aes ustum
 → 2640 ♀ female sign
 1F724 Ⓟ ALCHEMICAL SYMBOL FOR CROCUS OF COPPER-2
 1F725 Ⓠ ALCHEMICAL SYMBOL FOR COPPER ANTIMONIATE
 = crocus of copper, crocus veneris, lapis haematinus
 → 2640 ♀ female sign
 → 2641 ♂ earth
 1F726 Ⓡ ALCHEMICAL SYMBOL FOR SALT OF COPPER ANTIMONIATE
 → 2640 ♀ female sign
 → 2641 ♂ earth
 → 1F714 ⓜ alchemical symbol for salt
 1F727 Ⓢ ALCHEMICAL SYMBOL FOR SUBLIMATE OF SALT OF COPPER
 → 2640 ♀ female sign
 → 1F714 ⓜ alchemical symbol for salt
 → 1F739 Ⓝ alchemical symbol for sal-ammoniac

1F728 Ⓛ ALCHEMICAL SYMBOL FOR VERDIGRIS
= aes viride, copper subacetate
= early astronomical symbol for earth
→ 2295 ⓘ circled plus

Symbol for tin and tin ore

1F729 ⓘ ALCHEMICAL SYMBOL FOR TIN ORE
→ 2643 ⓘ jupiter

Symbol for lead and lead ore

1F72A ⓘ ALCHEMICAL SYMBOL FOR LEAD ORE
→ 2644 ⓘ saturn

Symbols for antimony, antimony ore and derivatives; regulus

1F72B Ⓜ ALCHEMICAL SYMBOL FOR ANTIMONY ORE
= stibnite
→ 2641 ⓘ earth

1F72C Ⓝ ALCHEMICAL SYMBOL FOR SUBLIMATE OF ANTIMONY
→ 2641 ⓘ earth
→ 1F739 ⓘ alchemical symbol for sal-ammoniac

1F72D Ⓞ ALCHEMICAL SYMBOL FOR SALT OF ANTIMONY
= cinnabar
→ 2641 ⓘ earth
→ 1F714 ⓘ alchemical symbol for salt

1F72E Ⓟ ALCHEMICAL SYMBOL FOR SUBLIMATE OF SALT OF ANTIMONY
→ 2641 ⓘ earth
→ 1F714 ⓘ alchemical symbol for salt
→ 1F739 ⓘ alchemical symbol for sal-ammoniac

1F72F Ⓠ ALCHEMICAL SYMBOL FOR VINEGAR OF ANTIMONY
→ 2641 ⓘ earth
→ 1F739 ⓘ alchemical symbol for sal-ammoniac

1F730 ⓘ ALCHEMICAL SYMBOL FOR REGULUS OF ANTIMONY
= antimony metal

1F731 ⓘ ALCHEMICAL SYMBOL FOR REGULUS OF ANTIMONY-2
→ 2641 ⓘ earth

1F732 ⓘ ALCHEMICAL SYMBOL FOR REGULUS

1F733 ⓘ ALCHEMICAL SYMBOL FOR REGULUS-2

1F734 ⓘ ALCHEMICAL SYMBOL FOR REGULUS-3

1F735 ⓘ ALCHEMICAL SYMBOL FOR REGULUS-4

Symbols for other substances

1F736 ⓘ ALCHEMICAL SYMBOL FOR ALKALI
= sal alkali

1F737 ⓘ ALCHEMICAL SYMBOL FOR ALKALI-2

1F738 ⓘ ALCHEMICAL SYMBOL FOR MARCASITE
= iron pyrite, iron sulfide

1F739 ⓘ ALCHEMICAL SYMBOL FOR SAL-AMMONIAC
= ammonium chloride

→ 002A * asterisk

→ 26B9 * sextile

→ 2733 * eight spoked asterisk

1F73A ⓘ ALCHEMICAL SYMBOL FOR ARSENIC

1F73B ⓘ ALCHEMICAL SYMBOL FOR REALGAR
= arsenic sulfide

1F73C ⓘ ALCHEMICAL SYMBOL FOR REALGAR-2
= arsenic sulfide

1F73D ⓘ ALCHEMICAL SYMBOL FOR AURIPIGMENT
= orpiment
= arsenic trisulfide

1F73E ⓘ ALCHEMICAL SYMBOL FOR BISMUTH ORE
= tinglass
→ 2646 ⓘ neptune

1F73F ⓘ ALCHEMICAL SYMBOL FOR TARTAR
= impure potassium tartrate

1F740 ⓘ ALCHEMICAL SYMBOL FOR TARTAR-2
= impure potassium tartrate

1F741 ⓘ ALCHEMICAL SYMBOL FOR QUICK LIME
= calx viva
= calcium oxide

1F742 ⓘ ALCHEMICAL SYMBOL FOR BORAX

1F743 ⓘ ALCHEMICAL SYMBOL FOR BORAX-2

1F744 ⓘ ALCHEMICAL SYMBOL FOR BORAX-3

1F745 ⓘ ALCHEMICAL SYMBOL FOR ALUM

1F746 ⓘ ALCHEMICAL SYMBOL FOR OIL

1F747 ⓘ ALCHEMICAL SYMBOL FOR SPIRIT

1F748 ⓘ ALCHEMICAL SYMBOL FOR TINCTURE

1F749 ⓘ ALCHEMICAL SYMBOL FOR GUM

1F74A ⓘ ALCHEMICAL SYMBOL FOR WAX

= cera

1F74B ⓘ ALCHEMICAL SYMBOL FOR POWDER

= pulvis

1F74C ⓘ ALCHEMICAL SYMBOL FOR CALX

= calcinare

= oxide residue, calcium oxide

1F74D ⓘ ALCHEMICAL SYMBOL FOR TUTTY

= tutia, crude zinc oxide sublimate

= aes viride

1F74E ⓘ ALCHEMICAL SYMBOL FOR CAPUT MORTUUM

= worthless residue of sublimation or distillation

1F74F ⓘ ALCHEMICAL SYMBOL FOR SCEPTER OF JOVE

1F750 ⓘ ALCHEMICAL SYMBOL FOR CADUCEUS

→ 2624 ⓘ caduceus

1F751 ⓘ ALCHEMICAL SYMBOL FOR TRIDENT

1F752 ⓘ ALCHEMICAL SYMBOL FOR STARRED TRIDENT

1F753 ⓘ ALCHEMICAL SYMBOL FOR LODESTONE

= magnes

1F754 ⓘ ALCHEMICAL SYMBOL FOR SOAP

→ 25CA ⓘ lozenge

1F755 ⓘ ALCHEMICAL SYMBOL FOR URINE

→ 22A1 ⓘ squared dot operator

1F756 ⓘ ALCHEMICAL SYMBOL FOR HORSE DUNG

= fimus equinus

1F757 ⓘ ALCHEMICAL SYMBOL FOR ASHES

= cineres

1F758 ⓘ ALCHEMICAL SYMBOL FOR POT ASHES

= cineres clavellati, alumem

1F759 ⓘ ALCHEMICAL SYMBOL FOR BRICK

- 1F75A ALCHEMICAL SYMBOL FOR POWDERED BRICK
= later cibratus, farina laterum
- 1F75B ALCHEMICAL SYMBOL FOR AMALGAM
- 1F75C ALCHEMICAL SYMBOL FOR STRATUM SUPER STRATUM
- 1F75D ALCHEMICAL SYMBOL FOR STRATUM SUPER STRATUM-2

Processes symbols

- 1F75E ALCHEMICAL SYMBOL FOR SUBLIMATION
→ 260A ascending node
- 1F75F ALCHEMICAL SYMBOL FOR PRECIPITATE
- 1F760 ALCHEMICAL SYMBOL FOR DISTILL
= sublimate
- 1F761 ALCHEMICAL SYMBOL FOR DISSOLVE
- 1F762 ALCHEMICAL SYMBOL FOR DISSOLVE-2
= water, aqua
- 1F763 ALCHEMICAL SYMBOL FOR PURIFY
→ 260B descending node
- 1F764 ALCHEMICAL SYMBOL FOR PUTREFACTION

Apparatus symbols

- 1F765 ALCHEMICAL SYMBOL FOR CRUCIBLE
= tigellum
→ 1F70A alchemical symbol for vinegar
- 1F766 ALCHEMICAL SYMBOL FOR CRUCIBLE-2
- 1F767 ALCHEMICAL SYMBOL FOR CRUCIBLE-3
- 1F768 ALCHEMICAL SYMBOL FOR CRUCIBLE-4
- 1F769 ALCHEMICAL SYMBOL FOR CRUCIBLE-5
- 1F76A ALCHEMICAL SYMBOL FOR ALEMBIC
- 1F76B ALCHEMICAL SYMBOL FOR BATH OF MARY
= balneum mariae
- 1F76C ALCHEMICAL SYMBOL FOR BATH OF VAPORS
= balneum vaporis
- 1F76D ALCHEMICAL SYMBOL FOR RETORT

Time

- 1F76E ALCHEMICAL SYMBOL FOR HOUR
→ 231B hourglass
- 1F76F ALCHEMICAL SYMBOL FOR NIGHT
- 1F770 ALCHEMICAL SYMBOL FOR DAY-NIGHT
- 1F771 ALCHEMICAL SYMBOL FOR MONTH
= mensis
→ 22A0 squared times

Measures

- 1F772 ALCHEMICAL SYMBOL FOR HALF DRAM
= drachma semis
- 1F773 ALCHEMICAL SYMBOL FOR HALF OUNCE
= uncia semis

Zodiacal symbol

- 1F774 OPHIUCHUS

	E020	E021	E022	E023	E024	E025	E026	E027	E028	E029	E02A	E02B	E02C	E02D	E02E
0	AA E0200	AQ E0210	BG E0220	BW E0230	CM E0240	DC E0250	DS E0260	EI E0270	EY E0280	FO E0290	GE E02A0	GU E02B0	HK E02C0	IA E02D0	IQ E02E0
1	AB E0201	AR E0211	BH E0221	BX E0231	CN E0241	DD E0251	DT E0261	EJ E0271	EZ E0281	FP E0291	GF E02A1	GV E02B1	HL E02C1	IB E02D1	IR E02E1
2	AC E0202	AS E0212	BI E0222	BY E0232	CO E0242	DE E0252	DU E0262	EK E0272	FA E0282	FQ E0292	GG E02A2	GW E02B2	HM E02C2	IC E02D2	IS E02E2
3	AD E0203	AT E0213	BJ E0223	BZ E0233	CP E0243	DF E0253	DV E0263	EL E0273	FB E0283	FR E0293	GH E02A3	GX E02B3	HN E02C3	ID E02D3	IT E02E3
4	AE E0204	AU E0214	BK E0224	CA E0234	CQ E0244	DG E0254	DW E0264	EM E0274	FC E0284	FS E0294	GI E02A4	GY E02B4	HO E02C4	IE E02D4	IU E02E4
5	AF E0205	AV E0215	BL E0225	CB E0235	CR E0245	DH E0255	DX E0265	EN E0275	FD E0285	FT E0295	GJ E02A5	GZ E02B5	HP E02C5	IF E02D5	IV E02E5
6	AG E0206	AW E0216	BM E0226	CC E0236	CS E0246	DI E0256	DY E0266	EO E0276	FE E0286	FU E0296	GK E02A6	HA E02B6	HQ E02C6	IG E02D6	IW E02E6
7	AH E0207	AX E0217	BN E0227	CD E0237	CT E0247	DJ E0257	DZ E0267	EP E0277	FF E0287	FV E0297	GL E02A7	HB E02B7	HR E02C7	IH E02D7	IX E02E7
8	AI E0208	AY E0218	BO E0228	CE E0238	CU E0248	DK E0258	EA E0268	EQ E0278	FG E0288	FW E0298	GM E02A8	HC E02B8	HS E02C8	II E02D8	IY E02E8
9	AJ E0209	AZ E0219	BP E0229	CF E0239	CV E0249	DL E0259	EB E0269	ER E0279	FH E0289	FX E0299	GN E02A9	HD E02B9	HT E02C9	IJ E02D9	IZ E02E9
A	AK E020A	BA E021A	BQ E022A	CG E023A	CW E024A	DM E025A	EC E026A	ES E027A	FI E028A	FY E029A	GO E02AA	HE E02BA	HU E02CA	IK E02DA	JA E02EA
B	AL E020B	BB E021B	BR E022B	CH E023B	CX E024B	DN E025B	ED E026B	ET E027B	FJ E028B	FZ E029B	GP E02A8	HF E02B8	HV E02C8	IL E02D8	JB E02E8
C	AM E020C	BC E021C	BS E022C	CI E023C	CY E024C	DO E025C	EE E026C	EU E027C	FK E028C	GA E029C	GQ E02A8	HG E02B8	HW E02C8	IM E02D8	JC E02E8
D	AN E020D	BD E021D	BT E022D	CJ E023D	CZ E024D	DP E025D	EF E026D	EV E027D	FL E028D	GB E029D	GR E02A8	HH E02B8	HX E02C8	IN E02D8	JD E02E8
E	AO E020E	BE E021E	BU E022E	CK E023E	DA E024E	DQ E025E	EG E026E	EW E027E	FM E028E	GC E029E	GS E02A8	HI E02B8	HY E02C8	IO E02D8	JE E02E8
F	AP E020F	BF E021F	BV E022F	CL E023F	DB E024F	DR E025F	EH E026F	EX E027F	FN E028F	GD E029F	GT E02A8	HJ E02B8	HZ E02C8	IP E02D8	JF E02E8

	E02F	E030	E031	E032	E033	E034	E035	E036	E037	E038	E039	E03A	E03B	E03C
0	JG	JW	KM	LC	LS	MI	MY	NO	OE	OU	PK	QA	QQ	RG
	E02F0	E0300	E0310	E0320	E0330	E0340	E0350	E0360	E0370	E0380	E0390	E03A0	E03B0	E03C0
1	JH	JX	KN	LD	LT	MJ	MZ	NP	OF	OV	PL	QB	QR	RH
	E02F1	E0301	E0311	E0321	E0331	E0341	E0351	E0361	E0371	E0381	E0391	E03A1	E03B1	E03C1
2	JU	JY	KO	LE	LU	MK	NA	NQ	OG	OW	PM	QC	QS	RI
	E02F2	E0302	E0312	E0322	E0332	E0342	E0352	E0362	E0372	E0382	E0392	E03A2	E03B2	E03C2
3	JJ	JZ	KP	LF	LV	ML	NB	NR	OH	OX	PN	QD	QT	RJ
	E02F3	E0303	E0313	E0323	E0333	E0343	E0353	E0363	E0373	E0383	E0393	E03A3	E03B3	E03C3
4	JK	KA	KQ	LG	LW	MM	NC	NS	OI	OY	PO	QE	QU	RK
	E02F4	E0304	E0314	E0324	E0334	E0344	E0354	E0364	E0374	E0384	E0394	E03A4	E03B4	E03C4
5	JL	KB	KR	LH	LX	MN	ND	NT	OJ	OZ	PP	QF	QV	RL
	E02F5	E0305	E0315	E0325	E0335	E0345	E0355	E0365	E0375	E0385	E0395	E03A5	E03B5	E03C5
6	JM	KC	KS	LI	LY	MO	NE	NU	OK	PA	PQ	QG	QW	RM
	E02F6	E0306	E0316	E0326	E0336	E0346	E0356	E0366	E0376	E0386	E0396	E03A6	E03B6	E03C6
7	JN	KD	KT	LJ	LZ	MP	NF	NV	OL	PB	PR	QH	QX	RN
	E02F7	E0307	E0317	E0327	E0337	E0347	E0357	E0367	E0377	E0387	E0397	E03A7	E03B7	E03C7
8	JO	KE	KU	LK	MA	MQ	NG	NW	OM	PC	PS	QI	QY	RO
	E02F8	E0308	E0318	E0328	E0338	E0348	E0358	E0368	E0378	E0388	E0398	E03A8	E03B8	E03C8
9	JP	KF	KV	LL	MB	MR	NH	NX	ON	PD	PT	QJ	QZ	RP
	E02F9	E0309	E0319	E0329	E0339	E0349	E0359	E0369	E0379	E0389	E0399	E03A9	E03B9	E03C9
A	JQ	KG	KW	LM	MC	MS	NI	NY	OO	PE	PU	QK	RA	RQ
	E02FA	E030A	E031A	E032A	E033A	E034A	E035A	E036A	E037A	E038A	E039A	E03AA	E03BA	E03CA
B	JR	KH	KX	LN	MD	MT	NJ	NZ	OP	PF	PV	QL	RB	RR
	E02FB	E030B	E031B	E032B	E033B	E034B	E035B	E036B	E037B	E038B	E039B	E03AB	E03BB	E03CB
C	JS	KJ	KY	LO	ME	MU	NK	OA	OQ	PG	PW	QM	RC	RS
	E02FC	E030C	E031C	E032C	E033C	E034C	E035C	E036C	E037C	E038C	E039C	E03AC	E03BC	E03CC
D	JT	KJ	KZ	LP	MF	MV	NL	OB	OR	PH	PX	QN	RD	RT
	E02FD	E030D	E031D	E032D	E033D	E034D	E035D	E036D	E037D	E038D	E039D	E03AD	E03BD	E03CD
E	JU	KK	LA	LQ	MG	MW	NM	OC	OS	PI	PY	QO	RE	RU
	E02FE	E030E	E031E	E032E	E033E	E034E	E035E	E036E	E037E	E038E	E039E	E03AE	E03BE	E03CE
F	JV	KL	LB	LR	MH	MX	NN	OD	OT	PJ	PZ	QP	RF	RV
	E02FF	E030F	E031F	E032F	E033F	E034F	E035F	E036F	E037F	E038F	E039F	E03AF	E03BF	E03CF

	E03D	E03E	E03F	E040	E041	E042	E043	E044	E045	E046	E047	E048	E049	E04A
0	RW	SM	TC	TS	UI	UY	VO	WE	WU	XK	YA	YQ	ZG	ZW
	E03D0	E03E0	E03F0	E0400	E0410	E0420	E0430	E0440	E0450	E0460	E0470	E0480	E0490	E04A0
1	RX	SN	TD	TT	UJ	UZ	VP	WF	WV	XL	YB	YR	ZH	ZX
	E03D1	E03E1	E03F1	E0401	E0411	E0421	E0431	E0441	E0451	E0461	E0471	E0481	E0491	E04A1
2	RY	SO	TE	TU	UK	VA	VQ	WG	WW	XM	YC	YS	ZI	ZY
	E03D2	E03E2	E03F2	E0402	E0412	E0422	E0432	E0442	E0452	E0462	E0472	E0482	E0492	E04A2
3	RZ	SP	TF	TV	UL	VB	VR	WH	WX	XN	YD	YT	ZJ	ZZ
	E03D3	E03E3	E03F3	E0403	E0413	E0423	E0433	E0443	E0453	E0463	E0473	E0483	E0493	E04A3
4	SA	SQ	TG	TW	UM	VC	VS	WI	WY	XO	YE	YU	ZK	
	E03D4	E03E4	E03F4	E0404	E0414	E0424	E0434	E0444	E0454	E0464	E0474	E0484	E0494	
5	SB	SR	TH	TX	UN	VD	VT	WJ	WZ	XP	YF	YV	ZL	
	E03D5	E03E5	E03F5	E0405	E0415	E0425	E0435	E0445	E0455	E0465	E0475	E0485	E0495	
6	SC	SS	TI	TY	UO	VE	VU	WK	XA	XQ	YG	YW	ZM	
	E03D6	E03E6	E03F6	E0406	E0416	E0426	E0436	E0446	E0456	E0466	E0476	E0486	E0496	
7	SD	ST	TJ	TZ	UP	VF	VV	WL	XB	XR	YH	YX	ZN	
	E03D7	E03E7	E03F7	E0407	E0417	E0427	E0437	E0447	E0457	E0467	E0477	E0487	E0497	
8	SE	SU	TK	UA	UQ	VG	VW	WM	XC	XS	YI	YY	ZO	
	E03D8	E03E8	E03F8	E0408	E0418	E0428	E0438	E0448	E0458	E0468	E0478	E0488	E0498	
9	SF	SV	TL	UB	UR	VH	VX	WN	XD	XT	YJ	YZ	ZP	
	E03D9	E03E9	E03F9	E0409	E0419	E0429	E0439	E0449	E0459	E0469	E0479	E0489	E0499	
A	SG	SW	TM	UC	US	VI	VY	WO	XE	XU	YK	ZA	ZQ	
	E03DA	E03EA	E03FA	E040A	E041A	E042A	E043A	E044A	E045A	E046A	E047A	E048A	E049A	
B	SH	SX	TN	UD	UT	VJ	VZ	WP	XF	XV	YL	ZB	ZR	
	E03DB	E03EB	E03FB	E040B	E041B	E042B	E043B	E044B	E045B	E046B	E047B	E048B	E049B	
C	SI	SY	TO	UE	UU	VK	WA	WQ	XG	XW	YM	ZC	ZS	
	E03DC	E03EC	E03FC	E040C	E041C	E042C	E043C	E044C	E045C	E046C	E047C	E048C	E049C	
D	SJ	SZ	TP	UF	UV	VL	WB	WR	XH	XX	YN	ZD	ZT	
	E03DD	E03ED	E03FD	E040D	E041D	E042D	E043D	E044D	E045D	E046D	E047D	E048D	E049D	
E	SK	TA	TQ	UG	UW	VM	WC	WS	XI	XY	YO	ZE	ZU	
	E03DE	E03EE	E03FE	E040E	E041E	E042E	E043E	E044E	E045E	E046E	E047E	E048E	E049E	
F	SL	TB	TR	UH	UX	VN	WD	WT	XJ	XZ	YP	ZF	ZV	
	E03DF	E03EF	E03FF	E040F	E041F	E042F	E043F	E044F	E045F	E046F	E047F	E048F	E049F	

UTC: \$\$\$\$
 WG2: \$\$\$\$
 contact: Michael
 Everson
 document --
 font --
 target --

Symbols for Two-letter Codes

E0200	AA	TWO-LETTER CODE SYMBOL AA
E0201	AB	TWO-LETTER CODE SYMBOL AB
E0202	AC	TWO-LETTER CODE SYMBOL AC
E0203	AD	TWO-LETTER CODE SYMBOL AD
E0204	AE	TWO-LETTER CODE SYMBOL AE
E0205	AF	TWO-LETTER CODE SYMBOL AF
E0206	AG	TWO-LETTER CODE SYMBOL AG
E0207	AH	TWO-LETTER CODE SYMBOL AH
E0208	AI	TWO-LETTER CODE SYMBOL AI
E0209	AJ	TWO-LETTER CODE SYMBOL AJ
E020A	AK	TWO-LETTER CODE SYMBOL AK
E020B	AL	TWO-LETTER CODE SYMBOL AL
E020C	AM	TWO-LETTER CODE SYMBOL AM
E020D	AN	TWO-LETTER CODE SYMBOL AN
E020E	AO	TWO-LETTER CODE SYMBOL AO
E020F	AP	TWO-LETTER CODE SYMBOL AP
E0210	AQ	TWO-LETTER CODE SYMBOL AQ
E0211	AR	TWO-LETTER CODE SYMBOL AR
E0212	AS	TWO-LETTER CODE SYMBOL AS
E0213	AT	TWO-LETTER CODE SYMBOL AT
E0214	AU	TWO-LETTER CODE SYMBOL AU
E0215	AV	TWO-LETTER CODE SYMBOL AV
E0216	AW	TWO-LETTER CODE SYMBOL AW
E0217	AX	TWO-LETTER CODE SYMBOL AX
E0218	AY	TWO-LETTER CODE SYMBOL AY
E0219	AZ	TWO-LETTER CODE SYMBOL AZ
E021A	BA	TWO-LETTER CODE SYMBOL BA
E021B	BB	TWO-LETTER CODE SYMBOL BB
E021C	BC	TWO-LETTER CODE SYMBOL BC
E021D	BD	TWO-LETTER CODE SYMBOL BD
E021E	BE	TWO-LETTER CODE SYMBOL BE
E021F	BF	TWO-LETTER CODE SYMBOL BF
E0220	BG	TWO-LETTER CODE SYMBOL BG
E0221	BH	TWO-LETTER CODE SYMBOL BH
E0222	BI	TWO-LETTER CODE SYMBOL BI
E0223	BJ	TWO-LETTER CODE SYMBOL BJ
E0224	BK	TWO-LETTER CODE SYMBOL BK
E0225	BL	TWO-LETTER CODE SYMBOL BL
E0226	BM	TWO-LETTER CODE SYMBOL BM
E0227	BN	TWO-LETTER CODE SYMBOL BN
E0228	BO	TWO-LETTER CODE SYMBOL BO
E0229	BP	TWO-LETTER CODE SYMBOL BP
E022A	BQ	TWO-LETTER CODE SYMBOL BQ
E022B	BR	TWO-LETTER CODE SYMBOL BR
E022C	BS	TWO-LETTER CODE SYMBOL BS
E022D	BT	TWO-LETTER CODE SYMBOL BT
E022E	BU	TWO-LETTER CODE SYMBOL BU
E022F	BV	TWO-LETTER CODE SYMBOL BV
E0230	BW	TWO-LETTER CODE SYMBOL BW
E0231	BX	TWO-LETTER CODE SYMBOL BX
E0232	BY	TWO-LETTER CODE SYMBOL BY
E0233	BZ	TWO-LETTER CODE SYMBOL BZ
E0234	CA	TWO-LETTER CODE SYMBOL CA
E0235	CB	TWO-LETTER CODE SYMBOL CB
E0236	CC	TWO-LETTER CODE SYMBOL CC
E0237	CD	TWO-LETTER CODE SYMBOL CD
E0238	CE	TWO-LETTER CODE SYMBOL CE
E0239	CF	TWO-LETTER CODE SYMBOL CF

E023A	CG	TWO-LETTER CODE SYMBOL CG
E023B	CH	TWO-LETTER CODE SYMBOL CH
E023C	CI	TWO-LETTER CODE SYMBOL CI
E023D	CJ	TWO-LETTER CODE SYMBOL CJ
E023E	CK	TWO-LETTER CODE SYMBOL CK
E023F	CL	TWO-LETTER CODE SYMBOL CL
E0240	CM	TWO-LETTER CODE SYMBOL CM
E0241	CN	TWO-LETTER CODE SYMBOL CN
E0242	CO	TWO-LETTER CODE SYMBOL CO
E0243	CP	TWO-LETTER CODE SYMBOL CP
E0244	CQ	TWO-LETTER CODE SYMBOL CQ
E0245	CR	TWO-LETTER CODE SYMBOL CR
E0246	CS	TWO-LETTER CODE SYMBOL CS
E0247	CT	TWO-LETTER CODE SYMBOL CT
E0248	CU	TWO-LETTER CODE SYMBOL CU
E0249	CV	TWO-LETTER CODE SYMBOL CV
E024A	CW	TWO-LETTER CODE SYMBOL CW
E024B	CX	TWO-LETTER CODE SYMBOL CX
E024C	CY	TWO-LETTER CODE SYMBOL CY
E024D	CZ	TWO-LETTER CODE SYMBOL CZ
E024E	DA	TWO-LETTER CODE SYMBOL DA
E024F	DB	TWO-LETTER CODE SYMBOL DB
E0250	DC	TWO-LETTER CODE SYMBOL DC
E0251	DD	TWO-LETTER CODE SYMBOL DD
E0252	DE	TWO-LETTER CODE SYMBOL DE
E0253	DF	TWO-LETTER CODE SYMBOL DF
E0254	DG	TWO-LETTER CODE SYMBOL DG
E0255	DH	TWO-LETTER CODE SYMBOL DH
E0256	DI	TWO-LETTER CODE SYMBOL DI
E0257	DJ	TWO-LETTER CODE SYMBOL DJ
E0258	DK	TWO-LETTER CODE SYMBOL DK
E0259	DL	TWO-LETTER CODE SYMBOL DL
E025A	DM	TWO-LETTER CODE SYMBOL DM
E025B	DN	TWO-LETTER CODE SYMBOL DN
E025C	DO	TWO-LETTER CODE SYMBOL DO
E025D	DP	TWO-LETTER CODE SYMBOL DP
E025E	DQ	TWO-LETTER CODE SYMBOL DQ
E025F	DR	TWO-LETTER CODE SYMBOL DR
E0260	DS	TWO-LETTER CODE SYMBOL DS
E0261	DT	TWO-LETTER CODE SYMBOL DT
E0262	DU	TWO-LETTER CODE SYMBOL DU
E0263	DV	TWO-LETTER CODE SYMBOL DV
E0264	DW	TWO-LETTER CODE SYMBOL DW
E0265	DX	TWO-LETTER CODE SYMBOL DX
E0266	DY	TWO-LETTER CODE SYMBOL DY
E0267	DZ	TWO-LETTER CODE SYMBOL DZ
E0268	EA	TWO-LETTER CODE SYMBOL EA
E0269	EB	TWO-LETTER CODE SYMBOL EB
E026A	EC	TWO-LETTER CODE SYMBOL EC
E026B	ED	TWO-LETTER CODE SYMBOL ED
E026C	EE	TWO-LETTER CODE SYMBOL EE
E026D	EF	TWO-LETTER CODE SYMBOL EF
E026E	EG	TWO-LETTER CODE SYMBOL EG
E026F	EH	TWO-LETTER CODE SYMBOL EH
E0270	EI	TWO-LETTER CODE SYMBOL EI
E0271	EJ	TWO-LETTER CODE SYMBOL EJ
E0272	EK	TWO-LETTER CODE SYMBOL EK
E0273	EL	TWO-LETTER CODE SYMBOL EL
E0274	EM	TWO-LETTER CODE SYMBOL EM
E0275	EN	TWO-LETTER CODE SYMBOL EN

E0276	TWO-LETTER CODE SYMBOL EO	E02B2	TWO-LETTER CODE SYMBOL GW
E0277	TWO-LETTER CODE SYMBOL EP	E02B3	TWO-LETTER CODE SYMBOL GX
E0278	TWO-LETTER CODE SYMBOL EQ	E02B4	TWO-LETTER CODE SYMBOL GY
E0279	TWO-LETTER CODE SYMBOL ER	E02B5	TWO-LETTER CODE SYMBOL GZ
E027A	TWO-LETTER CODE SYMBOL ES	E02B6	TWO-LETTER CODE SYMBOL HA
E027B	TWO-LETTER CODE SYMBOL ET	E02B7	TWO-LETTER CODE SYMBOL HB
E027C	TWO-LETTER CODE SYMBOL EU	E02B8	TWO-LETTER CODE SYMBOL HC
E027D	TWO-LETTER CODE SYMBOL EV	E02B9	TWO-LETTER CODE SYMBOL HD
E027E	TWO-LETTER CODE SYMBOL EW	E02BA	TWO-LETTER CODE SYMBOL HE
E027F	TWO-LETTER CODE SYMBOL EX	E02BB	TWO-LETTER CODE SYMBOL HF
E0280	TWO-LETTER CODE SYMBOL EY	E02BC	TWO-LETTER CODE SYMBOL HG
E0281	TWO-LETTER CODE SYMBOL EZ	E02BD	TWO-LETTER CODE SYMBOL HH
E0282	TWO-LETTER CODE SYMBOL FA	E02BE	TWO-LETTER CODE SYMBOL HI
E0283	TWO-LETTER CODE SYMBOL FB	E02BF	TWO-LETTER CODE SYMBOL HJ
E0284	TWO-LETTER CODE SYMBOL FC	E02C0	TWO-LETTER CODE SYMBOL HK
E0285	TWO-LETTER CODE SYMBOL FD	E02C1	TWO-LETTER CODE SYMBOL HL
E0286	TWO-LETTER CODE SYMBOL FE	E02C2	TWO-LETTER CODE SYMBOL HM
E0287	TWO-LETTER CODE SYMBOL FF	E02C3	TWO-LETTER CODE SYMBOL HN
E0288	TWO-LETTER CODE SYMBOL FG	E02C4	TWO-LETTER CODE SYMBOL HO
E0289	TWO-LETTER CODE SYMBOL FH	E02C5	TWO-LETTER CODE SYMBOL HP
E028A	TWO-LETTER CODE SYMBOL FI	E02C6	TWO-LETTER CODE SYMBOL HQ
E028B	TWO-LETTER CODE SYMBOL FJ	E02C7	TWO-LETTER CODE SYMBOL HR
E028C	TWO-LETTER CODE SYMBOL FK	E02C8	TWO-LETTER CODE SYMBOL HS
E028D	TWO-LETTER CODE SYMBOL FL	E02C9	TWO-LETTER CODE SYMBOL HT
E028E	TWO-LETTER CODE SYMBOL FM	E02CA	TWO-LETTER CODE SYMBOL HU
E028F	TWO-LETTER CODE SYMBOL FN	E02CB	TWO-LETTER CODE SYMBOL HV
E0290	TWO-LETTER CODE SYMBOL FO	E02CC	TWO-LETTER CODE SYMBOL HW
E0291	TWO-LETTER CODE SYMBOL FP	E02CD	TWO-LETTER CODE SYMBOL HX
E0292	TWO-LETTER CODE SYMBOL FQ	E02CE	TWO-LETTER CODE SYMBOL HY
E0293	TWO-LETTER CODE SYMBOL FR	E02CF	TWO-LETTER CODE SYMBOL HZ
E0294	TWO-LETTER CODE SYMBOL FS	E02D0	TWO-LETTER CODE SYMBOL IA
E0295	TWO-LETTER CODE SYMBOL FT	E02D1	TWO-LETTER CODE SYMBOL IB
E0296	TWO-LETTER CODE SYMBOL FU	E02D2	TWO-LETTER CODE SYMBOL IC
E0297	TWO-LETTER CODE SYMBOL FV	E02D3	TWO-LETTER CODE SYMBOL ID
E0298	TWO-LETTER CODE SYMBOL FW	E02D4	TWO-LETTER CODE SYMBOL IE
E0299	TWO-LETTER CODE SYMBOL FX	E02D5	TWO-LETTER CODE SYMBOL IF
E029A	TWO-LETTER CODE SYMBOL FY	E02D6	TWO-LETTER CODE SYMBOL IG
E029B	TWO-LETTER CODE SYMBOL FZ	E02D7	TWO-LETTER CODE SYMBOL IH
E029C	TWO-LETTER CODE SYMBOL GA	E02D8	TWO-LETTER CODE SYMBOL II
E029D	TWO-LETTER CODE SYMBOL GB	E02D9	TWO-LETTER CODE SYMBOL IJ
E029E	TWO-LETTER CODE SYMBOL GC	E02DA	TWO-LETTER CODE SYMBOL IK
E029F	TWO-LETTER CODE SYMBOL GD	E02DB	TWO-LETTER CODE SYMBOL IL
E02A0	TWO-LETTER CODE SYMBOL GE	E02DC	TWO-LETTER CODE SYMBOL IM
E02A1	TWO-LETTER CODE SYMBOL GF	E02DD	TWO-LETTER CODE SYMBOL IN
E02A2	TWO-LETTER CODE SYMBOL GG	E02DE	TWO-LETTER CODE SYMBOL IO
E02A3	TWO-LETTER CODE SYMBOL GH	E02DF	TWO-LETTER CODE SYMBOL IP
E02A4	TWO-LETTER CODE SYMBOL GI	E02E0	TWO-LETTER CODE SYMBOL IQ
E02A5	TWO-LETTER CODE SYMBOL GJ	E02E1	TWO-LETTER CODE SYMBOL IR
E02A6	TWO-LETTER CODE SYMBOL GK	E02E2	TWO-LETTER CODE SYMBOL IS
E02A7	TWO-LETTER CODE SYMBOL GL	E02E3	TWO-LETTER CODE SYMBOL IT
E02A8	TWO-LETTER CODE SYMBOL GM	E02E4	TWO-LETTER CODE SYMBOL IU
E02A9	TWO-LETTER CODE SYMBOL GN	E02E5	TWO-LETTER CODE SYMBOL IV
E02AA	TWO-LETTER CODE SYMBOL GO	E02E6	TWO-LETTER CODE SYMBOL IW
E02AB	TWO-LETTER CODE SYMBOL GP	E02E7	TWO-LETTER CODE SYMBOL IX
E02AC	TWO-LETTER CODE SYMBOL GQ	E02E8	TWO-LETTER CODE SYMBOL IY
E02AD	TWO-LETTER CODE SYMBOL GR	E02E9	TWO-LETTER CODE SYMBOL IZ
E02AE	TWO-LETTER CODE SYMBOL GS	E02EA	TWO-LETTER CODE SYMBOL JA
E02AF	TWO-LETTER CODE SYMBOL GT	E02EB	TWO-LETTER CODE SYMBOL JB
E02B0	TWO-LETTER CODE SYMBOL GU	E02EC	TWO-LETTER CODE SYMBOL JC
E02B1	TWO-LETTER CODE SYMBOL GV	E02ED	TWO-LETTER CODE SYMBOL JD

E02EE **JE** TWO-LETTER CODE SYMBOL JE
 E02EF **JF** TWO-LETTER CODE SYMBOL JF
 E02F0 **JG** TWO-LETTER CODE SYMBOL JG
 E02F1 **JH** TWO-LETTER CODE SYMBOL JH
 E02F2 **JI** TWO-LETTER CODE SYMBOL JI
 E02F3 **JJ** TWO-LETTER CODE SYMBOL JJ
 E02F4 **JK** TWO-LETTER CODE SYMBOL JK
 E02F5 **JL** TWO-LETTER CODE SYMBOL JL
 E02F6 **JM** TWO-LETTER CODE SYMBOL JM
 E02F7 **JN** TWO-LETTER CODE SYMBOL JN
 E02F8 **JO** TWO-LETTER CODE SYMBOL JO
 E02F9 **JP** TWO-LETTER CODE SYMBOL JP
 E02FA **JQ** TWO-LETTER CODE SYMBOL JQ
 E02FB **JR** TWO-LETTER CODE SYMBOL JR
 E02FC **JS** TWO-LETTER CODE SYMBOL JS
 E02FD **JT** TWO-LETTER CODE SYMBOL JT
 E02FE **JU** TWO-LETTER CODE SYMBOL JU
 E02FF **JV** TWO-LETTER CODE SYMBOL JV
 E0300 **JW** TWO-LETTER CODE SYMBOL JW
 E0301 **JX** TWO-LETTER CODE SYMBOL JX
 E0302 **JY** TWO-LETTER CODE SYMBOL JY
 E0303 **JZ** TWO-LETTER CODE SYMBOL JZ
 E0304 **KA** TWO-LETTER CODE SYMBOL KA
 E0305 **KB** TWO-LETTER CODE SYMBOL KB
 E0306 **KC** TWO-LETTER CODE SYMBOL KC
 E0307 **KD** TWO-LETTER CODE SYMBOL KD
 E0308 **KE** TWO-LETTER CODE SYMBOL KE
 E0309 **KF** TWO-LETTER CODE SYMBOL KF
 E030A **KG** TWO-LETTER CODE SYMBOL KG
 E030B **KH** TWO-LETTER CODE SYMBOL KH
 E030C **KI** TWO-LETTER CODE SYMBOL KI
 E030D **KJ** TWO-LETTER CODE SYMBOL KJ
 E030E **KK** TWO-LETTER CODE SYMBOL KK
 E030F **KL** TWO-LETTER CODE SYMBOL KL
 E0310 **KM** TWO-LETTER CODE SYMBOL KM
 E0311 **KN** TWO-LETTER CODE SYMBOL KN
 E0312 **KO** TWO-LETTER CODE SYMBOL KO
 E0313 **KP** TWO-LETTER CODE SYMBOL KP
 E0314 **KQ** TWO-LETTER CODE SYMBOL KQ
 E0315 **KR** TWO-LETTER CODE SYMBOL KR
 E0316 **KS** TWO-LETTER CODE SYMBOL KS
 E0317 **KT** TWO-LETTER CODE SYMBOL KT
 E0318 **KU** TWO-LETTER CODE SYMBOL KU
 E0319 **KV** TWO-LETTER CODE SYMBOL KV
 E031A **KW** TWO-LETTER CODE SYMBOL KW
 E031B **KX** TWO-LETTER CODE SYMBOL KX
 E031C **KY** TWO-LETTER CODE SYMBOL KY
 E031D **KZ** TWO-LETTER CODE SYMBOL KZ
 E031E **LA** TWO-LETTER CODE SYMBOL LA
 E031F **LB** TWO-LETTER CODE SYMBOL LB
 E0320 **LC** TWO-LETTER CODE SYMBOL LC
 E0321 **LD** TWO-LETTER CODE SYMBOL LD
 E0322 **LE** TWO-LETTER CODE SYMBOL LE
 E0323 **LF** TWO-LETTER CODE SYMBOL LF
 E0324 **LG** TWO-LETTER CODE SYMBOL LG
 E0325 **LH** TWO-LETTER CODE SYMBOL LH
 E0326 **LI** TWO-LETTER CODE SYMBOL LI
 E0327 **LJ** TWO-LETTER CODE SYMBOL LJ
 E0328 **LK** TWO-LETTER CODE SYMBOL LK
 E0329 **LL** TWO-LETTER CODE SYMBOL LL

E032A **LM** TWO-LETTER CODE SYMBOL LM
 E032B **LN** TWO-LETTER CODE SYMBOL LN
 E032C **LO** TWO-LETTER CODE SYMBOL LO
 E032D **LP** TWO-LETTER CODE SYMBOL LP
 E032E **LQ** TWO-LETTER CODE SYMBOL LQ
 E032F **LR** TWO-LETTER CODE SYMBOL LR
 E0330 **LS** TWO-LETTER CODE SYMBOL LS
 E0331 **LT** TWO-LETTER CODE SYMBOL LT
 E0332 **LU** TWO-LETTER CODE SYMBOL LU
 E0333 **LV** TWO-LETTER CODE SYMBOL LV
 E0334 **LW** TWO-LETTER CODE SYMBOL LW
 E0335 **LX** TWO-LETTER CODE SYMBOL LX
 E0336 **LY** TWO-LETTER CODE SYMBOL LY
 E0337 **LZ** TWO-LETTER CODE SYMBOL LZ
 E0338 **MA** TWO-LETTER CODE SYMBOL MA
 E0339 **MB** TWO-LETTER CODE SYMBOL MB
 E033A **MC** TWO-LETTER CODE SYMBOL MC
 E033B **MD** TWO-LETTER CODE SYMBOL MD
 E033C **ME** TWO-LETTER CODE SYMBOL ME
 E033D **MF** TWO-LETTER CODE SYMBOL MF
 E033E **MG** TWO-LETTER CODE SYMBOL MG
 E033F **MH** TWO-LETTER CODE SYMBOL MH
 E0340 **MI** TWO-LETTER CODE SYMBOL MI
 E0341 **MJ** TWO-LETTER CODE SYMBOL MJ
 E0342 **MK** TWO-LETTER CODE SYMBOL MK
 E0343 **ML** TWO-LETTER CODE SYMBOL ML
 E0344 **MM** TWO-LETTER CODE SYMBOL MM
 E0345 **MN** TWO-LETTER CODE SYMBOL MN
 E0346 **MO** TWO-LETTER CODE SYMBOL MO
 E0347 **MP** TWO-LETTER CODE SYMBOL MP
 E0348 **MQ** TWO-LETTER CODE SYMBOL MQ
 E0349 **MR** TWO-LETTER CODE SYMBOL MR
 E034A **MS** TWO-LETTER CODE SYMBOL MS
 E034B **MT** TWO-LETTER CODE SYMBOL MT
 E034C **MU** TWO-LETTER CODE SYMBOL MU
 E034D **MV** TWO-LETTER CODE SYMBOL MV
 E034E **MW** TWO-LETTER CODE SYMBOL MW
 E034F **MX** TWO-LETTER CODE SYMBOL MX
 E0350 **MY** TWO-LETTER CODE SYMBOL MY
 E0351 **MZ** TWO-LETTER CODE SYMBOL MZ
 E0352 **NA** TWO-LETTER CODE SYMBOL NA
 E0353 **NB** TWO-LETTER CODE SYMBOL NB
 E0354 **NC** TWO-LETTER CODE SYMBOL NC
 E0355 **ND** TWO-LETTER CODE SYMBOL ND
 E0356 **NE** TWO-LETTER CODE SYMBOL NE
 E0357 **NF** TWO-LETTER CODE SYMBOL NF
 E0358 **NG** TWO-LETTER CODE SYMBOL NG
 E0359 **NH** TWO-LETTER CODE SYMBOL NH
 E035A **NI** TWO-LETTER CODE SYMBOL NI
 E035B **NJ** TWO-LETTER CODE SYMBOL NJ
 E035C **NK** TWO-LETTER CODE SYMBOL NK
 E035D **NL** TWO-LETTER CODE SYMBOL NL
 E035E **NM** TWO-LETTER CODE SYMBOL NM
 E035F **NN** TWO-LETTER CODE SYMBOL NN
 E0360 **NO** TWO-LETTER CODE SYMBOL NO
 E0361 **NP** TWO-LETTER CODE SYMBOL NP
 E0362 **NQ** TWO-LETTER CODE SYMBOL NQ
 E0363 **NR** TWO-LETTER CODE SYMBOL NR
 E0364 **NS** TWO-LETTER CODE SYMBOL NS
 E0365 **NT** TWO-LETTER CODE SYMBOL NT

E0366	NU	TWO-LETTER CODE SYMBOL NU
E0367	NV	TWO-LETTER CODE SYMBOL NV
E0368	NW	TWO-LETTER CODE SYMBOL NW
E0369	NX	TWO-LETTER CODE SYMBOL NX
E036A	NY	TWO-LETTER CODE SYMBOL NY
E036B	NZ	TWO-LETTER CODE SYMBOL NZ
E036C	OA	TWO-LETTER CODE SYMBOL OA
E036D	OB	TWO-LETTER CODE SYMBOL OB
E036E	OC	TWO-LETTER CODE SYMBOL OC
E036F	OD	TWO-LETTER CODE SYMBOL OD
E0370	OE	TWO-LETTER CODE SYMBOL OE
E0371	OF	TWO-LETTER CODE SYMBOL OF
E0372	OG	TWO-LETTER CODE SYMBOL OG
E0373	OH	TWO-LETTER CODE SYMBOL OH
E0374	OI	TWO-LETTER CODE SYMBOL OI
E0375	OJ	TWO-LETTER CODE SYMBOL OJ
E0376	OK	TWO-LETTER CODE SYMBOL OK
E0377	OL	TWO-LETTER CODE SYMBOL OL
E0378	OM	TWO-LETTER CODE SYMBOL OM
E0379	ON	TWO-LETTER CODE SYMBOL ON
E037A	OO	TWO-LETTER CODE SYMBOL OO
E037B	OP	TWO-LETTER CODE SYMBOL OP
E037C	OQ	TWO-LETTER CODE SYMBOL OQ
E037D	OR	TWO-LETTER CODE SYMBOL OR
E037E	OS	TWO-LETTER CODE SYMBOL OS
E037F	OT	TWO-LETTER CODE SYMBOL OT
E0380	OU	TWO-LETTER CODE SYMBOL OU
E0381	OV	TWO-LETTER CODE SYMBOL OV
E0382	OW	TWO-LETTER CODE SYMBOL OW
E0383	OX	TWO-LETTER CODE SYMBOL OX
E0384	OY	TWO-LETTER CODE SYMBOL OY
E0385	OZ	TWO-LETTER CODE SYMBOL OZ
E0386	PA	TWO-LETTER CODE SYMBOL PA
E0387	PB	TWO-LETTER CODE SYMBOL PB
E0388	PC	TWO-LETTER CODE SYMBOL PC
E0389	PD	TWO-LETTER CODE SYMBOL PD
E038A	PE	TWO-LETTER CODE SYMBOL PE
E038B	PF	TWO-LETTER CODE SYMBOL PF
E038C	PG	TWO-LETTER CODE SYMBOL PG
E038D	PH	TWO-LETTER CODE SYMBOL PH
E038E	PI	TWO-LETTER CODE SYMBOL PI
E038F	PJ	TWO-LETTER CODE SYMBOL PJ
E0390	PK	TWO-LETTER CODE SYMBOL PK
E0391	PL	TWO-LETTER CODE SYMBOL PL
E0392	PM	TWO-LETTER CODE SYMBOL PM
E0393	PN	TWO-LETTER CODE SYMBOL PN
E0394	PO	TWO-LETTER CODE SYMBOL PO
E0395	PP	TWO-LETTER CODE SYMBOL PP
E0396	PQ	TWO-LETTER CODE SYMBOL PQ
E0397	PR	TWO-LETTER CODE SYMBOL PR
E0398	PS	TWO-LETTER CODE SYMBOL PS
E0399	PT	TWO-LETTER CODE SYMBOL PT
E039A	PU	TWO-LETTER CODE SYMBOL PU
E039B	PV	TWO-LETTER CODE SYMBOL PV
E039C	PW	TWO-LETTER CODE SYMBOL PW
E039D	PX	TWO-LETTER CODE SYMBOL PX
E039E	PY	TWO-LETTER CODE SYMBOL PY
E039F	PZ	TWO-LETTER CODE SYMBOL PZ
E03A0	QA	TWO-LETTER CODE SYMBOL QA
E03A1	QB	TWO-LETTER CODE SYMBOL QB
E03A2	QC	TWO-LETTER CODE SYMBOL QC
E03A3	QD	TWO-LETTER CODE SYMBOL QD
E03A4	QE	TWO-LETTER CODE SYMBOL QE
E03A5	QF	TWO-LETTER CODE SYMBOL QF
E03A6	QG	TWO-LETTER CODE SYMBOL QG
E03A7	QH	TWO-LETTER CODE SYMBOL QH
E03A8	QI	TWO-LETTER CODE SYMBOL QI
E03A9	QJ	TWO-LETTER CODE SYMBOL QJ
E03AA	QK	TWO-LETTER CODE SYMBOL QK
E03AB	QL	TWO-LETTER CODE SYMBOL QL
E03AC	QM	TWO-LETTER CODE SYMBOL QM
E03AD	QN	TWO-LETTER CODE SYMBOL QN
E03AE	QO	TWO-LETTER CODE SYMBOL QO
E03AF	QP	TWO-LETTER CODE SYMBOL QP
E03B0	QQ	TWO-LETTER CODE SYMBOL QQ
E03B1	QR	TWO-LETTER CODE SYMBOL QR
E03B2	QS	TWO-LETTER CODE SYMBOL QS
E03B3	QT	TWO-LETTER CODE SYMBOL QT
E03B4	QU	TWO-LETTER CODE SYMBOL QU
E03B5	QV	TWO-LETTER CODE SYMBOL QV
E03B6	QW	TWO-LETTER CODE SYMBOL QW
E03B7	QX	TWO-LETTER CODE SYMBOL QX
E03B8	QY	TWO-LETTER CODE SYMBOL QY
E03B9	QZ	TWO-LETTER CODE SYMBOL QZ
E03BA	RA	TWO-LETTER CODE SYMBOL RA
E03BB	RB	TWO-LETTER CODE SYMBOL RB
E03BC	RC	TWO-LETTER CODE SYMBOL RC
E03BD	RD	TWO-LETTER CODE SYMBOL RD
E03BE	RE	TWO-LETTER CODE SYMBOL RE
E03BF	RF	TWO-LETTER CODE SYMBOL RF
E03C0	RG	TWO-LETTER CODE SYMBOL RG
E03C1	RH	TWO-LETTER CODE SYMBOL RH
E03C2	RI	TWO-LETTER CODE SYMBOL RI
E03C3	RJ	TWO-LETTER CODE SYMBOL RJ
E03C4	RK	TWO-LETTER CODE SYMBOL RK
E03C5	RL	TWO-LETTER CODE SYMBOL RL
E03C6	RM	TWO-LETTER CODE SYMBOL RM
E03C7	RN	TWO-LETTER CODE SYMBOL RN
E03C8	RO	TWO-LETTER CODE SYMBOL RO
E03C9	RP	TWO-LETTER CODE SYMBOL RP
E03CA	RQ	TWO-LETTER CODE SYMBOL RQ
E03CB	RR	TWO-LETTER CODE SYMBOL RR
E03CC	RS	TWO-LETTER CODE SYMBOL RS
E03CD	RT	TWO-LETTER CODE SYMBOL RT
E03CE	RU	TWO-LETTER CODE SYMBOL RU
E03CF	RV	TWO-LETTER CODE SYMBOL RV
E03D0	RW	TWO-LETTER CODE SYMBOL RW
E03D1	RX	TWO-LETTER CODE SYMBOL RX
E03D2	RY	TWO-LETTER CODE SYMBOL RY
E03D3	RZ	TWO-LETTER CODE SYMBOL RZ
E03D4	SA	TWO-LETTER CODE SYMBOL SA
E03D5	SB	TWO-LETTER CODE SYMBOL SB
E03D6	SC	TWO-LETTER CODE SYMBOL SC
E03D7	SD	TWO-LETTER CODE SYMBOL SD
E03D8	SE	TWO-LETTER CODE SYMBOL SE
E03D9	SF	TWO-LETTER CODE SYMBOL SF
E03DA	SG	TWO-LETTER CODE SYMBOL SG
E03DB	SH	TWO-LETTER CODE SYMBOL SH
E03DC	SI	TWO-LETTER CODE SYMBOL SI
E03DD	SJ	TWO-LETTER CODE SYMBOL SJ

E03DE SK TWO-LETTER CODE SYMBOL SK
 E03DF SL TWO-LETTER CODE SYMBOL SL
 E03E0 SM TWO-LETTER CODE SYMBOL SM
 E03E1 SN TWO-LETTER CODE SYMBOL SN
 E03E2 SO TWO-LETTER CODE SYMBOL SO
 E03E3 SP TWO-LETTER CODE SYMBOL SP
 E03E4 SQ TWO-LETTER CODE SYMBOL SQ
 E03E5 SR TWO-LETTER CODE SYMBOL SR
 E03E6 SS TWO-LETTER CODE SYMBOL SS
 E03E7 ST TWO-LETTER CODE SYMBOL ST
 E03E8 SU TWO-LETTER CODE SYMBOL SU
 E03E9 SV TWO-LETTER CODE SYMBOL SV
 E03EA SW TWO-LETTER CODE SYMBOL SW
 E03EB SX TWO-LETTER CODE SYMBOL SX
 E03EC SY TWO-LETTER CODE SYMBOL SY
 E03ED SZ TWO-LETTER CODE SYMBOL SZ
 E03EE TA TWO-LETTER CODE SYMBOL TA
 E03EF TB TWO-LETTER CODE SYMBOL TB
 E03F0 TC TWO-LETTER CODE SYMBOL TC
 E03F1 TD TWO-LETTER CODE SYMBOL TD
 E03F2 TE TWO-LETTER CODE SYMBOL TE
 E03F3 TF TWO-LETTER CODE SYMBOL TF
 E03F4 TG TWO-LETTER CODE SYMBOL TG
 E03F5 TH TWO-LETTER CODE SYMBOL TH
 E03F6 TI TWO-LETTER CODE SYMBOL TI
 E03F7 TJ TWO-LETTER CODE SYMBOL TJ
 E03F8 TK TWO-LETTER CODE SYMBOL TK
 E03F9 TL TWO-LETTER CODE SYMBOL TL
 E03FA TM TWO-LETTER CODE SYMBOL TM
 E03FB TN TWO-LETTER CODE SYMBOL TN
 E03FC TO TWO-LETTER CODE SYMBOL TO
 E03FD TP TWO-LETTER CODE SYMBOL TP
 E03FE TQ TWO-LETTER CODE SYMBOL TQ
 E03FF TR TWO-LETTER CODE SYMBOL TR
 E0400 TS TWO-LETTER CODE SYMBOL TS
 E0401 TT TWO-LETTER CODE SYMBOL TT
 E0402 TU TWO-LETTER CODE SYMBOL TU
 E0403 TV TWO-LETTER CODE SYMBOL TV
 E0404 TW TWO-LETTER CODE SYMBOL TW
 E0405 TX TWO-LETTER CODE SYMBOL TX
 E0406 TY TWO-LETTER CODE SYMBOL TY
 E0407 TZ TWO-LETTER CODE SYMBOL TZ
 E0408 UA TWO-LETTER CODE SYMBOL UA
 E0409 UB TWO-LETTER CODE SYMBOL UB
 E040A UC TWO-LETTER CODE SYMBOL UC
 E040B UD TWO-LETTER CODE SYMBOL UD
 E040C UE TWO-LETTER CODE SYMBOL UE
 E040D UF TWO-LETTER CODE SYMBOL UF
 E040E UG TWO-LETTER CODE SYMBOL UG
 E040F UH TWO-LETTER CODE SYMBOL UH
 E0410 UI TWO-LETTER CODE SYMBOL UI
 E0411 UJ TWO-LETTER CODE SYMBOL UJ
 E0412 UK TWO-LETTER CODE SYMBOL UK
 E0413 UL TWO-LETTER CODE SYMBOL UL
 E0414 UM TWO-LETTER CODE SYMBOL UM
 E0415 UN TWO-LETTER CODE SYMBOL UN
 E0416 UO TWO-LETTER CODE SYMBOL UO
 E0417 UP TWO-LETTER CODE SYMBOL UP
 E0418 UQ TWO-LETTER CODE SYMBOL UQ
 E0419 UR TWO-LETTER CODE SYMBOL UR

E041A US TWO-LETTER CODE SYMBOL US
 E041B UT TWO-LETTER CODE SYMBOL UT
 E041C UU TWO-LETTER CODE SYMBOL UU
 E041D UV TWO-LETTER CODE SYMBOL UV
 E041E UW TWO-LETTER CODE SYMBOL UW
 E041F UX TWO-LETTER CODE SYMBOL UX
 E0420 UY TWO-LETTER CODE SYMBOL UY
 E0421 UZ TWO-LETTER CODE SYMBOL UZ
 E0422 VA TWO-LETTER CODE SYMBOL VA
 E0423 VB TWO-LETTER CODE SYMBOL VB
 E0424 VC TWO-LETTER CODE SYMBOL VC
 E0425 VD TWO-LETTER CODE SYMBOL VD
 E0426 VE TWO-LETTER CODE SYMBOL VE
 E0427 VF TWO-LETTER CODE SYMBOL VF
 E0428 VG TWO-LETTER CODE SYMBOL VG
 E0429 VH TWO-LETTER CODE SYMBOL VH
 E042A VI TWO-LETTER CODE SYMBOL VI
 E042B VJ TWO-LETTER CODE SYMBOL VJ
 E042C VK TWO-LETTER CODE SYMBOL VK
 E042D VL TWO-LETTER CODE SYMBOL VL
 E042E VM TWO-LETTER CODE SYMBOL VM
 E042F VN TWO-LETTER CODE SYMBOL VN
 E0430 VO TWO-LETTER CODE SYMBOL VO
 E0431 VP TWO-LETTER CODE SYMBOL VP
 E0432 VQ TWO-LETTER CODE SYMBOL VQ
 E0433 VR TWO-LETTER CODE SYMBOL VR
 E0434 VS TWO-LETTER CODE SYMBOL VS
 E0435 VT TWO-LETTER CODE SYMBOL VT
 E0436 VU TWO-LETTER CODE SYMBOL VU
 E0437 VV TWO-LETTER CODE SYMBOL VV
 E0438 VW TWO-LETTER CODE SYMBOL VW
 E0439 VX TWO-LETTER CODE SYMBOL VX
 E043A VY TWO-LETTER CODE SYMBOL VY
 E043B VZ TWO-LETTER CODE SYMBOL VZ
 E043C WA TWO-LETTER CODE SYMBOL WA
 E043D WB TWO-LETTER CODE SYMBOL WB
 E043E WC TWO-LETTER CODE SYMBOL WC
 E043F WD TWO-LETTER CODE SYMBOL WD
 E0440 WE TWO-LETTER CODE SYMBOL WE
 E0441 WF TWO-LETTER CODE SYMBOL WF
 E0442 WG TWO-LETTER CODE SYMBOL WG
 E0443 WH TWO-LETTER CODE SYMBOL WH
 E0444 WI TWO-LETTER CODE SYMBOL WI
 E0445 WJ TWO-LETTER CODE SYMBOL WJ
 E0446 WK TWO-LETTER CODE SYMBOL WK
 E0447 WL TWO-LETTER CODE SYMBOL WL
 E0448 WM TWO-LETTER CODE SYMBOL WM
 E0449 WN TWO-LETTER CODE SYMBOL WN
 E044A WO TWO-LETTER CODE SYMBOL WO
 E044B WP TWO-LETTER CODE SYMBOL WP
 E044C WQ TWO-LETTER CODE SYMBOL WQ
 E044D WR TWO-LETTER CODE SYMBOL WR
 E044E WS TWO-LETTER CODE SYMBOL WS
 E044F WT TWO-LETTER CODE SYMBOL WT
 E0450 WU TWO-LETTER CODE SYMBOL WU
 E0451 WV TWO-LETTER CODE SYMBOL WV
 E0452 WW TWO-LETTER CODE SYMBOL WW
 E0453 WX TWO-LETTER CODE SYMBOL WX
 E0454 WY TWO-LETTER CODE SYMBOL WY
 E0455 WZ TWO-LETTER CODE SYMBOL WZ

E0456		TWO-LETTER CODE SYMBOL XA	E0492		TWO-LETTER CODE SYMBOL ZI
E0457		TWO-LETTER CODE SYMBOL XB	E0493		TWO-LETTER CODE SYMBOL ZJ
E0458		TWO-LETTER CODE SYMBOL XC	E0494		TWO-LETTER CODE SYMBOL ZK
E0459		TWO-LETTER CODE SYMBOL XD	E0495		TWO-LETTER CODE SYMBOL ZL
E045A		TWO-LETTER CODE SYMBOL XE	E0496		TWO-LETTER CODE SYMBOL ZM
E045B		TWO-LETTER CODE SYMBOL XF	E0497		TWO-LETTER CODE SYMBOL ZN
E045C		TWO-LETTER CODE SYMBOL XG	E0498		TWO-LETTER CODE SYMBOL ZO
E045D		TWO-LETTER CODE SYMBOL XH	E0499		TWO-LETTER CODE SYMBOL ZP
E045E		TWO-LETTER CODE SYMBOL XI	E049A		TWO-LETTER CODE SYMBOL ZQ
E045F		TWO-LETTER CODE SYMBOL XJ	E049B		TWO-LETTER CODE SYMBOL ZR
E0460		TWO-LETTER CODE SYMBOL XK	E049C		TWO-LETTER CODE SYMBOL ZS
E0461		TWO-LETTER CODE SYMBOL XL	E049D		TWO-LETTER CODE SYMBOL ZT
E0462		TWO-LETTER CODE SYMBOL XM	E049E		TWO-LETTER CODE SYMBOL ZU
E0463		TWO-LETTER CODE SYMBOL XN	E049F		TWO-LETTER CODE SYMBOL ZV
E0464		TWO-LETTER CODE SYMBOL XO	E04A0		TWO-LETTER CODE SYMBOL ZW
E0465		TWO-LETTER CODE SYMBOL XP	E04A1		TWO-LETTER CODE SYMBOL ZX
E0466		TWO-LETTER CODE SYMBOL XQ	E04A2		TWO-LETTER CODE SYMBOL ZY
E0467		TWO-LETTER CODE SYMBOL XR	E04A3		TWO-LETTER CODE SYMBOL ZZ
E0468		TWO-LETTER CODE SYMBOL XS			
E0469		TWO-LETTER CODE SYMBOL XT			
E046A		TWO-LETTER CODE SYMBOL XU			
E046B		TWO-LETTER CODE SYMBOL XV			
E046C		TWO-LETTER CODE SYMBOL XW			
E046D		TWO-LETTER CODE SYMBOL XX			
E046E		TWO-LETTER CODE SYMBOL XY			
E046F		TWO-LETTER CODE SYMBOL XZ			
E0470		TWO-LETTER CODE SYMBOL YA			
E0471		TWO-LETTER CODE SYMBOL YB			
E0472		TWO-LETTER CODE SYMBOL YC			
E0473		TWO-LETTER CODE SYMBOL YD			
E0474		TWO-LETTER CODE SYMBOL YE			
E0475		TWO-LETTER CODE SYMBOL YF			
E0476		TWO-LETTER CODE SYMBOL YG			
E0477		TWO-LETTER CODE SYMBOL YH			
E0478		TWO-LETTER CODE SYMBOL YI			
E0479		TWO-LETTER CODE SYMBOL YJ			
E047A		TWO-LETTER CODE SYMBOL YK			
E047B		TWO-LETTER CODE SYMBOL YL			
E047C		TWO-LETTER CODE SYMBOL YM			
E047D		TWO-LETTER CODE SYMBOL YN			
E047E		TWO-LETTER CODE SYMBOL YO			
E047F		TWO-LETTER CODE SYMBOL YP			
E0480		TWO-LETTER CODE SYMBOL YQ			
E0481		TWO-LETTER CODE SYMBOL YR			
E0482		TWO-LETTER CODE SYMBOL YS			
E0483		TWO-LETTER CODE SYMBOL YT			
E0484		TWO-LETTER CODE SYMBOL YU			
E0485		TWO-LETTER CODE SYMBOL YV			
E0486		TWO-LETTER CODE SYMBOL YW			
E0487		TWO-LETTER CODE SYMBOL YX			
E0488		TWO-LETTER CODE SYMBOL YY			
E0489		TWO-LETTER CODE SYMBOL YZ			
E048A		TWO-LETTER CODE SYMBOL ZA			
E048B		TWO-LETTER CODE SYMBOL ZB			
E048C		TWO-LETTER CODE SYMBOL ZC			
E048D		TWO-LETTER CODE SYMBOL ZD			
E048E		TWO-LETTER CODE SYMBOL ZE			
E048F		TWO-LETTER CODE SYMBOL ZF			
E0490		TWO-LETTER CODE SYMBOL ZG			
E0491		TWO-LETTER CODE SYMBOL ZH			

	E050	E051	E052	E053	E054
0	EC 1 E0500	EC 17 E0510	EC 33 E0520	EC 49 E0530	EC 65 E0540
1	EC 2 E0501	EC 18 E0511	EC 34 E0521	EC 50 E0531	EC 66 E0541
2	EC 3 E0502	EC 19 E0512	EC 35 E0522	EC 51 E0532	MTN E0542
3	EC 4 E0503	EC 20 E0513	EC 36 E0523	EC 52 E0533	STL E0543
4	EC 5 E0504	EC 21 E0514	EC 37 E0524	EC 53 E0534	JP E0544
5	EC 6 E0505	EC 22 E0515	EC 38 E0525	EC 54 E0535	WHT E0545
6	EC 7 E0506	EC 23 E0516	EC 39 E0526	EC 55 E0536	
7	EC 8 E0507	EC 24 E0517	EC 40 E0527	EC 56 E0537	
8	EC 9 E0508	EC 25 E0518	EC 41 E0528	EC 57 E0538	
9	EC 10 E0509	EC 26 E0519	EC 42 E0529	EC 58 E0539	
A	EC 11 E050A	EC 27 E051A	EC 43 E052A	EC 59 E053A	
B	EC 12 E050B	EC 28 E051B	EC 44 E052B	EC 60 E053B	
C	EC 13 E050C	EC 29 E051C	EC 45 E052C	EC 61 E053C	
D	EC 14 E050D	EC 30 E051D	EC 46 E052D	EC 62 E053D	
E	EC 15 E050E	EC 31 E051E	EC 47 E052E	EC 63 E053E	
F	EC 16 E050F	EC 32 E051F	EC 48 E052F	EC 64 E053F	

UTC: 2009-02-06
 WG2 \$\$\$\$
 contact: Markus Scherer
 document: L2/09-026
 font: Apple Emoji
 target: Amd7

Emoji compatibility symbols

E0500	⌚	EMOJI COMPATIBILITY SYMBOL-1
E0501	⌚	EMOJI COMPATIBILITY SYMBOL-2
E0502	⌚	EMOJI COMPATIBILITY SYMBOL-3
E0503	⌚	EMOJI COMPATIBILITY SYMBOL-4
E0504	⌚	EMOJI COMPATIBILITY SYMBOL-5
E0505	⌚	EMOJI COMPATIBILITY SYMBOL-6
E0506	⌚	EMOJI COMPATIBILITY SYMBOL-7
E0507	⌚	EMOJI COMPATIBILITY SYMBOL-8
E0508	⌚	EMOJI COMPATIBILITY SYMBOL-9
E0509	⌚	EMOJI COMPATIBILITY SYMBOL-10
E050A	⌚	EMOJI COMPATIBILITY SYMBOL-11
E050B	⌚	EMOJI COMPATIBILITY SYMBOL-12
E050C	⌚	EMOJI COMPATIBILITY SYMBOL-13
E050D	⌚	EMOJI COMPATIBILITY SYMBOL-14
E050E	⌚	EMOJI COMPATIBILITY SYMBOL-15
E050F	⌚	EMOJI COMPATIBILITY SYMBOL-16
E0510	⌚	EMOJI COMPATIBILITY SYMBOL-17
E0511	⌚	EMOJI COMPATIBILITY SYMBOL-18
E0512	⌚	EMOJI COMPATIBILITY SYMBOL-19
E0513	⌚	EMOJI COMPATIBILITY SYMBOL-20
E0514	⌚	EMOJI COMPATIBILITY SYMBOL-21
E0515	⌚	EMOJI COMPATIBILITY SYMBOL-22
E0516	⌚	EMOJI COMPATIBILITY SYMBOL-23
E0517	⌚	EMOJI COMPATIBILITY SYMBOL-24
E0518	⌚	EMOJI COMPATIBILITY SYMBOL-25
E0519	⌚	EMOJI COMPATIBILITY SYMBOL-26
E051A	⌚	EMOJI COMPATIBILITY SYMBOL-27
E051B	⌚	EMOJI COMPATIBILITY SYMBOL-28
E051C	⌚	EMOJI COMPATIBILITY SYMBOL-29
E051D	⌚	EMOJI COMPATIBILITY SYMBOL-30
E051E	⌚	EMOJI COMPATIBILITY SYMBOL-31
E051F	⌚	EMOJI COMPATIBILITY SYMBOL-32
E0520	⌚	EMOJI COMPATIBILITY SYMBOL-33
E0521	⌚	EMOJI COMPATIBILITY SYMBOL-34
E0522	⌚	EMOJI COMPATIBILITY SYMBOL-35
E0523	⌚	EMOJI COMPATIBILITY SYMBOL-36
E0524	⌚	EMOJI COMPATIBILITY SYMBOL-37
E0525	⌚	EMOJI COMPATIBILITY SYMBOL-38
E0526	⌚	EMOJI COMPATIBILITY SYMBOL-39
E0527	⌚	EMOJI COMPATIBILITY SYMBOL-40
E0528	⌚	EMOJI COMPATIBILITY SYMBOL-41
E0529	⌚	EMOJI COMPATIBILITY SYMBOL-42
E052A	⌚	EMOJI COMPATIBILITY SYMBOL-43
E052B	⌚	EMOJI COMPATIBILITY SYMBOL-44
E052C	⌚	EMOJI COMPATIBILITY SYMBOL-45
E052D	⌚	EMOJI COMPATIBILITY SYMBOL-46
E052E	⌚	EMOJI COMPATIBILITY SYMBOL-47
E052F	⌚	EMOJI COMPATIBILITY SYMBOL-48
E0530	⌚	EMOJI COMPATIBILITY SYMBOL-49
E0531	⌚	EMOJI COMPATIBILITY SYMBOL-50
E0532	⌚	EMOJI COMPATIBILITY SYMBOL-51
E0533	⌚	EMOJI COMPATIBILITY SYMBOL-52
E0534	⌚	EMOJI COMPATIBILITY SYMBOL-53
E0535	⌚	EMOJI COMPATIBILITY SYMBOL-54
E0536	⌚	EMOJI COMPATIBILITY SYMBOL-55
E0537	⌚	EMOJI COMPATIBILITY SYMBOL-56
E0538	⌚	EMOJI COMPATIBILITY SYMBOL-57
E0539	⌚	EMOJI COMPATIBILITY SYMBOL-58

E053A	⌚	EMOJI COMPATIBILITY SYMBOL-59
E053B	⌚	EMOJI COMPATIBILITY SYMBOL-60
E053C	⌚	EMOJI COMPATIBILITY SYMBOL-61
E053D	⌚	EMOJI COMPATIBILITY SYMBOL-62
E053E	⌚	EMOJI COMPATIBILITY SYMBOL-63
E053F	⌚	EMOJI COMPATIBILITY SYMBOL-64
E0540	⌚	EMOJI COMPATIBILITY SYMBOL-65
E0541	⌚	EMOJI COMPATIBILITY SYMBOL-66
E0542	🗻	MOUNT FUJI
E0543	🗽	STATUE OF LIBERTY
E0544	🗾	SKETCH OF JAPAN
E0545	🗿	MOYAI

- japanese stone statue like Moai on Easter Island