

Re: Remove some Hira/Kata from Script_Extensions
 From: Mark Davis
 To: UTC
 Date: 2015-09-16
 Draft: <https://goo.gl/g9d6m3>

While testing confusable code, I found that I'm getting what appear to be false positives from errors in the data. It says, for example, that the following are whole-script confusables:

- [U+30FC](#) KATAKANA-HIRAGANA PROLONGED SOUND MARK
- [U+31D0](#) CJK STROKE H

It turns out that there are about 256 items in `scx={Hiragana, Katakana,...}` that probably shouldn't be. They're not really part of Hiragana/Katakana, or Bopomofo or Hangul. They would remain, of course, part of the writing systems that use Han). So I propose that we change these to just `scx=Han`.

Proposal

Change the following to `scx=Han`.

Kanbun — Kaeriten		
items: 4		
一	U+3192 IDEOGRAPHIC ANNOTATION ONE MARK	<code>scx=Han,Hiragana,Katakana</code>
二	U+3193 IDEOGRAPHIC ANNOTATION TWO MARK	<code>scx=Han,Hiragana,Katakana</code>
三	U+3194 IDEOGRAPHIC ANNOTATION THREE MARK	<code>scx=Han,Hiragana,Katakana</code>
四	U+3195 IDEOGRAPHIC ANNOTATION FOUR MARK	<code>scx=Han,Hiragana,Katakana</code>
Enclosed CJK Letters And Months — Parenthesized ideographs		
items: 10		
(一)	U+3220 PARENTHESIZED IDEOGRAPH ONE	<code>scx=Bopomofo,Han,Hangul,Hiragana,Katakana</code>
(二)	U+3221 PARENTHESIZED IDEOGRAPH TWO	<code>scx=Bopomofo,Han,Hangul,Hiragana,Katakana</code>
(三)	U+3222 PARENTHESIZED IDEOGRAPH THREE	<code>scx=Bopomofo,Han,Hangul,Hiragana,Katakana</code>
(四)	U+3223 PARENTHESIZED IDEOGRAPH FOUR	<code>scx=Bopomofo,Han,Hangul,Hiragana,Katakana</code>
(五)	U+3224 PARENTHESIZED IDEOGRAPH FIVE	<code>scx=Bopomofo,Han,Hangul,Hiragana,Katakana</code>
(六)	U+3225 PARENTHESIZED IDEOGRAPH SIX	<code>scx=Bopomofo,Han,Hangul,Hiragana,Katakana</code>
(七)	U+3226 PARENTHESIZED IDEOGRAPH SEVEN	<code>scx=Bopomofo,Han,Hangul,Hiragana,Katakana</code>
(八)	U+3227 PARENTHESIZED IDEOGRAPH EIGHT	<code>scx=Bopomofo,Han,Hangul,Hiragana,Katakana</code>
(九)	U+3228 PARENTHESIZED IDEOGRAPH NINE	<code>scx=Bopomofo,Han,Hangul,Hiragana,Katakana</code>
(十)	U+3229 PARENTHESIZED IDEOGRAPH TEN	<code>scx=Bopomofo,Han,Hangul,Hiragana,Katakana</code>

[Enclosed CJK Letters And Months](#) — [Circled ideographs](#)

items: 10

㊦	U+3280	CIRCLED IDEOGRAPH ONE	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
㊧	U+3281	CIRCLED IDEOGRAPH TWO	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
㊨	U+3282	CIRCLED IDEOGRAPH THREE	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
㊩	U+3283	CIRCLED IDEOGRAPH FOUR	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
㊪	U+3284	CIRCLED IDEOGRAPH FIVE	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
㊫	U+3285	CIRCLED IDEOGRAPH SIX	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
㊬	U+3286	CIRCLED IDEOGRAPH SEVEN	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
㊭	U+3287	CIRCLED IDEOGRAPH EIGHT	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
㊮	U+3288	CIRCLED IDEOGRAPH NINE	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
㊯	U+3289	CIRCLED IDEOGRAPH TEN	scx=Bopomofo,Han,Hangul,Hiragana,Katakana

[CJK Symbols And Punctuation](#) — [Special CJK indicators](#)

items: 2

▯	U+303E	IDEOGRAPHIC VARIATION INDICATOR	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
▮	U+303F	IDEOGRAPHIC HALF FILL SPACE	scx=Bopomofo,Han,Hangul,Hiragana,Katakana

[Kanbun](#) — [Tateten](#)

items: 1

ヽ	U+3190	IDEOGRAPHIC ANNOTATION LINKING MARK	scx=Han,Hiragana,Katakana
---	------------------------	-------------------------------------	---------------------------

[Kanbun](#) — [Kaeriten](#)

items: 11

ヾ	U+3191	IDEOGRAPHIC ANNOTATION REVERSE MARK	scx=Han,Hiragana,Katakana
上	U+3196	IDEOGRAPHIC ANNOTATION TOP MARK	scx=Han,Hiragana,Katakana
中	U+3197	IDEOGRAPHIC ANNOTATION MIDDLE MARK	scx=Han,Hiragana,Katakana
下	U+3198	IDEOGRAPHIC ANNOTATION BOTTOM MARK	scx=Han,Hiragana,Katakana
甲	U+3199	IDEOGRAPHIC ANNOTATION FIRST MARK	scx=Han,Hiragana,Katakana
乙	U+319A	IDEOGRAPHIC ANNOTATION SECOND MARK	scx=Han,Hiragana,Katakana
丙	U+319B	IDEOGRAPHIC ANNOTATION THIRD MARK	scx=Han,Hiragana,Katakana
丁	U+319C	IDEOGRAPHIC ANNOTATION FOURTH MARK	scx=Han,Hiragana,Katakana
天	U+319D	IDEOGRAPHIC ANNOTATION HEAVEN MARK	scx=Han,Hiragana,Katakana
地	U+319E	IDEOGRAPHIC ANNOTATION EARTH MARK	scx=Han,Hiragana,Katakana
人	U+319F	IDEOGRAPHIC ANNOTATION MAN MARK	scx=Han,Hiragana,Katakana

[CJK Strokes](#) — [CJK strokes](#)

items: 36

□	U+31C0	CJK STROKE T	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
□	U+31C1	CJK STROKE WG	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
□	U+31C2	CJK STROKE XG	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
□	U+31C3	CJK STROKE BXG	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
□	U+31C4	CJK STROKE SW	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
□	U+31C5	CJK STROKE HZZ	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
□	U+31C6	CJK STROKE HZG	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
□	U+31C7	CJK STROKE HP	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
□	U+31C8	CJK STROKE HZWG	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
□	U+31C9	CJK STROKE SZWG	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
□	U+31CA	CJK STROKE HZT	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
□	U+31CB	CJK STROKE HZZP	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
□	U+31CC	CJK STROKE HPWG	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
□	U+31CD	CJK STROKE HZW	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
□	U+31CE	CJK STROKE HZZZ	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
□	U+31CF	CJK STROKE N	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
□	U+31D0	CJK STROKE H	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
□	U+31D1	CJK STROKE S	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
□	U+31D2	CJK STROKE P	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
□	U+31D3	CJK STROKE SP	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
□	U+31D4	CJK STROKE D	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
□	U+31D5	CJK STROKE HZ	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
□	U+31D6	CJK STROKE HG	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
□	U+31D7	CJK STROKE SZ	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
□	U+31D8	CJK STROKE SWZ	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
□	U+31D9	CJK STROKE ST	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
□	U+31DA	CJK STROKE SG	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
□	U+31DB	CJK STROKE PD	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
□	U+31DC	CJK STROKE PZ	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
□	U+31DD	CJK STROKE TN	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
□	U+31DE	CJK STROKE SZZ	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
□	U+31DF	CJK STROKE SWG	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
□	U+31E0	CJK STROKE HXWG	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
□	U+31E1	CJK STROKE HZZZG	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
□	U+31E2	CJK STROKE PG	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
□	U+31E3	CJK STROKE Q	scx=Bopomofo,Han,Hangul,Hiragana,Katakana

Enclosed CJK Letters And Months — Parenthesized ideographs

items: 26

(月)	U+322A	PARENTHESIZED IDEOGRAPH MOON	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
(火)	U+322B	PARENTHESIZED IDEOGRAPH FIRE	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
(水)	U+322C	PARENTHESIZED IDEOGRAPH WATER	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
(木)	U+322D	PARENTHESIZED IDEOGRAPH WOOD	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
(金)	U+322E	PARENTHESIZED IDEOGRAPH METAL	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
(土)	U+322F	PARENTHESIZED IDEOGRAPH EARTH	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
(日)	U+3230	PARENTHESIZED IDEOGRAPH SUN	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
(株)	U+3231	PARENTHESIZED IDEOGRAPH STOCK	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
(有)	U+3232	PARENTHESIZED IDEOGRAPH HAVE	scx=Bopomofo,Han,Hangul,Hiragana,Katakana

(社)	U+3233	PARENTHESESIZED IDEOGRAPH SOCIETY	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
(名)	U+3234	PARENTHESESIZED IDEOGRAPH NAME	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
(特)	U+3235	PARENTHESESIZED IDEOGRAPH SPECIAL	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
(財)	U+3236	PARENTHESESIZED IDEOGRAPH FINANCIAL	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
(祝)	U+3237	PARENTHESESIZED IDEOGRAPH CONGRATULATION	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
(勞)	U+3238	PARENTHESESIZED IDEOGRAPH LABOR	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
(代)	U+3239	PARENTHESESIZED IDEOGRAPH REPRESENT	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
(呼)	U+323A	PARENTHESESIZED IDEOGRAPH CALL	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
(学)	U+323B	PARENTHESESIZED IDEOGRAPH STUDY	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
(監)	U+323C	PARENTHESESIZED IDEOGRAPH SUPERVISE	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
(企)	U+323D	PARENTHESESIZED IDEOGRAPH ENTERPRISE	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
(資)	U+323E	PARENTHESESIZED IDEOGRAPH RESOURCE	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
(協)	U+323F	PARENTHESESIZED IDEOGRAPH ALLIANCE	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
(祭)	U+3240	PARENTHESESIZED IDEOGRAPH FESTIVAL	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
(休)	U+3241	PARENTHESESIZED IDEOGRAPH REST	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
(自)	U+3242	PARENTHESESIZED IDEOGRAPH SELF	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
(至)	U+3243	PARENTHESESIZED IDEOGRAPH REACH	scx=Bopomofo,Han,Hangul,Hiragana,Katakana

Enclosed CJK Letters And Months — *Circled ideographs*

items: 39

(月)	U+328A	CIRCLED IDEOGRAPH MOON	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
(火)	U+328B	CIRCLED IDEOGRAPH FIRE	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
(水)	U+328C	CIRCLED IDEOGRAPH WATER	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
(木)	U+328D	CIRCLED IDEOGRAPH WOOD	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
(金)	U+328E	CIRCLED IDEOGRAPH METAL	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
(土)	U+328F	CIRCLED IDEOGRAPH EARTH	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
(日)	U+3290	CIRCLED IDEOGRAPH SUN	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
(株)	U+3291	CIRCLED IDEOGRAPH STOCK	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
(有)	U+3292	CIRCLED IDEOGRAPH HAVE	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
(社)	U+3293	CIRCLED IDEOGRAPH SOCIETY	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
(名)	U+3294	CIRCLED IDEOGRAPH NAME	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
(特)	U+3295	CIRCLED IDEOGRAPH SPECIAL	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
(財)	U+3296	CIRCLED IDEOGRAPH FINANCIAL	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
(祝)	U+3297	CIRCLED IDEOGRAPH CONGRATULATION	scx=Bopomofo,Han,Hangul,Hiragana,Katakana

勞	U+3298	CIRCLED IDEOGRAPH LABOR	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
秘	U+3299	CIRCLED IDEOGRAPH SECRET	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
男	U+329A	CIRCLED IDEOGRAPH MALE	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
女	U+329B	CIRCLED IDEOGRAPH FEMALE	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
適	U+329C	CIRCLED IDEOGRAPH SUITABLE	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
優	U+329D	CIRCLED IDEOGRAPH EXCELLENT	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
印	U+329E	CIRCLED IDEOGRAPH PRINT	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
注	U+329F	CIRCLED IDEOGRAPH ATTENTION	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
項	U+32A0	CIRCLED IDEOGRAPH ITEM	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
休	U+32A1	CIRCLED IDEOGRAPH REST	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
写	U+32A2	CIRCLED IDEOGRAPH COPY	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
正	U+32A3	CIRCLED IDEOGRAPH CORRECT	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
上	U+32A4	CIRCLED IDEOGRAPH HIGH	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
中	U+32A5	CIRCLED IDEOGRAPH CENTRE	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
下	U+32A6	CIRCLED IDEOGRAPH LOW	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
左	U+32A7	CIRCLED IDEOGRAPH LEFT	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
右	U+32A8	CIRCLED IDEOGRAPH RIGHT	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
医	U+32A9	CIRCLED IDEOGRAPH MEDICINE	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
宗	U+32AA	CIRCLED IDEOGRAPH RELIGION	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
学	U+32AB	CIRCLED IDEOGRAPH STUDY	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
監	U+32AC	CIRCLED IDEOGRAPH SUPERVISE	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
企	U+32AD	CIRCLED IDEOGRAPH ENTERPRISE	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
資	U+32AE	CIRCLED IDEOGRAPH RESOURCE	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
協	U+32AF	CIRCLED IDEOGRAPH ALLIANCE	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
夜	U+32B0	CIRCLED IDEOGRAPH NIGHT	scx=Bopomofo,Han,Hangul,Hiragana,Katakana

Enclosed CJK Letters And Months — [Telegraph symbols for months](#)

items: 12

1月	U+32C0	IDEOGRAPHIC TELEGRAPH SYMBOL FOR JANUARY	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
2月	U+32C1	IDEOGRAPHIC TELEGRAPH SYMBOL FOR FEBRUARY	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
3月	U+32C2	IDEOGRAPHIC TELEGRAPH SYMBOL FOR MARCH	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
4月	U+32C3	IDEOGRAPHIC TELEGRAPH SYMBOL FOR APRIL	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
5月	U+32C4	IDEOGRAPHIC TELEGRAPH SYMBOL FOR MAY	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
6月	U+32C5	IDEOGRAPHIC TELEGRAPH SYMBOL FOR JUNE	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
7月	U+32C6	IDEOGRAPHIC TELEGRAPH SYMBOL FOR JULY	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
8月	U+32C7	IDEOGRAPHIC TELEGRAPH	scx=Bopomofo,Han,Hangul,Hiragana,Katakana

		SYMBOL FOR AUGUST	
9月	U+32C8	IDEOGRAPHIC TELEGRAPH SYMBOL FOR SEPTEMBER	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
10月	U+32C9	IDEOGRAPHIC TELEGRAPH SYMBOL FOR OCTOBER	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
11月	U+32CA	IDEOGRAPHIC TELEGRAPH SYMBOL FOR NOVEMBER	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
12月	U+32CB	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DECEMBER	scx=Bopomofo,Han,Hangul,Hiragana,Katakana

CJK Compatibility — *[Telegraph symbols for hours](#)*

items: 25

0点	U+3358	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR ZERO	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
1点	U+3359	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR ONE	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
2点	U+335A	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR TWO	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
3点	U+335B	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR THREE	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
4点	U+335C	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR FOUR	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
5点	U+335D	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR FIVE	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
6点	U+335E	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR SIX	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
7点	U+335F	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR SEVEN	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
8点	U+3360	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR EIGHT	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
9点	U+3361	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR NINE	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
10点	U+3362	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR TEN	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
11点	U+3363	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR ELEVEN	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
12点	U+3364	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR TWELVE	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
13点	U+3365	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR THIRTEEN	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
14点	U+3366	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR FOURTEEN	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
15点	U+3367	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR FIFTEEN	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
16点	U+3368	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR SIXTEEN	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
17点	U+3369	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR SEVENTEEN	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
18点	U+336A	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR EIGHTEEN	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
19点	U+336B	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR NINETEEN	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
20点	U+336C	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR TWENTY	scx=Bopomofo,Han,Hangul,Hiragana,Katakana

21	U+336D	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR TWENTY-ONE	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
22	U+336E	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR TWENTY-TWO	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
23	U+336F	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR TWENTY-THREE	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
24	U+3370	IDEOGRAPHIC TELEGRAPH SYMBOL FOR HOUR TWENTY-FOUR	scx=Bopomofo,Han,Hangul,Hiragana,Katakana

CJK Compatibility — [Japanese era names](#)

items: 4

平成	U+337B	SQUARE ERA NAME HEISEI	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
昭和	U+337C	SQUARE ERA NAME SYOUWA	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
大正	U+337D	SQUARE ERA NAME TAISYOU	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
明治	U+337E	SQUARE ERA NAME MEIZI	scx=Bopomofo,Han,Hangul,Hiragana,Katakana

CJK Compatibility — [Japanese corporation](#)

items: 1

株式会社	U+337F	SQUARE CORPORATION	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
------	------------------------	--------------------	---

CJK Compatibility — [Telegraph symbols for days](#)

items: 31

1日	U+33E0	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY ONE	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
2日	U+33E1	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWO	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
3日	U+33E2	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY THREE	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
4日	U+33E3	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY FOUR	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
5日	U+33E4	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY FIVE	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
6日	U+33E5	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY SIX	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
7日	U+33E6	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY SEVEN	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
8日	U+33E7	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY EIGHT	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
9日	U+33E8	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY NINE	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
10日	U+33E9	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TEN	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
11日	U+33EA	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY ELEVEN	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
12日	U+33EB	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWELVE	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
13日	U+33EC	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY THIRTEEN	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
14日	U+33ED	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY FOURTEEN	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
15日	U+33EE	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY FIFTEEN	scx=Bopomofo,Han,Hangul,Hiragana,Katakana

16日	U+33EF	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY SIXTEEN	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
17日	U+33F0	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY SEVENTEEN	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
18日	U+33F1	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY EIGHTEEN	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
19日	U+33F2	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY NINETEEN	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
20日	U+33F3	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWENTY	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
21日	U+33F4	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWENTY-ONE	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
22日	U+33F5	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWENTY-TWO	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
23日	U+33F6	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWENTY-THREE	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
24日	U+33F7	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWENTY-FOUR	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
25日	U+33F8	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWENTY-FIVE	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
26日	U+33F9	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWENTY-SIX	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
27日	U+33FA	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWENTY-SEVEN	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
28日	U+33FB	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWENTY-EIGHT	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
29日	U+33FC	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY TWENTY-NINE	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
30日	U+33FD	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY THIRTY	scx=Bopomofo,Han,Hangul,Hiragana,Katakana
31日	U+33FE	IDEOGRAPHIC TELEGRAPH SYMBOL FOR DAY THIRTY-ONE	scx=Bopomofo,Han,Hangul,Hiragana,Katakana

Background

For comparison, the full data for {Hiragana, Katakana} is in:

[http://unicode.org/cldr/utility/list-unicodeset.jsp?a=\[:scx=/Hiragana,Katakana/:\]&g=gc&i=scx](http://unicode.org/cldr/utility/list-unicodeset.jsp?a=[:scx=/Hiragana,Katakana/:]&g=gc&i=scx)

I excluded the characters that didn't contain ideographs, or CJK strokes, but then added a few that appeared specifically for ideographics, like

□	U+303E	IDEOGRAPHIC VARIATION INDICATOR
---	------------------------	---------------------------------