

## Enclosed Alphanumeric Supplement

Range: 1F100–1F1FF

### The Unicode Standard, Version 13.0

This file contains an excerpt from the character code tables and list of character names for *The Unicode Standard, Version 13.0*

Characters in this chart that are new for The Unicode Standard, Version 13.0 are shown in conjunction with any existing characters. For ease of reference, the new characters have been highlighted in the chart grid and in the names list.

This file will not be updated with errata, or when additional characters are assigned to the Unicode Standard. See <http://www.unicode.org/errata/> for an up-to-date list of errata.

See <http://www.unicode.org/charts/> for access to a complete list of the latest character code charts. See <http://www.unicode.org/charts/PDF/Unicode-13.0/> for charts showing only the characters added in Unicode 13.0. See <http://www.unicode.org/Public/13.0.0/charts/> for a complete archived file of character code charts for Unicode 13.0.

### Disclaimer

These charts are provided as the online reference to the character contents of the Unicode Standard, Version 13.0 but do not provide all the information needed to fully support individual scripts using the Unicode Standard. For a complete understanding of the use of the characters contained in this file, please consult the appropriate sections of The Unicode Standard, Version 13.0, online at <http://www.unicode.org/versions/Unicode13.0.0/>, as well as Unicode Standard Annexes #9, #11, #14, #15, #24, #29, #31, #34, #38, #41, #42, #44, #45, and #50, the other Unicode Technical Reports and Standards, and the Unicode Character Database, which are available online.

See <http://www.unicode.org/ucd/> and <http://www.unicode.org/reports/>

A thorough understanding of the information contained in these additional sources is required for a successful implementation.

Copying characters from the character code tables or list of character names is not recommended, because for production reasons the PDF files for the code charts cannot guarantee that the correct character codes will always be copied.

### Fonts

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts. The particular fonts used in these charts were provided to the Unicode Consortium by a number of different font designers, who own the rights to the fonts.

See <http://www.unicode.org/charts/fonts.html> for a list.

### Terms of Use

You may freely use these code charts for personal or internal business uses only. You may not incorporate them either wholly or in part into any product or publication, or otherwise distribute them without express written permission from the Unicode Consortium. However, you may provide links to these charts.

The fonts and font data used in production of these code charts may NOT be extracted, or used in any other way in any product or publication, without permission or license granted by the typeface owner(s).

The Unicode Consortium is not liable for errors or omissions in this file or the standard itself. Information on characters added to the Unicode Standard since the publication of the most recent version of the Unicode Standard, as well as on characters currently being considered for addition to the Unicode Standard can be found on the Unicode web site.

See <http://www.unicode.org/pending/pending.html> and <http://www.unicode.org/alloc/Pipeline.html>.

Copyright © 1991-2020 Unicode, Inc. All rights reserved.

	1F10	1F11	1F12	1F13	1F14	1F15	1F16	1F17	1F18	1F19	1F1A	1F1B	1F1C	1F1D	1F1E	1F1F
0	0. 1F100	(A) 1F110	(Q) 1F120	A 1F130	Q 1F140	Ⓐ 1F150	Ⓚ 1F160	Ⓐ 1F170	Ⓚ 1F180	DJ 1F190	5.1 1F1A0					K 1F1F0
1	0, 1F101	(B) 1F111	(R) 1F121	B 1F131	R 1F141	Ⓑ 1F151	Ⓛ 1F161	Ⓑ 1F171	Ⓛ 1F181	CL 1F191	7.1 1F1A1					L 1F1F1
2	1, 1F102	(C) 1F112	(S) 1F122	C 1F132	S 1F142	Ⓒ 1F152	Ⓢ 1F162	Ⓒ 1F172	Ⓢ 1F182	COOL 1F192	22.2 1F1A2					M 1F1F2
3	2, 1F103	(D) 1F113	(T) 1F123	D 1F133	T 1F143	Ⓓ 1F153	Ⓣ 1F163	Ⓓ 1F173	Ⓣ 1F183	FREE 1F193	60P 1F1A3					N 1F1F3
4	3, 1F104	(E) 1F114	(U) 1F124	E 1F134	U 1F144	Ⓔ 1F154	Ⓤ 1F164	Ⓔ 1F174	Ⓤ 1F184	ID 1F194	120P 1F1A4					O 1F1F4
5	4, 1F105	(F) 1F115	(V) 1F125	F 1F135	V 1F145	Ⓕ 1F155	Ⓥ 1F165	Ⓕ 1F175	Ⓥ 1F185	NEW 1F195	d 1F1A5					P 1F1F5
6	5, 1F106	(G) 1F116	(W) 1F126	G 1F136	W 1F146	Ⓖ 1F156	Ⓦ 1F166	Ⓖ 1F176	Ⓦ 1F186	NG 1F196	HC 1F1A6				A 1F1E6	Q 1F1F6
7	6, 1F107	(H) 1F117	(X) 1F127	H 1F137	X 1F147	Ⓗ 1F157	Ⓧ 1F167	Ⓗ 1F177	Ⓧ 1F187	OK 1F197	HDR 1F1A7				B 1F1E7	R 1F1F7
8	7, 1F108	(I) 1F118	(Y) 1F128	I 1F138	Y 1F148	Ⓘ 1F158	Ⓨ 1F168	Ⓘ 1F178	Ⓨ 1F188	SOS 1F198	Hi-Res 1F1A8				C 1F1E8	S 1F1F8
9	8, 1F109	(J) 1F119	(Z) 1F129	J 1F139	Z 1F149	Ⓙ 1F159	Ⓩ 1F169	Ⓙ 1F179	Ⓩ 1F189	UPI! 1F199	Loss less 1F1A9				D 1F1E9	T 1F1F9
A	9, 1F10A	(K) 1F11A	(S) 1F12A	K 1F13A	HV 1F14A	Ⓚ 1F15A	MC 1F16A	Ⓚ 1F17A	Ⓜ 1F18A	VS 1F19A	SHV 1F1AA				E 1F1EA	U 1F1FA
B	Ⓞ 1F10B	(L) 1F11B	(C) 1F12B	L 1F13B	MV 1F14B	Ⓛ 1F15B	MD 1F16B	Ⓛ 1F17B	IC 1F18B	3D 1F19B	UHD 1F1AB				F 1F1EB	V 1F1FB
C	Ⓟ 1F10C	(M) 1F11C	(R) 1F12C	M 1F13C	SD 1F14C	Ⓜ 1F15C	MR 1F16C	Ⓜ 1F17C	PA 1F18C	2nd Scr 1F19C	VOD 1F1AC				G 1F1EC	W 1F1FC
D	Ⓠ 1F10D	(N) 1F11D	(CD) 1F12D	N 1F13D	SS 1F14D	Ⓝ 1F15D	Ⓒ 1F16D	Ⓝ 1F17D	SA 1F18D	2K 1F19D	Ⓜ 1F1AD				H 1F1ED	X 1F1FD
E	Ⓡ 1F10E	(O) 1F11E	(Wz) 1F12E	O 1F13E	PPV 1F14E	Ⓞ 1F15E	Ⓢ 1F16E	Ⓞ 1F17E	AB 1F18E	4K 1F19E					I 1F1EE	Y 1F1FE
F	Ⓢ 1F10F	(P) 1F11F	(C) 1F12F	P 1F13F	WC 1F14F	Ⓟ 1F15F	Ⓢ 1F16F	Ⓟ 1F17F	WC 1F18F	8K 1F19F					J 1F1EF	Z 1F1FF

**Number with full stop**

*This symbol completes the set of numbers with full stop starting at 2488.*

1F100 **0**. DIGIT ZERO FULL STOP  
≈ 0030 **0** 002E .

**Numbers with comma**

1F101 **0**, DIGIT ZERO COMMA  
≈ 0030 **0** 002C ,

1F102 **1**, DIGIT ONE COMMA  
≈ 0031 **1** 002C ,

1F103 **2**, DIGIT TWO COMMA  
≈ 0032 **2** 002C ,

1F104 **3**, DIGIT THREE COMMA  
≈ 0033 **3** 002C ,

1F105 **4**, DIGIT FOUR COMMA  
≈ 0034 **4** 002C ,

1F106 **5**, DIGIT FIVE COMMA  
≈ 0035 **5** 002C ,

1F107 **6**, DIGIT SIX COMMA  
≈ 0036 **6** 002C ,

1F108 **7**, DIGIT SEVEN COMMA  
≈ 0037 **7** 002C ,

1F109 **8**, DIGIT EIGHT COMMA  
≈ 0038 **8** 002C ,

1F10A **9**, DIGIT NINE COMMA  
≈ 0039 **9** 002C ,

**Circled sans-serif digits**

*These digits complement the sans-serif digit sets in the Dingbat block ranges 2780-2789 and 278A-2793.*

1F10B **0** DINGBAT CIRCLED SANS-SERIF DIGIT ZERO

1F10C **0** DINGBAT NEGATIVE CIRCLED SANS-SERIF DIGIT ZERO

**Creative Commons symbols**

*Part of a Creative Commons symbol set also including 229C, 1F16D, 1F16E, and 1F16F.*

1F10D **0** CIRCLED ZERO WITH SLASH  
= no rights reserved

1F10E **0** CIRCLED ANTICLOCKWISE ARROW  
= share alike

1F10F **0** CIRCLED DOLLAR SIGN WITH OVERLAID BACKSLASH  
= non commercial

**Parenthesized Latin letters**

*This set provides uppercase versions of the set starting at 249C. Parenthesized Latin letters do not have case mappings.*

1F110 **(A)** PARENTHESIZED LATIN CAPITAL LETTER A  
≈ 0028 ( 0041 **A** 0029 )

1F111 **(B)** PARENTHESIZED LATIN CAPITAL LETTER B  
≈ 0028 ( 0042 **B** 0029 )

1F112 **(C)** PARENTHESIZED LATIN CAPITAL LETTER C  
≈ 0028 ( 0043 **C** 0029 )

1F113 **(D)** PARENTHESIZED LATIN CAPITAL LETTER D  
≈ 0028 ( 0044 **D** 0029 )

1F114 **(E)** PARENTHESIZED LATIN CAPITAL LETTER E  
≈ 0028 ( 0045 **E** 0029 )

1F115 **(F)** PARENTHESIZED LATIN CAPITAL LETTER F  
≈ 0028 ( 0046 **F** 0029 )

1F116 **(G)** PARENTHESIZED LATIN CAPITAL LETTER G  
≈ 0028 ( 0047 **G** 0029 )

1F117 **(H)** PARENTHESIZED LATIN CAPITAL LETTER H  
≈ 0028 ( 0048 **H** 0029 )

1F118 **(I)** PARENTHESIZED LATIN CAPITAL LETTER I  
≈ 0028 ( 0049 **I** 0029 )

1F119 **(J)** PARENTHESIZED LATIN CAPITAL LETTER J  
≈ 0028 ( 004A **J** 0029 )

1F11A **(K)** PARENTHESIZED LATIN CAPITAL LETTER K  
≈ 0028 ( 004B **K** 0029 )

1F11B **(L)** PARENTHESIZED LATIN CAPITAL LETTER L  
≈ 0028 ( 004C **L** 0029 )

1F11C **(M)** PARENTHESIZED LATIN CAPITAL LETTER M  
≈ 0028 ( 004D **M** 0029 )

1F11D **(N)** PARENTHESIZED LATIN CAPITAL LETTER N  
≈ 0028 ( 004E **N** 0029 )

1F11E **(O)** PARENTHESIZED LATIN CAPITAL LETTER O  
≈ 0028 ( 004F **O** 0029 )

1F11F **(P)** PARENTHESIZED LATIN CAPITAL LETTER P  
≈ 0028 ( 0050 **P** 0029 )

1F120 **(Q)** PARENTHESIZED LATIN CAPITAL LETTER Q  
≈ 0028 ( 0051 **Q** 0029 )

1F121 **(R)** PARENTHESIZED LATIN CAPITAL LETTER R  
≈ 0028 ( 0052 **R** 0029 )

1F122 **(S)** PARENTHESIZED LATIN CAPITAL LETTER S  
≈ 0028 ( 0053 **S** 0029 )

1F123 **(T)** PARENTHESIZED LATIN CAPITAL LETTER T  
≈ 0028 ( 0054 **T** 0029 )

1F124 **(U)** PARENTHESIZED LATIN CAPITAL LETTER U  
≈ 0028 ( 0055 **U** 0029 )

1F125 **(V)** PARENTHESIZED LATIN CAPITAL LETTER V  
≈ 0028 ( 0056 **V** 0029 )

1F126 **(W)** PARENTHESIZED LATIN CAPITAL LETTER W  
≈ 0028 ( 0057 **W** 0029 )

1F127 **(X)** PARENTHESIZED LATIN CAPITAL LETTER X  
≈ 0028 ( 0058 **X** 0029 )

1F128 **(Y)** PARENTHESIZED LATIN CAPITAL LETTER Y  
≈ 0028 ( 0059 **Y** 0029 )

1F129 **(Z)** PARENTHESIZED LATIN CAPITAL LETTER Z  
≈ 0028 ( 005A **Z** 0029 )

**Latin letter with tortoise shell brackets**

1F12A **[S]** TORTOISE SHELL BRACKETED LATIN CAPITAL LETTER S  
• used in baseball scoring  
≈ 3014 ( 0053 **S** 3015 )

**Circled italic Latin letters**

1F12B **©** CIRCLED ITALIC LATIN CAPITAL LETTER C  
= compact disc, single disc record  
≈ <circle> 0043 **C**

1F12C **®** CIRCLED ITALIC LATIN CAPITAL LETTER R  
= disc record  
≈ <circle> 0052 **R**

**Circled Latin letters or letter sequences**

1F12D **Ⓒ** CIRCLED CD  
→ 33C5 cd square cd  
≈ <circle> 0043 **C** 0044 **D**

1F12E **Ⓜ** CIRCLED WZ  
• from the German term “Warenzeichen”  
• indicate a trademarked term without making a legal claim of trademark status  
• decomposition is anomalous, as the usual glyph shows a capital W and a small z  
→ 2122 **™** trade mark sign  
≈ <circle> 0057 **W** 005A **Z**

- 1F12F ☉ COPYLEFT SYMBOL  
 → 00A9 ☉ copyright sign  
 → 2183 ㊀ roman numeral reversed one hundred




**Squared Latin letters**

- 1F130 **A** SQUARED LATIN CAPITAL LETTER A  
 = Anreisetag (day of arrival)  
 ≈ <square> 0041 **A**
- 1F131 **B** SQUARED LATIN CAPITAL LETTER B  
 = bank  
 = b-mode stereo compression broadcasting service (ARIB STD B24)  
 ≈ <square> 0042 **B**
- 1F132 **C** SQUARED LATIN CAPITAL LETTER C  
 ≈ <square> 0043 **C**
- 1F133 **D** SQUARED LATIN CAPITAL LETTER D  
 ≈ <square> 0044 **D**
- 1F134 **E** SQUARED LATIN CAPITAL LETTER E  
 ≈ <square> 0045 **E**
- 1F135 **F** SQUARED LATIN CAPITAL LETTER F  
 ≈ <square> 0046 **F**
- 1F136 **G** SQUARED LATIN CAPITAL LETTER G  
 ≈ <square> 0047 **G**
- 1F137 **H** SQUARED LATIN CAPITAL LETTER H  
 ≈ <square> 0048 **H**
- 1F138 **I** SQUARED LATIN CAPITAL LETTER I  
 ≈ <square> 0049 **I**
- 1F139 **J** SQUARED LATIN CAPITAL LETTER J  
 ≈ <square> 004A **J**
- 1F13A **K** SQUARED LATIN CAPITAL LETTER K  
 ≈ <square> 004B **K**
- 1F13B **L** SQUARED LATIN CAPITAL LETTER L  
 ≈ <square> 004C **L**
- 1F13C **M** SQUARED LATIN CAPITAL LETTER M  
 ≈ <square> 004D **M**
- 1F13D **N** SQUARED LATIN CAPITAL LETTER N  
 = news (ARIB STD B24)  
 ≈ <square> 004E **N**
- 1F13E **O** SQUARED LATIN CAPITAL LETTER O  
 ≈ <square> 004F **O**
- 1F13F **P** SQUARED LATIN CAPITAL LETTER P  
 = progressive broadcasting (ARIB STD B24)  
 ≈ <square> 0050 **P**
- 1F140 **Q** SQUARED LATIN CAPITAL LETTER Q  
 ≈ <square> 0051 **Q**
- 1F141 **R** SQUARED LATIN CAPITAL LETTER R  
 ≈ <square> 0052 **R**
- 1F142 **S** SQUARED LATIN CAPITAL LETTER S  
 = stereo broadcasting service (ARIB STD B24)  
 ≈ <square> 0053 **S**
- 1F143 **T** SQUARED LATIN CAPITAL LETTER T  
 = tobacconist  
 ≈ <square> 0054 **T**
- 1F144 **U** SQUARED LATIN CAPITAL LETTER U  
 ≈ <square> 0055 **U**
- 1F145 **V** SQUARED LATIN CAPITAL LETTER V  
 ≈ <square> 0056 **V**
- 1F146 **W** SQUARED LATIN CAPITAL LETTER W  
 = wide-format 16:9 broadcasting service (ARIB STD B24)  
 ≈ <square> 0057 **W**
- 1F147 **X** SQUARED LATIN CAPITAL LETTER X  
 ≈ <square> 0058 **X**



- 1F148 **Y** SQUARED LATIN CAPITAL LETTER Y  
 ≈ <square> 0059 **Y**
- 1F149 **Z** SQUARED LATIN CAPITAL LETTER Z  
 ≈ <square> 005A **Z**
- 1F14A **HV** SQUARED HV  
 = hdtv  
 ≈ <square> 0048 **H** 0056 **V**
- 1F14B **MV** SQUARED MV  
 = multi-view television  
 ≈ <square> 004D **M** 0056 **V**
- 1F14C **SD** SQUARED SD  
 = sdtv  
 ≈ <square> 0053 **S** 0044 **D**
- 1F14D **SS** SQUARED SS  
 = surround stereo broadcasting service  
 ≈ <square> 0053 **S** 0053 **S**
- 1F14E **PPV** SQUARED PPV  
 = pay-per-view  
 ≈ <square> 0050 **P** 0050 **P** 0056 **V**
- 1F14F **WC** SQUARED WC  
 = water closet, public toilet  
 → 1F6BE 🚻 water closet  
 ≈ <square> 0057 **W** 0043 **C**

**White on black circled Latin letters**





- 1F150 **A** NEGATIVE CIRCLED LATIN CAPITAL LETTER A  
 = airport
- 1F151 **B** NEGATIVE CIRCLED LATIN CAPITAL LETTER B
- 1F152 **C** NEGATIVE CIRCLED LATIN CAPITAL LETTER C
- 1F153 **D** NEGATIVE CIRCLED LATIN CAPITAL LETTER D
- 1F154 **E** NEGATIVE CIRCLED LATIN CAPITAL LETTER E
- 1F155 **F** NEGATIVE CIRCLED LATIN CAPITAL LETTER F  
 = ferry
- 1F156 **G** NEGATIVE CIRCLED LATIN CAPITAL LETTER G
- 1F157 **H** NEGATIVE CIRCLED LATIN CAPITAL LETTER H  
 = hotel (ARIB STD B24)
- 1F158 **I** NEGATIVE CIRCLED LATIN CAPITAL LETTER I
- 1F159 **J** NEGATIVE CIRCLED LATIN CAPITAL LETTER J
- 1F15A **K** NEGATIVE CIRCLED LATIN CAPITAL LETTER K  
 = Kurort (spa)  
 → 2668 🌋 hot springs
- 1F15B **L** NEGATIVE CIRCLED LATIN CAPITAL LETTER L  
 = light rail  
 → 1F688 🚊 light rail
- 1F15C **M** NEGATIVE CIRCLED LATIN CAPITAL LETTER M  
 = metro  
 → 1F687 🚇 metro
- 1F15D **N** NEGATIVE CIRCLED LATIN CAPITAL LETTER N
- 1F15E **O** NEGATIVE CIRCLED LATIN CAPITAL LETTER O
- 1F15F **P** NEGATIVE CIRCLED LATIN CAPITAL LETTER P  
 = parking space (ARIB STD B24)
- 1F160 **Q** NEGATIVE CIRCLED LATIN CAPITAL LETTER Q
- 1F161 **R** NEGATIVE CIRCLED LATIN CAPITAL LETTER R  
 = Raststätte (rest stop)
- 1F162 **S** NEGATIVE CIRCLED LATIN CAPITAL LETTER S  
 = Stadtbahn (metropolitan railway)
- 1F163 **T** NEGATIVE CIRCLED LATIN CAPITAL LETTER T  
 = Tankstelle (petrol station)  
 → 26FD 🛢 fuel pump
- 1F164 **U** NEGATIVE CIRCLED LATIN CAPITAL LETTER U  
 = underground rail  
 → 1F687 🚇 metro
- 1F165 **V** NEGATIVE CIRCLED LATIN CAPITAL LETTER V
- 1F166 **W** NEGATIVE CIRCLED LATIN CAPITAL LETTER W

- 1F167  NEGATIVE CIRCLED LATIN CAPITAL LETTER X  
 1F168  NEGATIVE CIRCLED LATIN CAPITAL LETTER Y  
 1F169  NEGATIVE CIRCLED LATIN CAPITAL LETTER Z

**Raised squared Latin sequences**






















- 1F16A  **RAISED MC SIGN**  
 = marque de commerce  
 • used in Canada  
 → 2122 <sup>TM</sup> trade mark sign  
 ≈ <sup> 004D **M** 0043 **C**
- 1F16B  **RAISED MD SIGN**  
 = marque déposée  
 • used in Canada  
 → 00AE <sup>®</sup> registered sign  
 ≈ <sup> 004D **M** 0044 **D**
- 1F16C  **RAISED MR SIGN**  
 = marca registrada  
 • used primarily in Spanish and Portuguese speaking communities to indicate a registered trademark  
 → 00AE <sup>®</sup> registered sign  
 ≈ <sup> 004D **M** 0052 **R**














**Creative Commons symbols**

- 1F16D  **CIRCLED CC**  
 = Creative Commons license  
 → 229C  circled equals
- 1F16E  **CIRCLED C WITH OVERLAID BACKSLASH**  
 = public domain
- 1F16F  **CIRCLED HUMAN FIGURE**  
 = attribution, credit












**White on black squared Latin letters**

*The square edges may be slightly rounded.*













- 1F170  **NEGATIVE SQUARED LATIN CAPITAL LETTER A**  
 = blood type A
- 1F171  **NEGATIVE SQUARED LATIN CAPITAL LETTER B**  
 = blood type B
- 1F172  **NEGATIVE SQUARED LATIN CAPITAL LETTER C**  
 = centre, city centre
- 1F173  **NEGATIVE SQUARED LATIN CAPITAL LETTER D**
- 1F174  **NEGATIVE SQUARED LATIN CAPITAL LETTER E**
- 1F175  **NEGATIVE SQUARED LATIN CAPITAL LETTER F**  
 = Feuerwache (fire department)
- 1F176  **NEGATIVE SQUARED LATIN CAPITAL LETTER G**
- 1F177  **NEGATIVE SQUARED LATIN CAPITAL LETTER H**  
 = Haltestelle (bus stop)  
 → 1F68F  bus stop
- 1F178  **NEGATIVE SQUARED LATIN CAPITAL LETTER I**
- 1F179  **NEGATIVE SQUARED LATIN CAPITAL LETTER J**  
 = junction (ARIB STD B24)
- 1F17A  **NEGATIVE SQUARED LATIN CAPITAL LETTER K**
- 1F17B  **NEGATIVE SQUARED LATIN CAPITAL LETTER L**  
 = leisure center (ARIB STD B24)
- 1F17C  **NEGATIVE SQUARED LATIN CAPITAL LETTER M**  
 = museum, cultural center (ARIB STD B24)
- 1F17D  **NEGATIVE SQUARED LATIN CAPITAL LETTER N**
- 1F17E  **NEGATIVE SQUARED LATIN CAPITAL LETTER O**  
 = blood type O
- 1F17F  **NEGATIVE SQUARED LATIN CAPITAL LETTER P**  
 = parking space empty-full (ARIB STD B24)
- 1F180  **NEGATIVE SQUARED LATIN CAPITAL LETTER Q**
- 1F181  **NEGATIVE SQUARED LATIN CAPITAL LETTER R**
- 1F182  **NEGATIVE SQUARED LATIN CAPITAL LETTER S**
- 1F183  **NEGATIVE SQUARED LATIN CAPITAL LETTER T**







- 1F184  **NEGATIVE SQUARED LATIN CAPITAL LETTER U**
- 1F185  **NEGATIVE SQUARED LATIN CAPITAL LETTER V**
- 1F186  **NEGATIVE SQUARED LATIN CAPITAL LETTER W**
- 1F187  **NEGATIVE SQUARED LATIN CAPITAL LETTER X**
- 1F188  **NEGATIVE SQUARED LATIN CAPITAL LETTER Y**
- 1F189  **NEGATIVE SQUARED LATIN CAPITAL LETTER Z**
- 1F18A  **CROSSED NEGATIVE SQUARED LATIN CAPITAL LETTER P**  
 = parking space closed
- 1F18B  **NEGATIVE SQUARED IC**  
 = interchange, ramp
- 1F18C  **NEGATIVE SQUARED PA**  
 = parking area
- 1F18D  **NEGATIVE SQUARED SA**  
 = service area
- 1F18E  **NEGATIVE SQUARED AB**  
 = blood type AB
- 1F18F  **NEGATIVE SQUARED WC**  
 = water closet, public toilet  
 → 1F6BE  water closet

**Squared Latin letter sequences**



- 1F190  **SQUARE DJ**  
 = disc jockey  
 ≈ <square> 0044 **D** 004A **J**
- 1F191  **SQUARED CL**  
 = clear
- 1F192  **SQUARED COOL**
- 1F193  **SQUARED FREE**  
 = free postage
- 1F194  **SQUARED ID**  
 = identification, ID
- 1F195  **SQUARED NEW**
- 1F196  **SQUARED NG**  
 = no good
- 1F197  **SQUARED OK**
- 1F198  **SQUARED SOS**  
 = search, hunt for missing person
- 1F199  **SQUARED UP WITH EXCLAMATION MARK**  
 = new information, update
- 1F19A  **SQUARED VS**  
 = versus

**Squared Latin letter sequences from ARIB STD B62**

- 1F19B  **SQUARED THREE D**
- 1F19C  **SQUARED SECOND SCREEN**
- 1F19D  **SQUARED TWO K**
- 1F19E  **SQUARED FOUR K**
- 1F19F  **SQUARED EIGHT K**
- 1F1A0  **SQUARED FIVE POINT ONE**  
 • denotes 5.1-channel surround sound
- 1F1A1  **SQUARED SEVEN POINT ONE**  
 • denotes 7.1-channel surround sound
- 1F1A2  **SQUARED TWENTY-TWO POINT TWO**  
 • denotes 22.2-channel surround sound
- 1F1A3  **SQUARED SIXTY P**  
 • denotes 60Hz frame rate with progressive scanning
- 1F1A4  **SQUARED ONE HUNDRED TWENTY P**  
 • denotes 120Hz frame rate with progressive scanning
- 1F1A5  **SQUARED LATIN SMALL LETTER D**  
 = data
- 1F1A6  **SQUARED HC**  
 = hybrid cast



























- 1F1A7  SQUARED HDR  
= high dynamic range
- 1F1A8  SQUARED HI-RES  
= high resolution
- 1F1A9  SQUARED LOSSLESS
- 1F1AA  SQUARED SHV  
= super high vision
- 1F1AB  SQUARED UHD  
= ultra-high definition
- 1F1AC  SQUARED VOD  
= video on demand

**Miscellaneous symbol**

- 1F1AD  MASK WORK SYMBOL
- indicates intellectual property protection for integrated circuit layouts
  - 00A9 © copyright sign
  - 24C2  circled latin capital letter m

**Regional indicator symbols**

*These characters can be used in pairs to represent regional codes. In some emoji implementations, certain pairs may be recognized and displayed by alternate means; for instance, an implementation might recognize F + R and display this combination with a symbol representing the flag of France.*

- 1F1E6  REGIONAL INDICATOR SYMBOL LETTER A
- 1F1E7  REGIONAL INDICATOR SYMBOL LETTER B
- 1F1E8  REGIONAL INDICATOR SYMBOL LETTER C
- 1F1E9  REGIONAL INDICATOR SYMBOL LETTER D
- 1F1EA  REGIONAL INDICATOR SYMBOL LETTER E
- 1F1EB  REGIONAL INDICATOR SYMBOL LETTER F
- 1F1EC  REGIONAL INDICATOR SYMBOL LETTER G
- 1F1ED  REGIONAL INDICATOR SYMBOL LETTER H
- 1F1EE  REGIONAL INDICATOR SYMBOL LETTER I
- 1F1EF  REGIONAL INDICATOR SYMBOL LETTER J
- 1F1F0  REGIONAL INDICATOR SYMBOL LETTER K
- 1F1F1  REGIONAL INDICATOR SYMBOL LETTER L
- 1F1F2  REGIONAL INDICATOR SYMBOL LETTER M
- 1F1F3  REGIONAL INDICATOR SYMBOL LETTER N
- 1F1F4  REGIONAL INDICATOR SYMBOL LETTER O
- 1F1F5  REGIONAL INDICATOR SYMBOL LETTER P
- 1F1F6  REGIONAL INDICATOR SYMBOL LETTER Q
- 1F1F7  REGIONAL INDICATOR SYMBOL LETTER R
- 1F1F8  REGIONAL INDICATOR SYMBOL LETTER S
- 1F1F9  REGIONAL INDICATOR SYMBOL LETTER T
- 1F1FA  REGIONAL INDICATOR SYMBOL LETTER U
- 1F1FB  REGIONAL INDICATOR SYMBOL LETTER V
- 1F1FC  REGIONAL INDICATOR SYMBOL LETTER W
- 1F1FD  REGIONAL INDICATOR SYMBOL LETTER X
- 1F1FE  REGIONAL INDICATOR SYMBOL LETTER Y
- 1F1FF  REGIONAL INDICATOR SYMBOL LETTER Z