L2/02-21

ToUTCFromMark Davis, Kamal MansourDate2002-01-17

Proposal To Amend Arabic Repertoire

This proposal requests the addition of a series of non-spacing marks to the Arabic repertoire. These new characters would serve one or both of the following purposes:

a) Extension of Repertoire

By taking a broad sampling of the extensions of Arabic script to accommodate non-Arabic languages, it is readily observable that some marks and diacritics have been repeatedly used in a generative manner to create new characters. Based on that observation, it is reasonable to imagine that other minority languages, as well as scholarly use, could resort to new combinations that are not currently supported by Unicode.

b) Pedagogical Use

In order to be able to refer to all constituent part of Arabic script, the various marks must be addressable as independent characters. This capability is particularly important in discussions about the evolution of Arabic script and its adaptation to non-Arabic languages.

The UTC must, however, consider the interaction of these marks with the requirements of normalization.

List of Proposed Characters

For each of the following 22 non-spacing characters, examples are given of usage by Arabic and other languages. In each case, at least one graphic example is shown.

1. Single dot above:

Languages: Arabic, Jawi, Moplah, ... Examples in Unicode: U+0696, 069A, 06A7, 06AC, 06B6, 06CF Graphic sample: ; U+06CF (Jawi)

2. Single dot below:

Languages: Arabic, Sindhi, Pashto, Kurdish *Examples in Unicode*: U+068A, 068B, 0694, 0696, 069A, 06A3 *Graphic sample*: ب U+068A (Sindhi)

3. Two dots above: Ö

Languages: Arabic, Sindhi, Dargwa, Kurdish, Judeo-Arabic Examples in Unicode: U+0697, 06CA Graphic sample: ن U+068C (Sindhi); ت (Judeo-Arabic)

4. Two dots below: _

Languages: Arabic, Sindhi, Turkic Examples in Unicode: U+0683, 069D, 06B2 Graphic sample: ح U+0683 (Sindhi)

5. Two vertical dots above: .

Languages: Pashto *Examples in Unicode*: U+0682 *Graphic sample*: → U+0682 (Pashto) 6. Two vertical dots below: •

Languages: Sindhi, Pashto, Uighur *Examples in Unicode*: U+067B, 06B3, 06D0 *Graphic sample*: ب U+067B (Sindhi)

7. Three dots above:

Languages: Arabic, Jawi, Judeo-Arabic

ै

Examples in Unicode: U+067D, 0685, 068F, 069C, 069E, 069F, 06A0, 06A8, 06B4, 06B7, 06BD

(Judeo-Arabic) ش (Judeo-Arabic)

8. Three dots below:

Languages:Arabic, Farsi, Pashto, Urdu, UighurExamples in Unicode:U+0686, 069B, 069C, 067E, 06A5, 06AE, 06D1Graphic sample:U+067E (Farsi et al.)

9. Three dots reversed above: ^{*}

Languages: Sindhi

Examples in Unicode: U+067D, 068F

Graphic sample: ٽ U+067D, ک U+068F (Sindhi)

10. Four dots above: ਁ

Languages: Sindhi

Examples in Unicode: U+067F, 0690, 0699, 06A6

Graphic sample: ت U+067F (Sindhi)

11. Four dots below: ੵ

Languages: Sindhi Examples in Unicode: U+0680, 0687 Graphic sample: ب U+0680 (Sindhi)

12. Wavy Hamza above: *Languages*: Baluchi, Kashmiri *Examples in Unicode*: U+0672 *Graphic sample*: *U*+0672

13. Wavy Hamza below: ृ

Languages: Baluchi, Kashmiri *Examples in Unicode*: U+0673 *Graphic sample*: U+0672

14. Small Tah above: ᡭ

Languages: Urdu, Lahnda Examples in Unicode: U+0679, 0688, 068B, 0691 Graphic sample: ち U+0688 (Urdu)

> Languages: Pashto, Lahnda Examples in Unicode: U+06AB, 06B0, 06C4 Graphic sample: ک U+06AB (Pashto)

16. Ring below: ्

Languages: Pashto Examples in Unicode: U+067C, 0689, 0693, 06BC Graphic sample: > U+0689 17. Seven-like sign above: Č

Languages: Kazakh, Kurdish, Uighur, Kashmiri *Examples in Unicode*: U+0692, 06B5, 06C6, 06CE *Graphic sample*: 5 U+0692 (Kurdish)

18. Seven-like sign below: ې Languages: Kurdish Examples in Unicode: U+0695 Graphic sample: U+0695

19. Small separate Heh above: *Languages*: Kashmiri *Examples in Unicode*: none *Graphic sample*: 5

20. Wasla above: ්

21. Circumflex-like sign above: *Languages*: Kazakh, Kirghiz *Examples in Unicode*: U+06C9 *Graphic sample*: *Graphic sample*: *Context Context Contex Context Context Context Conte*

22. Breve-like sign above: *Languages*: Kashmiri *Examples in Unicode*: none *Graphic sample*: خ