ISO/IEC JTC 1/SC 2 N 3635

DATE: 2002-09-17

ISO/IEC JTC 1/SC 2 Coded Character Sets Secretariat: Japan (JISC)

L2/02-382

DOC.	ТҮРЕ	Other document					
TITLE	E	Results of 2002 Systematic Review for ISO/IEC JTC 1/SC 2 Standards					
SOUR	CE	SC 2 Secretariat					
PROJ	ECT						
STAT	US	Based on the results in this documents, all of the SC 2 standards reviewed in 2002 will be confirmed.					
ACTIO	ON ID	FYI					
DUE I	DATE						
DISTR	RIBUTION	P, O and L Members of ISO/IEC JTC 1/SC 2; ISO/IEC JTC 1 Secretariat; ISO/IEC ITTF					
ACCE	SS LEVEL	Def					
ISSUE	NO.	149					
	NAME SIZE	02n3635.pdf					
FILE	(KB) PAGES	15					

Secretariat ISO/IEC JTC 1/SC 2 - IPSJ/ITSCJ *(Information Processing Society of Japan/Information Technology Standards Commission of Japan) Room 308-3, Kikai-Shinko-Kaikan Bldg., 3-5-8, Shiba-Koen, Minato-ku, Tokyo 105-0011 Japan *Standard Organization Accredited by JISC

Telephone: +81-3-3431-2808; Facsimile: +81-3-3431-6493; E-mail: kimura@itscj.ipsj.or.jp

1) ISO/IEC 646 - ISO 7-bit coded character set for information interchange

Based on the results listed below ISO/IEC 646: 1991 will be confirmed.

National Body	Question 1	Question 2	Question 3	Question 4	Question 5	Comments
China	Confirm	Yes	Yes	No		
Finland	Confirm	No	No	No		
France	Abstain	No	No			Abstention due to lack of available expertise.
Germany	Confirm	No	Yes	Yes		
Japan	Confirm	Yes	Yes	Yes	JIS X0201	
Korea (Rep. Of)	Confirm	No	No			
Netherlands	Confirm	No	No			
Norway	Confirm	No	No			
Sweden	Confirm	No	Yes	Yes		
Switzerland	Abstain					
UK	Confirm*	No	Yes	Yes	BSI ISO/IEC 646: 1991	*The UK recommends that this standard be declared "STABILIZED".
USA	Confirm	N/A	No	N/A		

2) ISO 962 - Implementation of the 7-bit coded character set and its 7bit and 8-bitt extensions on 9-track 12,7 mm (0.5) magnetic tape

Based on the results listed below ISO 962: 1974 will be confirmed.

National Body	Question 1	Question 2	Question 3	Question 4	Question 5	Comments
China	Confirm	Yes	Yes	Yes		
Finland	Confirm	No	No	No		
France	Abstain	No	No			Abstention due to lack of available expertise.
Germany	Confirm	No	Yes	Yes		
Japan	Confirm	Yes	Yes	Yes	JIS X 0204	
Korea (Rep. Of)	Confirm	No	No			
Netherlands	Confirm	No	No			
Norway	Confirm	No	Yes	Yes	NS 4554	
Sweden	Confirm	No	Yes	Yes		
Switzerland	Abstain					
UK	Confirm*	No	No**			*The UK recommends that this standard be declared "STABILIZED". **The UK National Body has no information on usage by UK national industry.
USA	Confirm	N/A	Yes	Yes*		*To the best of the knowledge of the TC, the standard is implemented or used without change.

3) ISO 1113 - Pepresentation of the 7-bit coded character set on punched tape

Based on the results listed below ISO 1113: 1979 will be confirmed.

National Body	Question 1	Question 2	Question 3	Question 4	Question 5	Comments
China	Confirm	Yes	Yes	Yes		
Finland	Confirm	No	No	No		
France	Abstain	No				Abstention due to lack of available expertise.
Germany	Confirm	No	Yes	Yes		
Japan	Confirm	Yes	No			
Korea (Rep. Of)	Confirm	No	Yes	Yes	KS X ISO 1113: 2001	
Netherlands	Confirm	No	Yes	Yes	NEN-ISO 1113	
Norway	Confirm	No	No			
Sweden	Confirm	No	Yes	Yes		
Switzerland	Abstain					
UK	Confirm*	No	**			*The UK recommends that this standard be declared "STABILIZED". **The UK National Body has no information
USA	Confirm	N/A	No	N/A		avilable to answer this quetion.

4) ISO 3275 - Implementation of the 7-bit coded character set and its 7-bit and 8-bit extensions on 3,81 mm magnetic cassette for data interchange

Based on the results listed below ISO 3275: 1974 will be confirmed.

National Body	Question 1	Question 2	Question 3	Question 4	Question 5	Comments
China	Confirm	Yes	Yes	Yes		
Finland	Confirm	No	No	No		
France	Abstain	No				Abstention due to lack of available expertise.
Germany	Confirm	No	Yes	Yes		
Japan	Confirm	Yes	Yes	Yes	JIS X 0206	
Korea (Rep. Of)	Confirm	No	Yes	Yes	KS X 5409	
Netherlands	Confirm	No	Yes	Yes	NEN-ISO 3275	
Norway	Confirm	No	Yes	Yes	NS 4555	
Sweden	Confirm	No	Yes	Yes		
Switzerland	Abstain					
UK	Confirm*	No	No			*The UK recommends that this standard be
						declared "STABILIZED".
USA	Confirm	N/A	No	N/A		This standard would qualify for being archived as
						a 'Stabilized standard' if this mechanism were
						already available for JTC 1 Standards at this
						time. RLG would have voted to stabilized ISO
						3275: 1974 if this option had been available for Sc
						2 Standards. The stabilized procedure proposed
						by the US cannot come too soon.
						by the OS cambot come too soon.

5) ISO/IEC 4873 - ISO 8-bit code for information interchange -- Structure and rules for implementation

Based on the results listed below ISO 4873: 1991 will be confirmed.

National Body	Question 1	Question 2	Question 3	Question 4	Question 5	Comments
China	Confirm	Yes	Yes	Yes		
Finland	Confirm	No	Yes	Yes	SFS-ISO4873	
France	Abstain	No				Abstention due to lack of available expertise.
Germany	Confirm	No	Yes	Yes		
Japan	Revise	Yes	No			The revison of ISO 2022 should be reflected.
Korea (Rep. Of)	Confirm	No	Yes	Yes	KS X 1006	
Netherlands	Confirm	No	No			
Norway	Confirm	No	No			
Sweden	Confirm	No	Yes	Yes		
Switzerland	Abstain					
UK	Confirm*	No	Yes	Yes		*The UK recommends that this standard be declared "STABILIZED".
USA	Confirm	N/A	Yes	*		*To the best of the knowledge of the TC, the standard is implemented or used without change.

6) ISO 5426 - Extension of the Latin alphabet coded character set for bibliographic information interchange

Based on the results listed below ISO 5426: 1983 will be confirmed.

National Body	Question 1	Question 2	Question 3	Question 4	Question 5	Comments
China	Confirm	Yes	Yes	Yes		
Finland	Confirm	No	No	No		
France	Abstain	No				Abstention due to lack of available expertise.
Germany	Confirm	No	Yes	Yes		
Japan	Confirm	Yes	No			
Korea (Rep. Of)						
Netherlands	Confirm	No	No			
Norway	Confirm	No	No			
Sweden	Confirm	No	Yes	Yes		
Switzerland	Abstain					
UK	Confirm*	No	Yes	**		*The UK recommends that this standard be declared "STABILIZED".
						**The UK National Body has no information available to answer this question.
USA	Confirm	N/A	No	N/A		

7) ISO 5427 - Extension of the Cyrillic alphabet coded character set for bibliographic information interchange

Based on the results listed below ISO 5427: 1984 will be confirmed.

National Body	Question 1	Question 2	Question 3	Question 4	Question 5	Comments
China	Confirm	Yes	No			
Finland	Confirm	No	No	No		
						Abstention due to lack of available
France	Abstain	No				expertise.
Germany	Confirm	No	Yes	Yes		
Japan	Confirm	Yes	No			
Korea (Rep. Of)	Confirm	No	No			
Netherlands	Confirm	No	No			
Norway	Confirm	No	No			
Sweden	Confirm	No	Yes	Yes		
Switzerland	Abstain					
UK	Confirm*	No	Yes	**	(Withdrawn)	*The UK recommends that this standard be declared "STABILIZED". ** The UK National Body has no information available to answer this question.
USA	Confirm	N/A	No	N/A		

8) ISO 5428 - Greek alphabet coded character set for bibliographic information interchange

Based on the results listed below ISO 5428: 1984 will be confirmed.

National Body	Question 1	Question 2	Question 3	Question 4	Question 5	Comments
China	Confirm	Yes	Yes	Yes		
Finland	Confirm	No	No	No		
France	Abstain	No				Abstention due to lack of available expertise.
Germany	Confirm	No	Yes	Yes		
Japan	Confirm	Yes	No			
Korea (Rep. Of)	Confirm	No	No			
Netherlands	Confirm	No	No			
Norway	Confirm	No	No			
Sweden	Confirm	No	Yes	Yes		
Switzerland	Abstain					
UK	Confirm*	No	Yes	*		*The UK recommends that this standard be declared "STABILIZED".
						** The UK National Body has no information available to answer this question.
USA	Confirm	N/A	No	N/A		

9) ISO/IEC 6429 - Control functions for coded character sets

Based on the results listed below ISO/IEC 6429: 1992 will be confirmed.

National Body	Question 1	Question 2	Question 3	Question 4	Question 5	Comments
China	Confirm	Yes	No			
Finland	Confirm	No	No	No		
France	Abstain	No				Abstention due to lack of available expertise.
Germany	Confirm	No	Yes	Yes		
Japan	Confirm	Yes	Yes	Yes	JIS X 0211	
Korea (Rep. Of)	Confirm	No	Yes	Yes	KS X 0202	
Netherlands	Confirm	No	No			
Norway	Confirm	No	No			
Sweden	Confirm	No	Yes	Yes		
Switzerland	Abstain					
UK	Confirm*	No	Yes	Yes		*The UK recommends that this standard be declared "STABILIZED".
USA	Confirm	N/A	No	N/A		

10) ISO/IEC 6438 - Documentation -- African coded character set for bibliographic information interchange

Based on the results listed below ISO/IEC 6438: 1983 will be confirmed.

National Body	Question 1	Question 2	Question 3	Question 4	Question 5	Comments
China	Confirm	Yes	No			
Finland	Confirm	No	No	No		
France	Abstain	No				Abstention due to lack of available expertise.
Germany	Confirm	No	Yes	Yes		
Japan	Confirm	Yes	No			
Korea (Rep. Of)	Confirm	No	No			
Netherlands	Confirm	No	No			
Norway	Confirm	No	No			
Sweden	Confirm	No	Yes	Yes		
Switzerland	Abstain					
UK	Confirm*	No	Yes	**	BS 6474 Part 3: 1984	*The UK recommends that this standard be
					(Withdrawn)	declared "STABILIZED".
						** The UK National Body has no information
						available to answer this question.
USA	Confirm	N/A	No	N/A		

11) ISO 6586 - Data processing -- Implementation of the ISO 7-bit coded character sets on punched cards

Based on the results listed below ISO 6586: 1980 will be confirmed.

National Body	Question 1	Question 2	Question 3	Question 4	Question 5	Comments
China	Confirm	Yes	Yes	Yes		
Finland	Confirm	No	No	No		
France	Abstain	No				Abstention due to lack of available expertise.
Germany	Confirm	No	Yes	Yes		
Japan	Confirm	Yes	No			
Korea (Rep. Of)	Confirm	No	Yes	Yes	KS X 1009	
Netherlands	Confirm	No	Yes	Yes	NEN-ISO 6586	
Norway	Confirm	No	No			
Sweden	Confirm	No	Yes	Yes		
Switzerland	Abstain					
UK	Confirm*	No	Yes	**	BS 4636-3: 1986 (Current.	*The UK recommends that this standard be declared "STABILIZED".
					(Current,	** The UK National Body has no information
						available to answer this question.
USA	Confirm	N/A	No	N/A		

12) ISO 6936 - Conversion between the two coed character sets 646 and ISO 6937-2 and the CICC international telegraph alphaete No.2 (ITA 2)

Based on the results listed below ISO 6936: 1988 will be confirmed.

National Body	Question 1	Question 2	Question 3	Question 4	Question 5	Comments
China	Confirm	Yes	Yes	Yes		
Finland	Confirm	No	No	No		
France	Abstain	No				Abstention due to lack of available expertise.
Germany	Withdraw	No	No			
Japan	Revise	Yes	No			The revision of ISO 646 and 6937 should be reflected.
Korea (Rep. Of)	Confirm	No	Yes	Yes	KS X 1022	
Netherlands	Confirm	No	No			
Norway	Confirm	No	No			
Sweden	Confirm	No	Yes	Yes		
Switzerland	Abstain					
UK	Confirm*	No	Yes	**	(Current)	*The UK recommends that this standard be declared "STABILIZED". ** The UK National Body has no information
LICA	C C	DT/A	X7	NT/A		available to answer this question.
USA	Confirm	N/A	Yes	N/A		

13) ISO/IEC 7350 - Registration of repertoires of graphic characters from ISO/IEC 10367

Based on the results listed below ISO/IEC 7350: 1991 will be confirmed.

National Body	Question 1	Question 2	Question 3	Question 4	Question 5	Comments
China	Confirm	Yes	No			
Finland	Confirm	No	No	No		
France	Abstain	No				Abstention due to lack of available expertise.
Germany	Revise	Yes	Yes	Yes		
Japan	Revise	Yes	No			The revision of ISO 2022 should be reflected.
Korea (Rep. Of)	Confirm	No	Yes	Yes	KS X 1024	
Netherlands	Confirm	No	No			
Norway	Confirm	No	No			
Sweden	Confirm	No	Yes	Yes		
Switzerland	Abstain					
UK	Confirm*	No	Yes	Yes	BS ISO/IEC 7350:	*The UK recommends that this standard be
					1991(Current)	declared "STABILIZED".
USA	Confirm	N/A	Yes	*		*To the best of the knowledge of the TC, the standard is implemented or used without
						change.

14) ISO/IEC 10367 - Standadized coded graphic character sets for use in 8-bit codes

Based on the results listed below ISO 10367: 1991 will be confirmed.

National Body	Question 1	Question 2	Question 3	Question 4	Question 5	Comments
China	Confirm	Yes	No			
Finland	Confirm	No	No	No		
France	Abstain	No				Abstention due to lack of available expertise.
Germany	Revise	Yes	Yes	Yes		
Japan	Revise	Yes	No			The revision of ISO 646 and 6937 should be reflected.
Korea (Rep. Of)	Confirm	No	No			
Netherlands	Confirm	No	No			
Norway	Confirm	No	No			
Sweden	Confirm	No	Yes	Yes		
Switzerland	Abstain					
UK	Confirm*	No	Yes	Yes	BS ISO/IEC 10367: 1991	*The UK recommends that this standard be declared "STABILIZED".
USA	Confirm	N/A	Yes	*		*To the best of the knowledge of the TC, the standard is implemented or used without