

L2/05-117

INTERNATIONAL  
STANDARD

ISO/IEC  
14651

First edition  
2001-02-15

PDAM 3  
2005-02-21

---

---

**Information technology — International  
string ordering and comparison —  
Method for comparing character strings  
and description of the common template  
tailorable ordering**

**AMENDMENT 3**

*Technologies de l'information — Classement international et  
comparaison de chaînes de caractères — Méthode de comparaison de  
chaînes de caractères et description du modèle commun et adaptable  
d'ordre de classement*

*AMENDEMENT 3*

---

---

Reference number  
ISO/IEC 14651:2001/Amd.1:2006(E)



© ISO/IEC 2006

**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO/IEC 2006

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

Amendment 3 to ISO/IEC 14651:2001 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 2, *Coded Character Sets*.



# Information technology — International string ordering and comparison — Method for comparing character strings and description of the common template tailorable ordering

## AMENDMENT 3

### Clause 3

Replace the normative references with the following.

ISO/IEC 10646:2003, *Information technology — Universal Multiple-Octet Coded Character Set (UCS)*

ISO/IEC 10646:2003/Amd.1:2005 *Information technology – Universal Multiple-Octet Coded Character Set (UCS: Architecture and Basic Multilingual Plane Amendment 1: Glagolitic, Coptic, Georgian and other characters.*

### Subclause 6.5

Replace Subclause 6.5 with the following.

### 6.5 Name of the Common Template Table and name declaration

Whenever the Common Template Table is referred externally as a base point in a given context, whether in a process, contract, or procurement requirement, it shall be referenced using the name ISO14651\_2005\_TABLE1. If another name is used due to practical constraints, a declaration of conformance shall indicate how the correspondence between this other name and the name ISO14651\_2005\_TABLE1 is taken care of.

The use of a defined name is necessary to manage the different stages of development of this table. This follows from the nature of the reference character repertoire, for which development will be ongoing for a number of years or even decades.

Replace Annex A with the following.

## Annex A (normative)

### Common Template Table

In order to minimize formatting problems and the risk of errors in reproduction, the common template table is provided separately in a machine-readable file as a normative component of this International Standard. The file name for this language version is different from the normative reference name specified in clause 6.5 of

## ISO/IEC 14651:2001/Amd.3:2006(E)

this International Standard due to the existence of file versions commented in other natural languages. The file for this language version can also be retrieved on the ITTF web site at the following URL:

[\[final URL to be provided by ITTF at publication stage\] ISO14651\\_2005\\_TABLE1\\_en.txt](#) There is an official French version of the file which only differs in its comments (its technical content is identical), and its name is: ISO14651\_2005\_TABLE1\_fr.txt

NOTE 1 This amendment deprecates, but does not preclude specific reference to, the previous tables, which contained and still contains respectively ordering information and. The previous tables can be found at the following URLs:

[ordering information on the repertoire of characters as defined in ISO/IEC 10646-1:1993 including Amendments 1-9]  
[http://www.iso.org/ittf/ISO14651\\_2000\\_TABLE1.htm](http://www.iso.org/ittf/ISO14651_2000_TABLE1.htm)

[ordering information on the combined repertoire of characters of ISO/IEC 10646-1:2000 and ISO/IEC 10646-2:2001]  
[http://www.iso.org/ittf/ISO14651\\_2002\\_TABLE1\\_en.txt](http://www.iso.org/ittf/ISO14651_2002_TABLE1_en.txt)

[ordering information on the repertoire of characters as defined in ISO/IEC 10646:2003]  
[http://www.iso.org/ittf/ISO14651\\_2003\\_TABLE1\\_en.txt](http://www.iso.org/ittf/ISO14651_2003_TABLE1_en.txt)

The current Common Template Table reflects the repertoire of characters as defined in ISO/IEC 10646:2003 including its amendment 1.

NOTE 2 The repertoire targeted by this amendment 3 to ISO/IEC 14651:2001 is equivalent to the repertoire of *The Unicode Standard Version 4.1*, published by *The Unicode Consortium*.

When ordering data applicable to other amendments of ISO/IEC 10646:2003 becomes available, this International Standard and specifically its Common Template Table will be amended accordingly to cover the ordering of the additional characters and scripts. To meet cultural requirements of specific communities, delta declarations will have to be applied to the amended table as defined in this International Standard.

**ISO\_14651\_2005\_TABLE1** is the name that is used for referring to this table in this version of this International Standard.

Include the following new section at the end of annex B:

### B.5. Example 5 – A tailoring for Khmer, Thai, and Lao

The Khmer, Thai, and Lao scripts are mainly used in neighbouring countries, and the tailorings for them do not conflict in any way since they are three separate scripts. Therefore these three scripts should be covered by a single tailoring rather than one tailoring per script. The tailoring given below is not included in the CTT (see annex A) itself for two reasons. Firstly, in order to keep the CTT simple, especially for rare letterforms. E.g. the Khmer ROBAT for which the tailoring below may not be desirable for efficiency reasons, since this letter occurs very rarely, but the tailoring for handling it correctly may affect the efficiency of collation also for texts that do not contain any ROBAT. Secondly, the “swapping” for Thai and Lao “pre-vowels” is done by other means in the parallel standard UAX 10. But the base collation weighting table for UAX 10, the DUCET, is fundamentally (but not syntactically) basically the same as the CTT. Hence a Khmer/Thai/Lao tailoring of the DUCET would not include the swapping of “pre-vowels”. For a description of Thai (and to some extent Lao) collation requirements, see annex C.2 below.

```
reorder-after <MAX>
```

```
% Thai:
```

```
collating-element <U0E5A_0E30> from "<U0E5A><U0E30>" % special end symbol
```

```
    % Thai pre-vowels:
```

```
collating-element <U0E40_0E01>..<U0E40_0E2E> from "<U0E40><U0E01>..<U0E2E>"
```

```
collating-element <U0E40_0E40_0E01>..<U0E40_0E40_0E2E> from
"<U0E40><U0E40><U0E01>..<U0E2E>"
```

```
collating-element <U0E41_0E01>..<U0E41_0E2E> from "<U0E41><U0E01>..<U0E2E>"
```

```
collating-element <U0E42_0E01>..<U0E42_0E2E> from "<U0E42><U0E01>..<U0E2E>"
```

```
collating-element <U0E43_0E01>..<U0E43_0E2E> from "<U0E43><U0E01>..<U0E2E>"
```

```
collating-element <U0E44_0E01>..<U0E44_0E2E> from "<U0E44><U0E01>..<U0E2E>"
```

```
collating-element <U0E4D_0E32> from "<S0E4D><S0E32>" % AM (in the wrong order
really)
```

```
% Lao:
```

```
    % Lao pre-vowels:
```

```
collating-element <U0EC0_0E81>..<U0EC0_0EAE> from "<U0EC0><U0E81>..<U0EAE>"
```

```
collating-element          <U0EC0_0EC0_0E81>..<U0EC0_0EC0_0EAE>          from
"<U0EC0><U0EC0><U0E81>..<U0EAE>"
```

```
collating-element <U0EC1_0E81>..<U0EC1_0EAE> from "<U0EC1><U0E81>..<U0EAE>"
```

```
collating-element <U0EC2_0E81>..<U0EC2_0EAE> from "<U0EC2><U0E81>..<U0EAE>"
```

```
collating-element <U0EC3_0E81>..<U0EC3_0EAE> from "<U0EC3><U0E81>..<U0EAE>"
```

## ISO/IEC 14651:2001/Amd.3:2006(E)

collating-element <U0EC4\_0E81>..<U0EC4\_0EAE> from "<U0EC4><U0E81>..<U0EAE>"

% LAO HO NO

collating-element <U0EC0\_0EDC> from "<U0EC0><U0EDC>"

collating-element <U0EC0\_0EC0\_0EDC> from "<U0EC0><U0EC0><U0EDC>"

collating-element <U0EC1\_0EDC> from "<U0EC1><U0EDC>"

collating-element <U0EC2\_0EDC> from "<U0EC2><U0EDC>"

collating-element <U0EC3\_0EDC> from "<U0EC3><U0EDC>"

collating-element <U0EC4\_0EDC> from "<U0EC4><U0EDC>"

% LAO HO MO

collating-element <U0EC0\_0EDD> from "<U0EC0><U0EDD>"

collating-element <U0EC0\_0EC0\_0EDD> from "<U0EC0><U0EC0><U0EDD>"

collating-element <U0EC1\_0EDD> from "<U0EC1><U0EDD>"

collating-element <U0EC2\_0EDD> from "<U0EC2><U0EDD>"

collating-element <U0EC3\_0EDD> from "<U0EC3><U0EDD>"

collating-element <U0EC4\_0EDD> from "<U0EC4><U0EDD>"

% U+0EAB LAO LETTER HO SUNG, U+200D ZERO WIDTH JOINER, U+0EA5 LAO LETTER LO  
LOOT

collating-element <U0EC0\_0EAB\_200D\_0EA5> from "<U0EC0><U0EAB><U200D><U0EA5>"

collating-element <U0EC0\_0EC0\_0EAB\_200D\_0EA5> from  
"<U0EC0><U0EC0><U0EAB><U200D><U0EA5>"

collating-element <U0EC1\_0EAB\_200D\_0EA5> from "<U0EC1><U0EAB><U200D><U0EA5>"

collating-element <U0EC2\_0EAB\_200D\_0EA5> from "<U0EC2><U0EAB><U200D><U0EA5>"

collating-element <U0EC3\_0EAB\_200D\_0EA5> from "<U0EC3><U0EAB><U200D><U0EA5>"

collating-element <U0EC4\_0EAB\_200D\_0EA5> from "<U0EC4><U0EAB><U200D><U0EA5>"

collating-element <U0ECD\_0EB2> from "<S0ECD><S0EB2>" % AM (in the wrong order  
really)

collating-element <U0EB2\_0ECD> from "<S0EB2><S0ECD>" % AM (properly spelled)

% Khmer:

collating-symbol <S1794\_S17C9> % KHMER LETTER BA, KHMER SIGN MUUSIKATOAN

collating-symbol <S1794\_S17CA> % KHMER LETTER BA, KHMER SIGN TRIISAP



collating-symbol <S17BB\_S17C6> % KHMER VOWEL SIGN U, KHMER SIGN NIKAHIT

collating-symbol <S17B6\_S17C6> % KHMER VOWEL SIGN AA, KHMER SIGN NIKAHIT

collating-symbol <C1780>..<<C179C>

% Declaration of Khmer contractions

collating-element <U1794\_17C9> from "<U1794><U17C9>" % KHMER LETTER BA, KHMER SIGN MUUSIKATOAN

collating-element <U1794\_17CA> from "<U1794><U17CA>" % KHMER LETTER BA, KHMER SIGN TRIISAP

collating-element <SW\_17CC\_1780>..<<SW\_17CC\_17A2> from "<U1780>..<<U17A2><U17CC>"

% KHMER LETTER KA, KHMER SIGN ROBAT..KHMER LETTER QA, KHMER SIGN ROBAT

collating-element <SW\_17CC\_17A5>..<<SW\_17CC\_17B3> from "<U17A5>..<<U17B3><U17CC>"

% KHMER INDEPENDENT VOWEL QI, KHMER SIGN ROBAT..KHMER INDEPENDENT VOWEL QAU , KHMER SIGN ROBAT

collating-element <U17C6\_17BB> from "<U17BB><U17C6>" % KHMER VOWEL SIGN U, KHMER SIGN NIKAHIT (OM properly spelled)

collating-element <U17BB\_17C6> from "<U17C6><U17BB>" % KHMER SIGN NIKAHIT, KHMER VOWEL SIGN U (OM with the wrong sequence of the characters)

collating-element <U17C6\_17B6> from "<U17B6><U17C6>" % KHMER VOWEL SIGN AA, KHMER SIGN NIKAHIT (AM properly spelled)

collating-element <U17B6\_17C6> from "<U17C6><U17B6>" % KHMER SIGN NIKAHIT, KHMER VOWEL SIGN AA (AM with the wrong sequence of the characters)

collating-element <U17D2\_1780>..<<U17D2\_179C> from "<U17D2><U1780>..<<U179C>"

% COENG, KHMER LETTER KA..COENG, KHMER LETTER QA

collating-element <U17D2\_17A5>..<<U17D2\_17B3> from "<U17D2><U17A5>..<<U17B3>"

% COENG, KHMER INDEPENDENT VOWEL QI..COENG, KHMER INDEPENDENT VOWEL QAU

reorder-after <S1794> % KHMER LETTER BA

<S1794\_17C9> % KHMER LETTER BA, KHMER SIGN MUUSIKATOAN

<S1794\_17CA> % KHMER LETTER BA, KHMER SIGN TRIISAP

reorder-after <S0ECD> % LAO NIGGAHITA

<S0EB3> % LAO VOWEL SIGN AM

reorder-after <S17C5> KHMER VOWEL SIGN AU

<S17BB\_17C6> % KHMER VOWEL SIGN U, KHMER SIGN NIKAHIT

reorder-after <S17C6> KHMER SIGN NIKAHIT

<S17B6\_17C6> % KHMER VOWEL SIGN AA, KHMER SIGN NIKAHIT

reorder-after <S17D2>

<C1780>..<C1794> % COENG, KHMER LETTER KA..COENG, KHMER LETTER BA

<C1795>..<C179A> % COENG, KHMER LETTER PHA..COENG, KHMER LETTER RO

<C17AB> % COENG, KHMER INDEPENDENT VOWEL RY

<C17AC> % COENG, KHMER INDEPENDENT VOWEL RYY

<C179B> % COENG, KHMER LETTER LO

<C17AD> % COENG, KHMER INDEPENDENT VOWEL LY

<C17AE> % COENG, KHMER INDEPENDENT VOWEL LYY

<C179C>..<C17A2> % COENG, KHMER LETTER VO..COENG, KHMER LETTER QA

reorder-after <SFFFF>

order\_start forward;forward;forward;forward

<U0E5A\_0E30> IGNORE;IGNORE;IGNORE;<U0E5A\_0E30> % THAI CHARACTER ANGKHANKHU, THAI CHARACTER SARA A

<U1794\_17C9> <S1794\_17C9>;<BASE>;<MIN>;<U1794\_17C9> % KHMER LETTER BA, KHMER SIGN MUUSIKATOAN

<U1794\_17CA> <S1794\_17CA>;<BASE>;<MIN>;<U1794\_17CA> % KHMER LETTER BA, KHMER SIGN TRIISAP

% The ROBAT contractions should be used only in an "advanced" tailoring for  
% Khmer/Thai/Lao, since ROBAT is rather rarely used, and these contractions  
% may impact on the efficiency of the key computation even if ROBAT does not  
% occur, since these contractions begin with commonly used letters.

```
<SW_17CC_1780>..<SW_17CC_17A2> " <S179A><S17D2><S1780>..<S17A2>" ;
"<BASE><VRNT1><BASE><BASE>" ; "<MIN><MIN><MIN><MIN>" ;
<SW_17CC_1780>..<SW_17CC_17A2>
```

```
% KHMER LETTER KA, KHMER SIGN ROBAT..KHMER LETTER QA, KHMER SIGN ROBAT
```

```
<SW_17CC_17A5>..<SW_17CC_17A6> " <S179A><S17D2><S17A2><S17B7>..<S17B8>" ;
"<BASE><VRNT1><BASE><BASE><VRNT1><BASE>" ; "<MIN><MIN><MIN><MIN><MIN><MIN>" ;
<SW_17CC_17A5>..<SW_17CC_17A6> % KHMER INDEPENDENT VOWEL QI, KHMER SIGN
ROBAT..KHMER INDEPENDENT VOWEL QII, KHMER SIGN ROBAT
```

```
<SW_17CC_17A7>
"<S179A><S17D2><S17A2><S17BB>" ; "<BASE><VRNT1><BASE><BASE><VRNT1><BASE>" ;
"<MIN><MIN><MIN><MIN><MIN><MIN>" ; <SW_17CC_17A7>
```

```
% KHMER INDEPENDENT VOWEL QU, KHMER SIGN ROBAT
```

```
<SW_17CC_17A8>
"<S179A><S17D2><S17A2><S17BB>" ; "<BASE><VRNT1><BASE><BASE><VRNT2><BASE>" ;
"<MIN><MIN><MIN><MIN><MIN><MIN>" ; <SW_17CC_17A8>
```

```
% KHMER INDEPENDENT VOWEL QUK; KHMER SIGN ROBAT
```

```
<SW_17CC_17A9>
"<S179A><S17D2><S17A2><S17BC>" ; "<BASE><VRNT1><BASE><BASE><VRNT1><BASE>" ;
"<MIN><MIN><MIN><MIN><MIN><MIN>" ; <SW_17CC_17A9>
```

```
% KHMER INDEPENDENT VOWEL QUU; KHMER SIGN ROBAT
```

```
<SW_17CC_17AA>
"<S179A><S17D2><S17A2><S17BC>" ; "<BASE><VRNT1><BASE><BASE><VRNT2><BASE>" ;
"<MIN><MIN><MIN><MIN><MIN><MIN>" ; <SW_17CC_17AA>
```

```
% KHMER INDEPENDENT VOWEL QUUV; KHMER SIGN ROBAT
```

```
<SW_17CC_17AF>..<SW_17CC_17B1> " <S179A><S17D2><S17A2><S17C2>..<S17C4>" ;
"<BASE><VRNT1><BASE><BASE><VRNT1><BASE>" ; "<MIN><MIN><MIN><MIN><MIN><MIN>" ;
<SW_17CC_17AF>..<SW_17CC_17B1> % KHMER INDEPENDENT VOWEL QE, KHMER SIGN
ROBAT..KHMER INDEPENDENT VOWEL QOO TYPE ONE, KHMER SIGN ROBAT
```

```
<SW_17CC_17B2>
"<S179A><S17D2><S17A2><S17C4>" ; "<BASE><VRNT1><BASE><BASE><VRNT2><BASE>" ;
"<MIN><MIN><MIN><MIN><MIN><MIN>" ; <SW_17CC_17B2>
```

```
% KHMER INDEPENDENT VOWEL QOO TYPE TWO; KHMER SIGN ROBAT
```

```
<SW_17CC_17B3>
"<S179A><S17D2><S17A2><S17C5>" ; "<BASE><VRNT1><BASE><BASE><VRNT1><BASE>" ;
"<MIN><MIN><MIN><MIN><MIN><MIN>" ; <SW_17CC_17B3>
```

```
% KHMER INDEPENDENT VOWEL QAU; KHMER SIGN ROBAT
```

```
%% Thai pre-vowel/consonant swaps (note that SARA AE is ordered as <SARA E, SARA
E>):
```

```
<U0E40_0E01>..<U0E40_0E2E> " <S0E01>..<S0E2E><S0E40>" ; "<BASE><BASE>" ; "<MIN><MIN>" ;
<U0E40_0E01>..<U0E40_0E2E> % E, KO KAI..E, HO NOHUK
```

<U0E40\_0E40\_0E01>..<U0E40\_0E40\_0E2E>  
 "<S0E01>..<S0E2E><S0E40><S0E40>"; "<BASE><BASE><BASE>";  
 "<MIN><MIN><MIN>"; <U0E40\_0E40\_0E01>..<U0E40\_0E40\_0E2E> % E, E, KO KAI.. E, E, HO NOHUK

<U0E41\_0E01>..<U0E41\_0E2E> "<S0E01>..<S0E2E><S0E40><S0E40>"; "<BASE><BASE><BASE>";  
 "<MIN><MIN><MIN>"; <U0E41\_0E01>..<U0E41\_0E2E> % AE, KO KAI..AE, HO NOHUK

<U0E42\_0E01>..<U0E42\_0E2E> "<S0E01>..<S0E2E><S0E42>"; "<BASE><BASE>"; "<MIN><MIN>";  
 <U0E42\_0E01>..<U0E42\_0E2E> % O, KO KAI..O, HO NOHUK

<U0E43\_0E01>..<U0E43\_0E2E> "<S0E01>..<S0E2E><S0E43>"; "<BASE><BASE>"; "<MIN><MIN>";  
 <U0E43\_0E01>..<U0E43\_0E2E> % AI MAIMUAN, KO KAI..AI MAIMUAN, HO NOHUK

<U0E44\_0E01>..<U0E44\_0E2E> "<S0E01>..<S0E2E><S0E44>"; "<BASE><BASE>"; "<MIN><MIN>";  
 <U0E44\_0E01>..<U0E44\_0E2E> % AI MAIMALAI, KO KAI..AI MAIMALAI, HO NOHUK

%% Lao pre-vowel/consonant swap (note that VOWEL EI is ordered as <VOWEL E, VOWEL E>):

%% (The code point ranges contain some code points which are not assigned to any character.

%% However, the (level 1) weights should be declared and appropriately weighted.)

<U0EC0\_0E81>..<U0EC0\_0EAE> "<S0E81>..<S0EAE><S0EC0>"; "<BASE><BASE>"; "<MIN><MIN>";  
 <U0EC0\_0E81>..<U0EC0\_0EAE> % E, KO..E, HO TAM

<U0EC0\_0EC0\_0E81>..<U0EC0\_0EC0\_0EAE>  
 "<S0E81>..<S0EAE><S0EC0><S0EC0>"; "<BASE><BASE><BASE>";  
 "<MIN><MIN><MIN>"; <U0EC0\_0EC0\_0E81>..<U0EC0\_0EC0\_0EAE> % E, E, KO..E, E, HO TAM

<U0EC1\_0E81>..<U0EC1\_0EAE> "<S0E81>..<S0EAE><S0EC0><S0EC0>"; "<BASE><BASE><BASE>";  
 "<MIN><MIN><MIN>"; <U0EC1\_0E81>..<U0EC1\_0EAE> % EI, KO, EI, HO TAM

<U0EC2\_0E81>..<U0EC2\_0EAE> "<S0E81>..<S0EAE><S0EC2>"; "<BASE><BASE>"; "<MIN><MIN>";  
 <U0EC2\_0E81>..<U0EC2\_0EAE> % O, KO..O, HO TAM

<U0EC3\_0E81>..<U0EC3\_0EAE> "<S0E81>..<S0EAE><S0EC3>"; "<BASE><BASE>"; "<MIN><MIN>";  
 <U0EC3\_0E81>..<U0EC3\_0EAE> % AY, KO..AY, HO TAM

<U0EC4\_0E81>..<U0EC4\_0EAE> "<S0E81>..<S0EAE><S0EC4>"; "<BASE><BASE>"; "<MIN><MIN>";  
 <U0EC4\_0E81>..<U0EC4\_0EAE> % AI, KO..AI, HO TAM

<U0EC0\_0EDC>  
 "<S0EAB><S0E99><S0EC0>"; "<BASE><BASE><BASE>"; "<COMPAT><COMPAT><COMPAT>";

<U0EC0\_0EDC> % E, HO NO

<U0EC0\_0EC0\_0EDC> "<S0EAB><S0E99><S0EC0><S0EC0>"; "<BASE><BASE><BASE><BASE>";  
 "<COMPAT><COMPAT><COMPAT><COMPAT>"; <U0EC0\_0EC0\_0EDC> % E, E, HO NO

<U0EC1\_0EDC> "<S0EAB><S0E99><S0EC0><S0EC0>"; "<BASE><BASE><BASE><BASE>";

"<COMPAT><COMPAT><COMPAT><COMPAT>"; <U0EC1\_0EDC> % EI, HO NO

<U0EC2\_0EDC>  
 "<S0EAB><S0E99><S0EC2>"; "<BASE><BASE><BASE>"; "<COMPAT><COMPAT><COMPAT>";

<U0EC2\_0EDC> % O, HO NO

<U0EC3\_0EDC>

"<S0EAB><S0E99><S0EC3>" ; "<BASE><BASE><BASE>" ; "<COMPAT><COMPAT><COMPAT>" ;

<U0EC3\_0EDC> % AY, HO NO

<U0EC4\_0EDC>

"<S0EAB><S0E99><S0EC4>" ; "<BASE><BASE><BASE>" ; "<COMPAT><COMPAT><COMPAT>" ;

<U0EC3\_0EDC> % AI, HO NO

<U0EC0\_0EDD>

"<S0EAB><S0EA1><S0EC0>" ; "<BASE><BASE><BASE>" ; "<COMPAT><COMPAT><COMPAT>" ;

<U0EC0\_0EDD> % E, HO MO

<U0EC0\_0EC0\_0EDD> "<S0EAB><S0EA1><S0EC0><S0EC0>" ; "<BASE><BASE><BASE><BASE>" ;  
"<COMPAT><COMPAT><MIN><MIN>" ; <U0EC0\_0EC0\_0EDD> % E, E, HO MO

<U0EC1\_0EDD>

"<S0EAB><S0EA1><S0EC0><S0EC0>" ; "<BASE><BASE><BASE><BASE>" ;  
"<COMPAT><COMPAT><COMPAT><COMPAT>" ; <U0EC1\_0EDD> % EI, HO MO

<U0EC2\_0EDD>

"<S0EAB><S0EA1><S0EC2>" ; "<BASE><BASE><BASE>" ; "<COMPAT><COMPAT><COMPAT>" ;

<U0EC2\_0EDD> % O, HO MO

<U0EC3\_0EDD>

"<S0EAB><S0EA1><S0EC3>" ; "<BASE><BASE><BASE>" ; "<COMPAT><COMPAT><COMPAT>" ;

<U0EC3\_0EDD> % AY, HO MO

<U0EC4\_0EDD>

"<S0EAB><S0EA1><S0EC4>" ; "<BASE><BASE><BASE>" ; "<COMPAT><COMPAT><COMPAT>" ;

<U0EC4\_0EDD> % AI, HO MO

% HO LO is a ligature which does not have its own code point, so ZWJ is used.

<U0EC0\_0EAB\_200D\_0EA5>

"<S0EAB><S0EA5><S0EC0>" ; "<BASE><BASE><BASE>" ; "<MIN><MIN><MIN>" ;  
<U0EC0\_0EAB\_200D\_0EA5> % E, HO LO,

<U0EC0\_0EC0\_0EAB\_200D\_0EA5>

"<S0EAB><S0EA5><S0EC0><S0EC0>" ; "<BASE><BASE><BASE><BASE>" ;  
"<MIN><MIN><MIN><MIN>" ; <U0EC0\_0EC0\_0EAB\_200D\_0EA5> % E, E, HO LO

<U0EC1\_0EAB\_200D\_0EA5> "<S0EAB><S0EA5><S0EC0><S0EC0>" ; "<BASE><BASE><BASE><BASE>" ;  
"<MIN><MIN><COMPAT><COMPAT>" ; <U0EC1\_0EAB\_200D\_0EA5> % EI, HO LO

<U0EC2\_0EAB\_200D\_0EA5>

"<S0EAB><S0EA5><S0EC2>" ; "<BASE><BASE><BASE>" ; "<MIN><MIN><MIN>" ;  
<U0EC2\_0EAB\_200D\_0EA5> % O, HO LO

<U0EC3\_0EAB\_200D\_0EA5>

"<S0EAB><S0EA5><S0EC3>" ; "<BASE><BASE><BASE>" ; "<MIN><MIN><MIN>" ;  
<U0EC3\_0EAB\_200D\_0EA5> % AY, HO LO

## ISO/IEC 14651:2001/Amd.3:2006(E)

<U0EC4\_0EAB\_200D\_0EA5>  
"<S0EAB><S0EA5><S0EC4>"; "<BASE><BASE><BASE>"; "<MIN><MIN><MIN>";  
<U0EC4\_0EAB\_200D\_0EA5> % AI, HO LO

%% Thai SARA AM is ordered as <SARA AA, NIKHAHIT>, but can be written the other way around:

<U0E4D\_0E32> "<S0E32><S0E4D>"; "<BASE><BASE>"; "<MIN><MIN>"; <U0E4D\_0E32>

% THAI CHARACTER NIKHAHIT, THAI CHARACTER SARA AA

%% Lao VOWEL AM is ordered as <VOWEL AA, NIGGAHITA>, but can be written the other way around:

<U0EB3> "<S0EB3>"; "<BASE>"; "<COMPAT>"; <U0EB3> % LAO VOWEL SIGN AM

<U0EB2\_0ECD> "<S0EB3>"; "<BASE>"; "<MIN>"; <U0EB2\_0ECD> % LAO VOWEL SIGN AA, LAO NIGGAHITA

<U0ECD\_0EB2> "<S0EB3>"; "<BASE>"; "<MIN>"; <U0ECD\_0EB2> % LAO NIGGAHITA, LAO VOWEL SIGN AA

%% Khmer OM and AAM (the NIKAHIT should be written after the vowel):

<U17BB\_17C6> <S17BB\_17C6>;<BASE>;<MIN>;<U17BB\_17C6> % KHMER VOWEL SIGN U, KHMER SIGN NIKAHIT

<U17C6\_17BB> <S17BB\_17C6>;<BASE>;<MIN>;<U17C6\_17BB> % KHMER SIGN NIKAHIT, KHMER VOWEL SIGN U

<U17B6\_17C6> <S17B6\_17C6>;<BASE>;<MIN>;<U17B6\_17C6> % KHMER VOWEL SIGN AA, KHMER SIGN NIKAHIT

<U17C6\_17B6> <S17B6\_17C6>;<BASE>;<MIN>;<U17C6\_17B6> % KHMER SIGN NIKAHIT, KHMER VOWEL SIGN AA

reorder-end



- When Thai punctuation marks (๐ ๑ ๒ ๓ ๔ ๕ ๖ ๗ ๘ ๙) are concerned, another level of weights is required for them. This corresponds to the fourth level in the Common Template Table. In string ordering, punctuation marks are less significant than any tone marks and diacritics, and must be ignored in all the first three levels. Note that PAIYANNOI (๑) and repeat mark (๒) are regarded and ordered as punctuation marks, not letters, despite their Unicode general category as “Lo” and “Lm” respectively. For example, “บาง, บางบ, บาง กู, บางจ” is a valid order in the Royal Institute Dictionary. In the first level, the considered weights correspond to บาง, บางบ, บางก, and บางจ respectively.
- The ten Thai decimal digits (๐ ๑ ๒ ๓ ๔ ๕ ๖ ๗ ๘ ๙), each semantically equivalent to Arabic digit 0-9, respectively. Their weights are then equal to their corresponding Arabic digit in the first level, and are different in the second level, to distinguish script.

**C.2.2. Vowel/consonant rearrangement**

Regarding the handling of pre-vowels, either a collation preparation (as in UAX 10) or collating-element grouping (as in the tailoring in annex B.5 above) is required. The collation preparation scans the string once and swaps every leading Thai vowel with its succeeding character (ideally only if the succeeding character is a Thai consonant). The prepared string is then passed to the normal weight calculation process. Another way to manage this is by means of collating-element formation. Every possible pair of leading vowel and consonant is defined as a collating-element, whose weight equals to that of the rearranged substring. In addition, since two ๑ in sequence look just like a ๑๑, two ๑ in sequence should be handles just like a ๑๑.

Note that the rearrangement of each leading vowel is simply performed with its immediate succeeding consonant. No consonant cluster analysis is needed. Indeed, doing so would result in ambiguities or yield a different order than that specified in the Royal Institute Dictionary. For example:

1. Ambiguities: The problem with ambiguity is illustrated by the word “เวลา”. It has two potential pronunciations: either as a two-syllable word, “phe-la” (meaning “time”), or as a one-syllable word, “phlao” (meaning “axle” or “abate”). A rearrangement algorithm which follows the distinct pronunciation of the potential cluster ‘พล’ in this string would result in distinct keys, “เวลา” and “พลเา”, and therefore different weights, which are equally legal. Both words need to have the same weight to be sortable, however.
2. Non-conforming ordering: To illustrate the difference in ordering caused by the treatment of consonant clusters, consider these words, shown in conforming order: “เวลา, เลว, เลว”. The correct rearrangement ignores any clusters and results in the following: “เวลา, เลว, เลว”, which sorts in the order shown. If, however, pairs of consonants that form legal clusters were grouped as single collation elements (regardless of actual pronunciation where the potential pronunciation is ambiguous), then the results of rearrangement would be “<พล>เ, <พล>เ, เลว”, which would yield the (non-conforming) ordering “เวลา, เลว, เลว”. Again, if actual clusters were grouped as single collation elements (with some disambiguation effort), then the results of rearrangement would be “เวลา, <พล>เ, เลว”, which would yield the (non-conforming) ordering “เวลา, เลว, เลว”.



C.2.3. Example ordered strings

Here is an ordering example: Example for Thai (sorted order)			
ก ก	โก กน	แก ข' ง ข ~ น	ผ ~ ด
ก ร ร ม	โก ร ั น	แก น	ช พ ฃ
ก ร ร ม ์	ไ ก ล ั	ค ร ร ภา -	พ ฃ ั ช ย
-	ไ ก '	ค ร ร ภา ์	ย ' อ ง
ก ระ แ ย ' ง	ไ ก ล	จ , ม พ ล	ร อ ง
ก ร า บ	ข ~ น	จ , ั พ ล	ฤ ท ธิ ์ ์
ก ะ ก ฃ ฃ ฃ ์	ข น า บ	ช ั ย	ฤ ช ์ ์
ก ~ ก	ข ั ำ ง	เ ฃ ั ำ	ฤ ำ ช ์ ์
ก ั ำ ว	ข ั ำ ง ำ	เ ฃ ร	ล ล ิ ต ำ
ก ำ	ข ั ำ ง ก ระ ะ ต ำ น	ต ล ำ ต	ภ ำ ช ำ
ก ิ น	ข ั ำ ง ข ี ้ น	ท ุ ล ก ฃ ล ั ำ	ว ก
ก ี ์	ข ั ำ ง ค ว ำ ย	ท ุ ล ก ฃ ล ั ำ ฃ	ศ ำ ล
ก ี ้ น	ข ั ำ ง ำ ค ุ ำ	ท ุ ล ก ฃ ล ั ำ ท ุ ล ก ระ ะ ห ม ั ้ อ ม	ห ร ิ ภา ,
ก ุ น	ข ั ำ ง ง ะ ิ น	น ั ำ	ห ฤ ท ฃ ย
ก ุ ด	ข ั ำ ง อ อ ก	น ั ำ	ห ล ง
ก ุ ้ ง	ข ฃ น	น ี ้	ห ำ ง ั
ก ฃ ล ั ำ	ข ฃ ิ น	บ , ญ ห ล ง	ห ำ ง ั
ก ฃ ล ี ย ว	ข ฃ ิ น	บ , ญ -ห ล ง	ห ำ น ม
ก ุ ำ	ข ฃ ิ ต	ป ำ	ห ำ น ห ว
ก ำ ะ	แ ข ฃ ิ ง	ป ั ำ	ห ำ บ
ก ฃ ี ย ว	แ ข ั ำ ง	ป ั ำ	ห ำ ม
ก ฃ ี ย ะ	แ ข ั ำ ง	ป ั ำ	อ ำ น
ก ฃ ิ อ ก	แ ข ั ำ ง ข ว ำ	ป ั ำ	ฮ ำ
ก ำ ง	แ ข ฃ ิ ง ข ~ น	ป ำ น	
ก ำ ะ			