

Title: Proposal for encoding the Medefaidrin (Oberi Okaime) script in the SMP of the UCS  
 Authors: Andrij Rovenchak, Dafydd Gibbon, Moses Ekpenyong, and Eno-Abasi Urue (2nd revision)

Date: 18 April 2016

The preliminary proposal was described in L2/15-117. The revisions in L2/16-020 included some details on character shapes clarified according to the recommendations from the UTC, rearrangement of symbols for 10–19, and addition of one symbol to the chart.

In the present version, character names are given as they are read off the chart, according to the UTC rules.

**1. Introduction.** The Medefaidrin script was created for an artificial language *Medefaidrin* used by members of an indigenous Christian church Oberi Okaime (Obéri Okaimé, ‘Church freely given’), which was active in the Nigerian province of Calabar in the 1930s near Itu on the Western bank of Cross-River. The authors are, most probably, Michael Ukpón and Akpan Udofia. A natural language for them is Ibibio-Efik, which belongs to the Atlantic family of the Niger-Congo languages [Hau 1961; Gibbon et al 2010; Rovenchak & Glavy 2011]. The Medefaidrin script shows a strong influence of the English orthography, in particular, the use of capital and small letters, a special sign for a pronoun “I”.

The community tradition is that the language is a ‘spirit language’ (of which there are other examples in West Africa) revealed to one of the founders of the community in 1927 by divine inspiration:

"[...] Bishop Aikeld Ukpóng (alias Michael Ukpóng) on a ‘spiritual board’ visible only to the initiated, after having been taken into seclusion by the Holy Spirit, known as the ‘Semanant’ in Medefaidrin. Since Bishop Aikeld Ukpóng was not literate, it fell on the Secretary of the group, Prophet Jakeld Udofia to transcribe the spiritual writings revealed in a vision to Bishop Ukpóng." [Gibbon et al. 2010]. According to other sources, the actual date the Holy Spirit descended was 1927, but the language was revealed or impacted in 1932 [Moses Ekpenyong, interview with a consultant from the community, 2015].

Presently, the religious community counts about 4 000 members. The Medefaidrin language is used in teaching the Sunday School lessons, it is critically threatened and mainly used for saying prayers or meditation of the scriptures. Currently there are less than 20 adult speakers of Medefaidrin. Only five persons are very fluent the language and can master the script.

A digitization project to document the Medefaidrin language and script is known [cf. Ekpeyong et al. 2011].

**2. Structure.** Medefaidrin is written left to right. There is a close relationship between the phonological analysis and the writing system. The letters are pronounced mostly as transcribed.

**3. Collating order.** Collation order is that in the code chart. It is based on the traditional arrangement of letters found in the Medefaidrin instruction materials [Adams 1947; Hau 1961; Abasiattai 1989]. As the character table (Figure 1) from [Adams 1947] is incomplete, we suggest to rely on tables given by Hau [1961] and Abasiattai [1989] with respect to letter shapes and order. For a modern sample, see Figure 9. Small letters are coded with a shift of 32 (hexadecimal 20), similarly to, e.g., Latin or Cyrillic alphabets.

እ	ሂ	ል	ወ	ቃ	ቁ	ቅ	ቄ	ቆ
m	s	v	w	atiu	z	kp	p	
ጥ	ሻ	ሮ	ሮ	ቃ	ቁ	ቅ	ቄ	ቆ
t	g	f	i	k	a	j	e	
ቃ	ቃ	ቃ	ቃ	ቃ	ቃ	ቃ	ቃ	ቃ
b	c [s]	u	yu	l	q [kw]	h	ŋ	
ሮ	ሮ	ሮ	ሮ	ሮ	ሮ	ሮ	ሮ	ሮ
x	d	o [ɔ]	n	r	o	ai	y	

**4. Character names.** The usual UCS conventions are used, with NG representing *ŋ* and O representing *ɔ* while OO stands for *o*. Script-specific ideographs for the first-person singular pronoun (*atiu*, with some distinction in meaning for upper and lower case forms) has the name ATIU. Letter names are given according the data from the informant, Rev. Richmael Ekit (see Figure 11).

**5. Linebreaking.** Letters and digits behave as do the letters and numbers in Latin.

**6. Punctuation and digits.** In Medefaidrin, a vigesimal (base-20) number system is used, so it requires 20 digits [Hau 1961; Chrisomalis 2010; Rovenchak 2012]. Script-specific punctuation marks are comma and period. Some other marks are given by Adams [1947], including the symbol for ‘or’ (Medefaidrin *aiva*) and the vocative (exclamation) mark  $\text{!}$ , see Figure 1. These two symbols are proposed for encoding; examples of the usage of *aiva* from Adams [1947] are shown in Figure 2 and the exclamation is shown in Figure 12.

Digits 0–19 are as follows:

$\Theta$	$\text{+}$	4	$\text{+}$	$\text{V}$	$\text{2}$	$\text{g}$	$\downarrow$	$\uparrow$	$\text{A}$	7	$\text{+}$	$\#$	$\text{H}$	$\text{S}$	$\text{A}$	$\text{B}$	$\text{f}$	$\text{f}$	$\text{E}$
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19

Simplified shapes of digits 1, 2, and 3 are used for compound numerals (above 19), cf. Figure 3. Note, however, that Hau [1961] provides such numbers with ordinary shapes, see Figures 4–5. Based on the script sample obtained from the community (see Figure 10), one can conclude that the simplified shapes are not obligatory.

According to the information obtained from the active speakers of the Medefaidrin language, some variations with the shape of zero (cf. Figure 3) are due to the style of writing. The correct writing is zero with a full crossbar (i.e., like *theta* ‘θ’).

Numbers 20 and above are formed by a standard positional principle taking into account the vigesimal (base 20) system. In the chart below, 16E94 DIGIT ONE ALTERNATE FORM, 16E95 DIGIT TWO ALTERNATE FORM, and 16E96 DIGIT THREE ALTERNATE FORM are used to build up numbers as shown below:

$20 = 1 \times 20^1 + 0 \times 20^0$	$1\Theta$ 16E94 16E80	$4\Theta$ 16E81 16E80	$60 = 3 \times 20^1 + 0 \times 20^0$	$1\Theta$ 16E96 16E80
$40 = 2 \times 20^1 + 0 \times 20^0$	$1\Theta$ 16E95 16E80	$4\Theta$ 16E82 16E80	$80 = 4 \times 20^1 + 0 \times 20^0$	$\text{V}\Theta$ 16E84 16E80
$41 = 2 \times 20^1 + 1 \times 20^0$	$1\text{+}$ 16E95 16E81		$90 = 4 \times 20^1 + 10 \times 20^0$	$\text{V}7$ 16E84 16E8A
$42 = 2 \times 20^1 + 2 \times 20^0$	$14$ 16E95 16E82		$100 = 5 \times 20^1 + 0 \times 20^0$	$\text{2}\Theta$ 16E85 16E80
$50 = 2 \times 20^1 + 10 \times 20^0$	$17$ 16E95 16E8A		$200 = 10 \times 20^1 + 0 \times 20^0$	$7\Theta$ 16E8A 16E80
$55 = 2 \times 20^1 + 15 \times 20^0$	$1\text{A}$ 16E95 16E8F		$400 = 1 \times 20^2 + 0 \times 20^1 + 0 \times 20^0$	$1\Theta\Theta$ 16E94 16E80 16E80

According to the recommendations from the UTC given in [L2/15-149](#), symbols for digits 10 through 19 are renamed NUMBER in the current proposal version. Typologically, this might be incorrect as in a vigesimal (base 20) positional system all the members of the whole set of 0–19 should be treated uniformly.

## 7. Unicode Character Properties.

```

16E40;MEDEFAIDRIN CAPITAL LETTER MME;Lu;0;L;;;;N;;;;;16E60;
16E41;MEDEFAIDRIN CAPITAL LETTER SES;Lu;0;L;;;;N;;;;;16E61;
16E42;MEDEFAIDRIN CAPITAL LETTER VEY;Lu;0;L;;;;N;;;;;16E62;
16E43;MEDEFAIDRIN CAPITAL LETTER KRAYU;Lu;0;L;;;;N;;;;;16E63;
16E44;MEDEFAIDRIN CAPITAL LETTER ATIU;Lo;0;L;;;;N;;;;;16E64;
16E45;MEDEFAIDRIN CAPITAL LETTER ZE;Lu;0;L;;;;N;;;;;16E65;
16E46;MEDEFAIDRIN CAPITAL LETTER KPI;Lu;0;L;;;;N;;;;;16E66;
16E47;MEDEFAIDRIN CAPITAL LETTER PIK;Lu;0;L;;;;N;;;;;16E67;
16E48;MEDEFAIDRIN CAPITAL LETTER TE;Lu;0;L;;;;N;;;;;16E68;
16E49;MEDEFAIDRIN CAPITAL LETTER GEE;Lu;0;L;;;;N;;;;;16E69;
16E4A;MEDEFAIDRIN CAPITAL LETTER FE;Lu;0;L;;;;N;;;;;16E6A;
16E4B;MEDEFAIDRIN CAPITAL LETTER I;Lu;0;L;;;;N;;;;;16E6B;
16E4C;MEDEFAIDRIN CAPITAL LETTER KAI;Lu;0;L;;;;N;;;;;16E6C;
16E4D;MEDEFAIDRIN CAPITAL LETTER A;Lu;0;L;;;;N;;;;;16E6D;
16E4E;MEDEFAIDRIN CAPITAL LETTER JA;Lu;0;L;;;;N;;;;;16E6E;
16E4F;MEDEFAIDRIN CAPITAL LETTER E;Lu;0;L;;;;N;;;;;16E6F;
16E50;MEDEFAIDRIN CAPITAL LETTER BE;Lu;0;L;;;;N;;;;;16E70;
16E51;MEDEFAIDRIN CAPITAL LETTER SII;Lu;0;L;;;;N;;;;;16E71;
16E52;MEDEFAIDRIN CAPITAL LETTER U;Lu;0;L;;;;N;;;;;16E72;
16E53;MEDEFAIDRIN CAPITAL LETTER YU;Lu;0;L;;;;N;;;;;16E73;
16E54;MEDEFAIDRIN CAPITAL LETTER LI;Lu;0;L;;;;N;;;;;16E74;
16E55;MEDEFAIDRIN CAPITAL LETTER KWOO;Lu;0;L;;;;N;;;;;16E75;
16E56;MEDEFAIDRIN CAPITAL LETTER HEG;Lu;0;L;;;;N;;;;;16E76;
16E57;MEDEFAIDRIN CAPITAL LETTER NING;Lu;0;L;;;;N;;;;;16E77;
16E58;MEDEFAIDRIN CAPITAL LETTER EKSI;Lu;0;L;;;;N;;;;;16E78;
16E59;MEDEFAIDRIN CAPITAL LETTER DE;Lu;0;L;;;;N;;;;;16E79;
16E5A;MEDEFAIDRIN CAPITAL LETTER O;Lu;0;L;;;;N;;;;;16E7A;
16E5B;MEDEFAIDRIN CAPITAL LETTER NEN;Lu;0;L;;;;N;;;;;16E7B;
16E5C;MEDEFAIDRIN CAPITAL LETTER RI;Lu;0;L;;;;N;;;;;16E7C;
16E5D;MEDEFAIDRIN CAPITAL LETTER OO;Lu;0;L;;;;N;;;;;16E7D;
16E5E;MEDEFAIDRIN CAPITAL LETTER AII;Lu;0;L;;;;N;;;;;16E7E;
16E5F;MEDEFAIDRIN CAPITAL LETTER YA;Lu;0;L;;;;N;;;;;16E7F;
16E60;MEDEFAIDRIN SMALL LETTER MME;Ll;0;L;;;;N;;;;;16E40;;16E40;
16E61;MEDEFAIDRIN SMALL LETTER SES;Ll;0;L;;;;N;;;;;16E41;;16E41
16E62;MEDEFAIDRIN SMALL LETTER VEY;Ll;0;L;;;;N;;;;;16E42;;16E42
16E63;MEDEFAIDRIN SMALL LETTER KRAYU;Ll;0;L;;;;N;;;;;16E43;;16E43
16E64;MEDEFAIDRIN SMALL LETTER ATIU;Lo;0;L;;;;N;;;;;16E44;;16E44
16E65;MEDEFAIDRIN SMALL LETTER ZE;Ll;0;L;;;;N;;;;;16E45;;16E45
16E66;MEDEFAIDRIN SMALL LETTER KPI;Ll;0;L;;;;N;;;;;16E46;;16E46
16E67;MEDEFAIDRIN SMALL LETTER PIK;Ll;0;L;;;;N;;;;;16E47;;16E47
16E68;MEDEFAIDRIN SMALL LETTER TE;Ll;0;L;;;;N;;;;;16E48;;16E48
16E69;MEDEFAIDRIN SMALL LETTER GEE;Ll;0;L;;;;N;;;;;16E49;;16E49
16E6A;MEDEFAIDRIN SMALL LETTER FE;Ll;0;L;;;;N;;;;;16E4A;;16E4A
16E6B;MEDEFAIDRIN SMALL LETTER I;Ll;0;L;;;;N;;;;;16E4B;;16E4B
16E6C;MEDEFAIDRIN SMALL LETTER KAI;Ll;0;L;;;;N;;;;;16E4C;;16E4C
16E6D;MEDEFAIDRIN SMALL LETTER A;Ll;0;L;;;;N;;;;;16E4D;;16E4D
16E6E;MEDEFAIDRIN SMALL LETTER JA;Ll;0;L;;;;N;;;;;16E4E;;16E4E
16E6F;MEDEFAIDRIN SMALL LETTER E;Ll;0;L;;;;N;;;;;16E4F;;16E4F
16E70;MEDEFAIDRIN SMALL LETTER BE;Ll;0;L;;;;N;;;;;16E50;;16E50
16E71;MEDEFAIDRIN SMALL LETTER SII;Ll;0;L;;;;N;;;;;16E51;;16E51
16E72;MEDEFAIDRIN SMALL LETTER U;Ll;0;L;;;;N;;;;;16E52;;16E52
16E73;MEDEFAIDRIN SMALL LETTER YU;Ll;0;L;;;;N;;;;;16E53;;16E53
16E74;MEDEFAIDRIN SMALL LETTER LI;Ll;0;L;;;;N;;;;;16E54;;16E54
16E75;MEDEFAIDRIN SMALL LETTER KWOO;Ll;0;L;;;;N;;;;;16E55;;16E55
16E76;MEDEFAIDRIN SMALL LETTER HEG;Ll;0;L;;;;N;;;;;16E56;;16E56
16E77;MEDEFAIDRIN SMALL LETTER NING;Ll;0;L;;;;N;;;;;16E57;;16E57
16E78;MEDEFAIDRIN SMALL LETTER EKSI;Ll;0;L;;;;N;;;;;16E58;;16E58
16E79;MEDEFAIDRIN SMALL LETTER DE;Ll;0;L;;;;N;;;;;16E59;;16E59
16E7A;MEDEFAIDRIN SMALL LETTER O;Ll;0;L;;;;N;;;;;16E5A;;16E5A
16E7B;MEDEFAIDRIN SMALL LETTER NEN;Ll;0;L;;;;N;;;;;16E5B;;16E5B
16E7C;MEDEFAIDRIN SMALL LETTER RI;Ll;0;L;;;;N;;;;;16E5C;;16E5C
16E7D;MEDEFAIDRIN SMALL LETTER OO;Ll;0;L;;;;N;;;;;16E5D;;16E5D
16E7E;MEDEFAIDRIN SMALL LETTER AII;Ll;0;L;;;;N;;;;;16E5E;;16E5E
16E7F;MEDEFAIDRIN SMALL LETTER YA;Ll;0;L;;;;N;;;;;16E5F;;16E5F
16E80;MEDEFAIDRIN DIGIT ZERO;No;0;L;;;;0;N;;;;;
16E81;MEDEFAIDRIN DIGIT ONE;No;0;L;;;;1;N;;;;;
16E82;MEDEFAIDRIN DIGIT TWO;No;0;L;;;;2;N;;;;;
16E83;MEDEFAIDRIN DIGIT THREE;No;0;L;;;;3;N;;;;;
16E84;MEDEFAIDRIN DIGIT FOUR;No;0;L;;;;4;N;;;;;
16E85;MEDEFAIDRIN DIGIT FIVE;No;0;L;;;;5;N;;;;;
16E86;MEDEFAIDRIN DIGIT SIX;No;0;L;;;;6;N;;;;;
16E87;MEDEFAIDRIN DIGIT SEVEN;No;0;L;;;;7;N;;;;;
16E88;MEDEFAIDRIN DIGIT EIGHT;No;0;L;;;;8;N;;;;;
16E89;MEDEFAIDRIN DIGIT NINE;No;0;L;;;;9;N;;;;;

```

```

16E8A;MEDEFAIDRIN NUMBER TEN;No;0;L;;;;10;N;;;;;
16E8B;MEDEFAIDRIN NUMBER ELEVEN;No;0;L;;;;11;N;;;;;
16E8C;MEDEFAIDRIN NUMBER TWELVE;No;0;L;;;;12;N;;;;;
16E8D;MEDEFAIDRIN NUMBER THIRTEEN;No;0;L;;;;13;N;;;;;
16E8E;MEDEFAIDRIN NUMBER FOURTEEN;No;0;L;;;;14;N;;;;;
16E8F;MEDEFAIDRIN NUMBER FIFTEEN;No;0;L;;;;15;N;;;;;
16E90;MEDEFAIDRIN NUMBER SIXTEEN;No;0;L;;;;16;N;;;;;
16E91;MEDEFAIDRIN NUMBER SEVENTEEN;No;0;L;;;;17;N;;;;;
16E92;MEDEFAIDRIN NUMBER EIGHTEEN;No;0;L;;;;18;N;;;;;
16E93;MEDEFAIDRIN NUMBER NINETEEN;No;0;L;;;;19;N;;;;;
16E94;MEDEFAIDRIN DIGIT ONE ALTERNATE FORM;No;0;L;;;;1;N;;;;;
16E95;MEDEFAIDRIN DIGIT TWO ALTERNATE FORM;No;0;L;;;;2;N;;;;;
16E96;MEDEFAIDRIN DIGIT THREE ALTERNATE FORM;No;0;L;;;;3;N;;;;;
16E97;MEDEFAIDRIN COMMA;Po;0;L;;;;N;;;;;
16E98;MEDEFAIDRIN FULL STOP;Po;0;L;;;;N;;;;;
16E99;MEDEFAIDRIN SYMBOL AIVA;Po;0;L;;;;N;;;;;
16E9A;MEDEFAIDRIN EXCLAMATION MARK;Po;0;L;;;;N;;;;;

```

16E9B–16E9F are the reserved codepoints

## 8. Acknowledgement

This project was partly supported by a grant from the United States National Endowment for the Humanities (PR-50205-15), which funds the Universal Scripts Project (part of the Script Encoding Initiative at the University of California, Berkeley). Any views, findings, conclusions or recommendations expressed in this publication do not necessarily reflect those of the National Endowment for the Humanities.

## 9. Bibliography

- Abasiattai, Monday B. 1989. The Oberi Okaime Christian mission: Towards a history of an Ibibio independent church. *Africa: Journal of the International African Institute*, 59(4): 496–516.
- Adams, R. F. G. 1947. Oberi Okaime: A new African language and script. *Africa: Journal of the International African Institute*, 17(1): 24–34.
- Chrisomalis, Stephen. 2010. *Numerical Notation: A Comparative History*. Cambridge University Press.
- Ekpenyong, Moses E., Eno-Abasi E. Urua, Victor J. Ekong, Okure U. Obot and Imelda I. Udooh. 2011. Unifying Speech Resources for Tone Languages: A Computational Perspective. *International Journal of Computing & Information Sciences*, 9(1):47–60.
- Gibbon, Dafydd, Moses Ekpenyong, and Eno-Abasi Urua. 2010. “Medefaidrin: Resources documenting the birth and death language life-cycle”, in *Proceedings of the Seventh International Conference on Language Resources and Evaluation (LREC'10)*, edited by Nicoletta Calzolari et al. Valetta, Malta: European Language Resources Association, 2702–2708.
- Hau, Kathleen. 1961. Oberi Okaime script, text, and counting system. *Bulletin del'IFAN*, 23(1–2): 291–308.
- Rovenchak, Andrij. 2012. Numerical Notation in Africa. *Afrikanistik online*, 9: Available from: <<http://www.afrikanistik-aegyptologie-online.de/archive/2012/3553>>.
- Rovenchak, Andrij and Jason Glavy. 2011. “Oberi Okaime”, in *African Writing Systems of the Modern Age: The Sub-Saharan Region*. New Haven, Buena Park, New Rochelle, London, Lviv, Abidjan: Athinkra, 79–82. ISBN 978-0-9818294-1-8

	16E4	16E5	16E6	16E7	16E8	16E9
0	ꝑ	Ꝓ	ꝓ	Ꝕ	ꝕ	Ꝗ
1	ꝑ	ꝓ	Ꝓ	Ꝕ	ꝕ	Ꝗ
2	ꝑ	ꝓ	Ꝓ	Ꝕ	ꝕ	Ꝗ
3	ꝑ	ꝓ	Ꝓ	Ꝕ	ꝕ	Ꝗ
4	ꝑ	ꝓ	Ꝓ	Ꝕ	ꝕ	Ꝗ
5	ꝑ	ꝓ	Ꝓ	Ꝕ	ꝕ	Ꝗ
6	ꝑ	ꝓ	Ꝓ	Ꝕ	ꝕ	Ꝗ
7	ꝑ	ꝓ	Ꝓ	Ꝕ	ꝕ	Ꝗ
8	ꝑ	ꝓ	Ꝓ	Ꝕ	ꝕ	Ꝗ
9	ꝑ	ꝓ	Ꝓ	Ꝕ	ꝕ	Ꝗ
A	ꝑ	ꝓ	Ꝓ	Ꝕ	ꝕ	Ꝗ
B	ꝑ	ꝓ	Ꝓ	Ꝕ	ꝕ	Ꝗ
C	ꝑ	ꝓ	Ꝓ	Ꝕ	ꝕ	Ꝗ
D	ꝑ	ꝓ	Ꝓ	Ꝕ	ꝕ	Ꝗ
E	ꝑ	ꝓ	Ꝓ	Ꝕ	ꝕ	Ꝗ
F	ꝑ	ꝓ	Ꝓ	Ꝕ	ꝕ	Ꝗ

## 9. Figures

w	dy	or	g	short	i	z	n	ε	kreyo-w	dy	org	short	i	z	n-en-n	ε
g	x	v	ə	4	b	v			4	v			b	v		
s	ɔ	a	ri	ya	li	be			ses-s	ɔ	short	a	forward	ri	ya	li
p	s	á	ꝑ	ꝑ	ꝑ	ꝑ	3		ꝑ	p	ꝑ	ꝑ	ꝑ	ꝑ		
dꝑ	fꝑ	kai	o	vei	me	si			be	de	fe	very long	kai	o	vei	
ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ			ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ		
tee	u	dyu	pik	atyu	kpi	kwo			me	si	tee	u	dyu-iu	pik-p	atyu	
ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ			ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	
ek	nij	eksi	ai	dyai	k	h			kpi	kwo	ek	nij	eksi	ai	dyai	
ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ			ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	
<b>ue</b>	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ			k	h	aepin-commma	vocalive:oh	ꝑ	ꝑ	ꝑ	ꝑ
or variants:-	djat-at	ses	=	is	dei	=the										
x	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ										
z	,	dy	or	G	O	,me	,	pik	,	K						
							1									

Figure 1: The Medefaidrin character set from [Adams 1947].

P. የዕድሜኝኑው በዚህ ፖስታ እንደሆነዋል ፕሮ.  
 ተስፋርግ ቅዱ ጉዥ መሠረት ትክክለኛ ማሬና ቢሮም ተስፋርግ  
 ትክክለኛ ይሆናል የሆኔና በዚህም ይችላል ይሆናል ጥሩ ተስፋርግ  
 ተሸው  
 ተሸው ተሸው ተሸው ተሸው ተሸው ተሸው ተሸው ተሸው ተሸው  
 ተሸው ተሸው ተሸው ተሸው ተሸው ተሸው ተሸው ተሸው ተሸው  
 ተሸው ተሸው ተሸው ተሸው ተሸው ተሸው ተሸው ተሸው ተሸው  
 ተሸው ተሸው ተሸው ተሸው ተሸው ተሸው ተሸው ተሸው  
 ተሸው ተሸው ተሸው ተሸው ተሸው ተሸው ተሸው  
 ተሸው ተሸው ተሸው ተሸው ተሸው ተሸው  
 ተሸው ተሸው ተሸው  
 ተሸው ተሸው ተሸው  
 ተሸው ተሸው  
 ተሸው ተሸው  
 ተሸው ተሸው

Figure 2: The Medefaidrin sample. Note the symbol **ue** in lines 7–8 [Adams 1947].

ቁ 1 airi	አ 15 fingo	ለአ 29 edipikn
ፁ 2 greid	ከ 16 tiets	ለከ 30 edipari:d
ፃ 3 se:ta:	ቂ 17 diget	ለቂ 31 editrita
ፅ 4 aidu	ቈ 18 kisanī	ለቈ 32 edikanapt
ፆ 5 džits	ሮ 19 si:trik	ለሮ 33 editaigi
ፈ 6 tarisi	ለዥ 20 edi:tiš	ለለዥ 34 edifudipt
ፉ 7 fuda	ለወ 21 ediari	ለለወ 35 edifingo
ፊ 8 etia	ለተ 22 edigreid	ለለተ 36 editiets
ፋ 9 pikn	ለተ 23 edise:ta:	ለተ 37 edidiget
ፌ 10 pa:ri:d	ለተ 24 ediaidu	ለተ 38 edikisa:ni
ፍ 11 trita:	ለቂ 25 edidžits	ለቂ 39 edisi:tri:k
ፎ 12 kanapt	ለፈ 26 editarisi	ፎ 40 kreido
ፏ 13 faigi	ለፈ 27 edifuda	ፏ 40 setado
ፏ 14 fudipt	ለፈ 28 editia.	ፏ 40 aidudo
ፋዕ 100 džitsodo		

Figure 3: The Medefaidrin numerals from [Adams 1947].




Figure 4: The Medefaidrin (Oberi Okaime) alphabet and numerals from [Hau 1961].




FIG. 2 The Oberi Okaime alphabet and numerals (by Makreta Abony, 14 October 1986)

Figure 5: The Medefaidrin (Oberi Okaime) alphabet and numerals from [Abasiattai 1989].




Figure 6: The Medefaidrin sample from [Adams 1947].




PLATE III.  
Dge Primoled Keadom : The Beloved Father from *Dge Gibreant Tökkisan*.

Figure 7: The Medefaidrin sample from [Hau 1961].




FIG. 1 The Twenty-third Psalm in the Oberi Okaime language and alphabet (by Makreta Abony, 14 October 1986)

Figure 8: The Medefaidrin sample from [Abasiattai 1989].

## ELOLIMS (ALPHABETS)

M m	S s	V v	W w	Atiu(lam)	Z z
KP kp	P p	T t	G g	F f	I i
K k	A a	J j	E e	B b	C c
U u	YU yu	L l	Q q	H h	D d
X x	D d	W x	N n	R r	O o
AI ai	Y y	O o			

Figure 9: Medefaidrin letters, sample by Reverend Richmael Ekit (2016).

## DROMIRAL (MATHEMATICS)

1. † - Airi
2. 4 - Kred
3. ‡ - Seta
4. ▽ - Aide
5. 2 - Gito
6. ¥ - Tarisi
7. ↴ - Fudg
8. ↑ - Ettia
9. ▲ - Bikin
10. 7 - Parid
11. H - Trita
12. # - Kanspt
13. HH - Vaiki
14. ✓ - Fudip
15. A - Vinko
16. H - Tieto
17. f - Riket
18. g - Kisainy
19. e - Sitrik
20. †θ - Editi

Figure 10: Numerals in Medefaidrin, sample by Reverend Richmael Ekit (2016).

## ELOLIMS (ALPHABETS)

M [Me]	D [Des]	V [Vey]	Q [Krayu]	A [Atiu]	J [Ze]
KP [Kpi]	P [Pik]	T [Te]	G [Gee]	F [Fe]	I [i]
K [Kai]	A [a]	J [Ja]	E [e]	B [Be]	C [Sii]
U [Uu]	YU [yu]	L [li]	Q [Kwo]	H [heg]	N [Nig]
X [eksi]	D [de]	O [o]	N [Ne]	R [Ri]	O [O]
A [ai]		Y [ya]			

Figure 11: Medefaidrin letters with names, sample by Reverend Richmael Ekit (2016).

### Use of the exclamation Oh

! — Medefaidrin script  
 ! God of Peace. — English  
 ! Abasi enim — Ibibio (Nigeria, BenueCongo)

Figure 12: The exclamation mark demonstrated alongside the English and Ibibio translation, sample by Reverend Richmael Ekit (2016). Note the Latin "O" used in the Medefaidrin sample.

**ISO/IEC JTC 1/SC 2/WG 2**  
**PROPOSAL SUMMARY FORM TO ACCOMPANY SUBMISSIONS**  
**FOR ADDITIONS TO THE REPERTOIRE OF ISO/IEC 10646<sup>1</sup>**

Please fill all the sections A, B and C below.

Please read Principles and Procedures Document (P & P) from <http://std.dkuug.dk/JTC1/SC2/WG2/docs/principles.html> for guidelines and details before filling this form.

Please ensure you are using the latest Form from <http://std.dkuug.dk/JTC1/SC2/WG2/docs/summaryform.html>.  
See also <http://std.dkuug.dk/JTC1/SC2/WG2/docs/roadmaps.html> for latest Roadmaps.

**A. Administrative**

1. Title: **Proposal for encoding the Medefaidrin (Oberi Okaimo) script in the SMP of the UCS**
2. Requester's name: **Andrij Rovenchak, Dafydd Gibbon, Moses Ekenyong, and Eno-Abasi Urua**
3. Requester type (Member body/Liaison/Individual contribution): **Liaison (SE)**
4. Submission date: **2016-04-18**
5. Requester's reference (if applicable):
6. Choose one of the following:
  - This is a complete proposal: **YES**
  - (or) More information will be provided later:

**B. Technical – General**

1. Choose one of the following:
  - a. This proposal is for a new script (set of characters):  
Proposed name of script: **Medefaidrin** **YES**
  - b. The proposal is for addition of character(s) to an existing block:  
Name of the existing block: **91**
2. Number of characters in proposal: **91**
3. Proposed category (select one from below - see section 2.2 of P&P document):
  - A-Contemporary  B.1-Specialized (small collection)  B.2-Specialized (large collection)
  - C-Major extinct  D-Attested extinct  E-Minor extinct
  - F-Archaic Hieroglyphic or Ideographic  G-Obscure or questionable usage symbols
4. Is a repertoire including character names provided?
  - a. If YES, are the names in accordance with the "character naming guidelines" in Annex L of P&P document? **YES**
  - b. Are the character shapes attached in a legible form suitable for review? **YES**
5. Fonts related:
  - a. Who will provide the appropriate computerized font to the Project Editor of 10646 for publishing the standard? **Andrij Rovenchak**
  - b. Identify the party granting a license for use of the font by the editors (include address, e-mail, ftp-site, etc.): **Andrij Rovenchak**
6. References:
  - a. Are references (to other character sets, dictionaries, descriptive texts etc.) provided? **YES**
  - b. Are published examples of use (such as samples from newspapers, magazines, or other sources) of proposed characters attached? **YES**
7. Special encoding issues:

Does the proposal address other aspects of character data processing (if applicable) such as input, presentation, sorting, searching, indexing, transliteration etc. (if yes please enclose information)? **NO**
8. Additional Information:

Submitters are invited to provide any additional information about Properties of the proposed Character(s) or Script that will assist in correct understanding of and correct linguistic processing of the proposed character(s) or script. Examples of such properties are: Casing information, Numeric information, Currency information, Display behaviour information such as line breaks, widths etc., Combining behaviour, Spacing behaviour, Directional behaviour, Default Collation behaviour, relevance in Mark Up contexts, Compatibility equivalence and other Unicode normalization related information. See the Unicode standard at <http://www.unicode.org> for such information on other scripts. Also see Unicode Character Database (<http://www.unicode.org/reports/tr44/>) and associated Unicode Technical Reports for information needed for consideration by the Unicode Technical Committee for inclusion in the Unicode Standard.

<sup>1</sup> Form number: N4502-F (Original 1994-10-14; Revised 1995-01, 1995-04, 1996-04, 1996-08, 1999-03, 2001-05, 2001-09, 2003-11, 2005-01, 2005-09, 2005-10, 2007-03, 2008-05, 2009-11, 2011-03, 2012-01)

### C. Technical - Justification

1. Has this proposal for addition of character(s) been submitted before?	<input type="checkbox"/> NO
If YES explain	
2. Has contact been made to members of the user community (for example: National Body, user groups of the script or characters, other experts, etc.)?	<input type="checkbox"/> YES
If YES, with whom? <i>representative of the community, Rev. Richmael Ekit</i>	
If YES, available relevant documents:	<input type="checkbox"/> YES
3. Information on the user community for the proposed characters (for example: size, demographics, information technology use, or publishing use) is included?	<input type="checkbox"/> YES
Reference: <i>see page 1</i>	
4. The context of use for the proposed characters (type of use; common or rare)	<input type="checkbox"/> rare
Reference:	
5. Are the proposed characters in current use by the user community?	<input type="checkbox"/> YES
If YES, where? Reference: <i>Nigeria (by members of an indigenous Christian church Obęri Ọkaimε)</i>	
6. After giving due considerations to the principles in the P&P document must the proposed characters be entirely in the BMP?	<input type="checkbox"/> NO
If YES, is a rationale provided?	
If YES, reference:	
7. Should the proposed characters be kept together in a contiguous range (rather than being scattered)?	<input type="checkbox"/> YES
8. Can any of the proposed characters be considered a presentation form of an existing character or character sequence?	<input type="checkbox"/> NO
If YES, is a rationale for its inclusion provided?	
If YES, reference:	
9. Can any of the proposed characters be encoded using a composed character sequence of either existing characters or other proposed characters?	<input type="checkbox"/> NO
If YES, is a rationale for its inclusion provided?	
If YES, reference:	
10. Can any of the proposed character(s) be considered to be similar (in appearance or function) to, or could be confused with, an existing character?	<input type="checkbox"/> NO
If YES, is a rationale for its inclusion provided?	
If YES, reference:	
11. Does the proposal include use of combining characters and/or use of composite sequences?	<input type="checkbox"/> NO
If YES, is a rationale for such use provided?	
If YES, reference:	
Is a list of composite sequences and their corresponding glyph images (graphic symbols) provided?	<input type="checkbox"/> NO
If YES, reference:	
12. Does the proposal contain characters with any special properties such as control function or similar semantics?	<input type="checkbox"/> NO
If YES, describe in detail (include attachment if necessary)	
13. Does the proposal contain any Ideographic compatibility characters?	<input type="checkbox"/> NO
If YES, are the equivalent corresponding unified ideographic characters identified?	
If YES, reference:	