

Control Pictures

Range: 2400–243F

This file contains an excerpt from the character code tables and list of character names for *The Unicode Standard, Version 6.1*

This file may be changed at any time without notice to reflect errata or other updates to the Unicode Standard. See <http://www.unicode.org/errata/> for an up-to-date list of errata.

See <http://www.unicode.org/charts/> for access to a complete list of the latest character code charts. See <http://www.unicode.org/charts/PDF/Unicode-6.1/> for charts showing only the characters added in Unicode 6.1. See <http://www.unicode.org/Public/6.1.0/charts/> for a complete archived file of character code charts for Unicode 6.1.

Disclaimer

These charts are provided as the online reference to the character contents of the Unicode Standard, Version 6.1 but do not provide all the information needed to fully support individual scripts using the Unicode Standard. For a complete understanding of the use of the characters contained in this file, please consult the appropriate sections of The Unicode Standard, Version 6.1, online at <http://www.unicode.org/versions/Unicode6.1.0/>, as well as Unicode Standard Annexes #9, #11, #14, #15, #24, #29, #31, #34, #38, #41, #42, and #44, the other Unicode Technical Reports and Standards, and the Unicode Character Database, which are available online.

See <http://www.unicode.org/ucd/> and <http://www.unicode.org/reports/>

A thorough understanding of the information contained in these additional sources is required for a successful implementation.

Fonts

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts. The particular fonts used in these charts were provided to the Unicode Consortium by a number of different font designers, who own the rights to the fonts.

See <http://www.unicode.org/charts/fonts.html> for a list.

Terms of Use

You may freely use these code charts for personal or internal business uses only. You may not incorporate them either wholly or in part into any product or publication, or otherwise distribute them without express written permission from the Unicode Consortium. However, you may provide links to these charts.

The fonts and font data used in production of these code charts may NOT be extracted, or used in any other way in any product or publication, without permission or license granted by the typeface owner(s).

The Unicode Consortium is not liable for errors or omissions in this file or the standard itself. Information on characters added to the Unicode Standard since the publication of the most recent version of the Unicode Standard, as well as on characters currently being considered for addition to the Unicode Standard can be found on the Unicode web site.

See <http://www.unicode.org/pending/pending.html> and <http://www.unicode.org/alloc/Pipeline.html>.

Copyright © 1991-2012 Unicode, Inc. All rights reserved.

	240	241	242	243
0	N _U L 2400	D _L E 2410	S _P 2420	
1	S _O H 2401	D _C ₁ 2411	D _E L 2421	
2	S _T X 2402	D _C ₂ 2412	b 2422	
3	E _T X 2403	D _C ₃ 2413	⌋ 2423	
4	E _O T 2404	D _C ₄ 2414	N _L 2424	
5	E _N Q 2405	N _A K 2415	⧸ 2425	
6	A _C K 2406	S _Y N 2416	? 2426	
7	B _E L 2407	E _T B 2417		
8	B _S 2408	C _A N 2418		
9	H _T 2409	E _M 2419		
A	L _F 240A	S _U B 241A		
B	V _T 240B	E _S C 241B		
C	F _F 240C	F _S 241C		
D	C _R 240D	G _S 241D		
E	S _S 240E	R _S 241E		
F	S _I 240F	U _S 241F		

The diagonal lettering glyphs are only exemplary; alternate representations may be, and often are used in the visible display of control codes.

Graphic pictures for control codes

- 2400 ^{N_UL} SYMBOL FOR NULL
- 2401 ^{S_OH} SYMBOL FOR START OF HEADING
- 2402 ^{S_TX} SYMBOL FOR START OF TEXT
- 2403 ^{E_TX} SYMBOL FOR END OF TEXT
- 2404 ^{E_OT} SYMBOL FOR END OF TRANSMISSION
- 2405 ^{E_NQ} SYMBOL FOR ENQUIRY
- 2406 ^{A_CK} SYMBOL FOR ACKNOWLEDGE
- 2407 ^{B_EL} SYMBOL FOR BELL
- 2408 ^{B_S} SYMBOL FOR BACKSPACE
- 2409 ^{H_T} SYMBOL FOR HORIZONTAL TABULATION
- 240A ^{L_F} SYMBOL FOR LINE FEED
- 240B ^{V_T} SYMBOL FOR VERTICAL TABULATION
- 240C ^{F_F} SYMBOL FOR FORM FEED
- 240D ^{C_R} SYMBOL FOR CARRIAGE RETURN
- 240E ^{S_S} SYMBOL FOR SHIFT OUT
- 240F ^{S_I} SYMBOL FOR SHIFT IN
- 2410 ^{D_LE} SYMBOL FOR DATA LINK ESCAPE
- 2411 ^{D_C₁} SYMBOL FOR DEVICE CONTROL ONE
- 2412 ^{D_C₂} SYMBOL FOR DEVICE CONTROL TWO
- 2413 ^{D_C₃} SYMBOL FOR DEVICE CONTROL THREE
- 2414 ^{D_C₄} SYMBOL FOR DEVICE CONTROL FOUR
- 2415 ^{N_AK} SYMBOL FOR NEGATIVE ACKNOWLEDGE
- 2416 ^{S_YN} SYMBOL FOR SYNCHRONOUS IDLE
- 2417 ^{E_TB} SYMBOL FOR END OF TRANSMISSION BLOCK
- 2418 ^{C_AN} SYMBOL FOR CANCEL
- 2419 ^{E_M} SYMBOL FOR END OF MEDIUM
- 241A ^{S_UB} SYMBOL FOR SUBSTITUTE
- 241B ^{E_SC} SYMBOL FOR ESCAPE
- 241C ^{F_S} SYMBOL FOR FILE SEPARATOR
- 241D ^{G_S} SYMBOL FOR GROUP SEPARATOR
- 241E ^{R_S} SYMBOL FOR RECORD SEPARATOR
- 241F ^{U_S} SYMBOL FOR UNIT SEPARATOR
- 2420 ^{S_P} SYMBOL FOR SPACE
- 2421 ^{D_EL} SYMBOL FOR DELETE

Specific symbols for space

- 2422 **b** BLANK SYMBOL
 - graphic for space
 - 0180 **b** latin small letter b with stroke
- 2423 **⌋** OPEN BOX
 - graphic for space
 - 2334 **⌋** counterbore

Graphic picture for control code

- 2424 ^{N_L} SYMBOL FOR NEWLINE

Keyboard symbol

- 2425 [⧸] SYMBOL FOR DELETE FORM TWO
 - from ISO 9995-7
 - keyboard symbol for undoable delete

Specific symbol for control code

- 2426 [?] SYMBOL FOR SUBSTITUTE FORM TWO
 - from ISO 2047
 - 061F [?] arabic question mark