

Supplemental Arrows-C

Range: 1F800–1F8FF

The Unicode Standard, Version 7.0

This file contains an excerpt from the character code tables and list of character names for *The Unicode Standard, Version 7.0*

Characters in this chart that are new for The Unicode Standard, Version 7.0 are shown in conjunction with any existing characters. For ease of reference, the new characters have been highlighted in the chart grid and in the names list.

This file will not be updated with errata, or when additional characters are assigned to the Unicode Standard. See <http://www.unicode.org/errata/> for an up-to-date list of errata.

See <http://www.unicode.org/charts/> for access to a complete list of the latest character code charts. See <http://www.unicode.org/charts/PDF/Unicode-7.0/> for charts showing only the characters added in Unicode 7.0. See <http://www.unicode.org/Public/7.0.0/charts/> for a complete archived file of character code charts for Unicode 7.0.

Disclaimer

These charts are provided as the online reference to the character contents of the Unicode Standard, Version 7.0 but do not provide all the information needed to fully support individual scripts using the Unicode Standard. For a complete understanding of the use of the characters contained in this file, please consult the appropriate sections of The Unicode Standard, Version 7.0, online at <http://www.unicode.org/versions/Unicode7.0.0/>, as well as Unicode Standard Annexes #9, #11, #14, #15, #24, #29, #31, #34, #38, #41, #42, #44, and #45, the other Unicode Technical Reports and Standards, and the Unicode Character Database, which are available online.

See <http://www.unicode.org/ucd/> and <http://www.unicode.org/reports/>

A thorough understanding of the information contained in these additional sources is required for a successful implementation.

Fonts

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts. The particular fonts used in these charts were provided to the Unicode Consortium by a number of different font designers, who own the rights to the fonts.

See <http://www.unicode.org/charts/fonts.html> for a list.

Terms of Use

You may freely use these code charts for personal or internal business uses only. You may not incorporate them either wholly or in part into any product or publication, or otherwise distribute them without express written permission from the Unicode Consortium. However, you may provide links to these charts.

The fonts and font data used in production of these code charts may NOT be extracted, or used in any other way in any product or publication, without permission or license granted by the typeface owner(s).

The Unicode Consortium is not liable for errors or omissions in this file or the standard itself. Information on characters added to the Unicode Standard since the publication of the most recent version of the Unicode Standard, as well as on characters currently being considered for addition to the Unicode Standard can be found on the Unicode web site.

See <http://www.unicode.org/pending/pending.html> and <http://www.unicode.org/alloc/Pipeline.html>.

Copyright © 1991-2014 Unicode, Inc. All rights reserved.

	1F80	1F81	1F82	1F83	1F84	1F85	1F86	1F87	1F88	1F89	1F8A	1F8B	1F8C	1F8D	1F8E	1F8F
0	1F800	1F810	1F820	1F830	1F840	1F850	1F860	1F870	1F880	1F890	1F8A0					
1	1F801	1F811	1F821	1F831	1F841	1F851	1F861	1F871	1F881	1F891	1F8A1					
2	1F802	1F812	1F822	1F832	1F842	1F852	1F862	1F872	1F882	1F892	1F8A2					
3	1F803	1F813	1F823	1F833	1F843	1F853	1F863	1F873	1F883	1F893	1F8A3					
4	1F804	1F814	1F824	1F834	1F844	1F854	1F864	1F874	1F884	1F894	1F8A4					
5	1F805	1F815	1F825	1F835	1F845	1F855	1F865	1F875	1F885	1F895	1F8A5					
6	1F806	1F816	1F826	1F836	1F846	1F856	1F866	1F876	1F886	1F896	1F8A6					
7	1F807	1F817	1F827	1F837	1F847	1F857	1F867	1F877	1F887	1F897	1F8A7					
8	1F808	1F818	1F828	1F838		1F858	1F868	1F878		1F898	1F8A8					
9	1F809	1F819	1F829	1F839		1F859	1F869	1F879		1F899	1F8A9					
A	1F80A	1F81A	1F82A	1F83A			1F86A	1F87A		1F89A	1F8AA					
B	1F80B	1F81B	1F82B	1F83B			1F86B	1F87B		1F89B	1F8AB					
C		1F81C	1F82C	1F83C			1F86C	1F87C		1F89C	1F8AC					
D		1F81D	1F82D	1F83D			1F86D	1F87D		1F89D	1F8AD					
E		1F81E	1F82E	1F83E			1F86E	1F87E		1F89E						
F		1F81F	1F82F	1F83F			1F86F	1F87F		1F89F						

Arrows with triangle arrowheads

1F800	←	LEFTWARDS ARROW WITH SMALL TRIANGLE ARROWHEAD
1F801	↑	UPWARDS ARROW WITH SMALL TRIANGLE ARROWHEAD
1F802	→	RIGHTWARDS ARROW WITH SMALL TRIANGLE ARROWHEAD
1F803	↓	DOWNWARDS ARROW WITH SMALL TRIANGLE ARROWHEAD
1F804	←	LEFTWARDS ARROW WITH MEDIUM TRIANGLE ARROWHEAD
1F805	↑	UPWARDS ARROW WITH MEDIUM TRIANGLE ARROWHEAD
1F806	→	RIGHTWARDS ARROW WITH MEDIUM TRIANGLE ARROWHEAD
1F807	↓	DOWNWARDS ARROW WITH MEDIUM TRIANGLE ARROWHEAD
1F808	←	LEFTWARDS ARROW WITH LARGE TRIANGLE ARROWHEAD
1F809	↑	UPWARDS ARROW WITH LARGE TRIANGLE ARROWHEAD
1F80A	→	RIGHTWARDS ARROW WITH LARGE TRIANGLE ARROWHEAD
1F80B	↓	DOWNWARDS ARROW WITH LARGE TRIANGLE ARROWHEAD

Arrows with equilateral triangle arrowheads

1F810	←	LEFTWARDS ARROW WITH SMALL EQUILATERAL ARROWHEAD
1F811	↑	UPWARDS ARROW WITH SMALL EQUILATERAL ARROWHEAD
1F812	→	RIGHTWARDS ARROW WITH SMALL EQUILATERAL ARROWHEAD
1F813	↓	DOWNWARDS ARROW WITH SMALL EQUILATERAL ARROWHEAD
1F814	←	LEFTWARDS ARROW WITH EQUILATERAL ARROWHEAD
1F815	↑	UPWARDS ARROW WITH EQUILATERAL ARROWHEAD
1F816	→	RIGHTWARDS ARROW WITH EQUILATERAL ARROWHEAD
1F817	↓	DOWNWARDS ARROW WITH EQUILATERAL ARROWHEAD
1F818	←	HEAVY LEFTWARDS ARROW WITH EQUILATERAL ARROWHEAD
1F819	↑	HEAVY UPWARDS ARROW WITH EQUILATERAL ARROWHEAD
1F81A	→	HEAVY RIGHTWARDS ARROW WITH EQUILATERAL ARROWHEAD
1F81B	↓	HEAVY DOWNWARDS ARROW WITH EQUILATERAL ARROWHEAD
1F81C	←	HEAVY LEFTWARDS ARROW WITH LARGE EQUILATERAL ARROWHEAD
1F81D	↑	HEAVY UPWARDS ARROW WITH LARGE EQUILATERAL ARROWHEAD
1F81E	→	HEAVY RIGHTWARDS ARROW WITH LARGE EQUILATERAL ARROWHEAD
1F81F	↓	HEAVY DOWNWARDS ARROW WITH LARGE EQUILATERAL ARROWHEAD

Triangle headed arrows with different shaft weights

1F820	←	LEFTWARDS TRIANGLE-HEADED ARROW WITH NARROW SHAFT
1F821	↑	UPWARDS TRIANGLE-HEADED ARROW WITH NARROW SHAFT
1F822	→	RIGHTWARDS TRIANGLE-HEADED ARROW WITH NARROW SHAFT

1F823	↓	DOWNWARDS TRIANGLE-HEADED ARROW WITH NARROW SHAFT
1F824	←	LEFTWARDS TRIANGLE-HEADED ARROW WITH MEDIUM SHAFT
1F825	↑	UPWARDS TRIANGLE-HEADED ARROW WITH MEDIUM SHAFT
1F826	→	RIGHTWARDS TRIANGLE-HEADED ARROW WITH MEDIUM SHAFT
1F827	↓	DOWNWARDS TRIANGLE-HEADED ARROW WITH MEDIUM SHAFT
1F828	←	LEFTWARDS TRIANGLE-HEADED ARROW WITH BOLD SHAFT
1F829	↑	UPWARDS TRIANGLE-HEADED ARROW WITH BOLD SHAFT
1F82A	→	RIGHTWARDS TRIANGLE-HEADED ARROW WITH BOLD SHAFT
1F82B	↓	DOWNWARDS TRIANGLE-HEADED ARROW WITH BOLD SHAFT
1F82C	←	LEFTWARDS TRIANGLE-HEADED ARROW WITH HEAVY SHAFT
1F82D	↑	UPWARDS TRIANGLE-HEADED ARROW WITH HEAVY SHAFT
1F82E	→	RIGHTWARDS TRIANGLE-HEADED ARROW WITH HEAVY SHAFT
1F82F	↓	DOWNWARDS TRIANGLE-HEADED ARROW WITH HEAVY SHAFT
1F830	←	LEFTWARDS TRIANGLE-HEADED ARROW WITH VERY HEAVY SHAFT
1F831	↑	UPWARDS TRIANGLE-HEADED ARROW WITH VERY HEAVY SHAFT
1F832	→	RIGHTWARDS TRIANGLE-HEADED ARROW WITH VERY HEAVY SHAFT
1F833	↓	DOWNWARDS TRIANGLE-HEADED ARROW WITH VERY HEAVY SHAFT

Finger-post arrows

1F834	←	LEFTWARDS FINGER-POST ARROW
1F835	↑	UPWARDS FINGER-POST ARROW
1F836	→	RIGHTWARDS FINGER-POST ARROW
1F837	↓	DOWNWARDS FINGER-POST ARROW

Squared arrows

1F838	←	LEFTWARDS SQUARED ARROW
1F839	↑	UPWARDS SQUARED ARROW
1F83A	→	RIGHTWARDS SQUARED ARROW
1F83B	↓	DOWNWARDS SQUARED ARROW

Compressed arrows

1F83C	←	LEFTWARDS COMPRESSED ARROW
1F83D	↑	UPWARDS COMPRESSED ARROW
1F83E	→	RIGHTWARDS COMPRESSED ARROW
1F83F	↓	DOWNWARDS COMPRESSED ARROW
1F840	←	LEFTWARDS HEAVY COMPRESSED ARROW
1F841	↑	UPWARDS HEAVY COMPRESSED ARROW
1F842	→	RIGHTWARDS HEAVY COMPRESSED ARROW
1F843	↓	DOWNWARDS HEAVY COMPRESSED ARROW

Heavy arrows

1F844	←	LEFTWARDS HEAVY ARROW
1F845	↑	UPWARDS HEAVY ARROW
1F846	→	RIGHTWARDS HEAVY ARROW
1F847	↓	DOWNWARDS HEAVY ARROW

Sans-serif arrows

1F850	←	LEFTWARDS SANS-SERIF ARROW
	→ 2190 ←	leftwards arrow

1F851	↑	UPWARDS SANS-SERIF ARROW → 2191 ↑ upwards arrow
1F852	→	RIGHTWARDS SANS-SERIF ARROW → 2192 → rightwards arrow
1F853	↓	DOWNWARDS SANS-SERIF ARROW → 2193 ↓ downwards arrow
1F854	↖	NORTH WEST SANS-SERIF ARROW → 2196 ↖ north west arrow
1F855	↗	NORTH EAST SANS-SERIF ARROW → 2197 ↗ north east arrow
1F856	↘	SOUTH EAST SANS-SERIF ARROW → 2198 ↘ south east arrow
1F857	↙	SOUTH WEST SANS-SERIF ARROW → 2199 ↙ south west arrow
1F858	↔	LEFT RIGHT SANS-SERIF ARROW → 2194 ↔ left right arrow
1F859	↕	UP DOWN SANS-SERIF ARROW → 2195 ↕ up down arrow

Wide-headed barb arrows

1F860	←	WIDE-HEADED LEFTWARDS LIGHT BARB ARROW
1F861	↑	WIDE-HEADED UPWARDS LIGHT BARB ARROW
1F862	→	WIDE-HEADED RIGHTWARDS LIGHT BARB ARROW
1F863	↓	WIDE-HEADED DOWNWARDS LIGHT BARB ARROW
1F864	↖	WIDE-HEADED NORTH WEST LIGHT BARB ARROW
1F865	↗	WIDE-HEADED NORTH EAST LIGHT BARB ARROW
1F866	↘	WIDE-HEADED SOUTH EAST LIGHT BARB ARROW
1F867	↙	WIDE-HEADED SOUTH WEST LIGHT BARB ARROW
1F868	←	WIDE-HEADED LEFTWARDS BARB ARROW
1F869	↑	WIDE-HEADED UPWARDS BARB ARROW
1F86A	→	WIDE-HEADED RIGHTWARDS BARB ARROW
1F86B	↓	WIDE-HEADED DOWNWARDS BARB ARROW
1F86C	↖	WIDE-HEADED NORTH WEST BARB ARROW
1F86D	↗	WIDE-HEADED NORTH EAST BARB ARROW
1F86E	↘	WIDE-HEADED SOUTH EAST BARB ARROW
1F86F	↙	WIDE-HEADED SOUTH WEST BARB ARROW
1F870	←	WIDE-HEADED LEFTWARDS MEDIUM BARB ARROW
1F871	↑	WIDE-HEADED UPWARDS MEDIUM BARB ARROW
1F872	→	WIDE-HEADED RIGHTWARDS MEDIUM BARB ARROW → 2794 → heavy wide-headed rightwards arrow
1F873	↓	WIDE-HEADED DOWNWARDS MEDIUM BARB ARROW
1F874	↖	WIDE-HEADED NORTH WEST MEDIUM BARB ARROW
1F875	↗	WIDE-HEADED NORTH EAST MEDIUM BARB ARROW
1F876	↘	WIDE-HEADED SOUTH EAST MEDIUM BARB ARROW
1F877	↙	WIDE-HEADED SOUTH WEST MEDIUM BARB ARROW
1F878	←	WIDE-HEADED LEFTWARDS HEAVY BARB ARROW
1F879	↑	WIDE-HEADED UPWARDS HEAVY BARB ARROW

1F87A	➔	WIDE-HEADED RIGHTWARDS HEAVY BARB ARROW
1F87B	➘	WIDE-HEADED DOWNWARDS HEAVY BARB ARROW
1F87C	↖	WIDE-HEADED NORTH WEST HEAVY BARB ARROW
1F87D	↗	WIDE-HEADED NORTH EAST HEAVY BARB ARROW
1F87E	↘	WIDE-HEADED SOUTH EAST HEAVY BARB ARROW
1F87F	↙	WIDE-HEADED SOUTH WEST HEAVY BARB ARROW
1F880	←	WIDE-HEADED LEFTWARDS VERY HEAVY BARB ARROW
1F881	↑	WIDE-HEADED UPWARDS VERY HEAVY BARB ARROW
1F882	➔	WIDE-HEADED RIGHTWARDS VERY HEAVY BARB ARROW
1F883	➘	WIDE-HEADED DOWNWARDS VERY HEAVY BARB ARROW
1F884	↖	WIDE-HEADED NORTH WEST VERY HEAVY BARB ARROW
1F885	↗	WIDE-HEADED NORTH EAST VERY HEAVY BARB ARROW
1F886	↘	WIDE-HEADED SOUTH EAST VERY HEAVY BARB ARROW
1F887	↙	WIDE-HEADED SOUTH WEST VERY HEAVY BARB ARROW

Arrowheads

1F890	◀	LEFTWARDS TRIANGLE ARROWHEAD
1F891	▲	UPWARDS TRIANGLE ARROWHEAD
1F892	▶	RIGHTWARDS TRIANGLE ARROWHEAD
1F893	▼	DOWNWARDS TRIANGLE ARROWHEAD
1F894	◀	LEFTWARDS WHITE ARROW WITHIN TRIANGLE ARROWHEAD
1F895	▲	UPWARDS WHITE ARROW WITHIN TRIANGLE ARROWHEAD
1F896	▶	RIGHTWARDS WHITE ARROW WITHIN TRIANGLE ARROWHEAD
1F897	▼	DOWNWARDS WHITE ARROW WITHIN TRIANGLE ARROWHEAD

Notched arrows

1F898	↔	LEFTWARDS ARROW WITH NOTCHED TAIL
1F899	↑	UPWARDS ARROW WITH NOTCHED TAIL
1F89A	➔	RIGHTWARDS ARROW WITH NOTCHED TAIL → 27AF ↔ notched lower right-shadowed white rightwards arrow
1F89B	➘	DOWNWARDS ARROW WITH NOTCHED TAIL

Heavy arrow shafts

The vertical alignment and thickness of this set are compatible with heavy shaft arrows.

1F89C	▪	HEAVY ARROW SHAFT WIDTH ONE
1F89D	▪	HEAVY ARROW SHAFT WIDTH TWO THIRDS
1F89E	▪	HEAVY ARROW SHAFT WIDTH ONE HALF
1F89F	▪	HEAVY ARROW SHAFT WIDTH ONE THIRD

Shaded white arrows

1F8A0	←	LEFTWARDS BOTTOM-SHADED WHITE ARROW
1F8A1	→	RIGHTWARDS BOTTOM SHADED WHITE ARROW
1F8A2	←	LEFTWARDS TOP SHADED WHITE ARROW
1F8A3	→	RIGHTWARDS TOP SHADED WHITE ARROW
1F8A4	←	LEFTWARDS LEFT-SHADED WHITE ARROW

1F8A5	⇒	RIGHTWARDS RIGHT-SHADED WHITE ARROW → 27A9 ⇨ right-shaded white rightwards arrow
1F8A6	⇐	LEFTWARDS RIGHT-SHADED WHITE ARROW
1F8A7	⇒	RIGHTWARDS LEFT-SHADED WHITE ARROW → 27AA ⇨ left-shaded white rightwards arrow
1F8A8	⇐	LEFTWARDS BACK-TILTED SHADOWED WHITE ARROW
1F8A9	⇨	RIGHTWARDS BACK-TILTED SHADOWED WHITE ARROW → 27AB ⇨ back-tilted shadowed white rightwards arrow
1F8AA	⇐	LEFTWARDS FRONT-TILTED SHADOWED WHITE ARROW
1F8AB	⇨	RIGHTWARDS FRONT-TILTED SHADOWED WHITE ARROW → 27AC ⇨ front-tilted shadowed white rightwards arrow

White arrow shafts

The vertical alignment and thickness of this set are compatible with white arrows.

1F8AC	▣	WHITE ARROW SHAFT WIDTH ONE
1F8AD	▣	WHITE ARROW SHAFT WIDTH TWO THIRDS