

Control Pictures

Range: 2400–243F

The Unicode Standard, Version 9.0

This file contains an excerpt from the character code tables and list of character names for *The Unicode Standard, Version 9.0*

Characters in this chart that are new for The Unicode Standard, Version 9.0 are shown in conjunction with any existing characters. For ease of reference, the new characters have been highlighted in the chart grid and in the names list.

This file will not be updated with errata, or when additional characters are assigned to the Unicode Standard. See <http://www.unicode.org/errata/> for an up-to-date list of errata.

See <http://www.unicode.org/charts/> for access to a complete list of the latest character code charts. See <http://www.unicode.org/charts/PDF/Unicode-9.0/> for charts showing only the characters added in Unicode 9.0. See <http://www.unicode.org/Public/9.0.0/charts/> for a complete archived file of character code charts for Unicode 9.0.

Disclaimer

These charts are provided as the online reference to the character contents of the Unicode Standard, Version 9.0 but do not provide all the information needed to fully support individual scripts using the Unicode Standard. For a complete understanding of the use of the characters contained in this file, please consult the appropriate sections of The Unicode Standard, Version 9.0, online at <http://www.unicode.org/versions/Unicode9.0.0/>, as well as Unicode Standard Annexes #9, #11, #14, #15, #24, #29, #31, #34, #38, #41, #42, #44, and #45, the other Unicode Technical Reports and Standards, and the Unicode Character Database, which are available online.

See <http://www.unicode.org/ucd/> and <http://www.unicode.org/reports/>

A thorough understanding of the information contained in these additional sources is required for a successful implementation.

Fonts

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts. The particular fonts used in these charts were provided to the Unicode Consortium by a number of different font designers, who own the rights to the fonts.

See <http://www.unicode.org/charts/fonts.html> for a list.

Terms of Use

You may freely use these code charts for personal or internal business uses only. You may not incorporate them either wholly or in part into any product or publication, or otherwise distribute them without express written permission from the Unicode Consortium. However, you may provide links to these charts.

The fonts and font data used in production of these code charts may NOT be extracted, or used in any other way in any product or publication, without permission or license granted by the typeface owner(s).

The Unicode Consortium is not liable for errors or omissions in this file or the standard itself. Information on characters added to the Unicode Standard since the publication of the most recent version of the Unicode Standard, as well as on characters currently being considered for addition to the Unicode Standard can be found on the Unicode web site.

See <http://www.unicode.org/pending/pending.html> and <http://www.unicode.org/alloc/Pipeline.html>.

Copyright © 1991-2016 Unicode, Inc. All rights reserved.

	240	241	242	243
0	N _U L 2400	D _L E 2410	S _P 2420	
1	S _O H 2401	D _C ₁ 2411	D _E L 2421	
2	S _T X 2402	D _C ₂ 2412	b 2422	
3	E _T X 2403	D _C ₃ 2413	└ 2423	
4	E _O T 2404	D _C ₄ 2414	N _L 2424	
5	E _N Q 2405	N _A K 2415	/// 2425	
6	A _C K 2406	S _Y N 2416	? 2426	
7	B _E L 2407	E _T B 2417		
8	B _S 2408	C _A N 2418		
9	H _T 2409	E _M 2419		
A	L _F 240A	S _U B 241A		
B	V _T 240B	E _S C 241B		
C	F _F 240C	F _S 241C		
D	C _R 240D	G _S 241D		
E	S _O 240E	R _S 241E		
F	S _I 240F	U _S 241F		

The diagonal lettering glyphs are only exemplary; alternate representations may be, and often are used in the visible display of control codes.

Graphic pictures for control codes

2400	^{NUL}	SYMBOL FOR NULL
2401	^{SOH}	SYMBOL FOR START OF HEADING
2402	^{STX}	SYMBOL FOR START OF TEXT
2403	^{ETX}	SYMBOL FOR END OF TEXT
2404	^{EOQ}	SYMBOL FOR END OF TRANSMISSION
2405	^{ENQ}	SYMBOL FOR ENQUIRY
2406	^{ACK}	SYMBOL FOR ACKNOWLEDGE
2407	^{BEL}	SYMBOL FOR BELL
2408	^{BS}	SYMBOL FOR BACKSPACE
2409	^{HT}	SYMBOL FOR HORIZONTAL TABULATION
240A	^{LF}	SYMBOL FOR LINE FEED
240B	^{VT}	SYMBOL FOR VERTICAL TABULATION
240C	^{FF}	SYMBOL FOR FORM FEED
240D	^{CR}	SYMBOL FOR CARRIAGE RETURN
240E	^{SO}	SYMBOL FOR SHIFT OUT
240F	^{SI}	SYMBOL FOR SHIFT IN
2410	^{DLE}	SYMBOL FOR DATA LINK ESCAPE
2411	^{DC1}	SYMBOL FOR DEVICE CONTROL ONE
2412	^{DC2}	SYMBOL FOR DEVICE CONTROL TWO
2413	^{DC3}	SYMBOL FOR DEVICE CONTROL THREE
2414	^{DC4}	SYMBOL FOR DEVICE CONTROL FOUR
2415	^{NAK}	SYMBOL FOR NEGATIVE ACKNOWLEDGE
2416	^{SYN}	SYMBOL FOR SYNCHRONOUS IDLE
2417	^{ETB}	SYMBOL FOR END OF TRANSMISSION BLOCK
2418	^{CAN}	SYMBOL FOR CANCEL
2419	^{EM}	SYMBOL FOR END OF MEDIUM
241A	^{SUB}	SYMBOL FOR SUBSTITUTE
241B	^{ESC}	SYMBOL FOR ESCAPE
241C	^{FS}	SYMBOL FOR FILE SEPARATOR
241D	^{GS}	SYMBOL FOR GROUP SEPARATOR
241E	^{RS}	SYMBOL FOR RECORD SEPARATOR
241F	^{US}	SYMBOL FOR UNIT SEPARATOR
2420	^{SP}	SYMBOL FOR SPACE
2421	^{DEL}	SYMBOL FOR DELETE

Specific symbols for space

2422	b	BLANK SYMBOL <ul style="list-style-type: none"> • graphic for space → 0180 b latin small letter b with stroke
2423	⏏	OPEN BOX <ul style="list-style-type: none"> • graphic for space → 2334 ⏏ counterbore

Graphic picture for control code

2424	^{NL}	SYMBOL FOR NEWLINE
------	---------------	--------------------

Keyboard symbol

2425	⌫	SYMBOL FOR DELETE FORM TWO <ul style="list-style-type: none"> • from ISO 9995-7 • keyboard symbol for undoable delete
------	----------	---

Specific symbol for control code

2426	؟	SYMBOL FOR SUBSTITUTE FORM TWO <ul style="list-style-type: none"> • from ISO 2047 → 061F ؟ arabic question mark
------	----------	--