

## ISO

International Organization for Standardization  
Organization Internationale de Normalization

ISO/IEC JTC 1/SC 2/WG 2

Universal Multiple — Octet Character Set  
(UCS)

ISO/IEC/JTC 1/SC 2/WG 2N 1711

February 15, 1998

Title: The Working Meeting on Mongolian Encoding Attended by Representatives of China and Mongolia  
Source: China, Mongolia  
Status: For discussion  
Action: For consideration of SC 2/ WG2  
Distribution: ISO/IEC JTC1/SC2/WG2

A Summary of the Working Meeting on Mongolian Encoding  
Attended by Representatives of China and Mongolia

### I Document Status and Present Situation

- 1) After we mailed to scholars concerned the Mongolian Encoding proposal adopted at the 4th International Conference on Mongolian Encoding in Ulanbaatar in August, 1997, attended by representatives from China, Germany and Mongolia, we have received some feedbacks. Chinese and Mongolian experts concerned have a working meeting for Mongolian encoding in Hohhot on February 12-15, 1998, at which the feedbacks are carefully discussed.
- 2) Participants in the working meeting:

From China :

- Jimuyan (NACIM)
- Sergeleng (IMATS)
- Choijinzhab (IMU)
- Huashabao (IMU)
- Nasan—urtu (IMU)
- Garudi (IMNU)
- Jirumtu (IMCC)
- Altansha (NACIM)
- Heshigduureng (NACIM)

From Mongolia :

- D. Orgilt (MNCSM)
- Yu. Namsrai (TUN)

## I Agreement of the Working Meeting

Participants of both sides reach the following agreement:

- 1) Since there exists, in the Mongolian writing system, a connection rule to link up all letters with the nirugu as their middle axis, each letter has at least two or even as many as some ten variations depending on their different positions in a word. Therefore, quite different from the orthography of Western languages like Latin, Cyrillic or Greek, the Mongolian encoding requires a rule for changing the forms of its letters, i. e. , to change its canonical characters into presentation forms. However, then there appears a shortcoming in changing the forms of letters according to such a rule, i. e. , the inability to express arbitrary sequences of characters not to be governed by the rule.
- 2) In view of the above, in order to make enable the expressing of arbitrary sequences not governed by the letter-changing rule, while taking the letter-changing rule in the Mongolian Encoding Proposal adopted at Ulaanbaatar in 1997 as

our basis, we have decided to remove the position marker █ from the proposal and instead, add to it four new position markers: the isolated form █, the initial form █, the medial form █ and the final form █, and put all these four position markers in places 028, 029, 030 and 031 in the Mongolian Basic Character Set. Rules for using these four position markers are to be indicated in Appendix III.

- 3) Relevant articles in Appendix I and Appendix II of the proposal are to be modified in accordance with 2) as mentioned above.
- 4) Apart from the two free variation selectors already found in the proposal, a third one █ is adopted and these three selectors are placed respectively in the positions 013, 014 and 015 in the Mongolian Basic Character Set. Cases where they are applied should be indicated in the Mongolian Reference Table and instructions for the usage of █, █ and █ in brackets to be included in Appendix I.
- 5) In Appendix I, a new variation ᠃ of Mongolian letter E is to be added after the form ᠃ under 033-᠁ and a new variation ᠃ of Mongolian letter NA added after the form ᠃ under 040-᠁.
- 6) In Appendix III, the explanation of the nirugu should be changed into "a connection line used merely for the linking-up of letters".
- 7) In Appendix II, the term SYLLABLE is to be changed into LIGATURE.
- 8) The position markers █, █, █ and █ take priority of any other rules except that for the ligature, which is to be indicated in Appendix III.

### III Measures to be Adopted

- 1) Based on what is agreed upon at the present meeting, a new revised version of the Mongolian Encoding Proposal should be worked out without delay and be submitted for discussion to the Mongolian Encoding Group of the 34 th ISO/IEC/JTC1/SC2/WG2 Conference that will be held in Seattle, U. S. A., in March, 1998.
- 2) We work closely together in order to transform the results of our meeting into an international standard. Therefore, we will submit our decisions not only to ISO/IEC JTC1/SC2/WG2 but will also introduce and explain them to other

standardization bodies, interested parties and experts. Since it is difficult to avoid that some decisions of the agreed document may again undergo technical revision, the participants will settle these issues in another meeting. After the participants have reached an agreement, that document will be submitted to ISO.

Jimuyan, NACIM, China

Sergeleng, IMATS, China

Choijinzhab, IMU, China

Huashabao, IMU, China

Nasan—urtu, IMU, China

Garudi IMNU, China

Jirumtu IMCC, China

Altansha NACIM, China

Heshigduureng NACIM, China

D. Orgilt, MNCSM, Mongolia

Yu. Namsrai, TUN, Mongolia

ISO  
International Organization for Standardization  
Organization Internationale de Normalisation

ISO/IEC JTC 1/ SC 2/WG 2

Universal Multiple — Octet Coded Character Set  
(UCS)

ISO/IEC JTC 1/SC 2/WG 2 N

February 15, 1998

Title: The Working Meeting on Mongolian Encoding Attended by Representatives of China and Mongolia  
Source: China, Mongolia  
Status: For discussion  
Action: For consideration of SC 2/ WG2  
Distribution: ISO/IEC JTC1/SC2/WG2

**Document Status and Present Situation**

After we mailed to scholars concerned the Mongolian Encoding proposal (N 1691) adopted at the 4th International Conference on Mongolian Encoding in Ulanbaatar in August, 1997, attended by representatives from China, Germany and Mongolia, we have received some feedbacks. Chinese and Mongolian experts concerned have a working meeting for Mongolian encoding in Hohhot on February 12-15, 1998, at which the feedbacks are carefully discussed. The participants have reached a consistent opinion on the questions discussed and made some corresponding modifications to « N 1691 ». Thus this proposal is produced. The meeting has decided to submit "Mongolian Character Set" to the WG2 meeting to be held in March, 1998.

**Participants in the working meeting:**

From China:

— Jimuyan (NACIM)

—Sergeleng (IMATS)  
—Chojinzhab (IMU)  
—Huashabao (IMU)  
—Nasan—urtu (IMU)  
—Garudi (IMNU)  
—Jirumtu (IMCC)  
—Altansha (NACIM)  
—Heshigduureng (NACIM)

From Mongolia :

—D. Orgilt (MNCSM)  
—Yu. Namsrai (TUN)

# Mongolian Character Encoding Conventions

1. The Mongolian script character set is an encoding proposal of Mongolian scripts which includes Mongolian letters, Todo letters, Sibe letters, Manchu letters and the Ali Gali letters (used for the transcription of Tibetan and Sanskrit), their punctuation marks, digits and control characters. The written languages Todo, Sibe and Manchu all share the Mongolian letters.

This proposal only encodes nominal characters. Ligatures which are logically larger than one character unit and graphemes which are logically smaller than one character unit are excluded from the encoding.

2. The encoding is given in the sequence

- punctuation marks
- digits
- letters

The letters comprise Mongolian letters, Mongolian Todo letters, Mongolian Sibe letters, Mongolian Manchu letters and the Ali Gali letters.

Many Mongolian, Todo, Sibe and Manchu characters have variants according to their different positions in the word (initial, medial or final). Sometimes, there can be more than ten variants for a given character.

According to the relevant principles of ISO/IEC 10646, only one of those variants is to be encoded. This form is named "basic character". For the vowels, their isolated forms are adopted. For the consonants, only their variant appearing before the vowel "A" is adopted. All other forms are classified as "presentation forms". Some characters of these different scripts have the same shape as the canonical character or the initial form but different shapes when used in medial or final position. As an exception to the previous rule, in order to indicate such difference between characters in different scripts, presentation forms are adopted as basic characters. For example, the medial form of the character ANG in Mongolian, Todo, Sibe and Manchu is  $\text{අ}$ , its final form is  $\text{අ}$  in Mongolian and Manchu,  $\text{අ}$  in Todo, and  $\text{අ}$  in Sibe.

In order to emphasize this difference, the medial form  $\text{අ}$  is chosen as basic character for Mon-

golian and Manchu, the final form  $\text{𠀠}$  is chosen for Todo and the final form  $\text{𠀢}$  is chosen for Sibe. This exceptional treatment covers the following Todo, Sibe and Manchu letters:

$\text{𠀠}$  (TODO BA),  $\text{𠀡}$  (TODO MA),  $\text{𠀢}$  (TODO TSA),  $\text{𠀣}$  (TODO YA),  $\text{𠀤}$  (TODO HAA);  $\text{𠀥}$  (SIBE E),  $\text{𠀦}$  (SIBE I),  $\text{𠀧}$  (SIBE U),  $\text{𠀨}$  (SIBE KA),  $\text{𠀩}$  (SIBE TA),  $\text{𠀪}$  (SIBE DA),  $\text{𠀫}$  (SIBE JA);  $\text{𠀬}$  (MANCHU),  $\text{𠀭}$  (MANCHU KA),  $\text{𠀮}$  (MANCHU RA),  $\text{𠀯}$  (MANCHU FA).

3. Four characters require special treatment. The two Mongolian character pairs O and U as well as OE and UE have almost the same shape both as basic characters and in their presentation forms. However, in Mongolian, these four characters are independent, mutually exclusive and have different meanings despite of their identical forms. For example,  $\text{𠀠}$  (BODO) means "to think",  $\text{𠀡}$  (BUDU) means "to dye",  $\text{𠀢}$  (OEGELEHUE) means "to trim" and  $\text{𠀣}$  (UEGELEHUE) means "to make a statement". These words are distinguished by different treatments of the four vowels O, U, OE, and UE. Thus, in the Basic Character Set, the four vowels are encoded as  $\text{𠀠}$  (isolated form of O),  $\text{𠀢}$  (initial form of U),  $\text{𠀤}$  (isolated form of OE), and  $\text{𠀦}$  (initial form of UE). In this way, the problems specific to Mongolian vowels are settled and accordance with ISO/IEC 10646 is achieved.

4. The basic characters of Mongolian, Todo, Sibe and Manchu are unified according to their shapes. The names of the unified characters are listed in the order of Mongolian, Todo, Sibe and Manchu; the name of the first representative in this list is taken as the character name. Letters used only in Mongolian and letters shared with in the other scripts are found under MONGOLIAN LETTER. The letters used exclusively in Todo are under MONGOLIAN LETTER TODO. The letters used exclusively in Sibe and those shared with Manchu are under MONGOLIAN LETTER SIBE. The letters used exclusively in Manchu are under MONGOLIAN LETTER MANCHU.

The punctuation marks and the control symbols used in more than two of the scripts are indicated as "MONGOLIAN"; the digits are shown as "MONGOLIAN DIGIT"; the punctuation marks used exclusively in Todo, Sibe or Manchu are indicated as "MONGOLIAN TODO", "MONGOLIAN SIBE" or "MONGOLIAN MANCHU" respectively. The Ali Gali letters in the three scripts Mongolian, Todo and Manchu are named "MONGOLIAN LETTER AG", "MONGOLIAN LETTER TODO AG", "MONGOLIAN LETTER MANCHU AG".

5. The unified forms of the basic characters of the four scripts and variants of their respective

names are recorded in the "Mongolian Reference Table".

6. The unified basic characters are arranged in the order of Mongolian, Todo, Sibe, Manchu and Ali Gali characters.

7. In the majority of cases, the presentation forms of all four scripts can be determined by their position and other constraints. However, there is a very small number of cases where the proper forms cannot be distinguished by word-internal constraints alone. In order to distinguish these, various control characters are used. Their use is explained in the text accompanying the Mongolian Reference Table and Explanation of Peculiar Punctuation Marks and Control Symbols in Mongolian.

8. The presentation form set of Mongolian, Todo, Sibe, and Manchu as well as Ali Gali is listed separately in the Mongolian Reference Table.

**A Grammar Describing the Transition  
from Mongolian Canonical Letters  
to their Corresponding Presentation Forms**

**1 Fundamentals**

The following text states, in shortest form possible, the properties of the Mongolian Basic Character Set (which contains canonical characters) and the rules necessary to generate the presentation forms out of the Basic Character Set.

**D 1** Mongolian is an alphabetical script.

**D 2** Most Mongolian basic letters assume different presentational forms.

**D 3** Form variation can be obligatory or free.

-Obligatory form variation is caused by one or more of the following factors:

Position which can be one of five:

1. isolated,
2. initial,
3. medial,
4. final, or
5. the syllable count (in case of front vowels);

Vowel Gender which influences certain consonants;

Graphical Properties which make the graphical form of a character dependant on the graphical form of the immediate neighbour, resulting in so-called compulsory ligatures;

-Free form variation cannot be decided by any of the above mentioned context; it is determined by lexical meaning; unlike the previous conditions, more than one graphical form is legal in a given position.

**D 4** The rules for generating any of presentational forms must not change. They are independent of positional etc. considerations.

## 2 Transition Grammar төгөөний түүхийн салбарт олондоогүй

From the four definitions above we derive the following grammatical rules:

**D 5** A sequence of 3 tokens is enough to decide all cases.

$$T_{n-1} + T_n + T_{n+1}$$

The machine keeps  $T_{n-1}$  and its transformation result in a state table and processes only the central token ( $T_n$ ) while looking ahead one token, here  $T_{n+1}$ .

**D 6** A token is : a character or

- an unspecified ,non-boundary environment represented by the Environment Marker,
- a boundary;

**D 7** A character is : a basic character or

- a basic character followed by Free Variation Selecter,
- the Nirugu,
- the non-printing Mongolian Space,
- the non-printing Mongolian Vowel Separator;

**D 8** A boundary is : ordinary white space or

- the beginning of the line,
- the end of the line,
- the beginning of the file,
- the end of the file,
- any punctuation mark or number,
- any non-Mongolian character.

## Mongolian Basic Character Set

	00	01	02	03	04	05	06	07
0	□	○	ꝑ	Ꝓ	ꝓ	Ꝕ	ꝕ	Ꝗ
	000	016	032	048	064	080	096	112
1	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ
	001	017	033	049	065	081	097	113
2	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ
	002	018	034	050	066	082	098	114
3	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ
	003	019	035	051	067	083	099	115
4	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ
	004	020	036	052	068	084	100	116
5	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ
	005	021	037	053	069	085	101	117
6	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ
	006	022	038	054	070	086	102	118
7	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ
	007	023	039	055	071	087	103	119
8	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ
	008	024	040	056	072	088	104	120
9	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ
	009	025	041	057	073	089	105	121
A	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ
	010	026	042	058	074	090	106	122
B	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ
	011	027	043	059	075	091	107	123
C	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ
	012	028	044	060	076	092	108	124
D	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ
	013	029	045	061	077	093	109	125
E	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ
	014	030	046	062	078	094	110	126
F	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ	ꝑ
	015	031	047	063	079	095	111	127

08 09 0A 0B 0C 0D 0E 0F

0	ଓ	ା	ି	ୟ			
128	144	160	176	192	208	224	240
1	୪	୧	୩				
129	145	161	177	193	209	225	241
2	୩	୬	୪				
130	146	162	178	194	210	226	242
3	୮	୯	୨				
131	147	163	179	195	211	227	243
4	୩	୦	୫				
132	148	164	180	196	212	228	244
5	୩	୧	୫				
133	149	165	181	197	213	229	245
6	୩୩	୬	୫				
134	150	166	182	198	214	230	246
7	ତ	୦	୫				
135	151	167	183	199	215	231	247
8	କ	୧	୧				
136	152	168	184	200	216	232	248
9	ର	୧	୧				
137	153	169	185	201	217	233	249
A	ଖ	୧	୧				
138	154	170	186	202	218	234	250
B	ଙ	ୠ	୧				
139	155	171	187	203	219	235	251
C	୫	୫					
140	156	172	188	204	220	236	252
D	୧	୧					
141	157	173	189	205	221	237	253
E	୧	୧					
142	158	174	190	206	222	238	254
F	୧	୧					
143	159	175	191	207	223	239	255

Names of Mongolian Basic Characters

dec	hex	Name	dec	hex	Name
000	00	MONGOLIAN SPACE	064	40	MONGOLIAN LETTER LHA
001	01	MONGOLIAN BIRGA	065	41	MONGOLIAN LETTER ZHI
002	02	MONGOLIAN ELLIPSIS	066	42	MONGOLIAN LETTER CHI
003	03	MONGOLIAN COMMA	067	43	MONGOLIAN LETTER TODO LONG VOWEL SIGN
004	04	MONGOLIAN PERIOD	068	44	MONGOLIAN LETTER TODO E
005	05	MONGOLIAN COLON	069	45	MONGOLIAN LETTER TODO I
006	06	MONGOLIAN FOUR DOTS	070	46	MONGOLIAN LETTER TODO O
007	07	MONGOLIAN COMBINATION SYMBOL	071	47	MONGOLIAN LETTER TODO U
008	08	MONGOLIAN TODO SOFT HYPHEN	072	48	MONGOLIAN LETTER TODO OE
009	09	MONGOLIAN SIDE SYLLABLE BOUNDARY MARKER	073	49	MONGOLIAN LETTER TODO UE
010	0A	MONGOLIAN MANchu COMMA	074	4A	MONGOLIAN LETTER TODO ANG
011	0B	MONGOLIAN MANchu PERIOD	075	4B	MONGOLIAN LETTER TODO BA
012	0C	MONGOLIAN NIRUGU	076	4C	MONGOLIAN LETTER TODO PA
013	0D	MONGOLIAN FREE VARIATION SELECTOR ONE	077	4D	MONGOLIAN LETTER TODO QA
014	0E	MONGOLIAN FREE VARIATION SELECTOR TWO	078	4E	MONGOLIAN LETTER TODO GA
015	0F	MONGOLIAN FREE VARIATION SELECTOR THREE	079	4F	MONGOLIAN LETTER TODO MA
016	10	MONGOLIAN DIGIT ZERO	080	50	MONGOLIAN LETTER TODO TA
017	11	MONGOLIAN DIGIT ONE	081	51	MONGOLIAN LETTER TODO DA
018	12	MONGOLIAN DIGIT TWO	082	52	MONGOLIAN LETTER TODO CHA
019	13	MONGOLIAN DIGIT THREE	083	53	MONGOLIAN LETTER TODO JA
020	14	MONGOLIAN DIGIT FOUR	084	54	MONGOLIAN LETTER TODO TSA
021	15	MONGOLIAN DIGIT FIVE	085	55	MONGOLIAN LETTER TODO YA
022	16	MONGOLIAN DIGIT SIX	086	56	MONGOLIAN LETTER TODO WA
023	17	MONGOLIAN DIGIT SEVEN	087	57	MONGOLIAN LETTER TODO KA
024	18	MONGOLIAN DIGIT EIGHT	088	58	MONGOLIAN LETTER TODO GAA
025	19	MONGOLIAN DIGIT NINE	089	59	MONGOLIAN LETTER TODO HAA
026	1A	(THIS POSITION SHALL NOT BE USED)	090	5A	MONGOLIAN LETTER TODO JIA
027	1B	MONGOLIAN VOWEL SEPARATOR	091	5B	MONGOLIAN LETTER TODO NIA
028	1C	MONGOLIAN ISOLATED FORM.	092	5C	MONGOLIAN LETTER TODO DZA
029	1D	MONGOLIAN INITIAL FORM.	093	5D	MONGOLIAN LETTER SIBE E
030	1E	MONGOLIAN MEDIAL FORM.	094	5E	MONGOLIAN LETTER SIBE I
031	1F	MONGOLIAN FINAL FORM.	095	5F	MONGOLIAN LETTER SIBE IV
032	20	MONGOLIAN LETTER A	096	60	MONGOLIAN LETTER SIBE UE
033	21	MONGOLIAN LETTER E	097	61	MONGOLIAN LETTER SIBE U
034	22	MONGOLIAN LETTER I	098	62	MONGOLIAN LETTER SIBE ANG
035	23	MONGOLIAN LETTER O	099	63	MONGOLIAN LETTER SIBE KA
036	24	MONGOLIAN LETTER U	100	64	MONGOLIAN LETTER SIBE GA
037	25	MONGOLIAN LETTER OE	101	65	MONGOLIAN LETTER SIBE HA
038	26	MONGOLIAN LETTER UE	102	66	MONGOLIAN LETTER SIBE PA
039	27	MONGOLIAN LETTER EE	103	67	MONGOLIAN LETTER SIBE SHA
040	28	MONGOLIAN LETTER NA	104	68	MONGOLIAN LETTER SIBE TA
041	29	MONGOLIAN LETTER ANG	105	69	MONGOLIAN LETTER SIBE DA
042	2A	MONGOLIAN LETTER BA	106	6A	MONGOLIAN LETTER SIBE JA
043	2B	MONGOLIAN LETTER PA	107	6B	MONGOLIAN LETTER SIBE FA
044	2C	MONGOLIAN LETTER QA	108	6C	MONGOLIAN LETTER SIBE GAA
045	2D	MONGOLIAN LETTER GA	109	6D	MONGOLIAN LETTER SIBE HAA
046	2E	MONGOLIAN LETTER MA	110	6E	MONGOLIAN LETTER SIBE TSA
047	2F	MONGOLIAN LETTER LA	111	6F	MONGOLIAN LETTER SIBE ZA
048	30	MONGOLIAN LETTER SA	112	70	MONGOLIAN LETTER SIBE RAA
049	31	MONGOLIAN LETTER SHA	113	71	MONGOLIAN LETTER SIBE CHA
050	32	MONGOLIAN LETTER TA	114	72	MONGOLIAN LETTER SIBE ZHA
051	33	MONGOLIAN LETTER DA	115	73	MONGOLIAN LETTER MANchu I
052	34	MONGOLIAN LETTER CHA	116	74	MONGOLIAN LETTER MANchu KA
053	35	MONGOLIAN LETTER JA	117	75	MONGOLIAN LETTER MANchu RA
054	36	MONGOLIAN LETTER YA	118	76	MONGOLIAN LETTER MANchu FA
055	37	MONGOLIAN LETTER RA	119	77	MONGOLIAN LETTER MANchu ZHA
056	38	MONGOLIAN LETTER WA	120	78	(THIS POSITION SHALL NOT BE USED)
057	39	MONGOLIAN LETTER FA	121	79	(THIS POSITION SHALL NOT BE USED)
058	3A	MONGOLIAN LETTER KA	122	7A	(THIS POSITION SHALL NOT BE USED)
059	3B	MONGOLIAN LETTER KHA	123	7B	(THIS POSITION SHALL NOT BE USED)
060	3C	MONGOLIAN LETTER TSA	124	7C	(THIS POSITION SHALL NOT BE USED)
061	3D	MONGOLIAN LETTER ZA	125	7D	(THIS POSITION SHALL NOT BE USED)
062	3E	MONGOLIAN LETTER HAA	126	7E	(THIS POSITION SHALL NOT BE USED)
063	3F	MONGOLIAN LETTER ZRA	127	7F	(THIS POSITION SHALL NOT BE USED)

dec	hex	Name
128	80	MONGOLIAN LETTER AG ANUSVARA ONE
129	81	MONGOLIAN LETTER AG VISARGA ONE
130	82	MONGOLIAN LETTER AG DAMARU
131	83	MONGOLIAN LETTER AG UBADAMA
132	84	MONGOLIAN LETTER AG INVERTED UBADAMA
133	85	MONGOLIAN LETTER AG BALUDA
134	86	MONGOLIAN LETTER AG THREE BALUDA
135	87	MONGOLIAN LETTER AG A
136	88	MONGOLIAN LETTER AG I
137	89	MONGOLIAN LETTER AG KA
138	8A	MONGOLIAN LETTER AG NGA
139	8B	MONGOLIAN LETTER AG CA
140	8C	MONGOLIAN LETTER AG TTA
141	8D	MONGOLIAN LETTER AG TTHA
142	8E	MONGOLIAN LETTER AG DDA
143	8F	MONGOLIAN LETTER AG NNA
144	90	MONGOLIAN LETTER AG TA
145	91	MONGOLIAN LETTER AG DA
146	92	MONGOLIAN LETTER AG PA
147	93	MONGOLIAN LETTER AG PHA
148	94	MONGOLIAN LETTER AG SSA
149	95	MONGOLIAN LETTER AG ZHA
150	96	MONGOLIAN LETTER AG ZA
151	97	MONGOLIAN LETTER AG AH
152	98	MONGOLIAN LETTER MANCHU AG TA
153	99	MONGOLIAN LETTER MANCHU AG ZHA
154	9A	MONGOLIAN LETTER MANCHU AG GHA
155	9B	MONGOLIAN LETTER MANCHU AG NGA
156	9C	MONGOLIAN LETTER MANCHU AG CA
157	9D	MONGOLIAN LETTER MANCHU AG JHA
158	9E	MONGOLIAN LETTER MANCHU AG TTA
159	9F	MONGOLIAN LETTER MANCHU AG DDA
160	A0	MONGOLIAN LETTER MANCHU AG TA
161	A1	MONGOLIAN LETTER MANCHU AG DHA
162	A2	MONGOLIAN LETTER MANCHU AG SSA
163	A3	MONGOLIAN LETTER MANCHU AG CYA
164	A4	MONGOLIAN LETTER MANCHU AG ZHA
165	A5	MONGOLIAN LETTER MANCHU AG ZA
166	A6	MONGOLIAN LETTER AG HALF U
167	A7	MONGOLIAN LETTER AG HALF YA
168	A8	MONGOLIAN LETTER MANCHU AG BHA
169	A9	MONGOLIAN LETTER AG DAGALGA
170	AA	(THIS POSITION SHALL NOT BE USED)
171	AB	(THIS POSITION SHALL NOT BE USED)
172	AC	(THIS POSITION SHALL NOT BE USED)
173	AD	(THIS POSITION SHALL NOT BE USED)
174	AE	(THIS POSITION SHALL NOT BE USED)
175	AF	(THIS POSITION SHALL NOT BE USED)

650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
779

## 《 Mongolian Reference Table 》

### Explanation of《 Mongolian Reference Table 》

1. The present table is compiled with a view to ensuring a unified use of 《Mongolian Character Encoding Conventions》 as well as meeting the needs for popularizing such an encoding system.
2. The content of 《Basic Characters》 in the present table and their names in it are identical to those in 《Mongolian Basic Character Set》 of our proposal.
3. In 《Presentation Forms》 of the present table are listed all varied presentation characters and their names.
  - ① Varied presentation forms are grouped under their respective letters, and arranged in the order indicated in 《Mongolian Basic Character Set》.
  - ② The varied presentation forms of each letter are arranged in the order of 《independent form》, 《initial form》, 《medial form》 and 《final form》, with the 《masculine form》 preceding the 《feminine form》 where there is such a gender distinction.
  - ③ When a certain varied presentation form appears for the first time, we should indicate its serial number among all the varied presentation forms of the letter concerned, and also its general serial number in the column 《Presentation Total No.》; when it appears for a second time or repeatedly, then we should smear the block 《Presentation Form》 in light black, indicating only the serial number of 《Basic Characters》 or the serial number among the varied presentation forms of the given letter for its first appearance.
  - ④ The name of a varied presentation form should be written in lower case with a view to distinguish it from the name in 《Basic Characters》.
4. In the 《Unification Table》, each letter is unified in the order of Mongolian,

· Todo, Sibe and Manchu languages with its name in each language marked.

5. In the «Presentation Rule» is listed the separately recorded forms (the different «Varied Presentation Forms» not within a word) of each letter, i.e., a basic character is combined with a varied presentation form in use. When doing this, the white black changes and brackets of the "variation selector" should be ignored, only the form of the black printing on white base is used.

In normal cases, the "position markers" **ISF**, **INF**, **MEF** and **FIF** are deleted when writing these variants in words.

When writing these variants in words together with the using of the "variation selector", there are the following cases:

- ① Black printing of "variation selector" written on white base are remained.
- ② White printing of "variation selector" written on black base are deleted.
- ③ It is determined by certain concrete conditions whether to remain or delete "variation selector" in brackets. See the concrete conditions in Appendix 3.

# Mongolian Reference Table

BASIC CHARACTERS			PRESENTATION FORMS			UNIFICATION TABLE			PRESENTATION		
No	CHARACTERS	NAME	No	GLYPH	NAME	M <sup>①</sup>	T <sup>②</sup>	S <sup>③</sup>	M <sup>④</sup>	RULE	TOTAL NO.
000	□	M <sup>①</sup> SPACE		□		msp	msp	msp	msp		
001	?	M. BIRGA	2		birga first form	br	br		?	?	000
			1	?	birga second form	br	br		?	?	[INF] 001
			2	6	birga third form	br	br		?	?	[INF] 002
			3	?	birga fourth form	br	br		?	?	[INF] 003
002	⋮	M. ELLIPSIS	⋮			⋮	⋮	⋮	⋮	⋮	
003	◆	M. COMMA	◆			cm					
004	◆	M. PERIOD	◆			pr					
005	··	M. COLON	··			cl	cl	cl	cl	...	
006	----	M. FOUR DOTS	----			fd	fd	fd	fd	fd	
007	?!	M. COMBINATORY SYMBOL	?!			cs	cs	cs	cs	?	
			1	!?	combinatory symbol alternative form	cs	cs	cs	cs	?	[FST] 004
008	-	MT <sup>②</sup> SOFT HYPHEN	-			sh			sh	-	
009	-	MS <sup>③</sup> SELLABLE BOUNDARY MARKER	-						shm	-	
010	-	MM <sup>④</sup> COMMA	›						cm	›	
011	»	MM. PERIOD	»						pr	»	

① M. = MONGOLIAN  
 ② MT. = MONGOLIAN TÖDO  
 ③ MS. = MONGOLIAN SIBE  
 ④ MM. = MONGOLIAN MANCHU

⑤ M = MONGOL  
 ⑥ T = TODO  
 ⑦ S = SIBE  
 ⑧ MA = MANCHU

BASIC CHARACTERS		PRESENTATION FORMS			UNIFICATION TABLE			PRESENTATION				
No	CHARAC-TERS	NAME	No	GLYPH	NAME	M	T	S	MA	RULE	TOTAL NO	
012	▪	M. NIRUGU		▪		nr	nr	nr	nr	▪		
016	0	MD.ΦZERO	0	0		ze	ze			0		
017	0	MD. ONE	0	0		on	on			0		
018	02	MD. TWO	02	02		tw	tw			02		
019	02	MD. THREE	02	02		th	th			02		
020	0	MD. FOUR	0	0		fo	fo			0		
021	04	MD. FIVE	04	04		fi	fi			04		
022	06	MD. SIX	06	06		si	si			06		
023	00	MD. SEVEN	00	00		se	se			00		
024	07	MD. EIGHT	07	07		ei	ei			07		
025	0	MD. NINE	0	0		ni	ni			0		
032	02	MI.Φ A	02	02	ml. a first isolate form	a	a	a	a	02	[ISF F1ST]	
			033	033	ml. a second isolate form	a	a	a	a	033	[ISF F1ST]	
				1	ᠮ	ml. a initial form	a	a	a	a	005	
				2	ᠮ	ml. a first medial form	a	a	a	a	006	
				3	ᠮ	ml. a second medial form	a				007	
				4	ᠮ	ml. a third medial form	a	a	a	a	008	
				5	ᠮ	ml. a final form	a	a	a	a	009	
				6	ᠮ	ml. a connected final form	a				010	
				7	ᠮ	ml. a separate final form	a	a	a	a	011	

① M.D. = MONGOLIAN DIGIT  
 ② MI. = MONGOLIAN LETTER

**BASIC CHARACTERS**

**PRESENTATION FORMS**

No	CHARA CTERS	NAME	No	GLYPH	NAME	UNIFICATION TABLE					PRESENTATION
						M	T	S	MA	RULE	
033	ጀ	ML. E		ጀ	ml. e isolate form	e	e	e	e	ጀ	[SF]
			032 - 3		ml. e first initial form	e	e	e	e	ጀ	[INF]
			032 - 1	ጀ	ml. e second initial form	e				ጀ	[INF] [FST]
			032 - 2		ml. e medial form	e	e	e	e	ጀ	[MEF]
			032 - 5		ml. e final form	e				ጀ	[FF]
			032 - 7		ml. e separate final form	e				ጀ	[FF] [FST]
034	ጀ	ML. I		ጀ	ml. i isolate form	i	i	i	i	ጀ	[SF]
			1	ጀ	ml. i initial form	i				ጀ	[INF]
			053		ml. i first medial form	i				ጀ	[INF] 012
			094		ml. i second medial form	i				ጀ	[MEF]
			2	ጀ	ml. i final form	i				ጀ	[FF] [FST]
035	ጀ	ML. O		ጀ	ml. o isolate form	o	o	o	o	ጀ	[SF]
			036		ml. o initial form	o				ጀ	[INF]
			1	ጀ	ml. o first medial form	o				ጀ	[MEF] 014
			2	ጀ	ml. o second medial form	o				ጀ	[FST] 015
			3	ጀ	ml. o first final form	o				ጀ	[FF] 016
			4	ጀ	ml. o second final form	o				ጀ	[FF] [FST] 017

BASIC CHARACTERS			PRESENTATION FORMS			UNIFICATION TABLE			PRESENTATION		
No	CHARAC-TERS	NAME	No	GLYPH	NAME	M	T	S	MA	RULE	TOTAL NO
036	ঁ	ML. U	035	ঁ	ml. u isolate form	ু				ঁ	SF
				ঁ	ml. u initial form	ু				ঁ	INF
				ঁ	ml. u first medial form	ু				ঁ	MEF
037	ঁ	ML. OE	035 - 1	ঁ	ml. u second medial form	ু				ঁ	MEF EST
			035 - 2	ঁ	ml. u final form	ু				ঁ	FF
			035 - 3	ঁ	ml. oe isolate form	ো				ঁ	INF
038	ঁ	ML. OE	038	ঁ	ml. oe initial form	ো				ঁ	INF
			097	ঁ	ml. oe first medial form	ো				ঁ	MEF EST
			035 - 1	ঁ	ml. oe second medial form	ো				ঁ	MEF
039	ঁ	ML. UE	1	ঁ	ml. oe third medial form	ো				ঁ	MEF EST 018
			035 - 3	ঁ	ml. oe first final form	ো				ঁ	FF
			2	ঁ	ml. oe second final form	ো				ঁ	FF EST 019
040	ঁ	ML. UE	037	ঁ	ml. ue first isolate form	ো				ঁ	INF
			073	ঁ	ml. ue second isolate form	ো				ঁ	INF
				ঁ	ml. ue initial form	ো				ঁ	INF
041	ঁ	ML. UE	097	ঁ	ml. ue first medial form	ো				ঁ	MEF EST
			035 - 1	ঁ	ml. ue second medial form	ো				ঁ	MEF
			037 - 1	ঁ	ml. ue third medial form	ো				ঁ	MEF EST
042	ঁ	ML. UE	035 - 3	ঁ	ml. ue first final form	ো				ঁ	FF
			037 - 2	ঁ	ml. ue second final form	ো				ঁ	FF EST

BASIC CHARACTERS		PRESENTATION FORMS		UNIFICATION TABLE						PRESENTATION	
No	CHARAC-TERS	NAME	No.	GLYPH	NAME	M	T	S	MA	RULE	TOTAL NO
039	ঢ	ML. EE		ঢ	ml. ee isolate form	ee				ঢ	ISF
			1	ঢ	ml. ee initial form	ee				ঢ	INF 020
		056		ঢ	ml. ee medial form	ee				ঢ	MEF
			2	ঢ	ml. ee final form	ee				ঢ	FF 021
040	ঢ	ML. NA		ঢ	ml. na first initial form	na	na	na	na	ঢ	INF
			032 - 3	ঢ	ml. na second initial form	na	na	na	na	ঢ	INF FVS
			1	ঢ	ml. na medial form with dots	na	na	na	na	ঢ	MEF (FVS) 022
		032 - 2		ঢ	ml. na medial form	na	na	na	na	ঢ	(FVS)
			2	ঢ	ml. na final form with dots	na	na	na	na	ঢ	FF (FVS) 023
		032 - 5		ঢ	ml. na final form	na	na	na	na	ঢ	(FVS)
			3	ঢ	ml. na medial separate form	na	na	na	na	ঢ	MEF (FVS) 024
041	ঢ	ML. ANC		ঢ	ml. ang medial form	ang				ঢ	MEF
			1	ঢ	ml. ang final form	ang				ঢ	FF 025
042	ঢ	ML. BA		ঢ	ml. ba initial form	ba	ba	ba	ba	ঢ	INF
			042	ঢ	ml. ba medial form	ba	ba	ba	ba	ঢ	MEF
			1	ঢ	ml. ba final form	ba	ba	ba	ba	ঢ	FF 026
		075		ঢ	ml. ba alternative form	ba				ঢ	FF FVS
043	ঢ	ML. PA		ঢ	ml. pa initial form	pa				ঢ	INF
			043	ঢ	ml. pa medial form	pa				ঢ	MEF
			1	ঢ	ml. pa final form	pa				ঢ	FF 027

BASIC CHARACTERS			PRESENTATION FORMS			UNIFICATION TABLE			PRESENTATION		
No	CHARAC-TERS	NAME	No	GLYPH	NAME	M	T	S	MA	RULE	TOTAL NO
044	ڧ	ML. QA		ڧ	ml. qa initial form	qa				INF	
			045	ڧ	ml. qa initial form with dots	qa				INF FIST	
			032 - 4	ڧ	ml. qa first medial form	qa				MEF	
			045 - 1	ڧ	ml. qa first medial form with dots	qa				MEF FIST	
				1	ڙ	ml. qa second medial form	qa			MEF FIST	028
			045 - 2	ڙ	ml. qa second medial form with dots	qa				MEF FIST	
			137	ڙ	ml. qa feminine isolate form	qa				ISF	
				2	ڙ	ml. qa feminine isolate form with dots	qa			ISF FIST	029
045	ڦ	ML. GA		ڦ	ml. ga initial form with dots	ga				INF	
			044	ڦ	ml. ga initial form	ga				INF FIST	
			032 - 4	ڦ	ml. ga medial form	ga				MEF	
				1	ڦ	ml. ga first medial form with dots	ga			MEF FIST	030
				2	ڦ	ml. ga second medial form with dots	ga			MEF FIST	031
			044 - 1	ڦ	ml. ga final form	ga				FIF	
			137	ڦ	ml. ga feminine isolate form	ga				ISF	
				3	ڦ	ml. ga feminine medial form	ga			MEF FIST	032
				4	ڦ	ml. ga feminine final form	ga			FIF (FIST)	033
046	ڦ	ML. MA		ڦ	ml. ma initial form	ma				INF	
				1	ڦ	ml. ma medial form	ma			MEF	034
				2	ڦ	ml. ma final form	ma			FIF	035

## BASIC CHARACTERS

## PRESENTATION FORMS

## UNIFICATION TABLE

## PRESENTATION

No	CHARAC-TERS	NAME	No	GLYPH	NAME	M	T	S	MA	RULE	TOTAL NO
047	፳፻	ML. LA		፳፻	ml. la initial form	la	la	la	la	INF	INF
			1	፳፻	ml. la medial form	la	la	la	la	INF	MEF 036
			2.	፳፻	ml. la final form	la	la	la	la	INF	037
048	፳፻	ML. SA		፳፻	ml. sa initial form	sa	sa	sa	sa	INF	INF
			1	፳፻	ml. sa medial form	sa	sa	sa	sa	INF	INF
			2	፳፻	ml. sa first final form	sa	sa	sa	sa	INF	INF
			3	፳፻	ml. sa old final form	sa	sa	sa	sa	INF	INF
			4	፳፻	ml. sa second final form	sa	sa	sa	sa	INF	INF
049	፳፻	ML. SHA		፳፻	ml. sha initial form	sha	sha	sha	sha	INF	INF
			1	፳፻	ml. sha medial form	sha	sha	sha	sha	INF	INF
			2	፳፻	ml. sha final form	sha	sha	sha	sha	INF	INF
050	፳	ML. TA		፳	ml. ta initial form	ta	ta	ta	ta	INF	INF
			051	፳	ml. ta first medial form	ta	ta	ta	ta	INF	INF
			1	፳	ml. ta second medial form	ta	ta	ta	ta	INF	INF
			2	፳	ml. ta final form	ta	ta	ta	ta	INF	INF
051	፳	ML. DA		፳	ml. da first initial form	da	da	da	da	INF	INF
			050	፳	ml. da second initial form	da	da	da	da	INF	INF
			051	፳	ml. da first medial form	da	da	da	da	INF (FS)	INF
			1	፳	ml. da second medial form	da	da	da	da	INF	INF
			2	፳	ml. da first final form	da	da	da	da	INF	INF
			3	፳	ml. da second final form	da	da	da	da	INF	INF

BASIC CHARACTERS				PRESENTATION FORMS				UNIFICATION TABLE				PRESENTATION			
No	CHARA - CTERS	NAME	No	GLYPH	NAME	M	T	S	MA	RULE	TOTAL	NO			
052	𠂇	ML. CHA	1	𠂇	ml. cha initial form	cha	za	cha	cha	𠂇	FF				
			2	𠂇	ml. cha medial form	cha	za	cha	cha	𠂇	MEF	049			
053	𠂇	ML. JA	1	𠂇	ml. ja final form	cha	cha	cha	cha	𠂇	FF	050			
			2	𠂇	ml. ja initial form	ja	ja	ja	ja	𠂇	INF				
054	𠂇	ML. YA	1	𠂇	ml. ja medial form	ja	ja	ja	ja	𠂇	MEF	051			
			2	𠂇	ml. ja first final form	ja	ja	ja	ja	𠂇	FF	FFS1			
055	𠂇	ML. RA	1	𠂇	ml. ya first initial form	ya	ya	ya	ya	𠂇	FF	052			
			2	𠂇	ml. ya second initial form	ya	ya	ya	ya	𠂇	INF	FFS1			
056	𠂇	ML. WA	1	𠂇	ml. ya first medial form	ya	ya	ya	ya	𠂇	MEF (FFS1)				
			2	𠂇	ml. ya second medial form	ya	ya	ya	ya	𠂇	MEF				
057	𠂇	ML. RA	1	𠂇	ml. ra initial form	ra	ra	ra	ra	𠂇	INF				
			2	𠂇	ml. ra medial form	ra	ra	ra	ra	𠂇	MEF				
058	𠂇	ML. WA	1	𠂇	ml. ra final form	ra	ra	ra	ra	𠂇	FF	053			
			2	𠂇	ml. wa initial form	wa	wa	wa	wa	𠂇	INF				
059	𠂇	ML. WA	1	𠂇	ml. wa medial form	wa	wa	wa	wa	𠂇	MEF				
			2	𠂇	ml. wa final form	wa	wa	wa	wa	𠂇	FF				
060	𠂇	ML. WA	1	𠂇	ml. wa second final form	wa	wa	wa	wa	𠂇	FF	FFS1			

BASIC CHARACTERS		PRESENTATION FORMS			UNIFICATION TABLE					PRESENTATION	
No	CHARAC-TERS	NAME	No	GLYPH	NAME	M	T	S	MA	RULE	TOTAL NO
057	ঢ	ML. FA		৩	ml. fa initial form	fa				ঢ	INF
			057	৩	ml. fa medial form	fa				ঢ	INF
			1	৩	ml. fa final form	fa				ঢ	INF
058	ঢ	ML. KA		২	ml. ka initial form	ka	ka	ka	ka	ঢ	INF
			058	২	ml. ka medial form	ka	ka	ka	ka	ঢ	INF
			1	২	ml. ka final form	ka				ঢ	INF
059	ঢ	ML. KHA		২	ml. kha initial form	kha	qa			ঢ	INF
			059	২	ml. kha medial form	kha	qa			ঢ	INF
			1	২	ml. kha final form	kha	qa			ঢ	INF
060	ঢ	ML. TSA		৪	ml. tsa initial form	tsa				ঢ	INF
				1	ঢ	ml. tsa medial form	tsa			ঢ	INF
				2	ঢ	ml. tsa final form	tsa			ঢ	INF
061	ঢ	ML. ZA		৪	ml. za initial form	za				ঢ	INF
				1	ঢ	ml. za medial form	za			ঢ	INF
				2	ঢ	ml. za final form	za			ঢ	INF
062	ঢ	ML. HAA		৫	ml. has initial form	haa				ঢ	INF
			065	৫	ml. has medial form	haa				ঢ	INF
			1	৫	ml. has final form	haa				ঢ	INF

BASIC CHARACTERS		PRESENTATION FORMS			UNIFICATION TABLE			PRESENTATION			
No	CHARAC-TERS	NAME	No	GLYPH	NAME	M	T	S	MA	RULE	TOTAL NO
063	ᠵ	ML. ZRA		ᠵ	ml. zra initial form	zra				↑ INF	
			063	ᠵ	ml. zra medial form	zra				↑ INF	
				1	ᠵ	ml. zra final form	zra			↑ INF	062
064	ᠳ	ML. LHA		ᠳ	ml. lha initial form	lha	lha			ᠳ INF	
				1	ᠳ	ml. lha medial form	lha	lha		ᠳ INF	063
065	ᠶ	ML. ZHI		ᠶ		zhi				ᠶ	
066	ᠶ	ML. CHI		ᠶ		chi				ᠶ	
067	ᠶ	MLT. LONG VOWEL SIGN		ᠶ	mlt. long vowel sign medial form	lys				ᠶ INF	
				1	ᠶ	mlt. long vowel sign final form	lys			ᠶ INF	064
068	ᠶ	MLT. E		ᠶ	mlt. e initial form	e				ᠶ INF	
				1	ᠶ	mlt. e first medial form	e			ᠶ INF	065
				2	ᠶ	mlt. e second medial form	e			ᠶ INF FVS	066
069	ᠶ	MLT. I		ᠶ	mlt. i isolate form	i				ᠶ INF	
				1	ᠶ	mlt. i initial form	i			ᠶ INF	067
				2	ᠶ	mlt. i first medial form	i			ᠶ INF	068
				3	ᠶ	mlt. i second medial form	i			ᠶ INF FVS	069
				4	ᠶ	mlt. i final form	i			ᠶ INF	070

BASIC CHARACTERS		PRESENTATION FORMS				UNIFICATION TABLE				PRESENTATION	
No	CHARAC-TERS	NAME	No	GLYPH	NAME	M	T	S	MA	RULE	TOTAL NO
070	đ̄	MLT. O		đ̄	mlt. o isolate form	o				đ̄	ISF
			1	đ̄	mlt. o initial form	o				đ̄	INF 071
			2	đ̄	mlt. o first medial form	o				đ̄	MEI 072
			3	đ̄	mlt. o second medial form	o				đ̄ MEI FVST	073
			4	đ̄	mlt. o final form	o				đ̄	FIF 074
071	đ̄	MLT. U		đ̄	mlt. u first isolate form	u				đ̄	ISF
			1	đ̄	mlt. u second isolate form	u				đ̄	ISF FVST 075
			2	đ̄	mlt. u initial form	u				đ̄	INF 076
		035 - 1	đ̄	mlt. u first medial form	u					đ̄	MEI 077
			3	đ̄	mlt. u second medial form	u				đ̄	MEI FVST 078
			4	đ̄	mlt. u third medial form	u				đ̄	FIF 079
			5	đ̄	mlt. u first final form	u				đ̄	
		035 - 3	đ̄	mlt. u second final form	u					đ̄	
072	đ̄	MLT. OE		đ̄	mlt. oe isolate form	oe				đ̄	ISF
			1	đ̄	mlt. oe initial form	oe				đ̄	INF 080
			2	đ̄	mlt. oe first medial form	oe				đ̄	MEI 081
			3	đ̄	mlt. oe second medial form	oe				đ̄	MEI FVST 082
			4	đ̄	mlt. oe final form	oe				đ̄	FIF 083

BASIC CHARACTERS		PRESENTATION FORMS			UNIFICATION TABLE			PRESENTATION			
No.	CHARAC-TERS	NAME	No.	GLYPH	NAME	M	T	S	MA	RULE	TOTAL NO
073	ቍ	MLT. UE	035	ቍ	mlt. ue first isolate form	ue				ቁ	ESF
				ቍ	mlt. ue second isolate form	ue				ቁ	[ESF] F[ST]
			036	ቍ	mlt. ue initial form	ue				ቁ	[INF]
			035 - 1	ቍ	mlt. ue first medial form	ue				ቁ	MEF
			035 - 2	ቍ	mlt. ue second medial form	ue				ቁ	[MEF] F[ST]
			035 - 3	ቍ	mlt. ue final form	ue				ቁ	FIF
074	ጃ	MLT. ANG	041	ጃ	mlt. ang medial form	ang				ጃ	MEF
				ጃ	mlt. ang final form	ang				ጃ	FIF
			042	ጃ	mlt. ba initial form	ba				ጃ	INF
075	ጋ	MLT. BA	042	ጋ	mlt. ba medial form	ba				ጋ	MEF
				ጋ	mlt. ba final form	ba				ጋ	FIF
076	ጊ	MLT. PA		ጊ	mlt. pa initial form	pa				ጊ	[INF]
			076	ጊ	mlt. pa medial form	pa				ጊ	MEF
077	ጽ	MLT. QA	1	ጽ	mlt. qa final form	pa				ጽ	FIF 084
				ጽ	mlt. qa initial form	qa				ጽ	[INF]
			045 - 1	ጽ	mlt. qa medial form with dots	qa				ጽ	MEF
078	ጽ		059	ጽ	mlt. qa feminine initial form	qa				ጽ	[INF] F[ST]
			059	ጽ	mlt. qa feminine medial form	qa				ጽ	[MEF] F[ST]
			059 - 1	ጽ	mlt. qa final form	qa				ጽ	FIF

BASIC CHARACTERS			PRESENTATION FORMS			UNIFICATION TABLE			PRESENTATION		
No	CHARAC - TERS	NAME	No	GLYPHI	NAME	M	T	S	MA	RULE	TOTAL NO
078	ଓଡ଼	MLT. GA		ଓଡ଼	mlt. ga initial form	ga				ଓଡ଼	[INF]
			1	ଓଡ	mlt. ga first medial form	ga				ଓଡ	[MEF] 085
			2	ଓଡ	mlt. ga second medial form	ga				ଓଡ	[MEF EAST] 086
			3	ଓଡ	mlt. ga final form	ga				ଓଡ	[FF] 087
			137	ଓଡ଼ି	mlt. ga feminine isolate form	ga				ଓଡ଼ି	[SF]
			046	ଓଡ଼ା	mlt. ma initial form	ma				ଓଡ଼ା	[INF]
			046-1	ଓଡ଼ା	mlt. ma medial form	ma				ଓଡ଼ା	[MEF]
079	ଓଡ	MLT. MA		ଓଡ	mlt. ma final form	ma				ଓଡ	[FF]
080	ଓଡ଼	MLT. TA		ଓଡ଼ା	mlt. ta initial form	ta				ଓଡ଼ା	[INF]
			080	ଓଡ଼ା	mlt. ta medial form	ta				ଓଡ଼ା	[MEF]
			1	ଓଡ଼ା	mlt. ta final form	ta				ଓଡ଼ା	[FF] 088
081	ଓଡ଼ା	MLT. DA		ଓଡ଼ା	mlt. da initial form	da				ଓଡ଼ା	[INF]
			1081	ଓଡ଼ା	mlt. da medial form	da				ଓଡ଼ା	[MEF]
082	ଓଡ଼ା	MLT. CHA		ଓଡ଼ା	mlt. cha initial form	cha				ଓଡ଼ା	[INF]
			1	ଓଡ଼ା	mlt. cha medial form	cha				ଓଡ଼ା	[MEF] 089
			2	ଓଡ଼ା	mlt. cha final form	cha				ଓଡ଼ା	[FF] 090
083	ଓଡ଼ା	MLT. JA		ଓଡ଼ା	mlt. jo initial form	ja				ଓଡ଼ା	[INF]
			1	ଓଡ଼ା	mlt. ja medial form	ja				ଓଡ଼ା	[MEF] 091
			2	ଓଡ଼ା	mlt. ja final form	ja				ଓଡ଼ା	[FF] 092

BASIC CHARACTERS		PRESENTATION FORMS			UNIFICATION TABLE			PRESENTATION			
No	CHARAC - TERS	NAME	No	GLYPH	NAME	M	T	S	MA	RULE	TOTAL NO
084	ㄱ	MLT. TSA		ㄱ	mlt. tsə initial form		tsə			ㄱ INF	
			053 - 1	ㄱ	mlt. tsə medial form		tsə			ㄱ MEN	
			053 - 2	ㅋ	mlt. tsə final form		tsə			ㄱ FTF	
085	ㅓ	MLT. YA		ㅓ	mlt. ya initial form		ya			ㅓ INF	
			085	ㅓ	mlt. ya medial form		ya			ㅓ MEN	
086	ㅚ	MLT. WA		ㅚ	mlt. wa initial form		wa			ㅚ INF	
			086	ㅚ	mlt. wa medial form		wa			ㅚ MEN	
				ㅓ	mlt. wa final form		wa			ㅓ FTF	093
087	ㅓ	MLT. KA		ㅓ	mlt. ka initial form		ka			ㅓ INF	
			087	ㅓ	mlt. ka medial form		ka			ㅓ MEN	
				ㅓ	mlt. ka final form		ka			ㅓ FTF	094
088	ㅓ	MLT. GAA		ㅓ		gaa				ㅓ	
			062	ㅓ	mlt. haә initial form		haә			ㅓ INF	
				ㅓ	mlt. haә medial form		haә			ㅓ MEN	095
089	ㅓ	MLT. HAA		ㅓ	mlt. haә final form		haә			ㅓ FTF	
090	ㅗ	MLT. JIA		ㅗ		jia				ㅗ	
091	ㅗ	MLT. NIA		ㅗ		nia				ㅗ	

BASIC CHARACTERS				PRESENTATION FORMS				UNIFICATION TABLE				PRESENTATION			
No	CHARAC-TERS	NAME	No	GLYPH	NAME	No	NAME	M	R	S	MA	RULE	TOTAL	NO	
092	ᠮ	MLT. DZA		ᠮ	mlt. dza initial form		dza					₮	INF		
			1	ᠮ	mlt. dza medial form		dza					₮	MEF	096	
			2	ᠮ	mlt. dza final form		dza					₮	FIE	097	
			033	ᠮ	mls. e isolate form		e					⤵	ISF		
			032 - 3	ᠮ	mls. e initial form		e					⤵	INF		
				1	⤵	mls. e first medial form		e				⤵	MEF	098	
			032 - 2	⤵	mls. e second medial form		e					⤵	MEF [FAS]		
				⤵	mls. e first final form		e					⤵	FIE		
093	⤵	MLS® E		⤵	mls. e second final form		e					⤵	MEF [FAS]		
			032 - 5	⤵	mls. i isolate form		i					⤵	FIE [FAS]		
			034	⤵	mls. i initial form		i					⤵	ISF		
			034 - 1	⤵	mls. i first medial form		i					⤵	INF		
			053	⤵	mls. i first final form		i					⤵	MEF		
094	⤵	MLS. I		⤵	mls. i second medial form		i					⤵	MEF [FAS]		
				1	⤵	mls. i third medial form		i				⤵	MEF [FAS]	099	
			034 - 2	⤵	mls. i first final form		i					⤵	FIE		
				2	⤵	mls. i second final form		i				⤵	MEF [FAS]	100	
				3	⤵	mls. i third final form		i				⤵	MEF [FAS]	101	
095	⤵	MLS. IV		⤵	mls. iy medial form		iy					⤵	MEF		
				1	⤵	mls. iy final form		iy				⤵	FIE	102	

① MLS. = MONGOLIAN LETTER SUBE

BASIC CHARACTERS			PRESENTATION FORMS			UNIFICATION TABLE			PRESENTATION		
No	CHARAC-TERS	NAME	No	GLYPH	NAME	M	T	S	MA	RULE	TOTAL NO
096	Ճ	MLS. UEE		Ճ	mls. ue isolate form				ue	Ճ.	1SF
			1	Ճ	mls. ue initial form				ue	Ճ.	INF
			2	Գ	mls. ue first medial form				ue	Ճ.	MEI
			035 - 2	Գ	mls. ue second medial form				ue	Ճ.	104
			3	Գ	mls. ue first final form				ue	Ճ.	MEI [FV]
			035 - 4	Փ	mls. ue second final form				ue	Փ	105
			037	Ջ	mls. u isolate form				u	Ջ	1SF
			038	Ջ	mls. u initial form				u	Ջ	INF
097	Ք	MLS. U		Ք	mls. u medial form				u	Ք	MEI
			037 - 2	Ջ	mls. u final form				u	Ջ	PF
			041	Յ	mls. ang medial form				ang	Յ	MEI
098	Յ	MLS. ANG		Յ	mls. ang final form				ang	Յ	PF
			044	Կ	mls. ka masculine initial form				ka	Կ	INF
			032 - 4	Կ	mls. ka first medial form				ka	Կ	MEI
			1	Հ	mls. ka second medial form				ka	Հ	MEI [FV]
099	Հ	MLS. KA		Հ	mls. ka final form				ka	Հ	PF
			137	Հ	mls. ka feminine isolate form				ka	Հ	1SF

## BASIC CHARACTERS

No	CHARAC-TERS	NAME	No	GLYPH	NAME	M	T	S	MA	N	TOTAL RULE NO	UNIFICATION TABLE		PRESENTATION
												RULE	PRESENTATION	
100	MLS, GA			፩	mls. ga initial form				ga	ga	107	INF		
			1	፪	mls. ga medial form				ga	ga	108	MEF		
			2	፫	mls. ga feminine isolate form				ga	ga	109	INF		
101	MLS, QA			፩	mls. qa initial form				qa	qa	110	INF		
			1	፪	mls. qa medial form				qa	qa	111	MEF		
			2	፫	mls. qa feminine isolate form				qa	qa	112	INF		
102	MLS, PA			፩	mls. pa initial form				pa	pa	113	INF		
			102	፩	mls. pa medial form				pa	pa	114	INF		
103	MLS, SHA			፪	mls. sha initial form				sha	sha	115	MEF		
			1	፫	mls. sha medial form				sha	sha	116	INF		
			2	፬	mls. sha final form				sha	sha	117	INF		
104	MLS, TA			፩	mls. ta first initial form				ta	ta	118	MEF		
			050	፩	mls. ta second initial form				ta	ta	119	INF ESY		
			051	፪	mls. ta first medial form				ta	ta	120	MEF ESY		
			1	፫	mls. ta second medial form				ta	ta	121	INF		
			051 - 1	፬	mls. ta third medial form				ta	ta	122	MEF ESY		
			051 - 2	፭	mls. ta final form				ta	ta	123	INF		
105	MLS, DA			፩	mls. da first initial form				da	da	124	INF ESY		
			1	፪	mls. da second initial form				da	da	125	INF ESY		
			2	፫	mls. da first medial form				da	da	126	MEF ESY		
			3	፬	mls. da second medial form				da	da	127	MEF		

BASIC CHARACTERS			PRESENTATION FORMS			UNIFICATION TABLE			PRESENTATION		
No	CHARAC-TERS	NAME	No	GLYPH	NAME	M	T	S	MA	RULE	TOTAL NO
106	جا	MLS, JA	053	جا	mls. ja initial form		ja		ja	INF	
107	فا	MLS, FA		فا	mls. ja medial form		ja		ja	INF	
108	قا	MLS, QAA	118	قا	mls. fa initial form		fa		fa	INF	
109	هاء	MLS, HAA		هاء	mls. fa medial form		fa		fa	INF	
110	تسا	MLS, TSA		تسا	mls. tas initial form		tsa		tsa	INF	
111	زا	MLS, ZAA	1	زا	mls. tea medial form		za		za	INF	
112	رزا	MLS, RAA	1	رزا	mls. za first initial form		ra		ra	INF	
113	شما	MLS, CHA	2	شما	mls. za second initial form		za		za	INF	118
114	زها	MLS, ZHA	3	زها	mls. za first medial form		za		za	INF	119
				زها	mls. za second medial form		za		za	INF	120
					mls. cha initial form		ra		ra	INF	
					mls. cha medial form		cha		cha	INF	
			119		mls. zha initial form		za		za	INF	
					mls. zha medial form		zha		zha	INF	

BASIC CHARACTERS				PRESENTATION FORMS				UNIFICATION TABLE				PRESENTATION			
No	CHARAC-TERS	NAME	No	GLYPH	NAME	No	GLYPH	M	T	S	MA	RULE	TOTAL NO		
115	MLM.Φ I		034	3	mlm. i isolate form					i		3	ISF		
			034 - 1	3	mlm. i initial form					i		3	INF		
			053	3	mlm. i first medial form					i		3	MEI		
			094	3	mlm. i second medial form					i		3	MEI FSI		
				3	mlm. i third medial form					i		3	MEI INF		
			094 - 1	3	mlm. i fourth medial form					i		3	MEI FSI		
			034 - 2	3	mlm. i first final form					i		3	FI		
			094 - 2	3	mlm. i second final form					i		3	FI FSI		
			094 - 3	3	mlm. i third final form					i		3	FI INF		
			044	3	mlm. ka masculine initial form					ka		3	INF		
116	MLM. KA		032 - 4	3	mlm. ka masculine first medial form					ka		3	MEI		
			045 - 1	3	mlm. ka masculine second medial form					ka		3	MEI FSI		
				3	mlm. ka masculine final form					ka		3	FI		
			137	3	mlm. ka feminine isolate form					ka		3	ISF		
			045 - 3	3	mlm. ka feminine medial form					ka		3	MEI FSI		
				1	mlm. ka feminine medial form, with dots					ka		3	MEI INF	122	
				2	mlm. ka feminine final form					ka		3	FI FSI	123	
				3	mlm. ka feminine final form with dots					ka		3	FI FSI	124	

① MLM. = MONGOLIAN LETTER MANCHU

BASIC CHARACTERS			PRESENTATION FORMS			UNIFICATION TABLE			PRESENTATION		
No	CHARAC-TERS	NAME	No	GLYPH	NAME	M	T	S	MA	RULE	TOTAL NO
			055	ᠳ	mln. ra initial form				ᠳ	INF	
			055	ᠳ	mln. ra medial form				ᠳ	MEF	
117	ᠳ	MLM. RA		ᠳ	mln. ra final form				ᠳ	EIE	
			107	ᠳ	mln. fa first initial form				ᠳ	INF	
			056	ᠳ	mln. fa second initial form				ᠳ	INF [EIE]	
118	ᠳ	MLM. FA		ᠳ	mln. fa first medial form				ᠳ	MEF	
			056	ᠳ	mln. fa second medial form				ᠳ	MEF [EIE]	
119	ᡨ	MLM. ZHA		ᡨ	mln. zha initial form				ᡨ	INF	
				ᡨ	mln. zha medial form				ᡨ	MEF	
128	ᡧ	MLA. <sup>①</sup> ANUSVARA ONE		ᡧ	mla. anusvara first form	an			ᡧ	125	
			1	○	mla. anusvara second form	an			ᡧ	FST	126
129	8	MLA. VISARGA ONE		8	mla. visarga first form	v̥i	v̥i	v̥i	8		
			1	❖	mla. visarga second form	v̥i			8	FST	127
130	❖	MLA. DAMARU		❖		dm	dm	dm	❖		
131	ᠸ	MLA. UBADAMA		ᠸ		ub	ub	ub	ᠸ		
132	ᠸ	MLA. INVERTED UBADAMA		ᠸ		iu	iu	iu	ᠸ		
133	ᢙ	MLA. BALUDA		ᢙ		bl	bl	bl	ᢙ		
134	ᢙᢙᢙ	MLA. THREE BALUDA		ᢙᢙᢙ		tb	tb	tb	ᢙᢙᢙ		

BASIC CHARACTERS				PRESENTATION FORMS <sup>(1)</sup>				UNIFICATION TABLE				PRESENTATION		
No	CHARAC-TERS	NAME	No	GLYPH	NAME	No	GLYPH	NAME	M	T	S	MA	RULE	TOTAL NO
135	ጀ	MLA. A	1	ጀ	mla. a first isolate form	2	ጀ	mla. a second isolate form	a	a	a	ጀ	ISF	127
			2	ጀ	mla. a final form	3	ጀ	mla. a final short form	a	a	a	ጀ	ISF FSF	128
			4	ጀ	mla. a final forward form	5	ጀ	mla. a final with stria	a	a	a	ጀ	FF	129
136	ጀ	MLA. I	1	ጀ	mla. i isolate form	2	ጀ	mla. i final form	i	i	i	ጀ	FF FSF	130
			3	ጀ	mla. i final final form	4	ጀ	mla. i second final form	i	i	i	ጀ	FF FSF	131
			5	ጀ	mla. i second final form	6	ጀ	mla. i second final form	i	i	i	ጀ	FF FSF	132
137	ጀ	MLA. KA	1	ጀ	mla. ka initial form	2	ጀ	mla. ka initial short form	ka	ka	ka	ጀ	FF FSF	133
			3	ጀ	mla. nga initial form	4	ጀ	mla. nga initial short form	nga	nga	nga	ጀ	FF FSF	134
138	ጀ	MLA. NGA	1	ጀ	mla. nga medial form	2	ጀ	mla. nga medial short form	nga	nga	nga	ጀ	FF FSF	135
			3	ጀ	mla. nga medial short form	4	ጀ	mla. ca initial form	ca	ca	ca	ጀ	FF FSF	136
139	ጀ	MLA. CA	1	ጀ	mla. ca initial form	2	ጀ	mla. ca medial form	ca	ca	ca	ጀ	FF FSF	137
140	ጀ	MLA. TTA	1	ጀ	mla. tta	2	ጀ	mla. tta	ta	ta	ta	ጀ	MEF	138
141	ጀ	MLA. TTAA	1	ጀ	mla. ttaa	2	ጀ	mla. ttaa	ta	ta	ta	ጀ	MEF	139

No	CHARAC-TERS	NAME	No	GLYPH	NAME	UNIFICATION TABLE				PRESENTATION RULE	TOTAL NO
						M	T	S	M.A.		
PRESENTATION FORMS											
142	Ⓜ	MLA. DDA		Ⓜ		dd	dda			Ⓜ	
143	Ⓜ	MLA. NNA		Ⓜ		nna	nna	nna		Ⓜ	
144	Ⓜ	MLA. TA		Ⓜ		ta				Ⓜ	
145	Ⓜ	MLA. DA		Ⓜ		da				Ⓜ	
146	Ⓜ	MLA. PA		Ⓜ		pa		pa		Ⓜ	
147	Ⓜ	MLA. PHA		Ⓜ		pha				Ⓜ	
148	Ⓜ	MLA. SSA		Ⓜ	mla. sea initial form	ssaa	ssaa			Ⓜ INF	
	Ⓜ	MLA. SSA	1	Ⓜ	mla. sea medial form	ssaa	ssaa			Ⓜ INF	139
149	Ⓜ	MLA. ZHA		Ⓜ		zha				Ⓜ	
150	Ⓜ	MLA. ZA		Ⓜ	mla. za initial form	za	za			Ⓜ INF	
	Ⓜ	MLA. ZA	1	Ⓜ	mla. za medial form	za	za			Ⓜ INF	140
151	Ⓜ	MLA. AH		Ⓜ		ah	ah			Ⓜ	
152	Ⓜ	MLTA. OTA		Ⓜ		ta				Ⓜ	
153	Ⓜ	MLTA. ZHA		Ⓜ		zha				Ⓜ	
154	Ⓜ	MLMA. GHA		Ⓜ	mhma. gha initial form	ghaa	ghaa			Ⓜ INF	
	Ⓜ	MLMA. GHA	1	Ⓜ	mhma. gha medial form	ghaa	ghaa			Ⓜ INF	141
155	Ⓜ	MLMA. NGA		Ⓜ	mhma. nga initial form	nga	nga			Ⓜ INF	
	Ⓜ	MLMA. NGA	1	Ⓜ	mhma. nga medial form	nga	nga			Ⓜ INF	142

Ⓜ MELA = MONGOLIAN LETTER TODO ALI - GALI  
Ⓜ MLMA = MONGOLIAN LETTER MANCHU ALI - GALI

BASIC CHARACTERS				PRESENTATION FORMS				UNIFICATION TABLE				PRESENTATION	
No	CHARAC-TERS	NAME	No	GLYPH	NAME	No	GLYPH	M	T	S	MA	RULE	TOTAL NO
156.	𠂇	MLMA. CA	1	𠂇	mlma. ca initial form						ca	4o	INF
157.	𠂈	MLMA. JHA	1	𠂈	mlma. jha initial form						ca	4o	MEF 143
158.	𠂉	MLMA. TIA	1	𠂉	mlma. jha medial form						jha	4o	INF
159.	𠂊	MLMA. DDHA	1	𠂊	mlma. tia initial form						tia	4o	INF
160.	𠂋	MLMA. TA	1	𠂋	mlma. tia medial form						ta	4o	INF
161.	𠂌	MLMA. DHA	1	𠂌	mlma. dha initial form						dha	4o	INF
162.	𠂍	MLMA. SSA	1	𠂍	mlma. dha medial form						ssa	4o	INF
163.	𠂎	MLMA. CYA	148 - 1	𠂎	mlma. ssa initial form						cya	4o	INF
164.	𠂏	MLMA. ZHA	1	𠂏	mlma. cya initial form						cya	4o	INF
			1	𠂏	mlma. zha initial form						zha	4o	INF
					mlma. zha medial form						zha	4o	INF 149

BASIC CHARACTERS			PRESENTATION FORMS			UNIFICATION TABLE			PRESENTATION		
No	CHARAC-TERS	NAME	No	GLYPH	NAME	M	T	S	MA	RULE	TOTAL NO
165	𠂇	MLMA. ZA		𠂇	mlma. za initial form				za	→ o INF	
			1	𠂇	mlma. za medial form				za	→ o INF	
166	𠂇	MLA. HALF U		𠂇		hu				→ o INF	150
167	𠂇	MLTA. HALF YA		𠂇		hy				→ o INF	
168	𠂇	MLMA. BHA		𠂇					bha	→ o INF	
169	𠂇	MLA. DAGAGULGA		𠂇		dag				→ o INF	

## Appendix II

### 《 Mongolian Ligature Set 》

#### Explanation of 《 Mongolian Ligature Set 》

(1) This set is compiled for the purpose to clarify Mongolian ligatures in Mongolian encoding.

(2) The table consists of seven columns, viz., "Serial number", "Ligature graph", "Name", "Unification & recording rule for Mongolian ligature", "Unification & recording rule for Todo ligature", "Unification & recording rule for Sibe ligature" and "Unification & recording rule for Manchu ligature".

(3) In the column of Graphic Symbols of Ligatures are listed all ligatures required in Mongolian, Todo, Sibe and Manchu writing systems. They are arranged in the alphabetic order as indicated in "Mongolian Basic Character Set".

(4) In principle, graphs of ligatures in the table are named according to the naming method set forth in "Mongolian Character Encoding Conventions", the only thing we have to do being to replace "MONGOLIAN LETTER" with "MONGOLIAN LIGATURE (ML)".

(5) In the table, all graphs of ligatures of the four languages are unified with their names being marked ; and rules for recording separate syllables unified acceptable among clients are indicated.

for the first time in the history of the world to apply to a single nation, the United States, and that is the result of the influence of other nations upon us. The result is that we have come to be called "Americanists," and that is the name which we have adopted. I think that it is a good name, and I hope that it will be adopted by all the other nations of the world.

## MONGOLIAN LIGATURE SET

No	graphio symbols of ligature	NAME	MONGOL			TODO			SIBE			MANCHU				
			ISO <sup>①</sup>	INI <sup>②</sup> MED <sup>③</sup>	FIN <sup>④</sup>	RULE	ISO	INI	MED	FIN	RULE	ISO	INI	MED	FIN	RULE
1	ᡩ	MLI. BA	ba	ba	ᡩ ᡩ	ISO INF	ba	ba	ᡩ ᡩ	ISO INF	ᡩ ᡩ	ba	ba	ᡩ ᡩ	ISO INF	ᡩ ᡩ
2	ᡩ	MLI. ISOLATE BA	ba	be	ᡩ ᡩ	ISF ISF	ba	ᡩ ᡩ	ISF ISF	ba	ᡩ ᡩ	ISF ISF	ba	ᡩ ᡩ	ISF ISF	ba
3	ᡩ	MLI. BI	bi	bi	ᡩ ᡩ	INF							bi	bi	ᡩ ᡩ	INF
4	ᡩ	MLI. ISOLATE BI	bi	bi	ᡩ ᡩ	ISF							bi	ᡩ ᡩ	ISF	hi
5	ᡩ	MLI. BO	bo	bo	ᡩ ᡩ	INF INF	bo	bo	ᡩ ᡩ	INF	bo	bo	ᡩ ᡩ	INF	bo	bo
6	ᡩ	MLI. ISOLATE BO	bo	bu	ᡩ ᡩ	MEF MEF	boe	boe	ᡩ ᡩ	MEF MEF	bu	bu	ᡩ ᡩ	MEF MEF	bo	bo
7	ᡩ	MLI. BOE	boe	bu	ᡩ ᡩ	ISF ISF	bo	ᡩ ᡩ	ISF ISF	bo	ᡩ ᡩ	ISF ISF	bo	ᡩ ᡩ	ISF ISF	bo
8	ᡩ	MLI. ISOLATE BOE	boe	hue	ᡩ ᡩ	ISF ISF	boe	ᡩ ᡩ	ISF ISF	boe	ᡩ ᡩ	ISF ISF				bu
9	ᡩ	MLI. BEE	bee	bee	ᡩ ᡩ	INF										bu
10	ᡩ	MLI. ISOLATE BEE	bee	bee	ᡩ ᡩ	ISF										bu

① MLI = MONGOLIAN LIGATURE

② ISO = ISOLATE

③ INI = INITIAL

④ FIN = FINAL

⑤ MED = MEDIAL

⑥ RULE = RULE

No	graphic symbols of ligature	NAME	MONGOL				TODO				SIBE				MANCHU			
			ISO	INI	MED	FIN	ISO	INI	MED	FIN	ISO	INI	MED	FIN	ISO	INI	MED	FIN
11	〽	MLI. PA	pa	pa	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽
12	〽	MLI. ISOLATE PA	pa	pe	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽
13	〽	MLI. PI	pi	pi	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽
14	〽	MLI. ISOLATE PI	pi	pi	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽
15	〽	MLI. PO	po	po	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽
16	〽	MLI. ISOLATE PO	po	pu	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽
17	〽	MLI. POE	poe	pue	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽
18	〽	MLI. ISOLATE POE	poe	pue	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽
19	〽	MLI. PEE	pee	pee	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽
20	〽	MLI. ISOLATE PEE	pee	pee	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽
21	〽	MLI. GE	qe	qe	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽	〽

No	graphic symbols of ligature	NAME	MONGOL			TODO			SIBE			MANCHU		
			ISO	INI	MED FIN	RULE	ISO	INI	MED FIN	RULE	ISO	INI	MED FIN	RULE
22	ᠴ	MLI. ISOLATE GE	qe	ᠴ	ᡩ	ISF	ke	ᡴ	ᡩ	ISF	ke	ᡴ	ᡩ	ISF
23	ᠨ	MLI. GI	qi	ᠴ	ᡩ	ISF	ki	ᡴ	ᡩ	ISF	ki	ᡴ	ᡩ	ISF
24	ᠵ	MLI. ISOLATE GJ	gi	ᠴ	ᡩ	ISF	ki	ᡴ	ᡩ	ISF	ki	ᡴ	ᡩ	ISF
25	ᡴ	MLI. GOE	qoe	ᡴ	ᡩ	ISF	ki	ᡴ	ᡩ	ISF	ki	ᡴ	ᡩ	ISF
26	᠋	MLI. MEDIAL GUE	que	᠋	ᡩ	MEF	que	᠋	ᡩ	MEF	que	᠋	ᡩ	MEF
27	᠌	MLI. FINAL GOE	goe	᠌	ᡩ	MEF	gue	᠌	ᡩ	MEF	gue	᠌	ᡩ	MEF
28	᠍	MLI. ISOLATE GOE	gue	᠍	ᡩ	MEF	gue	᠍	ᡩ	MEF	gue	᠍	ᡩ	MEF
29	ᠩ	MLI. GEE	gee	ᠩ	ᡩ	ISF	gue	ᠩ	ᡩ	ISF	gue	ᠩ	ᡩ	ISF
30	ᠩ	MLI. ISOLATE GEE	gee	ᠩ	ᡩ	ISF	gue	ᠩ	ᡩ	ISF	gue	ᠩ	ᡩ	ISF

No	Graphic symbols of ligature	NAME	MONGOL			TODO			SIBE			MANCHU				
			ISO	INI	MED	FIN	RULE	ISO	INI	MED	FIN	RULE	ISO	INI	MED	FIN
31	ᠴ	MLI. QE	qe	qe			↑ FVST	↑	↑							
32	ᠴ	MLI. ISOLATE QE	qe			qe	↑ FVST	↑	↑	↑	↑	↑				
33	ᠴ	MLI. QI	qi	qi			↑ FVST	↑	↑	↑	↑	↑				
34	ᠴ	MLI. ISOLATE QI	qi			qi	↑ FVST	↑	↑	↑	↑	↑	↑	↑	↑	↑
35	ᠴ	MLI. QOE	qoe	que			↑ FVST	↑	↑	↑	↑	↑	↑	↑	↑	↑
36	ᠴ	MLI. MEDIAL QOE	qoe	que			↑ FVST	↑	↑	↑	↑	↑	↑	↑	↑	↑
37	ᠴ	MLI. FINAL QOE	qoe	que			↑ FVST	↑	↑	↑	↑	↑	↑	↑	↑	↑
38	ᠴ	MLI. ISOLATE QOE	qoe	que			↑ FVST	↑	↑	↑	↑	↑	↑	↑	↑	↑
39	ᠴ	MLI. QEE	gee	gee			↑ FVST	↑	↑	↑	↑	↑	↑	↑	↑	↑
40	ᠴ	MLI. ISOLATE QEE	gee			gee	↑ FVST	↑	↑	↑	↑	↑	↑	↑	↑	↑
41	ᠴ	MLI. FA	fa	fa			↑	↑	↑	↑	↑	↑	↑	↑	↑	↑
42	ᠴ	MLI. ISOLATE FA	fa	fe			↑	↑	↑	↑	↑	↑	↑	↑	↑	↑
43	ᠴ	MLI. FI	fi	fi			↑	↑	↑	↑	↑	↑	↑	↑	↑	↑
44	ᠴ	MLI. ISOLATE FI	fi			fi	↑	↑	↑	↑	↑	↑	↑	↑	↑	↑
45	ᠴ	MLI. FO	fo	fo			↑	↑	↑	↑	↑	↑	↑	↑	↑	↑
46	ᠴ	MLI. ISOLATE FO	fo	fu			↑	↑	↑	↑	↑	↑	↑	↑	↑	↑

No	Graphic symbols of ligature	NAME	MONGOL			TODO			SIBE			MANCHU				
			ISO	INI	MED	FIN	RULE	ISO	INI	MED	FIN	RULE	ISO	INI	MED	FIN
47	ᡩ	MLI. FUE		fue	fue		ᡩ ᠨᡳ᠀									
48	ᡩ	MLI. ISOLATE FUE	loe			loe	ᡩ ᠨ	ᡩ	ᡩ ᠨ	ᡩ	ᡩ ᠨ					
49	ᡩ	MLI. FEE		fee	fee		ᡩ ᠨ᠀									
50	ᡩ	MLI. ISOLATE FEE	fee			fee	ᡩ ᠨ᠀									
51	ᡩ	MLI. KA	ka	ka			ᡩ ᠨ᠁									
52	ᡩ	MLI. ISOLATE KA	ka		ke		ᡩ ᠨ᠁	ᡩ	ᡩ ᠨ᠁	ᡩ	ᡩ ᠨ᠁					
53	ᡩ	MLI. KI	ki	ki			ᡩ ᠨ᠁									
54	ᡩ	MLI. ISOLATE KI	ki			ki	ᡩ ᠨ᠁	ᡩ	ᡩ ᠨ᠁	ᡩ	ᡩ ᠨ᠁					
55	ᡴ	MLI. KO	ko	ko			ᡴ ᠨ᠁									
56	ᡴ	MLI. ISOLATE KO	ko		ku		ᡴ ᠨ᠁	ᡴ	ᡴ ᠨ᠁	ᡴ	ᡴ ᠨ᠁					
57	ᡴ	MLI. KUE	kue	kue			ᡴ ᠨ᠁									
58	ᡩ	MLI. ISOLATE KUE	koe			koe	ᡩ ᠨ᠁	ᡩ	ᡩ ᠨ᠁	ᡩ	ᡩ ᠨ᠁					
59	ᡩ	MLI. KEE	kee	kee			ᡩ ᠨ᠁									
60	ᡩ	MLI. ISOLATE KEE	kee			kee	ᡩ ᠨ᠁	ᡩ	ᡩ ᠨ᠁	ᡩ	ᡩ ᠨ᠁					
61	ᡩ	MLI. KHA	kha	kha			ᡩ ᠨ᠁									
62	ᡩ	MLI. ISOALTE KHA	kha			kha	ᡩ ᠨ᠁	ᡩ	ᡩ ᠨ᠁	ᡩ	ᡩ ᠨ᠁					

No	graphic symbols of ligature	NAME	MONGOL			TODO			SIBE			MANCHU		
			ISO	INI MED	FIN	ROLE	ISO	INI MED	FIN	ROLE	ISO	INI MED	FIN	ROLE
63	ᠮ	MLI. KHI		khi	khi		ᡮ	ᡮ	ᡮ					
64	ᠮ	MLI. ISOLATE KHI	khi			khi	ᡮ	ᡮ	ᡮ					
65	ᡴ	MLI. KHO	kho	kho			ᡮ	ᡮ	ᡮ	que	ᡮ	ᡮ	ᡮ	ᡮ
66	ᡴ	MLI. ISOLATE KHO	kho			kho	ᡮ	ᡮ	ᡮ		ᡮ	ᡮ	ᡮ	ᡮ
67	ᡴ	MLI. KHUE	khue	khue			ᡮ	ᡮ	ᡮ					
68	ᡴ	MLI. ISOLATE KHUE	khue			khoe	ᡮ	ᡮ	ᡮ					
69	ᡴ	MLI. KHEE	khee	khee			ᡮ	ᡮ	ᡮ					
70	ᡴ	MLI. ISOLATE KHEE	khee			khee	ᡮ	ᡮ	ᡮ					
71	ᡩ	MLI. TODO BE					be	be	be	ᡩ	ᡩ	ᡩ	ᡩ	ᡩ
72	ᡩ	MLI. TODO BI					bi	bi	bi	ᡩ	ᡩ	ᡩ	ᡩ	ᡩ
73	ᡩ	MLI. TODO ISOLATE BI					bi							
74	ᡩ	MLI. TODO BU					bu	bu	bu	ᡩ	ᡩ	ᡩ	ᡩ	ᡩ
75	ᡩ	MLI. TODO ISOLATE BU					bu							
76	ᡩ	MLI. TODO BOE					boe	boe	boe	ᡩ	ᡩ	ᡩ	ᡩ	ᡩ
77	ᡩ	MLI. TODO ISOLATE BOE					boe							
78	ᡩ	MLI. TODO PA					pa	pa	pa	ᡩ	ᡩ	ᡩ	ᡩ	ᡩ
79	ᡩ	MLI. TODO ISOLATE PA					pa							
80	ᡩ	MLI. TODO PE					pe	pe	pe	ᡩ	ᡩ	ᡩ	ᡩ	ᡩ
81	ᡩ	MLI. TODO PI					pi	pi	pi	ᡩ	ᡩ	ᡩ	ᡩ	ᡩ

No	graphic symbols of ligature	NAME	MONGOL										TODO										SUBE										MANCHU									
			ISO	INI	MED	FIN		RULE	ISO	INI	MED	FIN		RULE	ISO	INI	MED	FIN		RULE	ISO	INI	MED	FIN		RULE	ISO	INI	MED	FIN		RULE										
82	ᠮ	MLI.TODO ISOLATE PI							pi						pi	ᡩ	ᡩ	ᡩ	ᡩ	ᡩ																						
83	ᠮ	MLI.TODO PO							po						po	ᡩ	ᡩ	ᡩ	ᡩ	ᡩ																						
84	ᠮ	MLI.TODO ISOLATE PO							pu						pu	ᡩ	ᡩ	ᡩ	ᡩ	ᡩ																						
85	ᠮ	MLI.TODO PU							pu						pu	ᡩ	ᡩ	ᡩ	ᡩ	ᡩ																						
86	ᠮ	MLI.TODO ISOLATE PU							pu						pu	ᡩ	ᡩ	ᡩ	ᡩ	ᡩ																						
87	ᠮ	MLI.TODO POE							poe						poe	ᡩ	ᡩ	ᡩ	ᡩ	ᡩ																						
88	ᠮ	MLI.TODO ISOLATE POE							poe						poe	ᡩ	ᡩ	ᡩ	ᡩ	ᡩ																						
89	ᠮ	MLI.TODO QE							qe						qe	ᡩ	ᡩ	ᡩ	ᡩ	ᡩ																						
90	ᠮ	MLI.TODO QI							qi						qi	ᡩ	ᡩ	ᡩ	ᡩ	ᡩ																						
91	ᠮ	MLI.TODO ISOLATE QI							qi						qi	ᡩ	ᡩ	ᡩ	ᡩ	ᡩ																						
92	ᠮ	MLI.TODO QOE							qoe						qoe	ᡩ	ᡩ	ᡩ	ᡩ	ᡩ																						
93	ᠮ	MLI.TODO ISOLATE QOE							qoe						qoe	ᡩ	ᡩ	ᡩ	ᡩ	ᡩ																						
94	ᠮ	MLI.TODO GE							ge						ge	ᡩ	ᡩ	ᡩ	ᡩ	ᡩ																						
95	ᠮ	MLI.TODO GI							gi						gi	ᡩ	ᡩ	ᡩ	ᡩ	ᡩ																						
96	ᠮ	MLI.TODO ISOLATE GI							goe						goe	ᡩ	ᡩ	ᡩ	ᡩ	ᡩ																						
97	ᠮ	MLI.TODO GOE							goe						goe	ᡩ	ᡩ	ᡩ	ᡩ	ᡩ																						
98	ᠮ	MLI.TODO ISOLATE GOE							goc						goc	ᡩ	ᡩ	ᡩ	ᡩ	ᡩ																						
99	ᠮ	MLI.TODO KA							ka						ka	ᡩ	ᡩ	ᡩ	ᡩ	ᡩ																						
100	ᠮ	MLI.TODO ISOLATE KA							ka						ka	ᡩ	ᡩ	ᡩ	ᡩ	ᡩ																						

No	Graphic symbols of signature	NAME	MONGOL						TODO						SIBE						MANCHU					
			ISO	INI	MED	FIN	RULE	ISO	INI	MED	FIN	RULE	ISO	INI	MED	FIN	RULE	ISO	INI	MED	FIN	RULE				
101	鞬	MLI. TODO KO						ko	ko			~ ձ'	INF													
102	鞬	MLI. TODO ISOLATE KO						ko		ko		~ ձ'	ISF													
103	鞬	MLI. TODO KU						ku	ku			~ Ֆ'	INF													
104	鞬	MLI. TODO ISOLATE KU						ku		ku		~ Ֆ'	ISF													
105	鞬	MLI. TODO GAA						gaa	gaa			~ Շ'	INF													
106	鞬	MLI. TODO ISOLATE GAA						gaa		gaa		~ Շ'	ISF													
107	鞬	MLI. TODO GOO						goo	goo			~ Շ'	INF													
108	鞬	MLI. TODO ISOLATE GOO						goo		goo		~ Շ'	ISF													
109	鞬	MLI. TODO GUU						guu	guu			~ Շ'	INF													
110	鞬	MLI. TODO ISOLATE GUU						guu		guu		~ Շ'	ISF													
111	Ճ	MLI. SIBE GE										ge	ge	հ ~	INF	ge	ge	հ ~	ge	ge	հ ~	INF				
112	Ճ	MLI. SIBE ISOLATE GE										ge	ge	հ ~	ISF	ge	ge	հ ~	ge	ge	հ ~	ISF				
113	Ճ	MLI. SIBE GI										gi	gi	հ ~	INF	gi	gi	հ ~	gi	gi	հ ~	INF				
114	Ճ	MLI. SIBE ISOLATE GI										gi	gi	հ ~	ISF	gi	gi	հ ~	gi	gi	հ ~	ISF				
115	Յ	MLI. SIBE GUE										gue	gue	հ ~	INF	gue	gue	հ ~	gue	gue	հ ~	INF				
116	Յ	MLI. SIBE ISOLATE GUE										gue	gue	հ ~	ISF	gue	gue	հ ~	gue	gue	հ ~	ISF				

No	Graphic symbols of signature	NAME	MONGOL				TODO				SIBE				MANCHU			
			ISO	INL MED	FIN	RULE	ISO	INL MED	FIN	RULE	ISO	INL MED	FIN	RULE	ISO	INL MED	FIN	RULE
117	ᡩ	MLJ. SIBE QE									qe	qe			ᡩ	ᡩ	ᡩ	ᡩ
118	ᡩ	MLJ. SIBE ISOLATE QE									qe	qe			ᡩ	ᡩ	ᡩ	ᡩ
119	ᡩ	MLJ. SIBE QI									qi	qi			ᡩ	ᡩ	ᡩ	ᡩ
120	ᡩ	MLJ. SIBE ISOLATE QI									qi	qi			ᡩ	ᡩ	ᡩ	ᡩ
121	ᡩ	MLJ. SIBE QUE									que	que			ᡩ	ᡩ	ᡩ	ᡩ
122	ᡩ	MLJ. SIBE ISOLATE QUE									que	que			ᡩ	ᡩ	ᡩ	ᡩ
123	ᡩ	MLJ. SIBE BE									be	be			ᡩ	ᡩ	ᡩ	ᡩ
124	ᡩ	MLJ. SIBE ISOLATE BE									be	be			ᡩ	ᡩ	ᡩ	ᡩ
125	ᡩ	MLJ. SIBE BUE									bue	bue			ᡩ	ᡩ	ᡩ	ᡩ
126	ᡩ	MLJ. SIBE ISOLATE BUE									bue	bue			ᡩ	ᡩ	ᡩ	ᡩ
127	ᡩ	MLJ. SIBE PA									pa	pa			ᡩ	ᡩ	ᡩ	ᡩ
128	ᡩ	MLJ. SIBE ISOLATE PA									pa	pa			ᡩ	ᡩ	ᡩ	ᡩ
129	ᡩ	MLJ. SIBE PE									pe	pe			ᡩ	ᡩ	ᡩ	ᡩ
130	ᡩ	MLJ. SIBE ISOLATE PE									pe	pe			ᡩ	ᡩ	ᡩ	ᡩ
131	ᡩ	MLJ. SIBE PI									pi	pi			ᡩ	ᡩ	ᡩ	ᡩ
132	ᡩ	MLJ. SIBE ISOLATE PI									pi	pi			ᡩ	ᡩ	ᡩ	ᡩ
133	ᡩ	MLJ. SIBE PO									po	po			ᡩ	ᡩ	ᡩ	ᡩ
134	ᡩ	MLJ. SIBE ISOLATE PO									po	po			ᡩ	ᡩ	ᡩ	ᡩ
135	ᡩ	MLJ. SIBE PUE									pue	pue			ᡩ	ᡩ	ᡩ	ᡩ
136	ᡩ	MLJ. SIBE ISOLATE PUE									pue	pue			ᡩ	ᡩ	ᡩ	ᡩ

No	Graphic symbols of ligature	NAME	MONGOL						TODO						SIBE						MANCHU						
			ISO	INI	MED	FIN	RULE	ISO	INI	MED	FIN	RULE	ISO	INI	MED	FIN	RULE	ISO	INI	MED	FIN	RULE	ISO	INI	MED	FIN	RULE
137	ᡩ	MLI. SIBE PU																pu	pu				ᡩ	ᡩ	ᡩ	ᡩ	ᡩ
138	ᡩ-	MLI. SIBE ISOLATE PU																pu	pu				ᡩ	ᡩ	ᡩ	ᡩ	ᡩ
139	ᡳ.	MLI. SIBE GAA											gaa	gaa	ᡳ.	ᡳ.	ᡳ.	gaa	gaa	ᡳ.	ᡳ.	ᡳ.	ᡳ.	ᡳ.	ᡳ.	ᡳ.	ᡳ.
140	ᡩ·	MLI. SIBE ISOLATE GAA											gaa	gaa	ᡩ·	ᡩ·	ᡩ·	gaa	gaa	ᡩ·	ᡩ·	ᡩ·	ᡩ·	ᡩ·	ᡩ·	ᡩ·	ᡩ·
141	ᡨ·	MLI. SIBE GOO											goo	goo	ᡨ·	ᡨ·	ᡨ·	goo	goo	ᡨ·	ᡨ·	ᡨ·	ᡨ·	ᡨ·	ᡨ·	ᡨ·	ᡨ·
142	ᡨ·	MLI. SIBE ISOLATE GOO											goo	goo	ᡨ·	ᡨ·	ᡨ·	goo	goo	ᡨ·	ᡨ·	ᡨ·	ᡨ·	ᡨ·	ᡨ·	ᡨ·	ᡨ·
143	ᡪ·	MLI. SIBE QAA											qaa	qaa	ᡪ·	ᡪ·	ᡪ·	qaa	qaa	ᡪ·	ᡪ·	ᡪ·	ᡪ·	ᡪ·	ᡪ·	ᡪ·	ᡪ·
144	ᡩ·	MLI. SIBE ISOLATE QAA											qaa	qaa	ᡩ·	ᡩ·	ᡩ·	qaa	qaa	ᡩ·	ᡩ·	ᡩ·	ᡩ·	ᡩ·	ᡩ·	ᡩ·	ᡩ·
145	ᡨ·	MLI. SIBE QOO											qoo	qoo	ᡨ·	ᡨ·	ᡨ·	qoo	qoo	ᡨ·	ᡨ·	ᡨ·	ᡨ·	ᡨ·	ᡨ·	ᡨ·	ᡨ·
146	ᡨ·	MLI. SIBE ISOLATE QOO											qoo	qoo	ᡨ·	ᡨ·	ᡨ·	qoo	qoo	ᡨ·	ᡨ·	ᡨ·	ᡨ·	ᡨ·	ᡨ·	ᡨ·	ᡨ·
147	ᡩ	MLI. AG PA	pa	pa			ᡩ	ᡩ									pa	pa				ᡩ	ᡩ				
148	ᡩ	MLI. AG ISOLATE PA	pa				ᡩ	ᡩ									pa	pa				ᡩ	ᡩ				
149	ᡨ·	MLI. AG PE																pe	pe				ᡨ·	ᡨ·			
150	ᡩ·	MLI. AG ISOLATE PE																pe	pe				ᡩ·	ᡩ·			
151	ᡨ	MLI. AG PI	pi	pi			ᡨ	ᡨ														ᡨ	ᡨ				
152	ᡩ	MLI. AG ISOLATE PI	pi				ᡩ	ᡩ									pi	pi				ᡩ	ᡩ				
153	ᡩ	MLI. AG PO	po	po			ᡩ	ᡩ									po	po				ᡩ	ᡩ				
154	ᡩ	MLI. AG ISOLATE PO	po				ᡩ	ᡩ									po	po				ᡩ	ᡩ				
155	ᡩ·	MLI. AG PUE																pue	pue				ᡩ·	ᡩ·			
156	ᡩ·	MLI. AG ISOLATE PUE																pue	pue				ᡩ·	ᡩ·			
157	ᡩ	MLI. AG PUE	pue	pue			ᡩ	ᡩ																			

No	graphic symbols of ligature	NAME	MONGOL			TODO			SIBE			MANCHU				
			ISO	INI	MED	FIN	RULE	ISO	INI	MED	FIN	RULE	ISO	INI	MED	FIN
158	ӟ	MLI AG ISOLATE PUE	pue			pue	ڣ ӟ ӢSF									
159	Ӫ	MLI AG PEE	pee	pee			ڣ ӂ ӢNF									
160	ӟ	MLI AG ISOLATE PEE	pee			pee	ڣ ӂ ӢSF									
161	ӝ	MLI TODO AG PE						pe	pe	pe	pe	ڣ ӝ ӢSF				
162	ӈ	MLI TODO AG PI							pi	pi	pi	ӈ ӈ ӢNF				
163	ӝ	MLI TODO AG ISOLATE II						pi		pi	pi	ӈ ӝ ӢSF				
164	ӝ	MLI TODO AG PU							pu	pu	pu	ӈ ӝ ӢNF				
165	ӝ	MLI TODO AG ISOLATE PU						pu		pu	pu	ӈ ӝ ӢSF				
166	ӝ	MLI AG PHA	pha	pha		ڣ ӝ ӢNF										
167	ӝ	MLI AG ISOLATE PHA	pha			pha	ڣ ӝ ӢSF									
168	ӝ	MLI AG PHI				phi	phi		ڣ ӝ ӢNF							
169	ӝ	MLI AG ISOLATE PHI	phi				phi	ڣ ӝ ӢSF								
170	ӝ	MLI AG PHO				pho	pho		ڣ ӝ ӢNF							
171	ӝ	MLI AG ISOLATE PHO	pho				pho	ڣ ӝ ӢSF								
172	ӝ	MLI AG PHUE	phue				ڣ ӝ ӢNF									
173	ӝ	MLI AG ISOLATE PHUE	phue			phue	ڣ ӝ ӢSF									
174	ӝ	MLI AG PHEE	phee				ڣ ӝ ӢNF									
175	ӝ	MLI AG ISOLATE PHEE	phee				ڣ ӝ ӢSF									
176	ӝ	MLI TODO AG KE							ke	ke	ke	ӈ ӝ ӢSF				
177	ӝ	MLI TODO AG KI							ki	ki	ki	ӈ ӝ ӢNF				



### Appendix III

## Explanation of Peculiar Punctuation Marks & Control Symbols in Mongolian

Some directions should be offered to users to Mongolian encoding system concerning the usage of the punctuation marks & control symbols peculiar to Mongolian, Todo, Sibe, or Manchu scripts.

1. □ — MONGOLIAN SPACE. In Mongolian, Todo, Sibe, and Manchu scripts, apart from the space for common use, a "Mongolian space" shoud be adopted. This is a non-breaking space. This "Mongolian space" is used before a separated suffix. The figure □ should be shown on the computer screen , but in printing it suffices to leave a space.

Examples of the usage of "Mongolian space"			
suffix	way of input	suffix	way of input
<b>MONGOLIAN:</b>			
м/	□ ь м?	н/	□ ь н/□ ь м?
е	□ ь е/□ ь н	э/	□ ь э/□ ь н
үү	□ ь үү/□ ь үү	үү/	□ ь үү/□ ь үү
өө	□ ь өө/□ ь өө	өө/	□ ь өө/□ ь өө
жж	□ ь жж /□ ь жж	жж/	□ ь жж /□ ь жж
ж	□ ь ж	ж/	□ ь ж/□ ь ж
жж	□ ь жж/□ ь жж	жж/	□ ь жж/□ ь жж
жжж	□ ь жжж/□ ь жжж	жжж/	□ ь жжж/□ ь жжж
жжжж	□ ь жжжж/□ ь жжжж	жжжж/	□ ь жжжж/□ ь жжжж
<b>TODO:</b>			
чч	□ ь чч	ччч/	□ ь ччч/□ ь ччч
ч	□ ь ч	ч/	□ ь ч/□ ь ч
ччч	□ ь ччч/□ ь ччч	ччч/	□ ь ччч/□ ь ччч
чччч	□ ь чччч/□ ь чччч	чччч/	□ ь чччч/□ ь чччч
<b>SIBE &amp; MANCHU:</b>			

‘	𠁪	’	𠁫
‘	𠁪𠁪	’	𠁫𠁪
‘	𠁪𠁪𠁪	’	𠁫𠁪𠁪

2. ~ — MONGOLIAN BIRGA. It is used at the beginning of an article or a paragraph in Mongolian and Todo scripts.

3. ; — MONGOLIAN ELLIPSIS. The ellipsis in Mongolian and Todo scripts is four dots.

4. ‘ — MONGOLIAN COMMA. Peculiar comma of the Mongolian script.

5. ‘ — MONGOLIAN PERIOD. Peculiar period of the Mongolian script.

6. .. — MONGOLIAN COLON. Colon of Mongolian and the other three scripts.

7. ⚡ — MONGOLIAN FOUR DOTS. It is used at the end of an article or paragraph in Mongolian and Todo scripts.

8. ?! —MONGOLIAN COMBINATORY SYMBOL .

9. ‘ — MONGOLIAN TODO LINE-SHIFT HYPHEN. Peculiar line-shift hyphen in Todo writing. It is placed at the beginning of the shifted line.

10. ✕ — MONGOLIAN SIBE SYLLABLE BOUNDARY MARKER.

11. ~ — MONGOLIAN MANCHU COMMA.

12. ~ — MONGOLIAN MANCHU PERIOD.

13. ‘ — MONGOLIAN NIRUGU. It is used in Mongolian and Todo scripts and it is different from the hyphen-minus of common use. It must link up the upper and lower characters as one, its width should be the same as the spine of a word. The NIRUGU is used mainly to lengthen the characters. For example:

ᠮ	ᠮ	ᠮ	ᠮ
ᠮ	ᠮ	ᠮ	ᠮ

(Normal characters)  
(Lengthened characters)

14. [MVS] — MONGOLIAN VOWEL SEPARATOR. The mongolian vowel separator is used to separate the vowel A/E at the end of a word and the consonant before them.

Examples for the usage of MVS.

The form using MVS	Record	The form not using MVS	Record
‘	… ! [MVS] 𠁪/𠁪	‘	𠁪/𠁪
’	… ! [MVS] 𠁫	’	𠁫
’	… ? [MVS] 𠁫	’	𠁫
’	… ? [MVS] 𠁪/𠁪	’	𠁪/𠁪
’	… ? [MVS] 𠁪/𠁪	’	𠁪/𠁪

𠂇	... + <b>MVS</b> 𠂇/𠂇	𠂇	+ 𠂇/𠂇
𠂇	... + <b>MVS</b> 𠂇	𠂇	+ 𠂇/𠂇
𠂇	... + <b>MVS</b> 𠂇/𠂇	𠂇	+ 𠂇/𠂇
𠂇	... + <b>MVS</b> 𠂇/𠂇	𠂇	+ 𠂇/𠂇
𠂇	... + <b>MVS</b> 𠂇/𠂇	𠂇	+ 𠂇/𠂇

15. **[ISF]** —— MONGOLIAN ISOLATED FORM. In arbitrary sequences, when the isolated forms of characters are written obligatorily and without any rules, **[ISF]** is used. It is used after basic characters. If there are several isolated forms of characters, the "free variation selector" is used according to the rules in Appendix I. The "free variation selector" is located after **[ISF]**.

Examples for the usage of ISF.

The form using ISF	Record	The form not using ISF	Record
𠂇	𠂇 [ISF] 𠂇	𠂇	𠂇 𠂇
𠂇	𠂇 [ISF] 𠂇	𠂇	𠂇 𠂇

16. **[INF]** —— MONGOLIAN INITIAL FORM. In arbitrary sequences, when the initial forms of characters are written obligatorily and without any rules, **[INF]** is used. It is used after basic characters. If there are several initial forms of characters, the "free variation selector" is placed according to the rules in Appendix I. The "free variation selector" is placed after **[INF]**.

Examples for the usage of INF.

The form using INF	Record	The form not using INF	Record
𠂇 𠂇	𠂇 [INF] 𠂇 [MEF] 𠂇 𠂇	𠂇 𠂇	𠂇 𠂇 𠂇 𠂇
𠂇	𠂇 [INF] 𠂇	𠂇	𠂇 𠂇
𠂇	𠂇 [INF] 𠂇	𠂇	𠂇 𠂇

17. **[MEF]** —— MONGOLIAN MEDIAL FORM. In arbitrary sequences, when the medial forms of characters are written obligatorily and without any rules, **[MEF]** is used. It is used after basic characters. If there are several medial forms of characters, the "free variation selector" is placed according to the rules in Appendix I. The "free variation selector" is placed after **[MEF]**.

Examples for the usage of MEF.

The form using MEF	Record	The form not using MEF	Record
𠂇 𠂇	𠂇 [MEF] 𠂇 [MVS] 𠂇	𠂇 𠂇	𠂇 𠂇 [MVS] 𠂇
𠂇	𠂇 [MEF] 𠂇	𠂇	𠂇 𠂇

107

107 MEF

107

107

18. **FIF** — MONGOLIAN FINAL FORM. In arbitrary sequences, when the final forms of characters are written obligatorily and without any rules, **FIF** is used. It is used after basic characters. If there are several final forms of characters, the "free variation selector" is used according to the rules in Appendix I. The "free variation selector" is located after **FIF**.

Examples for the usage of MVS.

The form using MVS	Record	The form not using MVS	Record
г	г <b>INF</b> 1 <b>FIF</b>	г	г 1
н	н <b>INF</b> 1	н	н 1
т	т <b>INF</b> 1	т	т 1

**ISF**, **INF**, **MEF** and **FIF** are position markers. The priority degree of these position markers are greater than any other rules except that for ligatures.

19. **FVS1** — MONGOLIAN FREE VARIATION SELECTOR ONE. Mongolian free variation selector one **FVS1**, Mongolian free variation selector two **FVS2** and Mongolian free variation selector three **FVS3** are used to distinguish the different variants of the same letter appearing under the same condition.

Examples for the usage of the free variation selector

The Variants using the "selector" Record	The Variants not using the "selector" Record
н	н <b>FVS1</b>
н	н ... н <b>FVS1</b>
нам(old form)	н <b>FVS1</b> ... нам
нам	н ... н <b>FVS1</b>
нан(old form)	н <b>FVS1</b> ... нан
нан(old form)	... н <b>FVS1</b> ... нан
нан( old form)	... н <b>FVS2</b> [MVS] н ... нан
т	т <b>FVS1</b>
тийсийн	... т <b>FVS1</b> ... тиийсийн (wrong spelling)
тий	... т <b>FVS1</b> ... тий
тий	... т <b>FVS1</b> ... тий (wrong spelling)
тий	... т <b>FVS1</b>

ئى (old form)	... ئ [FVS1]	ئى	... ئ
ئى (old form)	ئ [FVS2]	ئى	ئ ...
ئى (old form)	ئ [FVS1] ...	ئى	ئ ...
ئى (old form)	... ئ [FVS1] ...	ئى	... ئ ...
ئى	... ئ [FVS1]	ئى	... ئ
ئى (old form)	... ئ [FVS1]	ئى	... ئ
ئى	... ئ [FVS1] ...	ئى (wrong spelling)	... ئ ...
ئى	ئ [FVS1] ...	ئى	ئ ...
ئى	... ئ [FVS1] ...	ئى (wrong spelling)	... ئ ...
ئى	ئ [FVS1]	ئى (wrong spelling)	ئ ...
ئى (old form)	ئ [FVS1] ...	ئى	ئ ...
ئى	... ئ [FVS1] ...	ئى	ئ ...

20. **FVS2** — MONGOLIAN FREE VARIATION SELECTOR TWO.

21. **FVS3** — MONGOLIAN FREE VARIATION SELECTOR THREE.

