

**ISO/IEC JTC1/SC2/WG2
Coded Character Set
Secretariat: Japan (JISC)**

Doc. Type: Disposition of comments

Title: Disposition of comments on SC2 N 3914 (PDAM text for Amendment 4 to ISO/IEC 10646:2003)

Source: Michel Suignard (project editor)

Project: JTC1 02.10646.00.04

Status: For review by WG2

Date: 2007-04-26

Distribution: WG2

Reference: SC2 N3914, 3920

Medium: Paper, PDF file

Comments were received from China, Ireland, Japan, United Kingdom, and USA. The following document is the draft disposition of those comments. The disposition is organized per country. The issues concerning the CJK Unified Ideograph Extension C are consolidated in a table at the end of the document.

Note – The full content of the ballot comments have been included in this document to facilitate the reading. The dispositions are inserted in between these comments and are marked in **Underlined Bold Serif text**, with *explanatory text in italicized serif*.

As a result of this disposition, all negative votes were accommodated.

China:Negative

China votes NO to ISO/IEC JTC1/SC2N3914 PDAM4 of ISO/IEC 10646: 2003. Acceptance of our comments and appropriate changes in the text will change our vote to approval.

Technical comments

T1.a. Lanna (Name of the script)

Lanna is a regional name which is named by foreign scholars for a kind of script in Tai land. Actually, the script is used internationally. It is now used or was used in not only Tai Land, but also China, Myanmar and Laos. The script is given different names in different regions although there is no remarkable differences among them. The script is even called in various names rather than Lanna in Tai Land. Thus, another name which can be accepted by all parties is needed.

Accepted in principle

A parenthetical notation will be added in the block list in A.2.2 for LANNA as follows:

LANNA (Old Tai Lue)

In addition a note will be added in the same clause to clarify that parenthetical notations are not part of the block names.

T1.b. Characters:

The script was improved by users respectively after it was introduced to various regions in south-east Asia. In order to meet the demands of users of the script in various regions, more encoded characters are needed. For use in China, there are about 10 more consonants should be encoded.

Withdrawn

T2. Mahjong characters

The following 5 glyphs should be changed to that like traditional Mahjong tiles style:

1F010 MAHJONG TILE ONE OF BAMBOOS (tiao)

1F022 MAHJONG TILE PLUM (mei)

1F023 MAHJONG TILE ORCHID (lan)

1F024 MAHJONG TILE BAMBOO (zhu)











1F025 MAHJONG TILE CHRYSANTHEMUM (ju)

Accepted in principle

See similar comment E.2 from Ireland. In fact glyph for character 1F024 (Bamboo) is acceptable. Glyphs for the other characters (1F010, 1F022, 1F023, and 1F025) will be updated according to the Irish contribution.

T3 CJK Unified Ideographs Extension C: Glyph errors

The following 16 glyphs should be corrected, or should be confirmed by their submitters:

| | | | | |
|------------------------------------|-------------------------------------------------------------------------------------|-------------|--------------------------------------------------------------------------------------|---|
| 2A77D (source: V04-414D) should be |  | rather than |  | . |
| 2A825 (source: V04-4272) should be |  | rather than |  | . |
| 2A8AB (source: TE-4633) should be |  | rather than |  | . |
| 2AB23 (source: V04-4839) should be |  | rather than |  | . |
| 2ABB1 (source: V04-4946) should be |  | rather than |  | . |

2ABF6 (source: V04-497B) should be 散酒 rather than 散酒

2AC09 (source: V04-4A25) should be 鏤 rather than 鏤

2ACF3 (source: JK-65293) should be 啄 rather than 啄

2AF72 (source: V04-4E31) should be 底生 rather than 底生

2B000 (source: V04-4F4B) should be 砗 rather than 砗

2B028 (source: V04-4F58) should be 砗 rather than 砗

2B04B (source: TD-4223) should be 襴 rather than 襴

2B0CE (source: V04-5035) should be 筭 rather than 筭

2B187 (source: V04-5142) should be 羝 rather than 羝

2B3BF (source: V04-544F) should be 甍 rather than 甍

2B70A (source: JK-66061) should be 鵠 rather than 鵠

Partially accepted

Note that errors for 2ABB1 and 2B0CE were also captured by UK (comments T.3 and T.4). See annex 1 for consolidated dispositions.

T.4 CJK Unified Ideographs Extension C: last digit of some code points missing:

| | | | | | |
|-------|-------|-------|-------|-------|-------|
| 2AACA | 2AACB | 2AACC | 2AACD | 2AACE | 2AACF |
| 2AADA | 2AADB | 2AADC | 2AADD | 2AADE | 2AADF |
| 2AAEA | 2AAEB | 2AAEC | 2AAED | 2AAEE | |
| 2AAFA | 2AAFB | 2AAFC | 2AAFD | | |
| 2ABAA | 2ABAB | 2ABAC | 2ABAD | 2ABAE | 2ABAF |
| 2ABBB | 2ABBB | 2ABBC | 2ABBD | 2ABBE | 2ABBF |
| 2ABCA | 2ABCB | 2ABCC | 2ABCD | 2ABCE | 2ABCF |
| 2ABDA | 2ABDB | 2ABDC | 2ABDD | 2ABDE | 2ABDF |
| 2ABEA | 2ABEB | 2ABEC | 2ABED | 2ABEE | |
| 2ABFA | 2ABFB | 2ABFC | 2ABFD | | |
| 2ACAA | 2ACAB | 2ACAC | 2ACAD | 2ACAE | 2ACAF |
| 2ACBA | 2ACBB | 2ACBC | 2ACBD | 2ACBE | 2ACBF |
| 2ACCA | 2ACCB | 2ACCC | 2ACCD | 2ACCE | 2ACCF |
| 2ACDA | 2ACDB | 2ACDC | 2ACDD | 2ACDE | 2ACDF |
| 2ACEA | 2ACEB | 2ACEC | 2ACED | 2ACEE | |
| 2ACFA | 2ACFB | 2ACFC | 2ACFD | | |

| | | | | | |
|-------|-------|-------|-------|-------|-------|
| 2ADAA | 2ADAB | 2ADAC | 2ADAD | 2ADAE | 2ADAF |
| 2ADBA | 2ADBB | 2ADBC | 2ADBD | 2ADBE | 2ADBF |
| 2ADCA | 2ADCB | 2ADCC | 2ADCD | 2ADCE | 2ADCF |
| 2ADDA | 2ADDB | 2ADDC | 2ADDD | 2ADDE | 2ADDF |
| 2ADEA | 2ADEB | 2ADEC | 2ADED | 2ADEE | |
| 2ADFA | 2ADFB | 2ADFC | 2ADFD | | |
| 2AECA | 2AECB | 2AECC | 2AECD | 2AECE | |
| 2AEDA | 2AEDB | 2AEDC | 2AEDD | 2AEDE | |
| 2AFAA | 2AFAB | 2AFAC | 2AFAD | | |
| 2AFBA | 2AFBB | 2AFBC | 2AFBD | | |
| 2AFCA | 2AFCB | 2AFCC | 2AFCD | | |
| 2AFDA | 2AFDB | 2AFDC | 2AFDD | | |

Accepted

In fact, as noted by Japan in their attachment and UK in comment E.4, even more entries are defective. This was a formatting error during the chart printing process. The source file (CJKU_Sr.txt) has the correct values. See annex 1 for consolidated dispositions.



As a result of this disposition, China changed its vote to Yes.

Ireland: Negative

Ireland **disapproves** the draft with the technical and editorial comments given below. Acceptance of these comments and appropriate changes to the text will change our vote to approval.

Technical comments

T1. Page 14, Table 62 - Row 1A: Lanna.

With reference to ISO/IEC JTC1/SC2/WG2 N3207 “Revised proposal for encoding the Lanna script in the BMP of the UCS”, Ireland requests that the characters  LANNA LETTER KHUN HIGH CHA and  LANNA SIGN CAANG be added to the PDAM at positions U+1A29 (moving the following characters down one position to U+1A5F) and U+1AAD respectively. Ireland also requests that the character names as given in N3207 be used for all characters, replacing the names used in the PDAM. (This will correct some errors arising from the PDAM names apparently being taken from N3121 instead of from N3121R.)

Accepted in principle

Considering the name change request from UK, the resulting additions are as follows:

1A29 LANNA LETTER KHUEN HIGH CHA
1AAD LANNA SIGN CAANG

In addition, based on preference from the Chinese NB, the Khiün font style (see page 16 of WG2 N3207) will be used in the code chart.

T2. Page 18, Table 110 - Row 2D: Cyrillic Extended-A.

a) With reference to ISO/IEC JTC1/SC2/WG2 N3194 “Proposal to encode additional Cyrillic characters in the BMP of the UCS”, Ireland requests that the character names and glyphs for the characters listed in this chart be changed to those shown on pages 16 and 17 of N3194. The names should reflect the UCS names for the Cyrillic base letters, not the Church Slavonic names for these characters. The glyphs should be in Roman style (graz’danka), not in Slavonic style. This change will also affect the characters 2DE0 .. 2DF5 in the “List of combining characters” on page 6 of the PDAM.

Accepted

Similar request from the US (comment T.3) concerning renaming.

b) Regarding the other Cyrillic characters proposed in N3194, Ireland would favour the addition of these to the PDAM, but does not make this a condition for changing our vote to approval.

Accepted

Editorial comments

E1. Page 22, Table 201 - Row 01: Ancient Symbols.

Ireland requests that the winding error in the glyph for U+10194 be corrected. We would also like clarification: should the header of the table not be listed as “Row 101”?

Proposed acceptance in principle

The glyph correction is fine. Concerning Row numbers, it is always within a plane. The chart mentions $P=1$, which is the indicator that the characters belongs to Plane 1.

E2. Page 24, Table 236 - Row F0: Mahjong Tiles.

The glyphs for U+1F010 MAHJONG TILE ONE OF BAMBOOS, U+1F022 MAHJONG TILE PLUM, U+1F023 MAHJONG TILE ORCHID, and U+1F025 MAHJONG TILE CHRYSANTHEMUM, should be improved. We propose the following glyphs (showing the tile for U+1F024 MAHJONG TILE BAMBOO for comparison with the other flowers):



The bird represents a sparrow, or Chinese máquè, another name for májiàng ‘mahjong’. We would also like clarification: should the header of the table not be listed as “Row 1F0”?

Accepted in principle

See disposition for comment T.2 from China. Concerning the row number, see the disposition of comment E.1.

As a result of this disposition, China changed its vote to Yes.

Japan, Negative

Japan disapproves the document SC2 N3875 with five technical and one editorial comment. Japan will change its vote if the comments are accepted and corresponding texts are updated appropriately.

Technical comments

JP1 (Technical) Removal of implementation levels

Japan supports the idea of removing implementation levels from ISO/IEC 10646. However, the way the standard is revised to do so under the current draft is considered inappropriate. The following arrangements are suggested:

- All references to the term "implementation level" should be removed from normative text, including historical references to implementation level 3.
- Informative references to "implementation level" should also be removed as much as possible.
- The control functions for identification of coded representation forms with implementation level 3 should be redefined as identification of coded representation forms, and the phrase "with implementation level 3" should be removed from the definitions.
- Japan wants to add an informative annex to explain implementation level in the past standards, including something for control functions to identify implementation levels 1 and 2, the unique spelling rule (for Indic scripts), and collection's "automatic removal" based on designated implementation levels.

Propose acceptance in principle

When formulating his initial proposal concerning the removal of implementation level (see document WG2 N3148 section 7), the project editor considered that path of removing all the implementation level terminology from the normative text. However it is useful to put again the considerations mentioned in that document (emphasis added):

“The proposal is to eliminate the choice of multiple implementation levels from new versions of the standard and limit implementation level to level 3. Implementations requiring the former implementation

levels 1 and 2 could still refer to the standard up to ISO/IEC 10646:2003 and the two current amendments. For identification purpose, **the sole remaining level: level 3 would still be mentioned in places such as ISO/IEC 2022, to maintain compatibility with current versions of ISO/IEC 10646.** The deprecated levels would still be mentioned in notes. The following is a comprehensive set of editor's instructions to achieve that goal:"

The problem with totally removing implementation level is that the non restricted 'level' of 10646 is referenced externally with the implementation level 3. Strictly speaking, the implementation levels are not part of the escape sequences required within the context of ISO/IEC 2022; it is just an explanation in the clauses 16.2, annexes C.5 and D.6. Therefore, the level mention will be removed from these normative parts, including clause 14, as requested by Japan.

Concerning annex N (external references to character repertoires), the situation is different because the level is part of the arc sequence. Therefore, for compatibility reason, the number '3' must stay in the sequence, although the rationale for inclusion will be put in a note.

Finally, having a full new informative annex does not seem necessary. It would give more apparent weight to a concept we are deprecating. It is always possible to refer to previous versions/editions of the standard to get more explanation about implementation levels. Notes (informative) will be added or maintained wherever identification sequences are used in the standard to identify level 3 or have been deprecated (level 1 and 2).

JP2 (Technical) Correction to CJK Unified Ideographs Extension C

Japan found some problems in the current code chart for CJK Unified Ideographs extension C. Details of the problems are listed in the attachment. The code chart should be updated.

Japan wants WG2 to instruct IRG to evaluate the attached comments and to provide corrected code chart.

In CJK extension C code chart, V-column glyphs listed below have some differences from IRG's internal review document. Japan requests IRG to verify and confirm the shapes.

2a719, 2a71b, 2a77d, 2a825, 2a949

2aa11, 2aa84, 2ab23, 2abf6, 2ae25

2aebc, 2aec3, 2af7c, 2b000, 2b028

2b09b, 2b0ce, 2b16c, 2b187, 2b23c

2b3bf, 2b40e, 2b642, 2b644

2abb1 V-column glyph is wrong. Japan request IRG to confirm.

2b151 U-column glyph is wrong. Japan request IRG to confirm.

The chart has some printing problems. In particular, some code position values on "Ucode" column lack the last hexadecimal digit. For example, the code position "2AAAA" is printed as "2AAA". The overall margins and/or positionings should be adjust appropriately.

Accepted in principle

Similar comments were made by China. Concerning the character 2B151, the U-column shows the same glyph in the original proposal:

http://www.cse.cuhk.edu.hk/~irg/irg/irg26/IRGN1235_C1Evidence_Unicode.pdf, which itself points to the non resolvable link <http://linguistics.berkeley.edu/~rscook/bishop/Wenlin-PUA.pdf>. In the absence of further clarification from the submitter, the UTC source will be removed from 2B151. See annex 1 for consolidated CJK Ext C dispositions.

Editorial comments

JP3 (Editorial) V source reference

In 27.3, change "V4-4876" to "V04-4876" in the figure to align with the actual code chart.

Accepted

However, it seems that all V source should have used the same format (V1 to V4). Therefore the preferred solution would be to have consistently formatted V sources.

As a result of this disposition, China changed its vote to Yes.

United Kingdom: Negative with comments:

The UK votes to DISAPPROVE the amendment, with the following technical and editorial comments. If our comments are satisfactorily resolved we will change our vote to APPROVAL.

Technical comments:

T.1.1 Page 15 Lanna name changes

Rename the following characters. NB The changes marked with an asterisk are not reflected in N3207.

1A22 LANNA LETTER HIGH XA => LANNA LETTER HIGH KXA
1A23 LANNA LETTER LOW GA => LANNA LETTER LOW KA
1A24 LANNA LETTER LOW KHA => LANNA LETTER LOW KXA
1A25 LANNA LETTER LOW KHAA => LANNA LETTER LOW KHA
1A26 LANNA LETTER LOW NGA => LANNA LETTER NGA *
1A28 LANNA LETTER HIGH SA => LANNA LETTER HIGH CHA
1A29 LANNA LETTER LOW CHA => LANNA LETTER LOW CA
1A2A LANNA LETTER NORTHERN THAI LOW CHA => LANNA LETTER NORTHERN THAI LOW CA
1A2D LANNA LETTER LOW SAA => LANNA LETTER LOW CHA
1A2E LANNA LETTER HIGH NYA => LANNA LETTER NYA *
1A2F LANNA LETTER LATA => LANNA LETTER RATA
1A30 LANNA LETTER HIGH LATHA => LANNA LETTER HIGH RATHA
1A31 LANNA LETTER LADA => LANNA LETTER DA
1A32 LANNA LETTER LOW LATHA => LANNA LETTER LOW RATHA
1A33 LANNA LETTER LANA => LANNA LETTER RANA
1A41 LANNA LETTER LOW NYA => LANNA LETTER LOW YA
1A42 LANNA LETTER YA => LANNA LETTER HIGH YA
1A44 LANNA LETTER RU => LANNA LETTER RUE
1A46 LANNA LETTER LU => LANNA LETTER LUE
1A48 LANNA LETTER HIGH SAA => LANNA LETTER HIGH SHA
1A4A LANNA LETTER HIGH SSAA => LANNA LETTER HIGH SA
1A4C LANNA LETTER LAA => LANNA LETTER LLA
1A56 LANNA LETTER LE => LANNA LETTER LAE
1A5A LANNA SIGN KHUN MAI KANG LAI => LANNA SIGN KHUEN MAI KANG LAI *
1A5D LANNA CONSONANT SIGN HIGH LATHA OR LOW PA => LANNA CONSONANT SIGN HIGH RATHA OR LOW PA
1A6D LANNA VOWEL SIGN ONG => LANNA VOWEL SIGN O
1A6E LANNA VOWEL SIGN OH => LANNA VOWEL SIGN OA BELOW
1A71 LANNA VOWEL SIGN EE => LANNA VOWEL SIGN AE
1A75 LANNA VOWEL SIGN O => LANNA VOWEL SIGN OA ABOVE
1A79 LANNA SIGN KHUN TONE-3 => LANNA SIGN KHUEN TONE-3 *
1A7A LANNA SIGN KHUN TONE-4 => LANNA SIGN KHUEN TONE-4 *
1A7B LANNA SIGN KHUN TONE-5 => LANNA SIGN KHUEN TONE-5 *
1A7C LANNA SIGN LAHAAM => LANNA SIGN RA HAAM
1AA0 LANNA SIGN WIANGWAAK => LANNA SIGN WIANG
1AA1 LANNA SIGN WIANG => LANNA SIGN WIANGWAAK
1AA6 LANNA SIGN REVERSED ROTATED LANA => LANNA SIGN REVERSED ROTATED RANA
1AA8 LANNA SIGN GAAN => LANNA SIGN KAAAN
1AA9 LANNA SIGN GAANGUU => LANNA SIGN KAANKUU
1AAA LANNA SIGN SATGAAN => LANNA SIGN SATKAAN
1AAB LANNA SIGN SATGAANGUU => LANNA SIGN SATKAANKUU

Accepted in principal

Note that code positions reflect pdam4, not the revised values from WG2 N3207. Most of these name changes were also requested by Ireland. However the additional name changes (marked with '') were specific to UK.*

T 1.2. Lanna code positions moves

Move the following characters, as per N3207: 1A29..1A5E => 1A2A..1A5F

Accepted

Also requested by Ireland (comment T.1), and implied by US comment T.2.

T 1.3. Lanna new characters

Add the following new characters, as per N3207:

1A29 LANNA LETTER KHUEN HIGH CHA (NB suggested name differs from N3207)
1AAD LANNA SIGN CAANG

Accepted

Also requested by Ireland (comment T.1), and by US comment T.2.

T 1.4. Lanna character removal

There is some doubt over the need to encode the following two characters and whether they are equivalent to the decomposition sequences assigned to them in N3207. We therefore suggest removing them from Amd.4 pending further investigation.

1A65 LANNA VOWEL SIGN AM
1A66 LANNA VOWEL SIGN TALL AM

Accepted

Also requested by US comment T.2. The document N3207 as revised does not contain these characters anymore.

T 1.5. Lanna code position move

Move the following characters to fill the gap left by the removal of 1A65..1A66:

1A67..1A7D => 1A65..1A7B

Accepted

T2 page 48: CJK Unified Ideographs Extension C U+2A988

(glyphs added by project editor)

We believe that according to the CJK unification rules U+2A988 媯 should be unified with the already encoded U+2177B 媯. The difference between U+2177B and U+2A988 is that the righthand component of U+2177B is written as U+4E8F 亏 whereas the righthand component of U+2A988 is written as U+4E90 亏. The following examples demonstrate that U+4E8F and U+4E90 are unifiable components:

U+2A746. In Amd.4 source glyph TC-4375 倗 is written with U+4E90, whereas source glyph V04-4126 倗 is written with U+4E8F.

U+28706 鄗. In Super CJK Version 14.0

<http://www.cse.cuhk.edu.hk/~irg/irg/CJK/SuperCJK140_IRGN802.zip> page 1729 U+28706 is written with both U+4E8F and U+4E90 as its righthand component.

Furthermore, ISO/IEC 10646:2003 Annex S (page 1413) gives U+6C5A 汚 (U+4E90 component) and U+6C61 污 (U+4E8F component) as an example of two characters which would have been unified according to the unification rules given (S.1.6).

We therefore request that U+2A988 be removed from the amendment, and the characters 2A989..2B77A be renumbered accordingly.

Accepted

See annex 1 for consolidated CJK Ext C dispositions.

T3 page 65: CJK Unified Ideographs Extension C U+2ABB1

(glyphs added by project editor)

The glyph shown for U+2ABB1 𠬪 (V04-4946) is completely incorrect (wrong radical and five strokes instead of 14). The source glyph is also shown incorrectly in N3134A1 page 67 (#09682), although the reference image is shown correctly here 𠬪. In IRG N898 <http://www.cse.cuhk.edu.hk/~irg/irg/irg19/N898-VietNam_C1.zip> page 11 V04-4946 is shown with the correct source glyph.

We therefore request that that the glyph for U+2ABB1 be changed to reflect the source glyph V04-4946 given in the original submission by Vietnam.

Accepted

Also found by Japan (comment JP2). See annex 1 for consolidated CJK Ext C dispositions.

T4 page 106: CJK Unified Ideographs Extension C U+2B0CE

(glyphs added by project editor)

The glyph shown for U+2B0CE 筭 (V04-5035) appears to be incorrect (nine residual strokes instead of eleven). The source glyph is also shown incorrectly in N3134A2 page 140 (#16060), although the reference image is shown correctly here 筭. In IRG N898 <http://www.cse.cuhk.edu.hk/~irg/irg19/N898-VietNam_C1.zip> page 18 V04-5035 is shown with the correct source glyph (eleven residual strokes rather than nine).

We therefore request that that the glyph for U+2B0CE be changed to reflect the source glyph V04-5035 given in the original submission by Vietnam.

Accepted

Also found by China (comment T3) and Japan (comment JP2). See annex 1 for consolidated CJK Ext C dispositions.

T5 page 91: CJK Unified Ideographs Extension C U+2AEEF

(glyphs added by project editor)

The glyph for U+2AEEF 𧠦 is the same as the glyph for the compatibility ideograph U+2F927, which is canonically equivalent to U+24814 𧠦. The righthand component of U+2AEEF (i.e. U+8C9F 𧠦) is a common glyph variant of the righthand component of U+24814 (i.e. U+54E1 員), and we believe that these two components are normally unifiable. For example, ISO/IEC 10646:2003 Annex S (page 1411) gives U+570E 圓 (U+8C9F component) and U+5713 圓 (U+54E1 component) as an example of two characters which would have been unified according to the unification rules given in S.1 but for the fact that they come under the source separation rule (S.1.6).

Nevertheless, there are some examples of CJK-B characters with the U+8C9F component that do correspond to characters with the U+54E1 component (U+202CF 偵 & U+508A 偵, U+21396 埧 & U+5864, U+27D80 𧠦 & U+27D8A 𧠦, U+291B9 𧠦 & U+291C2 𧠦, U+2A0F0 𧠦 & U+9DB0 𧠦), but in none of these cases is there a corresponding compatibility ideograph.

We therefore request clarification as to whether it is necessary and appropriate to encode U+2AEEF in addition to U+2F927.

Accepted in principle

It was clarified in as such that the characters are not cognate, therefore 2AEEF remains. See annex 1 for consolidated CJK Ext C dispositions.

Editorial Comments

E1. Page 4 : Page 1351, annex A.1

<quote>

In the list of collections numbers and names, after

307 UNICODE 5.0 see A6.5 *

insert the new entry:

308 UNICODE 5.1 see A6.6 *

</quote>

308 Unicode 5.1 is already defined in Amd.3. This should be:

<quote>

308 UNICODE 5.1 see A6.6 *

insert the new entry:

309 UNICODE 5.2 see A6.7 *

</quote>

Not accepted

After FPDAM3 was written, but before PDAM4 was created, the Unicode Consortium decided to align Unicode 5.1 with at least Amendment 3 and Amendment 4. This means that the FPDAM3 text is no longer valid and indeed

the text in PDAM4 reflects the current status. When FPDAM3 is revised, it will be updated to remove all references to a Unicode 5.1 collection. The editor regrets the confusion.

E.2 pages 4-5 : Page 1357, Annex A.6 Unicode Collections

<quote>

At the end of Annex A.6, add new clause A.6.6 as follows.

A.6.6 308 UNICODE 5.1

308 The fixed collection UNICODE 5.2 consists of a fixed collection. The collection list is arranged by planes as follows.

</quote>

This should be:

<quote>

At the end of Annex A.6, add new clause A.6.7 as follows.

A.6.7 309 UNICODE 5.2

309 The fixed collection UNICODE 5.2 consists of a fixed collection. The collection list is arranged by planes as follows.

</quote>

At bottom of page 5

<quote>

NOTE - The collection 309 UNICODE 5.1 can also be determined by using another fixed collection from A.6 and several ranges of code positions.

Plane 00-10

Collection number and name

308 UNICODE 5.0

</quote>

should be:

<quote>

NOTE - The collection 309 UNICODE 5.2 can also be determined by using another fixed collection from A.6 and several ranges of code positions.

Plane 00-10

Collection number and name

308 UNICODE 5.1

</quote>

Not accepted

See disposition of comment E.1

E.3 page 25: Table 236 - Row F0: Mahjong Tiles

1F02A MAHJONG TILE JOKER

We suggest adding the Chinese name of this tile as an annotation:

1F02A MAHJONG TILE JOKER (baida)

Accepted

E.4 page 28-159: CJK Unified Ideographs Extension C

The codepoints for the following ranges of characters are printed with the last hexadecimal digit missing:

2AAAA..2AAAF printed as 2AAA (page 57)

2AABA..2AABF printed as 2AAB (page 57)

2AACA..2AACF printed as 2AAC (page 58)

2AADA..2AADF printed as 2AAD (page 58)

2AAEA..2AAEE printed as 2AAE (page 59)

2AAFA..2AAFD printed as 2AAF (page 59)

2ABAA..2ABAF printed as 2ABA (page 65)

2ABBA..2ABBF printed as 2ABB (page 65)

2ABCA..2ABCF printed as 2ABC (page 66)

2ABDA..2ABDF printed as 2ABD (page 66)

2ABEA..2ABEE printed as 2ABE (page 67)

2ABFA..2ABFD printed as 2ABF (page 67)

Page 10 of 16

2ACAA..2ACAF printed as 2ACA (page 73)
2ACBA..2ACBF printed as 2ACB (page 73)
2ACCA..2ACCF printed as 2ACC (page 74)
2ACDA..2ACDF printed as 2ACD (page 74)
2ACEA..2ACEE printed as 2ACE (page 75)
2ACFA..2ACFD printed as 2ACF (page 75)
2ADAA..2ADAF printed as 2ADA (page 81)
2ADBA..2ADBF printed as 2ADB (page 81)
2ADCA..2ADCF printed as 2ADC (page 82)
2ADDA..2ADDF printed as 2ADD (page 82)
2ADEA..2ADEE printed as 2ADE (page 83)
2ADFA..2ADFD printed as 2ADF (page 83)
2AEAA..2AEAE printed as 2AEA (page 89)
2AEBA..2AEBE printed as 2AEB (page 89)
2AECA..2AECE printed as 2AEC (page 90)
2AEDA..2AEDE printed as 2AED (page 90)
2AEEA..2AEED printed as 2AEE (page 91)
2AFAA..2AFAD printed as 2AFA (page 97)
2AFBA..2AFBD printed as 2AFB (page 97)
2AFCA..2AFCD printed as 2AFC (page 98)
2AFDA..2AFDD printed as 2AFD (page 98)

Accepted

Similar comment from China and Japan

As a result of this disposition, the UK changed its vote to Yes.

USA: Negative with comments:

Technical comments:

T.1 Character removal (Lanna)






The US is asking for the removal of the following characters:

```
1A65 LANNA VOWEL SIGN AM  
1A66 LANNA VOWEL SIGN TALL AM
```

The rationale for their inclusion is provided in WG2 N3121:

The presence of [LANNA VOWEL SIGN] AM (and [LANNA VOWEL SIGN] TALL AM) follows the Thai convention of ensuring that a final consonant is not stored before the vowel it follows. This is the only situation in which it could occur and so [LANNA VOWEL SIGN] AM is encoded to alleviate the problem.

It is again clarified in WG2 N3207:

The written representation of /am/ involves two visual components:  VOWEL SIGN AA (or  VOWEL SIGN TALL AA) and  MAI KANG, which, if /am/ were not used, would be stored in that order (since final consonants are always stored after their vowels). In the case of /am/ the MAI KANG is often rendered as part of the preceding cluster to VOWEL SIGN AA. In order to ensure grapheme cluster integrity (see UAX#29 section 3) the unitary characters  and  for /am/ are proposed, following Thai practice. Note that /am/ is the only situation in which this occurs. The use of a sequence for AM would break the opportunity for a cluster boundary before AA. The characters may (if the UTC thinks it wise) be given compatibility decompositions to AA + MAI KANG and TALL AA + MAI KANG respectively. (In Thai, the decomposition for U+0E33 SARA AM is to 0E4D

NIKHAHIT + U+0E32 SARA AA; this seems to be opposite, but Thai encodes in visual order so since the models are different this is not really relevant.)

The AM characters are an example of how sometimes more than one solution can be proposed for an encoding problem. It could be argued that these are “duplicate” characters, though the compatibility decomposition mitigates against that. One of the chief problems is that Northern Thai treats AM similarly to Thai AM; it places the MAI KANG glyph to the left of the -AA vowel (whether over the previous cluster or between the clusters):

◌◌, ◌◌◌. In Khün and Lue, the MAI KANG render the MAI KANG over the -AA vowel: ◌◌◌, ◌◌◌. Without an encoded AM, it would be likely that Northern Thai users would confuse AA + MAI KANG and MAI KANG + AA, even though the latter is logically incorrect for the underlying phonemes. This is not a problem for Khün and Lue, which treat it as a vowel + final, but Northern Thai users think of it as equivalent to Thai AM.

Potentially, MAI KANG and AA may also occur with MAI KANG properly preceding AA, in different syllables.

For example /kam.wa:/ might be written ◌◌◌◌◌◌ = KAL + MAI KANG + TONE-1 + SAKOT + WA + TALL AA while /kwa:m/ would be written ◌◌◌◌◌◌ = KAL + SAKOT + WA + TONE-1 + TALL AM.

The explicitly-encoded AM gets around the problems of the re-ordering and ligation that would have to be solved if there were no AM, and would add a complexity that is not present in any of the surrounding scripts that contribute to the encoding milieu [sic] of the intended user community.

However all that long and detailed explanation does not remove the fact that these two characters are in fact equivalent to sequences of characters which are also proposed for encoding in the same document.

<U+1A63, U+1A76> for LANNA VOWEL SIGN AM, and
<U+1A64, U+1A76> for LANNA VOWEL SIGN TALL AM.

Proposing compatibility decomposition makes them even less useful as they will be filtered out by all processes using normalization form KC. It also makes them unsuitable for identifiers where the alternate sequences would be the only allowed representation.

In all cases, duplicate encoding should not happen in new proposals.

Accepted

Similar request from UK (comment T1.1.3)

T.2 Addition of 2 Lanna characters

The US is also supporting the addition of the following Lanna characters as proposed by document WG2 N3207:

1A29 LANNA LETTER KHUN HIGH CHA
1AAD LANNA SIGN CAANG

Accepted

Similar request from UK (comment T1.1.3)

T.3 Name and glyph changes for the new Cyrillic Extended-A

The US is in favor of the glyph and name changes as proposed in WG2 N3194 for the characters in the range U+2DE0..U+2DF5 (code position as originally presented in document SC2 N3914).

Accepted

Similar request included in comment T2 from Ireland

T.4 Addition of 7 CJK Unified Ideographs

The US is also supporting the addition of 7 CJK Unified ideographs as proposed by document L2/07-67 (WG2 TBD) in positions U+9FBC through U+9FC2. At its last meeting, the IRG did not object to the fast-tracking of those characters, nor to their inclusion in Amendment 4. However, the IRG asked that those seven characters not be interleaved in Extension C, hence the proposed code points

These ideographs are present in the K-JIS and Sha-ken character collections. The K-JIS collection is developed by 共同通信社 and 配信先新聞社 for writing newspaper articles in Japan. The Sha-ken collection is part of a proprietary typesetting system widely used in Japan. These characters are also present in the Adobe-Japan1 collection, which is the basis for many desktop fonts, and at the time of this proposal are the only characters of that collection not present in Unicode / ISO/IEC 10646.

| Glyph | Source collection | USource | Adobe-Japan1 CID | Proposed code point |
|-------|--------------------|----------|------------------|---------------------|
| 壻 | K-JIS #4431 | UTC00836 | 15431 | U+9FBC |
| 燠 | K-JIS #2191 | UTC00835 | 15429 | U+9FBD |
| 燠 | K-JIS #5304 | UTC00837 | 15434 | U+9FBE |
| 萑 | Sha-ken Index 7666 | UTC00838 | 20068 | U+9FBF |
| 薺 | Sha-ken Index 7614 | UTC00839 | 20069 | U+9FC0 |
| 誦 | Sha-ken Index 7163 | UTC00840 | 20070 | U+9FC1 |
| 鶉 | Sha-ken Index 7907 | UTC00841 | 20071 | U+9FC2 |

Accepted

As a result of this disposition, USA changed its vote to Yes.

Annex 1

Based on the extensive comments received on CJK Unified Ideograph Extension C, the set of characters will be moved from amendment 4 to amendment 5 and will therefore be included in PDAM5 with the changes as noted in the following table. In addition, further comments were made by UK in document WG2 N 3244 which have been with the ballot comments. This result in 6 removal (2A744, 2A988, 2ACF5, 2B017, 2B1B4, and 2B6B8), 25 glyph changes, and a source removal:

Table: CJK Unified Ideograph Extension C, consolidated table of issues and dispositions

| Code point | MB source | Sources | Current glyph | New glyph/ Disposition | Request |
|------------|------------------|----------|---------------|-----------------------------|------------------------------|
| 2A719 | Japan | V04-4059 | 破乙 | 破乙 | Glyph change |
| 2A71B | Japan | V04-405C | 淑 | 淑 | Glyph change |
| 2A744 | UK | TC-367C | 俊 | Removed, further study | Clarify, unify with 3453 俊 ? |
| 2A77D | China, Japan | V04-414D | 倒酒 | 倒酒 | Glyph change |
| 2A825 | China, Japan | V04-4272 | 去廣 | No change | Glyph change to 曠 |
| 2A8AB | China | TE-4633 | 聽 | No change | Glyph change to 聽 |
| 2A949 | Japan | V04-4536 | 麩 | 麩 | Glyph change |
| 2A988 | UK | TC-553A | 媵 | Removed, unified with 2177B | Remove, unify with 2177B 媵 ? |
| 2AA11 | Japan | V04-4652 | 嬪 | 嬪 | Glyph change |
| 2AA84 | Japan | V04-473E | 嗑 | 嗑 | Glyph change |
| 2AB23 | China, Japan | V04-4839 | 慍 | 慍 | Glyph change |
| 2ABB1 | China, Japan, UK | V04-4946 | 扞 | 掣 | Glyph change (major) |
| 2ABF6 | China, Japan | V04-497B | 散酒 | 散酒 | Glyph change |
| 2AC09 | China | V04-4A25 | 縷 | 縷 | Glyph change |
| 2ACF3 | China | JK-65923 | 啄木 | No change | Glyph change to 啄 |

| | | | | | |
|-------|------------------|------------------------|---|--------------------------------|---------------------------------------------------------------------------|
| 2ACF5 | UK | TD-4D43 | 椶 | Removed, unified with 69D4 | Clarify, unify with 69D4 椶? |
| 2AE25 | Japan | V04-4C78 | 濺 | 渡坡 | Glyph change |
| 2AEBE | Japan | V04-4D58 | 罍 | 罍 | Glyph change |
| 2AEC3 | Japan | G_ZJW00576 V04-513D | 缶 | No change | Glyph change for V column 缶, note that V04 uses 缶 instead of 父 as radical |
| 2AEFF | UK | G_HC100898 | 獫 | No change, non cognate sources | Clarify, already encoded in 2F927, could add this source reference to it |
| 2AF72 | China | V04-4E31 | 甍 | 甍 | Glyph change |
| 2AF7C | Japan | TC-4D39 V04-4E34 | 吟 | 吟 | Glyph change for V column |
| 2B000 | China, Japan | V04-4F4B | 砵 | 砵 | Glyph change |
| 2B017 | UK | TD-4161 | 磻 | Removed, further study | Clarify, unify with 254CC 磻? |
| 2B028 | China, Japan | V04-4F58 | 礪 | 礪 | Glyph change |
| 2B04B | China | TD-4223 | 礪 | 礪 | Glyph change |
| 2B09B | Japan | V04-5024 | 蔭 | 蔭 | Glyph change |
| 2B0CE | China, Japan, UK | V04-5035 | 筭 | 筭 | Glyph change |
| 2B151 | Japan | G_HC501162 UTC00022 | 絶 | UTC source removed | Sources seem correct, should these 2 sources been unified? |
| 2B16C | Japan | G_ZFY00964 V04-513E | 甞 | 甞 | Glyph change for V column |
| 2B187 | China, Japan | V04-5142 | 甞 | 甞 | Glyph change |
| 2B1B4 | UK | TC-5E70 | 聒 | Removed, further study | Clarify, unify with 2655e 聒? |

| | | | | | |
|-------|--------------|---------------------|-------------|---------------------------|-----------------------------|
| 2B23C | Japan | TC-5F61 V04-5272 | 荅 荅 荅 | 荅 | Glyph change for V column |
| 2B3BF | China, Japan | V04-554F | 躡 躡 躡 | 躡 | Glyph change |
| 2B40E | Japan | V04-5478 | 躡 躡 躡 | 躡 | Glyph change |
| 2B642 | Japan | V04-574C | 馥 馥 馥 | No change | Glyph change to 馥 |
| 2B644 | Japan | V04-574E | 馥 馥 馥 | 馥 | Glyph change |
| 2B6B8 | UK | TE-435A | 鰲 鰲 鰲 | Removed, further study | Clarify, unify with 9c49 鰲? |
| 2B70A | China | JK-66061 | 鵠 鵠 鵠 | No change | Glyph change to 鵠 |

----end--