Universal Multiple-Octet Coded Character Set International Organization for Standardization Organisation Internationale de Normalisation Международная организация по стандартизации

Doc Type: Working Group Document

Title: Preliminary proposal to encode the Mwangwego script in the UCS Source: UC Berkeley Script Encoding Initiative (Universal Scripts Project)

Author: Michael Everson Status: Liaison Contribution

Date: 2012-07-23

- **0. Introduction.** This proposal gives preliminary information towards the encoding of an African script known as the Mwangwego script. This script was first devised in 1971 by Nolence Moses Mwangwego of Malawi, and is designed for writing the Chewa, Lomwe, Sena, Tonga, Tumbuka, Yao, Nyakyusa, and Ngonde languages, spoken in all by 15 million people. These languages belong to the Bantu branch of the Niger-Congo languages. (Rovenchak and Glavy 2011:104).
- **1. Structure.** The Mwangwego script is typically presented to learners as a syllabary, similar to Ethiopic, but in structure is an abugida, because of the regular way in which vowel signs are added to a base character which has an inherent vowel -a. In addition to these vowel-signs, some spacing consonant modifiers which precede a base letter are used; these can also be used in combination with one another to extend the repertoire of consonant onsets. Some combining diacritical marks are also used, either for modification of consonants or for marking high tone to distinguish some homographs. Mwangwego is written from left-to-right.
- **2. Basic syllabic repertoire.** The repertoire of base consonants and vowels as typically presented is as follows:

На	Ηе	Ыi	Ρο	Шu	ი ra	ጺ re	ብ ri	ሌ ro	ۍ ru
U ba	U be	Մ bi	மு bo	Մ bu	6 sa	∮ se	து si	වා so	சு su
9 cha	2 che	chi و	୬ cho	处 chu	۶ sha	ર્ષ she	ઈ shi	ව sho	হ্ন shu
3 da	3 de	3₁ di	3o do	3√ du	۶ ta	٤ te	ն ti	ь to	ទ tu
⊃ fa	1 fe	ጔ fi	ጔ fo	ጔ fu	∫ tsa	1 tse	ப் tsi	ப் tso	៤ tsu
I ga	I ge	₲ gi	Ф go	Ф gu	հ psa	ん pse	∩் psi	რ pso	ি psu
H gha	ff ghe	Hı ghi	Њ gho	₩ ghu	Аva	A ve	பெvi	₽ vo	₽vu
₽ ha	L he	& hi	ک ho	& hu	E wa	& we	& wi	& wo	& wu
б ja	Ц je	ա ji	மு jo	Մ ju	ŏ ya	& ye	& yi	စ် yo	& yu
ь 3а	ь зе	ы 3i	به 30	եւ 3n	ſ za	۷ ze	ն zi	ပ zo	ն zu
۲ ka	2 ke	a ki	ු ko	≥ ku	f dza	£ dze	tı dzi	ъ dzo	t dzu
í la	٦ le	ն li	ኄ lo	Ն lu	∂ dhla	d dhle	ને dhli	சு dhlo	क dhlu
◊ ma	& me	ف mi	න mo	& mu	۱ hla	ک hle	છે hli	න hlo	ው hlu
U na	U ne	ப் ni	L no	业 nu	6 xa	£ xe	ճւ xi	က် xo	ি xu
У nya	Y nye	<u> </u>	ک nyo	Ľ nyu	۷ qa	۷ qe	ይ qi	ይ qo	ው qu
d pa	ط pe	pi bi	ტ bo	ச pu	Γ tha	C the	C thi	G tho	G thu

- 4. Spacing consonant modifiers. The value of a consonant can be changed into a different value by the addition of a prefixed spacing character or a combining diacritical mark. These in turn can sometimes be combined together to produce more complex spacing characters. There are two approaches to encoding such complex spacing characters: ligation in the font (which would have to be rendered correctly in all applications) or to encode the combinations as unitary characters. Relying on ligation is problematic, as it very often does not work in software. Also, since this script is otherwise very simple, there's no need for that level of complexity when just a few pre-posed spacing characters is all that is needed. The set of combinations is finite, as the order in which combinations are combined. It is never correct (i.e, legible) to string them horizontally, and making them "ligatures" may easily fail in many rendering environments, which is unnecessary and undesirable. Readers do not parse the stacks per se, but read the whole cluster as a whole. The most complex "stack" in the script can be seen in the syllable "mnkhwa; it would be completely illegible for this to be rendered as ""-?. There appear also to be some limitations on which marks are used with which consonants, and in which combinations with one another. More research is needed. In any case, here is a description of how these marks, called mituyo, work, as far as is understood at present.
- **4.1 MITUYO MI.** The mark "MI seems to pre-nasalize labial consonants. It is described as "used when both lips meet heavily".

"mi +
$$\mathbf{U}$$
 ba = " \mathbf{U} mba mpa + \mathbf{d} pa = " \mathbf{d} mpa

4.2 MITUYO MYU. The mark MYU seems to pre-nasalize non-labial consonants. It is described as "used when pronouncing a word which involves a slight meeting of both lips".

4.3 MITUYO SISA. The mark 'SISA prefixes s- to consonants.

4.4 MITUYO NI. The mark NI seems to be used primarily for homorganic palatalization (which may not be reflected in the transcription).

```
"ni + \begin{cases} 3 \text{ da} = \end{cases} "\begin{cases} 3 \text{ nda} - \text{tip of the tongue touches the front part of the palate} \end{cases} "\begin{cases} ni + \end{cases} tsa = "\begin{cases} ntsa = \end{cases} "f ndza = "f ndza = "f ndza = "f ndza = "f ng'a - rear of the tongue touches the palate = "f nga = "f ng
```

ш.		"		"(
ni	+	🗸 ja	=	🗸 nja
" ni	+	6 sa	=	"5 nsa – tongue slightly touches the palate
" ni	+	6 sha	=	P nsha
" ni	+	\mathbf{I}_{fa}	=	" mfa – labiodentalization
" ni	+	A va	=	"A mva

4.5 MITUYO TUMBU. The mark TUMBU seems to cause some sort of prenasalization.

4.6 MITUYO HI. The mark "HI seems to aspirate consonants. Its use may be limited to only a few consonants.

4.7 MITUYO WAYA. The mark waya seems to labialize consonants.

5. Non-spacing modifiers. A variety of changes are also made with the use of non-spacing diacritical marks.

5.1 MITUYO WAYA BELOW. The mark \bigcirc WAYA BELOW adds a following y-glide to consonants.

$$\bigcirc$$
 waya + \bigcirc da = \bigcirc dya \bigcirc waya + \bigcirc ma = \bigcirc mya

5.2 MITUYO MURA. The mark Mura adds a following r-glide to consonants.

5.3 MITUYO MULA. The mark MULA adds a following l-glide to consonants.

5.4 MITUYO PEWA. The mark $\hat{\ }$ PEWA seems to serve a variety of purposes, indicating affrication and other consonant modifications.

5.5 MITUYO KWANTHU. The mark OKWANTHU serves to mark the high tone, at least on words which might otherwise be mis-read.

$$\begin{array}{lll} \begin{picture}(20,0) \put(0,0){\line(1,0){120}} \put(0,0){\line(1$$

6. Combinations of modifiers. The following combinations of modifiers have been observed. The order in which these appear is the expected sorting order

6.1 Мітиуо мі-ні.

6.5 MITUYO MYU-NI-HI.

6.6 MITUYO MYU-NI-HI-WAYA.

$$\frac{1}{2}$$
 myu-ni-hi-waya + $\frac{1}{2}$ ka = $\frac{1}{2}$ mnkhwa

6.7 MITUYO MYU-HI.

6.9 MITUYO SISA-NI.

"sisa-ni + 7 ka = "7 snka (not yet attested)

6.10 MITUYO SISA-NI-HI.

6.11 MITUYO NI-HI.

6.12 MITUYO NI-HI-WAYA.

[#] ni-hi-waya + ∂ka = [#]∂ nkhwa

6.13 MITUYO NI-WAYA.

" ni-waya + 7 ka = "7 nkwa

6.14 MITUYO HI-WAYA.

7. Punctuation and numbers. European digits and punctuation are used and no script-specific marks are known. The characters observed in text so far are comma, full stop, parentheses, and question mark.

8. Bibliography.

Rovenchak, Andrij & Jason Glavy. 2011. "Mwangwego script", in *African Writing Systems of the Modern Age: The Sub-Saharan Region*. New Haven, Buena Park, New Rochelle, London, Lviv, Abidjan: Athinkra. ISBN 978-0-9818294-1-8

9. Acknowledgements. This project was made possible in part by a grant from the U.S. National Endowment for the Humanities, which funded the which funded the Universal Scripts Project (part of the Script Encoding Initiative at UC Berkeley) in respect of the Mwangwego encoding Any views, findings, conclusions or recommendations expressed in this publication do not necessarily reflect those of the National Endowment for the Humanities.

I	16E0	16E1	16E2	16E3	16E4
0	Д	5	<u>୍ର</u>	1	
	16E00	16E10	16E20	16E30	
1	U	9	്വ	11	
	16E01	16E11	16E21	16E31	
2	9	б	د	!!	
	16E02	16E12	16E22	16E32	
3	3	>	்	#	
ŀ	16E03	16E13	16E23	16E33	
4	J	ſ	"	<u>"</u>	
	16E04	16E14	16E24	16E34	
5	D	h	<u>::</u>	ı	
	16E05	16E15	16E25	16E35	
6	Н	A	<u>"</u>		
	16E06	16E16	16E26	16E36	
7	J	٤	<u>«</u>	=	
	16E07	16E17	16E27	16E37	
8	A	Ŏ	•	-	
	16E08	16E18	16E28	16E38	
9	Ь	(ń	ੁ	
	16E09	16E19	16E29	16E39	
Α	ጉ	f	ij	ें	
	16E0A	16E1A	16E2A	16E3A	
В	4	Э	<u>:</u>	े	
	16E0B	16E1B	16E2B	16E3B	
С	ģ	þ	٠.	ੰ	
	16E0C	16E1C	16E2C	16E3C	
D	几	ĥ	<u>t</u>	ं	
ŀ	16E0D	16E1D	16E2D	16E3D	
Е	γ	У О			
ļ	16E0E	16E1E	16E2E		
F	٩	٢	7		
	16E0F	16E1F	16E2F		

Date: 2012-07-23

16E36 - MWANGWEGO MITUYO HI 16E37 - MWANGWEGO MITUYO HI-WAYA 16E38 - MWANGWEGO MITUYO WAYA

16E39 9 MWANGWEGO MITUYO WAYA BELOW 16E3A 5 MWANGWEGO MITUYO MURA 16E3B 5 MWANGWEGO MITUYO MULA 16E3C 5 MWANGWEGO MITUYO PEWA 16E3D 6 MWANGWEGO MITUYO KWANTHU

Letters						
16E00	Н	MWANGWEGO LETTER A				
16E01	U	MWANGWEGO LETTER BA				
16E02	9	MWANGWEGO LETTER CHA				
16E03	3	MWANGWEGO LETTER DA				
16E04)	MWANGWEGO LETTER FA				
16E05	D	MWANGWEGO LETTER GA				
16E06	Н	MWANGWEGO LETTER GHA				
16E07	J	MWANGWEGO LETTER HA				
16E08	Я	MWANGWEGO LETTER JA				
16E09	Ь	MWANGWEGO LETTER ZHA				
16E0A	۲	MWANGWEGO LETTER KA				
16E0B	4	MWANGWEGO LETTER LA				
16E0C	ģ	MWANGWEGO LETTER MA				
16E0D	П	MWANGWEGO LETTER NA				
16E0E	У	MWANGWEGO LETTER NYA				
16E0F	٩	MWANGWEGO LETTER PA				
16E10	Я	MWANGWEGO LETTER RA				
16E11	6	MWANGWEGO LETTER SA				
16E12	б	MWANGWEGO LETTER SHA				
16E13	5	MWANGWEGO LETTER TA				
16E14	ſ	MWANGWEGO LETTER TSA				

Vowel signs

16E20 O. MWANGWEGO VOWEL SIGN E 16E21 O. MWANGWEGO VOWEL SIGN I 16E22 O. MWANGWEGO VOWEL SIGN O 16E23 O. MWANGWEGO VOWEL SIGN U

Consonant modifiers

16E24 " MWANGWEGO MITUYO MI 16E25 " MWANGWEGO MITUYO MI-HI 16E26 # MWANGWEGO MITUYO MI-HI-WAYA 16E27 " MWANGWEGO MITUYO MI-WAYA 16E28 ' MWANGWEGO MITUYO MYU 16E29 4 MWANGWEGO MITUYO MYU-NI 16E2A # MWANGWEGO MITUYO MYU-NI-HI MWANGWEGO MITUYO MYU-NI-HI-WAYA 16E2D ' MWANGWEGO MITUYO MYU-WAYA MWANGWEGO MITUYO SISA 16E2E 16E2F # MWANGWEGO MITUYO SISA-NI 16E30 🕯 MWANGWEGO MITUYO SISA-NI-HI 16E31 " MWANGWEGO MITUYO NI 16E32 " MWANGWEGO MITUYO NI-HI 16E34 " MWANGWEGO MITUYO NI-WAYA ' MWANGWEGO MITUYO TUMBU 16E35

A. Administrative

1. Title

Preliminary proposal to encode the Mwangwego script in the UCS

2. Requester's name

UC Berkeley Script Encoding Initiative (Universal Scripts Project)

3. Requester type (Member body/Liaison/Individual contribution)

Liaison contribution.

4. Submission date

2012-07-23

- 5. Requester's reference (if applicable)
- 6. Choose one of the following:

6a. This is a complete proposal

No.

6b. More information will be provided later

Yes.

B. Technical - General

1. Choose one of the following:

1a. This proposal is for a new script (set of characters)

Yes.

1b. Proposed name of script

Mwangwego.

1c. The proposal is for addition of character(s) to an existing block

No.

- 1d. Name of the existing block
- 2. Number of characters in proposal

62

3. Proposed category (A-Contemporary; B.1-Specialized (small collection); B.2-Specialized (large collection); C-Major extinct; D-Attested extinct; E-Minor extinct; F-Archaic Hieroglyphic or Ideographic; G-Obscure or questionable usage symbols)

Category A.

4a. Is a repertoire including character names provided?

Yes.

4b. If YES, are the names in accordance with the "character naming guidelines" in Annex L of P&P document?

Yes.

4c. Are the character shapes attached in a legible form suitable for review?

Yes.

5a. Who will provide the appropriate computerized font (ordered preference: True Type, or PostScript format) for publishing the standard?

Jana Reddemann and Jenna Leich, via Michael Everson.

5b. If available now, identify source(s) for the font (include address, e-mail, ftp-site, etc.) and indicate the tools used:

Michael Everson, Fontographer.

6a. Are references (to other character sets, dictionaries, descriptive texts etc.) provided?

Yes.

6b. Are published examples of use (such as samples from newspapers, magazines, or other sources) of proposed characters attached? **No.**

7. Does the proposal address other aspects of character data processing (if applicable) such as input, presentation, sorting, searching, indexing, transliteration etc. (if yes please enclose information)?

No.

8. Submitters are invited to provide any additional information about Properties of the proposed Character(s) or Script that will assist in correct understanding of and correct linguistic processing of the proposed character(s) or script. Examples of such properties are: Casing information, Numeric information, Currency information, Display behaviour information such as line breaks, widths etc., Combining behaviour, Spacing behaviour, Directional behaviour, Default Collation behaviour, relevance in Mark Up contexts, Compatibility equivalence and other Unicode normalization related information. See the Unicode standard at http://www.unicode.org for such information on other scripts. Also see Unicode Character Database http://www.unicode.org/Public/UNIDATA/UnicodeCharacterDatabase.html and associated Unicode Technical Reports for information needed for consideration by the Unicode Technical Committee for inclusion in the Unicode Standard.

See above.

C. Technical – Justification

1. Has this proposal for addition of character(s) been submitted before? If YES, explain.

No.

2a. Has contact been made to members of the user community (for example: National Body, user groups of the script or characters, other experts, etc.)?

Yes.

2b. If YES, with whom?

Nolence Mwangwego.

- 2c. If YES, available relevant documents
- 3. Information on the user community for the proposed characters (for example: size, demographics, information technology use, or publishing use) is included?

Africanists and Bantuists.

4a. The context of use for the proposed characters (type of use; common or rare)

Used for living languages.

4b. Reference

5a. Are the proposed characters in current use by the user community?

Yes.

5b. If YES, where?

In Malawi.

6a. After giving due considerations to the principles in the P&P document must the proposed characters be entirely in the BMP?

6b. If YES, is a rationale provided?

6c. If YES, reference

7. Should the proposed characters be kept together in a contiguous range (rather than being scattered)?

Yes.

8a. Can any of the proposed characters be considered a presentation form of an existing character or character sequence?

No.

8b. If YES, is a rationale for its inclusion provided?

8c. If YES, reference

9a. Can any of the proposed characters be encoded using a composed character sequence of either existing characters or other proposed characters?

No.

9b. If YES, is a rationale for its inclusion provided?

9c. If YES, reference

10a. Can any of the proposed character(s) be considered to be similar (in appearance or function) to an existing character?

Nο

10b. If YES, is a rationale for its inclusion provided?

10c. If YES, reference

11a. Does the proposal include use of combining characters and/or use of composite sequences?

Yes.

11b. If YES, is a rationale for such use provided?

No.

11c. If YES, reference

11d. Is a list of composite sequences and their corresponding glyph images (graphic symbols) provided?

No.

11e. If YES, reference

12a. Does the proposal contain characters with any special properties such as control function or similar semantics?

No.

12b. If YES, describe in detail (include attachment if necessary)

13a. Does the proposal contain any Ideographic compatibility character(s)?

No.

13b. If YES, is the equivalent corresponding unified ideographic character(s) identified?