Preliminary proposal to encode Vexillology Symbols in Unicode

Anshuman Pandey pandey@umich.edu

April 6, 2017

1 Introduction

This is a preliminary proposal to encode symbols used in the field of vexillology for conveying information regarding usage and features of national flags. These symbols are used in printed materials and in digital content. A tentative character set is shown in the attached code chart and names list. The set contains two categories of characters: 64 flag information symbols and 19 flag typology symbols.

The flag information symbols have character names beginning with 'FLAG SYMBOL'. The glyphs for these symbols were produced from SVG images generated by the fiav_dots.pl Perl application written by Claus Faerber (2006). The flag typology symbols have names beginning with 'FLAG TYPOLOGY SYMBOL'. Glyphs for these characters were designed by António Martins-Tuválkin and Željko Heimer.

Research on encoding vexillology symbols is ongoing and a formal proposal is forthcoming. Please submit comments and questions to the proposal author at the above address.

2 Description

2.1 Flag information symbols

The flag information symbols were officially adopted by Fédération internationale des associations vexillologiques (FIAV). The symbols are described in the "Flag Information Code", which was adopted on August 27, 1981, and amended on July 5, 1995. Section 5 ("National Flag Use") of the code states:

(a) The following grid is used to describe the use or uses of a flag whose primary function is to identify nationality rather than some other characteristic (such as the rank of an individual, the existence or a specific government or military institution, or some other concept):

++

(b) The six areas of the grid indicate the six basic uses of national flags: (1) use by private individuals and institutions on land; (2) use by nonmilitary government institutions on land; (3) use by military institutions on land; (4) use by private individuals and institutions at sea; (5) use by nonmilitary governmental institutions at sea; and (6) use by military institutions at sea. Private, nonmilitary governmental, and military use is indicated from left to right by the three vertical columns; use on land and sea is indicated from top to bottom by the two horizontal rows.

(c) The grid is to be written or printed in the line of identifying text near an illustration of a flag, together with the ratio indicating proportions. The use or uses of the flag design are indicated by placing a point (\bullet) or an \times in the appropriate area or areas of the grid.

The ++ grid may be visualized as per the following schema:

	Private use	Public use	Military use
Land use	Civil flag	State flag	War flag
Sea use	Civil ensign	State ensign	War ensign

Some vexillologists use symbols based upon a 3×3 gird, in which an additional row is added to the top for indicating air flags. The expanded grid has not been officially recognized by FIAV.

2.2 Flag typology symbols

The flag typology symbols are used for describing the design and additional features of flags.

3 Tentative encoding model

Although there are a variety of methods for representing flag information symbols, the tentative model proposes encoding each of the 63 configurations as distinctive characters in addition to 1 empty grid. Alternate models will be discussed in the formal proposal.

4 References

- Faerber, Claus. 2006. fiav_dots.pl. http://commons.wikimedia.org/wiki/User:3247's_Image_Wizard/ Scripts/fiav_dots.pl.
- Fédération internationale des associations vexillologiques. 2001. "Flag Information Code". http://www.fiav.org/FlagInformationCode.pdf
- Heimer, Željko. 2012. "The Flags & Arms of the Modern Era". http://zeljko-heimer-fame.from.hr/ descr/use.html
- Raeside, Rob. 2014. "FIAV Flag Information Symbols". http://www.crwflags.com/fotw/flags/xf-fis. html

Wikimedia. 2010. "Template:IFIS". http://en.wikipedia.org/wiki/Template:IFIS

------. 2013. "Category:Vexillological symbols". https://commons.wikimedia.org/wiki/Category: Vexillological_symbols

------. 2017. "Template:FIAV". http://en.wikipedia.org/wiki/Template:FIAV

	1FA0	1FA1	1FA2	1FA3	1FA4	1FA5
0	++-	-+	•++-	<u>• • </u> -		?
	1FA00	1FA10	1FA20	1FA30	1FA40	1FA50
1	++•		•			
	1FA01	1FA11	1FA21	1FA31	1FA41	1FA51
2			•		?	¢
	1FA02	1FA12	1FA22	1FA32	1FA42	1FA52
3			•		⊐	
	1FA03	1FA13	1FA23	1FA33	1FA43	
4	•++-	•	•++-			
	1FA04	1FA14	1FA24	1FA34	1FA44	
5	•		● •			
	1FA05	1FA15	1FA25	1FA35	1FA45	
6	┥┥				\square	
	1FA06	1FA16	1FA26	1FA36	1FA46	
7					₩	
	1FA07	1FA17	1FA27	1FA37	1FA47	
8	- + ●		•			
	1FA08	1FA18	1FA28	1FA38	1FA48	
9				•••	0	
	1FA09	1FA19	1FA29	1FA39	1FA49	
A						
	1FA0A	1FA1A	1FA2A	1FA3A	1FA4A	
В					R	
	1FA0B	1FA1B	1FA2B	1FA3B	1FA4B	
С					E .	
	1FA0C	1FA1C	1FA2C	1FA3C	1FA4C	
D						
	1FA0D	1FA1D	1FA2D	1FA3D	1FA4D	
Е						
	1FA0E	1FA1E	1FA2E	1FA3E	1FA4E	
F					R	
	1FA0F	1FA1F	1FA2F	1FA3F	1FA4F	

Vexillology Symbols

Flag information symbols

⊦lag	in	formation symbols
Grid sy	mba	ols based upon the Flag Information Code
		Fédération internationale des associations
		ques (FIAV). The first row represents land use;
		row represents sea use. From left, columns
		vil, state, and military usage.
1FA00	++-	FLAG SYMBOL NO ATTRIBUTES SELECTED • Text: ***/***
1FA01	++•	FLAG SYMBOL WAR ENSIGN • Text: ***/**W
1FA02	++-	FLAG SYMBOL STATE ENSIGN
1 - 1 - 2		• Text: ***/*S*
1FA03	0 0	FLAG SYMBOL STATE AND WAR ENSIGN • Text: ***/*SW
1FA04	•	FLAG SYMBOL CIVIL ENSIGN • Text: ***/C**
1FA05	•+•	FLAG SYMBOL CIVIL AND WAR ENSIGN • Text: ***/C*W
1FA06	• • -	
1FA07	+++	FLAG SYMBOL NATIONAL ENSIGN
IT AUT	• • •	• Text: ***/CSW
1FA08	+ †•	FLAG SYMBOL WAR FLAG
15100		• Text: **W/***
1FA09	+1	FLAG SYMBOL WAR FLAG AND ENSIGN • Text: **W/**W
1FA0A	- • •	FLAG SYMBOL WAR FLAG AND STATE ENSIGN • Text: **W/*S*
1FA0B	- •	FLAG SYMBOL WAR FLAG AND STATE AND WAR ENSIGN • Text: **W/*SW
1EA0C	+ +•	FLAG SYMBOL WAR FLAG AND CIVIL ENSIGN
		• Text: **W/C**
1FA0D	•	WAR ENSIGN
15405	•	• Text: **W/C*W
1FA0E	• •	STATE ENSIGN
15405	•	• Text: **W/CS*
1FA0F	• • •	ENSIGN
15410		• Text: **W/CSW FLAG SYMBOL STATE FLAG
		• Text: *S*/***
1FA11	- • -	FLAG SYMBOL STATE FLAG AND WAR ENSIGN \bullet Text: *S*/**W
1FA12		FLAG SYMBOL STATE FLAG AND ENSIGN • Text: *S*/*S*
1FA13	- 0 -	FLAG SYMBOL STATE FLAG AND STATE AND WAR ENSIGN
1FA14	♣	• Text: *S*/*SW FLAG SYMBOL STATE FLAG AND CIVIL ENSIGN
		• Text: *S*/C**
1FA15	.	FLAG SYMBOL STATE FLAG AND CIVIL AND WAR ENSIGN
		• Text: *S*/C*W
1FA16	•	
		• Text: *S*/CS*
1FA17	••••	ENSIGN
		• Text: *S*/CSW
1FA18	- • •	FLAG SYMBOL STATE AND WAR FLAG
		• Text: *SW/***

- 1FA19 -*** FLAG SYMBOL STATE AND WAR FLAG AND WAR ENSIGN • Text: *SW/**W
- 1FA1A [→] FLAG SYMBOL STATE AND WAR FLAG AND STATE ENSIGN • Text: *SW/*S*
- 1FA1B IF FLAG SYMBOL STATE AND WAR FLAG AND ENSIGN
- Text: *SW/*SW 1FA1C IFAG SYMBOL STATE AND WAR FLAG AND CIVIL ENSIGN • Text: *SW/C**
- 1FA1D *** FLAG SYMBOL STATE AND WAR FLAG AND CIVIL AND WAR ENSIGN • Text: *SW/C*W
- 1FA1E [™] FLAG SYMBOL STATE AND WAR FLAG AND CIVIL AND STATE ENSIGN • Text: *SW/CS*
- 1FA1F # FLAG SYMBOL STATE AND WAR FLAG AND NATIONAL ENSIGN • Text: *SW/CSW
- 1FA20 [●] + FLAG SYMBOL CIVIL FLAG • Text: C**/***
- 1FA21 *** FLAG SYMBOL CIVIL FLAG AND WAR ENSIGN
 Text: C**/**W
- 1FA22 [•]↓ FLAG SYMBOL CIVIL FLAG AND STATE ENSIGN • Text: C**/*S*
- 1FA23 [™] FLAG SYMBOL CIVIL FLAG AND STATE AND WAR ENSIGN • Text: C**/*SW
- 1FA24 ₩ FLAG SYMBOL CIVIL FLAG AND ENSIGN • Text: C**/C**
- 1FA25 [♣] FLAG SYMBOL CIVIL FLAG AND CIVIL AND WAR ENSIGN • Text: C**/C*W
- 1FA26 ₩ FLAG SYMBOL CIVIL FLAG AND CIVIL AND STATE ENSIGN • Text: C**/CS*
- 1FA27 the FLAG SYMBOL CIVIL FLAG AND NATIONAL ENSIGN
- Text: C**/CSW 1FA28 ⁴¹ FLAG SYMBOL CIVIL AND WAR FLAG • Text: C*W/***
- 1FA29 ⁴⁺[↓] FLAG SYMBOL CIVIL AND WAR FLAG AND WAR ENSIGN • Text: C*W/**W
- 1FA2A ⁺ ⁺ FLAG SYMBOL CIVIL AND WAR FLAG AND STATE ENSIGN • Text: C*W/*S*
- 1FA2B [™] FLAG SYMBOL CIVIL AND WAR FLAG AND STATE AND WAR ENSIGN • Text: C*W/*SW
- 1FA2C # FLAG SYMBOL CIVIL AND WAR FLAG AND CIVIL ENSIGN
- Text: C*W/C** 1FA2D ## FLAG SYMBOL CIVIL AND WAR FLAG AND ENSIGN
- Text: C*W/C*W 1FA2E FLAG SYMBOL CIVIL AND WAR FLAG AND CIVIL AND STATE ENSIGN • Text: C*W/CS*
- 1FA2F ## FLAG SYMBOL CIVIL AND WAR FLAG AND NATIONAL ENSIGN • Text: C*W/CSW
- 1FA30 ⁺⁺⁺ FLAG SYMBOL CIVIL AND STATE FLAG • Text: CS*/***

1FA31

Vexillology Symbols

IFA31	<u>• • </u>	FLAG SYMBOL CIVIL AND STATE FLAG AND WAR ENSIGN	1F
		• Text: CS*/**W	
IFA32	<u>• • </u> -	FLAG SYMBOL CIVIL AND STATE FLAG AND STATE ENSIGN	1F
		• Text: CS*/*S*	
IFA33	<u>• • </u>	FLAG SYMBOL CIVIL AND STATE FLAG AND STATE AND WAR ENSIGN	1F
		• Text: CS*/*SW	
IFA34	.	FLAG SYMBOL CIVIL AND STATE FLAG AND CIVIL ENSIGN	1F
		• Text: CS*/C**	
IFA35	<u> </u> 	FLAG SYMBOL CIVIL AND STATE FLAG AND CIVIL AND WAR ENSIGN	1F
		• Text: CS*/C*W	
IFA36		FLAG SYMBOL CIVIL AND STATE FLAG AND ENSIGN	1F
		• Text: CS*/CS*	
IFA37	••••	FLAG SYMBOL CIVIL AND STATE FLAG AND NATIONAL ENSIGN	1F
		• Text: CS*/CSW	
IFA38	• • •	FLAG SYMBOL NATIONAL FLAG ON LAND • Text: CSW/***	
IFA39	<u>+ + +</u>	FLAG SYMBOL NATIONAL FLAG AND WAR ENSIGN	1F
		• Text: CSW/**W	
IFA3A	<u>• • •</u>	FLAG SYMBOL NATIONAL FLAG AND STATE ENSIGN	45
		• Text: CSW/*S*	1F
IFA3B	<u>• • •</u>	FLAG SYMBOL NATIONAL FLAG AND STATE AND WAR ENSIGN	45
		• Text: CSW/*SW	1F
IFA3C	:***	FLAG SYMBOL NATIONAL FLAG AND CIVIL ENSIGN	
		• Text: CSW/C**	1F
IFA3D		FLAG SYMBOL NATIONAL FLAG AND CIVIL	
IFASD	• •	AND WAR ENSIGN	
		• Text: CSW/C*W	
IFA3E		FLAG SYMBOL NATIONAL FLAG AND CIVIL AND STATE ENSIGN	
		• Text: CSW/CS*	
IFA3F	<u>• • • •</u>	FLAG SYMBOL NATIONAL FLAG AND ENSIGN • Text: CSW/CSW	

Flag typology symbols

Additional symbols proposed by FIAV, but never officially adopted.

- 1FA40 🗁 FLAG TYPOLOGY SYMBOL NORMAL
 - Normal or de jure version of flags, or obverse side
- 1FA42 PLAG TYPOLOGY SYMBOL RECONSTRUCTION
 Design is a reconstruction based on observations
- 1FA43 ➡ FLAG TYPOLOGY SYMBOL REVERSE
 Reverse side of flag
- 1FA44 □ FLAG TYPOLOGY SYMBOL VARIANT
 Design is an acceptable variant
- 1FA45 I FLAG TYPOLOGY SYMBOL ALTERNATE • Alternative version of flag
- 1FA47 ↔ FLAG TYPOLOGY SYMBOL TWO AND SIDED
 Flag has different designs on its obverse side and its reverse side

- FLAG TYPOLOGY SYMBOL SINISTER
 Obverse side meant to be hoisted with pole to the observers right
- FLAG TYPOLOGY SYMBOL AUTHORISED
 Design officially authorized to represent nation by government of that nation
- FA4A □ FLAG TYPOLOGY SYMBOL HISTORICAL
 Design used in the past, but now abandoned
- FLAG TYPOLOGY SYMBOL MIRROR
 Reverse side is mirror image of obverse side
- A4C 특 FLAG TYPOLOGY SYMBOL EQUAL • Reverse side is congruent with obverse side
- FA4D STREAG TYPOLOGY SYMBOL NO REVERSE INFO
 Information on reverse side is not available
- FA4E FLAG TYPOLOGY SYMBOL VERTICAL NORMAL
 - Flag can be hung vertically by hoisting on a normal pole, then turning the pole 90°
- A4F FLAG TYPOLOGY SYMBOL VERTICAL ROTATED
 - Flag can be hung vertically by rotating the design first
- A50 FLAG TYPOLOGY SYMBOL VERTICAL UNKNOWN
- Vertical hoist method of flag is unknown FLAG TYPOLOGY SYMBOL VERTICAL
- INAPPLICABLE • Design has no element that can be rotated
- A52 FLAG TYPOLOGY SYMBOL VERTICAL EXCLUSIVE
 - Flag can be hoisted vertically only