

Title: Proposal for new provisional Unihan Database property: **kStrange**

Author: Ken Lunde

Date: 2020-01-28 (replaces [L2/19-394](#))

Having been inspired by [L2/19-346](#), which is entitled *On Encoding Policy of Gongche Notations and Upcoming Para-ideographs*, this document serves as an updated proposal to add a new provisional Unihan Database property tentatively designated *kStrange*. This property is intended to identify Han ideographs that are considered “strange” in one or more ways, and specifies 12 fairly distinct categories. The 12 sections that begin on the next page correspond to each of the 12 categories, and provide the Han ideographs that are tentatively assigned to each category. Below is a summary listing of the 12 categories, their single-letter abbreviations, and their names:

- Category A **[A]**symmetric
- Category B **[B]**opomofo
- Category C **[C]**ursive
- Category F **[F]**ully-reflective
- Category H **[H]**angul Component
- Category I **[I]**ncomplete
- Category K **[K]**atakana Component
- Category M **[M]**irrored
- Category O **[O]**dd Component
- Category R **[R]**otated
- Category S **[S]**troke-heavy
- Category U **[U]**nusual Arrangment/Structure

The “Code Point” and “Ideograph” cells of Han ideographs that are assigned to more than one category are cyan-filled. In the proposed data file, the maximum number of categories to which a Han ideograph is currently assigned is two. A total of 697 unique Han ideographs are covered in this proposal.

Soon after this new Unihan Database property is accepted, I plan to prepare a new UTN (*Unicode Technical Note*) that will be a minor extension of this document, and will be updated as additional Han ideographs are added to this property, which can happen through discovery, by establishing a new category, or by the encoding of a new CJK Unified Ideographs block. For example, I have thus far identified 33 *kStrange* candidates in IRG Working Set 2017, which is expected to become the Extension H block.

Data Files

The *kstrange-data.txt* data file, which is a PDF attachment, provides everything that is necessary for adding this property to the Unihan Database, and for adding a full description of the property to [UAX #38](#), *Unicode Han Database (Unihan)*.

The *kstrange-data-ws2017.txt* data file, which is also a PDF attachment, provides the serial number, source reference(s), and *kStrange* property value(s) for the 33 candidates that have been identified thus far in IRG Working Set 2017.

Representative Glyphs & Code Chart Excerpts

The representative glyphs in the “Ideograph” and “Reference” columns, along with those in the “Bopomofo” and “Katakana” columns, are from the [Hanazono Mincho](#) (花園明朝) fonts, specifically the [OpenType/CFF versions: HanaMinA.otf](#) (BMP), *HanaMinB.otf* (Extension B), and *HanaMinC.otf* (Extensions C through F). Extension G representative glyphs are not included (their “Ideograph” cells are filled green), except for a very small number whose representative glyphs are from [Source Han Sans](#).

The code chart excerpts are based on those for the [Unicode Version 13.0 BETA](#), and those for Extension G are highlighted in yellow.

Category A—[A]symmetric

Han ideographs with this property value exhibit a structure that appears to be asymmetric.

Category	Block	Code Point	Ideograph	Code Chart Excerpt
A	B	U+2074E	𠄎	2074E 𠄎 18.8 UCS2003 GHZ-10343.05
A	B	U+21CFF	𠄎	21CFF 𠄎 45.2 UCS2003 T6-216C
A	B	U+24C03	𠄎	24C03 𠄎 101.1 UCS2003 T6-253A
A	B	U+26A03	𠄎	26A03 𠄎 136.16 UCS2003 T7-5C4B
A	B	U+26B69	𠄎	26B69 𠄎 140.5 UCS2003 T6-2D7D

Category B—[B]opomofo

Han ideographs with this property value visually resemble a bopomofo character (common Han ideographs and radicals that resemble a bopomofo character, such as 一 (U+4E00) versus 一 (U+3127), have been explicitly excluded). In addition to being tagged with the letter “B,” the code point for the corresponding bopomofo character is also specified.

Category	Block	Code Point	Ideograph	Bopomofo	Code Chart Excerpt
B	URO	U+4E02	𠄎	𠄎	4E02 — 1.1 G5-3021 T4-2126 J14-2122
B	URO	U+4E05	𠄎	𠄎	4E05 — 1.1 GE-3022 T3-2125 J1-3023
B	URO	U+4E29	𠄎	𠄎	4E29 2.1 G5-303C T4-2127 J4-2125

Category	Block	Code Point	Ideograph	Bopomofo	Code Chart Excerpt
B	URO	U+4E2B	𠃉	ㄚ	4E2B 2.2 𠃉 𠃉 𠃉 𠃉 𠃉 𠃉 G0-513E HB1-A458 T1-4439 J14-2126 K1-6622 V1-4A34
B	URO	U+4E40	𠃊	ㄛ	4E40 J 4.0 𠃊 𠃊 𠃊 𠃊 GE-302C T4-2122 J14-2128 K2-2130
B	URO	U+4E5C	𠃋	ㄜ	4E5C 乙 5.1 𠃋 𠃋 𠃋 𠃋 𠃋 G0-583F HB2-C941 T2-2122 J1-3035 K2-213A
B	URO	U+5DDC	𠃌	ㄝ	5DDC ㄝ 47-1 𠃌 𠃌 G5-303D T4-212C
B	URO	U+5E00	𠃍	ㄞ	5E00 巾 50.1 𠃍 𠃍 𠃍 𠃍 𠃍 GE-3774 T3-2163 J14-2870 K2-2F7D V1-5365
B	A	U+3405	𠃎	ㄟ	3405 J 4.1 𠃎 𠃎 𠃎 GKX-0081.18 T6-2123 JA-2124
B	A	U+37A2	𠃏	ㄠ	37A2 巾 45.1 𠃏 𠃏 G5-3F33 T3-2162
B	B	U+20000	𠃐	ㄡ	20000 一 1.1 𠃐 𠃐 𠃐 UCS2003 GKX-0075.06 T5-2125
B	B	U+20005	𠃑	ㄢ	20005 一 1.2 𠃑 𠃑 𠃑 UCS2003 GHZ-10010.01 T6-212E
B	B	U+200CA	𠃒	ㄣ	200CA 乙 5.0 𠃒 𠃒 𠃒 𠃒 UCS2003 GHZ-10047.05 VU-200CA H-884E
B	B	U+200CB	𠃓	ㄤ	200CB 乙 5.0 𠃓 𠃓 𠃓 𠃓 UCS2003 GHZ-10048.01 T5-2122 H-884B
B	B	U+200D2	𠃔	ㄥ	200D2 乙 5.2 𠃔 𠃔 UCS2003 T5-212B
B	B	U+2010E	𠃕	ㄦ	2010E J 6.1 𠃕 𠃕 𠃕 𠃕 UCS2003 GKX-0085.13 T4-2128 H-8853
B	B	U+206A3	𠃖	ㄧ	206A3 刀 18.0 𠃖 𠃖 UCS2003 T6-2139
B	B	U+20AD3	𠃗	ㄨ	20AD3 厶 28.1 𠃗 𠃗 𠃗 𠃗 UCS2003 GKX-0164.01 T5-212E J4-2359
B	B	U+21C23	𠃘	ㄩ	21C23 尸 44.0 𠃘 𠃘 UCS2003 T6-213E
B	B	U+21FE8	𠃙	ㄚ	21FE8 ㄝ 47-2 𠃙 𠃙 𠃙 𠃙 UCS2003 GKX-0323.21 T4-2125 H-884C
B	G	U+3018A		ㄛ	3018A J 26.0 𠃚 UTC-00984

Category C—[C]ursive

Han ideographs with this property value are either cursive or include one or more cursive components that do not adhere to Han ideograph stroke conventions.

Category	Block	Code Point	Ideograph	Code Chart Excerpt
C	URO	U+4E44	乂	4E44 J 4.1 GE-302D 乂 J1-3031
C	B	U+201AD	𠄎	201AD 人 9.3 UCS2003 𠄎 𠄎 𠄎 GHZ-10111.01 T6-2235
C	B	U+201C7	侍	201C7 人 9.4 UCS2003 侍 侍 TF-2176
C	B	U+2034B	儻	2034B 人 9.11 UCS2003 儻 儻 TF-403B
C	B	U+20AB3	𠄎	20AB3 厂 27.13 UCS2003 𠄎 𠄎 T7-2142
C	B	U+211A2	𠄎	211A2 口 31.1 UCS2003 𠄎 𠄎 TF-2137
C	B	U+219B9	𠄎	219B9 宀 40.1 UCS2003 𠄎 𠄎 T6-2169
C	B	U+219D1	突	219D1 宀 40.4 UCS2003 突 突 TF-2372
C	B	U+22013	𠄎	22013 工 48.1 UCS2003 𠄎 𠄎 T6-2170
C	B	U+26E57	𠄎	26E57 艸 140.11 UCS2003 𠄎 𠄎 TF-516A
C	F	U+2CEF7	𠄎	2CEF7 丨 2.9 JMJ-057639 𠄎
C	F	U+2CEFF	乚	2CEFF J 4.1 JMJ-056853 乚
C	F	U+2CF02	人	2CF02 J 4.1 JMJ-056850 人
C	F	U+2D047	𠄎	2D047 八 12.5 JMJ-058412 𠄎
C	F	U+2D143	勸	2D143 力 19.12 JMJ-057075 勸
C	F	U+2D37B	𠄎	2D37B 土 32.3 JMJ-059446 𠄎
C	F	U+2D44A	卷	2D44A 大 37.5 JMJ-057275 卷

Category	Block	Code Point	Ideograph	Code Chart Excerpt
C	F	U+2D6A5	𠂇	2D6A5 𠂇 57.1 JMJ-057460
C	F	U+2D92A	坊	2D92A 坊 70.2 JMJ-057632
C	F	U+2D95F	𠂇	2D95F 𠂇 72.4 JMJ-057652
C	F	U+2E4E0	虚	2E4E0 虚 141.4 JMJ-058589
C	F	U+2E979	霍	2E979 霍 172.4 JMJ-058980

Category F—[F]ully-reflective

Han ideographs with this property value are fully-reflective or include components that are fully-reflective, meaning that the mirrored and unmirrored components are arranged side-by-side or stacked top-and-bottom. In addition to being tagged with the letter “F,” the code point for the corresponding unreflected Han ideograph, if any and as shown in the “Reference” column, is also specified.

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
F	URO	U+56CD	囍		56CD 囍 30.18 GK-6868 HB2-F8A6 T2-7034 J14-2454 K0-7D6E
F	URO	U+71DB	𠂇		71DB 𠂇 86.12 GE-413E HB2-EA58 T2-5844
F	URO	U+81E6	𠂇	𠂇	81E6 𠂇 131.6 GE-4879 HB2-DB52 T2-3F37 K2-563A
F	URO	U+81E9	𠂇		81E9 𠂇 131.11 GE-487A HB2-EDEF T2-5E5C K2-563B
F	B	U+21155	囍		21155 囍 33.18 UCS2003 GHZ-80012.04
F	B	U+221D6	𠂇		221D6 𠂇 52.19 UCS2003 GHZ-21097.07 T7-576D
F	B	U+22374	𠂇		22374 𠂇 55.14 UCS2003 GHZ-80012.10
F	B	U+223FD	𠂇		223FD 𠂇 57.8 UCS2003 GHZ-20998.04 T6-3F57
F	B	U+23960	址	址	23960 址 77.4 UCS2003 GHZ-21440.08 T4-2672
F	B	U+244EB	𠂇		244EB 𠂇 86.25 UCS2003 GKX-0688.20 T7-644C

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
F	B	U+24570	𠩺	𠩺	24570 月 90.4 𠩺 𠩺 𠩺 UCS2003 GHX-0691.16 T6-2C67
F	B	U+249A1	𠩻		249A1 玉 96.8 𠩻 𠩻 𠩻 UCS2003 GHZ-21120.01 T6-5532
F	B	U+268E9	𠩼	𠩼	268E9 臣 131.6 𠩼 𠩼 𠩼 UCS2003 GHZ-42802.13 T6-4D57
F	B	U+286DC	𠩽	𠩽	286DC 邑 163.7 𠩽 𠩽 𠩽 UCS2003 GHZ-63771.09 T6-6340
F	B	U+287A0	𠩿		287A0 邑 163.13 𠩿 𠩿 𠩿 UCS2003 GHZ-63799.09 T7-505D
F	B	U+287B0	𠺀		287B0 邑 163.14 𠺀 𠺀 𠺀 UCS2003 GHZ-63801.09 T7-5554
F	B	U+28944	𠺁		28944 金 167.3 𠺁 𠺁 𠺁 UCS2003 GHX-1297.14 T6-4577
F	B	U+28CC8	𠺂	門	28CC8 門 169.0 𠺂 𠺂 UCS2003 K4-00F1
F	B	U+28E85	𠺃		28E85 草 170.8 𠺃 𠺃 𠺃 UCS2003 GHX-1355.09 T7-347B
F	B	U+28F31	𠺄		28F31 草 170.13 𠺄 𠺄 𠺄 UCS2003 GHX-1362.03 T7-5079
F	B	U+28F44	𠺅		28F44 草 170.14 𠺅 𠺅 𠺅 UCS2003 GHX-1362.19 T5-7459
F	B	U+28F5D	𠺆		28F5D 草 170.16 𠺆 𠺆 𠺆 UCS2003 GHZ-64164.09 T5-7843
F	B	U+28F61	𠺇		28F61 草 170.16 𠺇 𠺇 𠺇 UCS2003 GHX-1363.13 T7-5F77
F	B	U+28F69	𠺈		28F69 草 170.18 𠺈 𠺈 UCS2003 GHX-1363.18
F	B	U+28F74	𠺉		28F74 草 170.25 𠺉 𠺉 𠺉 UCS2003 GHX-1363.21 T7-6637
F	B	U+28F75	𠺊		28F75 草 170.25 𠺊 𠺊 𠺊 UCS2003 GHZ-64166.01 T7-6628
F	E	U+2B935	𠺋		2B935 八 12.17 𠺋 GZJW-00728
F	E	U+2BA23	𠺌		2BA23 厂 27.15 𠺌 GZJW-00782
F	E	U+2BC92	𠺍		2BC92 女 38.15 𠺍 GZJW-00875

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
F	E	U+2BE2A	弜	弜	2BE2A 弜 弓 57.4 GZJW-00315
F	E	U+2C1BB	𪗗		2C1BB 𪗗 比 81.15 GZJW-01222
F	E	U+2C30B	𪗘		2C30B 𪗘 卩 90.12 GZJW-01281
F	E	U+2C6FF	𪗙		2C6FF 𪗙 白 134.13 GZJW-01475
F	E	U+2CD18	𪗚		2CD18 𪗚 高 189.7 GZJW-00686
F	E	U+2CD1C	𪗛		2CD1C 𪗛 高 189.11 GZJW-00693
F	E	U+2CD20	𪗜		2CD20 𪗜 高 189.13 GZJW-00697
F	E	U+2CD21	𪗝		2CD21 𪗝 高 189.14 GZJW-00696
F	E	U+2CD22	𪗞		2CD22 𪗞 高 189.15 GZJW-00699
F	E	U+2CD23	𪗟		2CD23 𪗟 高 189.16 GZJW-00700
F	E	U+2CD24	𪗠		2CD24 𪗠 高 189.19 GZJW-00702
F	E	U+2CD25	𪗡		2CD25 𪗡 高 189.19 GZJW-00703
F	E	U+2CD26	𪗢		2CD26 𪗢 高 189.20 GZJW-00704
F	F	U+2D5B2	𪗣		2D5B2 𪗣 山 46.9 SAT-05235
F	G	U+31044			31044 𪗤 草 170.18 GHZR-74482.18

Category H—[H]angul Component

Han ideographs with this property value include a hangul component. In addition to being tagged with the letter “H,” the code point for the hangul component is also specified.

Category	Block	Code Point	Ideograph	Hangul	Code Chart Excerpt
H	URO	U+5DEA	𪗥	ㄱ	5DEA 𪗥 工 48.3 GK-677B K2-2F76

Category	Block	Code Point	Ideograph	Hangul	Code Chart Excerpt
H	A	U+3514	𠵓	○	3514 力 19.4 𠵓 K3-222C
H	A	U+3516	𠵓	ㄱ	3516 力 19.4 𠵓 K3-222B
H	A	U+3AB2	𠵓	ㄱ	3AB2 斗 68.2 𠵓 K3-272B
H	A	U+3AB3	𠵓	○	3AB3 斗 68.2 𠵓 K3-272C
H	A	U+3AC7	𠵓	ㄱ	3AC7 方 70.6 𠵓 K3-2736
H	A	U+3AC8	𠵓	○	3AC8 方 70.6 𠵓 K3-2737
H	A	U+439E	耆	ㄱ	439E 老 125.6 耆 K3-2F53
H	B	U+200CD	ㄱ	ㄱ	200CD 乙 5.0 ㄱ UCS2003 K4-0004 H-8848
H	C	U+2A8B3	去	ㄱ	2A8B3 土 32.3 去 K5-01A1
H	C	U+2A941	夸	ㄱ	2A941 大 37.1 夸 K5-01A6
H	F	U+2D03B	𠵓	ㄱ	2D03B 入 11.3 𠵓 KC-06030
H	F	U+2D1BE	𠵓	ㄱ	2D1BE 口 30.3 𠵓 KC-06984
H	F	U+2D81A	投	ㄱ	2D81A 手 64.5 投 KC-07031
H	F	U+2D939	𠵓	人	2D939 方 70.6 𠵓 KC-07034
H	F	U+2D94B	𠵓	ㄱ	2D94B 日 72.1 𠵓 KC-06316
H	F	U+2DA58	𠵓	ㄱ	2DA58 木 75.1 𠵓 KC-06352
H	F	U+2E78C	近	ㄱ	2E78C 辵 162.5 近 KC-07152
H	G	U+301C8		ㄱ	301C8 口 30.3 𠵓 KC-00392
H	G	U+30255		ㄱ	30255 土 32.1 去 KC-00597

Category	Block	Code Point	Ideograph	Hangul	Code Chart Excerpt
H	G	U+30481		ㄱ	30481 愁 心 61.10 KC-01273
H	G	U+30912		ㄱ	30912 皁 白 106.1 KC-02794
H	G	U+30BEE		ㄱ	30BEE 𡇗 臣 131.3 KC-03502
H	G	U+30C2F		ㄱ	30C2F 蒭 艸 140.5 KC-03553
H	G	U+30D97		ㄱ	30D97 𡇗 豆 151.1 KC-03944
H	G	U+30F18		ㄱ	30F18 𡇗 里 166.1 KC-04192

Category I—[I]ncomplete

Han ideographs with this property value appear to be incomplete versions of an existing or possible Han ideograph (meaning that one or more components appear to be incomplete), without regard to semantics. In addition to being tagged with the letter “I,” the code points for the corresponding complete Han ideographs, if any and as shown in the “Reference” column, are also specified.

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
I	URO	U+4E04	丄	上	4E04 — 1.1 丄 丄 丄 丄 GE-3021 H-9EB3 T3-2126 J1-3022
I	URO	U+4E05	丅	下	4E05 — 1.1 丅 丅 丅 GE-3022 T3-2125 J1-3023
I	URO	U+4E52	𠂇	兵	4E52 J 4.5 𠂇 𠂇 𠂇 𠂇 G0-4639 HB1-A5E2 T1-4724 K2-2136
I	URO	U+4E53	𠂈	兵	4E53 J 4.5 𠂈 𠂈 𠂈 𠂈 G0-4552 HB1-A5E3 T1-4725 K2-2137
I	URO	U+5187	𠂉	有	5187 𠂉 13.2 𠂉 𠂉 𠂉 G3-3056 HB2-C94E T2-212E
I	URO	U+56EC	囧	面	56EC 𠂉 31.4 囧 囧 GE-343C T3-252B
I	URO	U+5B52	孑	子	5B52 孑 39.0 孑 孑 孑 孑 GE-364D T4-2132 J14-2577 K2-2D5C
I	URO	U+5DDC	𠂊	𠂊	5DDC 𠂊 47.1 𠂊 𠂊 G5-303D T4-212C
I	URO	U+8002	𠂋	老	8002 老 125.2 𠂋 𠂋 𠂋 𠂋 GE-4836 H-8BDF T3-667B J4-7522

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
I	URO	U+8080	𠂇	聿	8080 聿 129-2 𠂇 𠂇 G0-6D31 H-8BE0
I	URO	U+9F50	𠂇	齊	9F50 齊 210'0 文 67.2 𠂇 齊 齊 齊 G0-466B H-A0FC T3-2370
I	URO	U+9FB0	𠂇	足	9FB0 止 77.0 𠂇 H-C8A1
I	A	U+382A	王	正	382A 工 48.1 王 王 王 GKX-0325.06 T6-216E JA-2255
I	A	U+39B0	𠂇	鐵	39B0 戈 62.4 𠂇 𠂇 𠂇 G5-4825 T4-2654 K3-2622
I	A	U+3C50	𠂇	武	3C50 止 77.3 𠂇 K3-2863
I	A	U+4AA3	𠂇		4AA3 非 179.11 𠂇 T3-5D52
I	B	U+20016	𠂇	共	20016 一 1.4 𠂇 𠂇 UCS2003 V0-3F5F
I	B	U+20017	𠂇	共	20017 一 1.4 𠂇 𠂇 UCS2003 V0-3F60
I	B	U+2002A	其	其	2002A 一 1.6 其 其 UCS2003 V0-456C
I	B	U+2002B	其	其	2002B 一 1.6 其 其 UCS2003 V0-456D
I	B	U+20035	陽	陽	20035 一 1.8 陽 陽 UCS2003 TF-2922
I	B	U+2003D	𠂇	𠂇	2003D 一 1.9 𠂇 𠂇 UCS2003 GHZ-10026.05
I	B	U+20063	𠂇	門	20063 I 2.3 門 169-4 𠂇 𠂇 UCS2003 GHZ-10028.09
I	B	U+20064	𠂇	西	20064 口 31.2 𠂇 𠂇 𠂇 UCS2003 GHZ-10029.03 T6-225F
I	B	U+20080	𠂇	井	20080 、 3.4 𠂇 𠂇 UCS2003 G4K-06408
I	B	U+20092	生	生	20092 J 4.3 生 生 UCS2003 TF-2125
I	B	U+20099	𠂇	𠂇	20099 J 4.4 𠂇 𠂇 UCS2003 T6-222F
I	B	U+2009A	𠂇	𠂇	2009A J 4.4 𠂇 𠂇 UCS2003 TF-2140

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
I	B	U+2009B	企	企	2009B J 4.4 企 正 UCS2003 TF-2141
I	B	U+200B3	𠄎	𠄎	200B3 J 4.7 𠄎 𠄎 𠄎 UCS2003 GKX-0083.07 T6-3A65
I	B	U+200D2	世	世	200D2 乙 5.2 世 世 UCS2003 T5-2126
I	B	U+200DB	𠄎	門	200DB 乙 5.3 門 169.4 𠄎 𠄎 UCS2003 GHZ-10051.14
I	B	U+20118	承	承	20118 J 6.6 承 承 UCS2003 H-FCAD
I	B	U+20119	事	事	20119 J 6.7 事 事 事 UCS2003 GKX-0085.27 T6-2940
I	B	U+20149	𠄎	𠄎	20149 + 8.5 𠄎 𠄎 UCS2003 TF-2277
I	B	U+2015B	𠄎	𠄎	2015B + 8.8 𠄎 𠄎 UCS2003 GHZ-10287.12
I	B	U+2017E	𠄎	𠄎	2017E + 8.12 𠄎 𠄎 UCS2003 TF-4642
I	B	U+201B1	𠄎	𠄎	201B1 + 24.3 𠄎 𠄎 UCS2003 GHZ-10115.02
I	B	U+2053E	舟	舟	2053E 冫 13.2 舟 舟 舟 UCS2003 GKX-0128.35 T6-2151
I	B	U+20546	有	有	20546 冫 13.3 有 有 UCS2003 TF-2146
I	B	U+20936	𠄎	𠄎	20936 匚 22.5 𠄎 𠄎 UCS2003 TF-233C
I	B	U+209B1	𠄎	𠄎	209B1 + 24.10 𠄎 𠄎 UCS2003 TF-3954
I	B	U+20A64	原	原	20A64 厂 27.7 原 原 原 UCS2003 GHZ-10072.05 T4-2855
I	B	U+20AB1	𠄎	𠄎	20AB1 厂 27.13 𠄎 𠄎 UCS2003 G4K-12362
I	B	U+20B0A	𠄎	𠄎	20B0A 厶 28.11 𠄎 𠄎 UCS2003 TF-4052
I	B	U+20B35	𠄎	𠄎	20B35 又 29.5 𠄎 𠄎 UCS2003 TF-2342
I	B	U+20B6B	𠄎	𠄎	20B6B 又 29.10 𠄎 𠄎 UCS2003 TF-3958

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
I	B	U+20EDA	暮	暮	20EDA 𠂔 30.11 𠂔 30.11 UCS2003 GHX-0204.26 T6-5B51
I	B	U+20F28	𠂔		20F28 𠂔 30.11 𠂔 30.11 UCS2003 GHZ-80014.17
I	B	U+2115B	𠂔		2115B 𠂔 30.19 𠂔 30.19 UCS2003 GHX-0215.18
I	B	U+21245	吉	吉	21245 𠂔 32.2 𠂔 32.2 UCS2003 GHZ-10417.10
I	B	U+21246	吉	吉	21246 𠂔 32.2 𠂔 32.2 UCS2003 GHZ-10417.12
I	B	U+213CE	𠂔		213CE 𠂔 32.10 𠂔 32.10 UCS2003 TF-406C
I	B	U+21428	𠂔	𠂔	21428 𠂔 32.12 𠂔 32.12 UCS2003 GHX-0239.20 T7-2178
I	B	U+2151C	声	声	2151C 𠂔 33.3 𠂔 33.3 UCS2003 GHZ-10420.08
I	B	U+21556	𠂔	𠂔 𠂔 𠂔 𠂔	21556 𠂔 34.3 𠂔 34.3 UCS2003 GHZ-20868.02 T6-2436 VU-21556
I	B	U+216F7	𠂔	𠂔	216F7 𠂔 38.5 𠂔 38.5 UCS2003 GHZ-21035.06 T6-2A5F
I	B	U+219AD	𠂔		219AD 𠂔 39.16 𠂔 39.16 UCS2003 T7-4D52
I	B	U+219D8	𠂔	𠂔	219D8 𠂔 40.5 𠂔 40.5 UCS2003 GHX-0283.09 T6-2A66
I	B	U+21C23	𠂔	𠂔	21C23 𠂔 44.0 𠂔 44.0 UCS2003 T6-213E
I	B	U+21FE8	𠂔	𠂔 𠂔 𠂔 𠂔	21FE8 𠂔 47.2 𠂔 47.2 UCS2003 GHX-0323.21 T4-2125 H-884C
I	B	U+22053	布	布	22053 𠂔 50.2 𠂔 50.2 UCS2003 GHX-0328.08 T6-2275
I	B	U+22064	𠂔		22064 𠂔 50.3 𠂔 50.3 UCS2003 GHZ-10730.17 T5-225A
I	B	U+220FB	𠂔		220FB 𠂔 50.9 𠂔 50.9 UCS2003 T6-4838
I	B	U+2218D	𠂔	重	2218D 𠂔 51.5 𠂔 51.5 UCS2003 GHX-0340.06 T4-2426 VU-2218D
I	B	U+221AF	𠂔	𠂔	221AF 𠂔 52.1 𠂔 52.1 UCS2003 GHX-0342.01 T6-2172

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
I	B	U+221BD	紗	紗	221BD 纟 52.5 UCS2003 GKK-0342.10 T5-2624 紗 紗 紗
I	B	U+221CA	絜	絜	221CA 纟 52.9 UCS2003 T6-4843 UTC-00152 絜 絜 絜
I	B	U+221CB	緘	緘	221CB 纟 52.10 UCS2003 T5-3E7C 緘 緘
I	B	U+22324	建	建	22324 廾 54.7 UCS2003 K4-0039 建 建
I	B	U+2239E	弘	弘	2239E 弓 57.1 UCS2003 G4K-01209 弘 弘
I	B	U+223B1	弔	弔	223B1 弓 57.3 UCS2003 T6-2469 弔 弔
I	B	U+223BA	弣	弣	223BA 弓 57.4 UCS2003 GKK-0357.20 T6-2753 UTC-00150 弣 弣 弣 弣
I	B	U+223C0	矜	矜	223C0 弓 57.4 UCS2003 TF-242C 矜 矜
I	B	U+224B4	禳	禳	224B4 彡 59.14 UCS2003 GKK-0364.26 T7-3776 禳 禳 禳
I	B	U+2267B	𦉰	𦉰	2267B 心 61.7 UCS2003 GKK-0387.14 T6-3F69 𦉰 𦉰 𦉰
I	B	U+22779	悞	悞	22779 心 61.9 UCS2003 GHZ-42329.07 悞 悞
I	B	U+22868	愧	愧	22868 心 61.12 UCS2003 TF-4E74 愧 愧
I	B	U+22877	愨	愨	22877 心 61.12 UCS2003 GHZ-42350.04 愨 愨
I	B	U+22994	戣	戣	22994 戈 62.3 UCS2003 T5-243B 戣 戣
I	B	U+22AC2	扞	扞	22AC2 手 64.5 UCS2003 T6-2B62 扞 扞
I	B	U+22BBD	扞	扞	22BBD 手 64.8 UCS2003 TF-352A 扞 扞
I	B	U+23D11	流	流	23D11 水 85.6 UCS2003 GHZ-31605.10 T6-3238 流 流 流
I	B	U+24993	琿	琿	24993 玉 96.8 UCS2003 TF-3D2C 琿 琿
I	B	U+225A9	心	心	225A9 心 61.1 UCS2003 T5-2131 心 心

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
I	B	U+22606	恒	恒	22606 心 61.5 恒 恒 恒 UCS2003 GKKX-0380.23 T5-2635
I	B	U+22634	愬	愬	22634 心 61.6 愬 愬 愬 UCS2003 GKKX-0383.14 T6-375B
I	B	U+226C0	悶	悶	226C0 心 61.8 悶 悶 UCS2003 GKKX-0389.05
I	B	U+2298F	戔	戔 ¹	2298F 戈 62.2 戔 戔 戔 戔 戔 UCS2003 GU-2298F T4-2272 J4-2C72 VU-2298F
I	B	U+22998	或	或	22998 戈 62.3 或 或 UCS2003 GHZ-21401.07
I	B	U+22A6F	扌	扌	22A6F 手 64.3 扌 扌 UCS2003 GKKX-0417.21
I	B	U+22AA2	挑	挑	22AA2 手 64.4 挑 挑 UCS2003 TF-2441
I	B	U+22ACE	扌	扌	22ACE 手 64.5 扌 扌 UCS2003 TF-272F
I	B	U+22B61	扌	扌	22B61 手 64.7 扌 扌 UCS2003 TF-2F5E
I	B	U+22F0B	敕	敕	22F0B 支 66.5 敕 敕 敕 UCS2003 GKKX-0469.17 T5-294C
I	B	U+2314A	昌	昌	2314A 日 72.3 昌 昌 昌 UCS2003 GKKX-0490.17 T6-2822
I	B	U+23150	旻	旻	23150 日 72.3 旻 旻 UCS2003 T6-2821
I	B	U+23169	眉	眉	23169 日 72.4 眉 眉 UCS2003 TF-2738
I	B	U+231B9	曷	曷	231B9 日 72.7 曷 曷 曷 UCS2003 GKKX-0495.42 T6-404C
I	B	U+231D3	鼎	鼎	231D3 日 72.7 鼎 鼎 UCS2003 TF-3545
I	B	U+232B3	曷	曷	232B3 日 72.12 曷 曷 UCS2003 TF-546A
I	B	U+23332	鼻	鼻	23332 日 73.6 鼻 鼻 UCS2003 TF-2F72
I	B	U+233C1	杲	杲	233C1 木 75.3 杲 杲 杲 UCS2003 GKKX-0511.15 T6-282C
I	B	U+233CA	杳	杳	233CA 木 75.3 杳 杳 UCS2003 TF-2452

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
I	B	U+23408	栳	棟	23408 栳 栳 栳 木 75.5 UCS2003 GKK-0518.01 T6-3174
I	B	U+2347D	梵	梵	2347D 梵 梵 木 75.6 UCS2003 TF-2F77
I	B	U+23652	燾	燾	23652 燾 燾 木 75.12 UCS2003 TF-4F4F
I	B	U+236D0	櫟		236D0 櫟 櫟 木 75.12 UCS2003 TF-5537
I	B	U+239E8	歺	歺	239E8 歺 歺 歺 歹 78.5 UCS2003 GKK-0579.58 T6-3225
I	B	U+23C16	毳	毳	23C16 毳 毳 毳 毛 82.13 UCS2003 GHZ-32007.06 T7-386B
I	B	U+23C71	水	水	23C71 水 水 水 85.0 UCS2003 GHZ-31546.01
I	B	U+23C96	氐	氐	23C96 氐 氐 水 85.4 UCS2003 GKK-0612.11
I	B	U+23D2B	澀	澀	23D2B 澀 澀 澀 水 85.7 UCS2003 GKK-0627.08 T6-3876
I	B	U+23D49	渎	渎	23D49 渎 渎 水 85.7 UCS2003 TF-3043
I	B	U+23DD2	涇	涇	23DD2 涇 涇 水 85.8 UCS2003 TF-363A
I	B	U+2404E	潭	潭	2404E 潭 潭 水 85.14 UCS2003 GHZ-80024.18
I	B	U+24121	灑	灑	24121 灑 灑 水 85.18 UCS2003 TF-676B
I	B	U+241D7	魚	魚	241D7 魚 魚 火 86.5 UCS2003 TF-2C21
I	B	U+2435E	燿	燿	2435E 燿 燿 火 86.11 UCS2003 G4K-07028
I	B	U+2437B	熾	熾	2437B 熾 熾 火 86.11 UCS2003 TF-503B
I	B	U+2447B	燿	燿	2447B 燿 燿 火 86.16 UCS2003 GKK-0687.08
I	B	U+244F0	瓜	瓜	244F0 瓜 瓜 瓜 87.0 UCS2003 G4K-02026
I	B	U+24642	犝	犝	24642 犝 犝 牛 93.5 UCS2003 T6-3259

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
I	B	U+248E5	玄	玄	248E5 玄 95.1 UCS2003 GKK-0725.01
I	B	U+248E6	玆		248E6 玄 95.4 UCS2003 TF-2823
I	B	U+24ADD	璫		24ADD 玉 96.19 UCS2003 GHZ-21146.14
I	B	U+24E48	癢		24E48 疒 104.10 UCS2003 GHZ-42688.05
I	B	U+24F3D	皁	皁皁	24F3D 白 106.1 UCS2003 GKK-0785.06 T6-253C
I	B	U+24F6A	皦		24F6A 白 106.6 UCS2003 TF-3676
I	B	U+2506B	盞		2506B 皿 108.5 UCS2003 GHZ-80031.15 T6-3A25
I	B	U+25100	覘		25100 目 109.3 UCS2003 GHZ-42469.08 T6-2D43
I	B	U+25186	眴	眴	25186 目 109.6 UCS2003 GHZ-42485.07 T6-4245
I	B	U+2549B	砣		2549B 石 112.6 UCS2003 GHZ-42430.07
I	B	U+256C4	禛	禛	256C4 示 113.9 UCS2003 G4K-13721
I	B	U+2574C	禾	禾	2574C 禾 115.0 UCS2003 GKK-0848.19 T4-217E
I	B	U+25844	穉	穉	25844 禾 115.10 UCS2003 GHC
I	B	U+2584C	穉	穉	2584C 禾 115.10 UCS2003 TF-5072
I	B	U+25952	窈	窈	25952 穴 116.5 UCS2003 GKK-0864.35 T6-3A4A
I	B	U+25A5A	竝		25A5A 立 117.4 UCS2003 G4K-28225
I	B	U+25A88	豹	豹	25A88 立 117.7 UCS2003 TF-3D6F
I	B	U+25B7B	箸	箸	25B7B 竹 118.7 UCS2003 TF-4447
I	B	U+25CC1	簏	簏	25CC1 竹 118.12 UCS2003 H-8E71

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
I	B	U+25D6F	籊		25D6F 籊 籊 籊 竹 118.14 UCS2003 GKX-0903.12 T5-6C77
I	B	U+25F26	糴		25F26 糴 糴 米 119.12 UCS2003 TF-6027
I	B	U+25F94	納	納	25F94 納 納 糸 120.3 UCS2003 TF-2D23
I	B	U+25FAC	紆	紘	25FAC 紆 紆 紆 糸 120.4 UCS2003 GKX-0919.10 T5-2F59
I	B	U+25FAD	紉		25FAD 紉 紉 紉 糸 120.4 UCS2003 GKX-0919.12 T6-3A61
I	B	U+26165	纒		26165 纒 纒 糸 120.12 UCS2003 TF-6032
I	B	U+2626A	𠄎	𠄎	2626A 𠄎 𠄎 𠄎 𠄎 网 122.0 UCS2003 T6-2229 K4-00A5 H-8BDB
I	B	U+2626B	𠄏	𠄐	2626B 𠄏 𠄏 𠄏 网 122.0 UCS2003 T6-2228 H-A0FE
I	B	U+26285	突	突	26285 突 突 网 122.4 UCS2003 GHC
I	B	U+26316	羴		26316 羴 羴 羴 网 122.12 UCS2003 GKX-0949.36 T7-3A4C
I	B	U+26356	羶		26356 羶 羶 羊 123.3 UCS2003 TF-284B
I	B	U+26419	翹		26419 翹 翹 翹 羽 124.5 UCS2003 GKX-0956.26 T6-4343
I	B	U+264D0	𠄑	𠄑	264D0 𠄑 𠄑 𠄑 而 126-1 UCS2003 GKX-0961.21 T5-2179
I	B	U+26541	𠄒		26541 𠄒 𠄒 𠄒 耳 128.4 UCS2003 GKX-0966.17 T6-3B22
I	B	U+265C9	聩	聩	265C9 聩 聩 耳 128.10 UCS2003 TF-572F
I	B	U+26612	聿	聿	26612 聿 聿 聿 聿 聿 聿 129-1 UCS2003 GKX-0971.02 T5-217A VU-26612 H-8BE1
I	B	U+2664D	𠄓	𠄔	2664D 𠄓 𠄓 𠄓 肉 130.4 UCS2003 GHZ-10039.07 T4-276B
I	B	U+26738	𠄕		26738 𠄕 𠄕 肉 130.8 UCS2003 GHZ-32092.01
I	B	U+268FA	阜	阜	268FA 阜 阜 阜 自 132.1 UCS2003 GKX-1000.10 T6-287E

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
I	B	U+26965	𪎑		26965 𪎑 𪎑 𪎑 白 134.5 UCS2003 GKX-1003.18 T6-4369
I	B	U+26A0A	舩	舩	26A0A 舩 舩 舩 舟 137.2 UCS2003 GHZ-53055.06 T6-2D77
I	B	U+26AF7	芑	芑	26AF7 芑 芑 芑 艸 140.2 UCS2003 GKX-1017.12 T6-2550
I	B	U+26B34	茈	茈	26B34 茈 茈 艸 140.4 UCS2003 TF-2864
I	B	U+26B44	芎	芎	26B44 芎 芎 芎 艸 140.5 UCS2003 GKX-1027.11 T6-343E
I	B	U+26B71	莘		26B71 莘 莘 莘 艸 140.6 UCS2003 GKX-1027.35 T5-2F78
I	B	U+26B81	葬	葬	26B81 葬 葬 葬 艸 140.6 UCS2003 GKX-1031.14 T5-3022
I	B	U+26B9F	苾		26B9F 苾 苾 艸 140.6 UCS2003 TF-3239
I	B	U+26BFA	萋	萋	26BFA 萋 萋 艸 140.7 UCS2003 TF-3775
I	B	U+26BFE	茗		26BFE 茗 茗 艸 140.7 UCS2003 TF-377B
I	B	U+26C18	蓆	蓆	26C18 蓆 蓆 蓆 艸 140.7 UCS2003 GHZ-53216.07 T5-3528
I	B	U+26C66	董	董	26C66 董 董 董 艸 140.8 UCS2003 GKX-1041.33 T6-4E2E
I	B	U+26DC3	蕤		26DC3 蕤 蕤 艸 140.10 UCS2003 TF-4B76
I	B	U+27268	蛩	蛩	27268 蛩 蛩 蛩 虫 142.5 UCS2003 GKX-1080.07 T6-444C
I	B	U+27475	蠖		27475 蠖 蠖 虫 142.12 UCS2003 GKX-1098.44
I	B	U+27538	蠹		27538 蠹 蠹 虫 142.16 UCS2003 GHC
I	B	U+275EE	衿	衿	275EE 衿 衿 行 144.6 UCS2003 TF-3F2A
I	B	U+27607	衤	衣	27607 衤 衤 衤 衣 145-2 UCS2003 V2-8359 H-C8A4
I	B	U+2761B	衤	衤	2761B 衤 衤 衣 145.3 UCS2003 GHZ-80034.11

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
I	B	U+27825	覘	覘	27825 見 147.5 覘 覘 UCS2003 GHZ-63666.04
I	B	U+278D8	觥		278D8 角 148.5 觥 觥 觥 UCS2003 GKX-1141.03 T6-4E69
I	B	U+2795B	言	言	2795B 言 149-1 言 言 言 UCS2003 GKX-1146.04 T5-2327
I	B	U+2795C	言	言	2795C 言 149-1 言 言 言 UCS2003 GKX-1146.05 T5-2328
I	B	U+27968	詛	詛	27968 言 149.3 詛 詛 詛 UCS2003 GHZ-63940.08 T6-3C30
I	B	U+2796A	評		2796A 言 149.3 評 評 評 UCS2003 GHZ-63941.02 T6-3C2F
I	B	U+279B6	話	話	279B6 言 149.5 話 話 UCS2003 TF-3F3A
I	B	U+279DF	譏	讖	279DF 言 149.6 譏 譏 譏 UCS2003 GKX-1161.11 T5-4278
I	B	U+27A25	諂	諂	27A25 言 149.7 諂 諂 UCS2003 GHZ-63978.16
I	B	U+27C1E	豔		27C1E 豆 151.16 豔 豔 UCS2003 TF-6A77
I	B	U+27C27	豕	豕	27C27 豕 152-1 豕 豕 豕 UCS2003 GKX-1194.09 T6-2554
I	B	U+27C28	豕	豕	27C28 豕 152-1 豕 豕 豕 UCS2003 GHZ-63610.03 T5-2329
I	B	U+27E90	趲	趲	27E90 走 156.3 趲 趲 趲 UCS2003 GKX-1215.11 T6-3C3E
I	B	U+27FCB	趲		27FCB 足 157.3 趲 趲 UCS2003 GHZ-63688.04
I	B	U+28013	跑		28013 足 157.5 跑 跑 跑 UCS2003 GHZ-63698.01 T6-4F3A
I	B	U+28029	跣	跣	28029 足 157.6 跣 跣 跣 UCS2003 GKX-1226.03 T5-4348
I	B	U+28210	身	身	28210 身 158-2 身 身 身 UCS2003 GKX-1237.02 T6-233A
I	B	U+28211	身	身	28211 身 158-1 身 身 身 UCS2003 GKX-1237.03 T6-2555
I	B	U+2844E	边	逃	2844E 走 162.2 边 边 UCS2003 GHZ-63815.02

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
I	B	U+28498	速	速	28498 速 速 疋 162.5 UCS2003 GHZ-63823.01
I	B	U+284B5	過	過	284B5 過 過 疋 162.6 UCS2003 GHZ-80039.17
I	B	U+28538	遘	遘	28538 遘 遘 疋 162.9 UCS2003 GHC
I	B	U+28925	量	量	28925 量 量 量 里 166.4 UCS2003 GKX-1292.04 T6-4575
I	B	U+2895D	鈇	鈇	2895D 鈇 鈇 金 167.4 UCS2003 GHZ-64177.04
I	B	U+28973	鈇	鈇	28973 鈇 鈇 鈇 金 167.5 UCS2003 GHZ-64183.12 T6-5951
I	B	U+28979	鈇	鈇	28979 鈇 鈇 鈇 金 167.5 UCS2003 GHZ-64190.08 T6-5954
I	B	U+28C06	鑢		28C06 鑢 鑢 金 167.17 UCS2003 GHZ-64274.06
I	B	U+28CC7	門	門	28CC7 門 門 門 169.0 UCS2003 GHZ-74282.02
I	B	U+28D8D	閫		28D8D 閫 閫 門 169.10 UCS2003 TF-6148
I	B	U+28E8A	陪		28E8A 陪 陪 阜 170.8 UCS2003 TF-387C
I	B	U+28EDB	隔		28EDB 隔 隔 阜 170.10 UCS2003 TF-4623
I	B	U+2907E	雯	雯	2907E 雯 雯 雨 173.3 UCS2003 TF-3929
I	B	U+2909A	雯		2909A 雯 雯 雨 173.5 UCS2003 TF-462B
I	B	U+2928B	鞞		2928B 鞞 鞞 鞞 革 177.5 UCS2003 GHZ-74332.01 T6-6426
I	B	U+2944E	順	順	2944E 順 順 頁 181.2 UCS2003 GHC
I	B	U+2947F	頰	頰	2947F 頰 頰 頁 181.5 UCS2003 GKX-1402.24
I	B	U+2948B	頰	頰	2948B 頰 頰 頁 181.5 UCS2003 T6-642F
I	B	U+296D6	餃	餃	296D6 餃 餃 食 184.6 UCS2003 TF-4636

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
I	B	U+29C0A	𠄎	鬥	29C0A 𠄎 𠄎 𠄎 門 191.5 UCS2003 GHZ-10014.02 T6-233D
I	B	U+29C0B	𠄏	鬥	29C0B 𠄏 𠄏 𠄏 門 191.5 UCS2003 GHZ-10015.02 T6-233C
I	B	U+29C1C	𠄒	𠄒	29C1C 𠄒 𠄒 𠄒 門 191.14 UCS2003 GKX-1458.04 T7-603A
I	B	U+29C86	𠄖	𠄖	29C86 𠄖 𠄖 鬼 194.3 UCS2003 TF-3930
I	B	U+29C87	𠄗	𠄗	29C87 𠄗 𠄗 鬼 194.3 UCS2003 TF-392F
I	B	U+29D2B	𠄚	𠄚	29D2B 𠄚 𠄚 鬼 194.12 UCS2003 TF-672A
I	B	U+29D30	𠄛	𠄛	29D30 𠄛 𠄛 鬼 194.13 UCS2003 TF-6926
I	B	U+2A544	𠄜	𠄜	2A544 𠄜 𠄜 𠄜 鼠 208.4 UCS2003 GKX-1527.31 T7-3E6F
I	C	U+2AA72	𠄝	束	2AA72 𠄝 巾 50.2 UTC-00135
I	D	U+2B740	𠄞	五	2B740 𠄞 一 1.2 JH-IB0607
I	D	U+2B744	𠄟	久	2B744 𠄟 丿 4.2 JH-JTAD23
I	E	U+2B820	𠄠	弋戈	2B820 𠄠 一 1.1 TC-2121
I	E	U+2B829	𠄡	兹	2B829 𠄡 一 1.6 GZJW-00010
I	E	U+2B84F	𠄢	女	2B84F 𠄢 丿 4.2 TC-2136
I	E	U+2B851	𠄣	𠄣	2B851 𠄣 丿 4.5 UTC-00483
I	E	U+2BA51	𠄤	面面	2BA51 𠄤 口 30.2 GIDC-016
I	E	U+2BFED	𠄥	齐	2BFED 𠄥 文 67.2 JK-65199
I	E	U+2C09B	𠄦	木	2C09B 𠄦 木 75.2 JK-58711
I	E	U+2C0C7	𠄧	楹	2C0C7 𠄧 木 75.8 TD-3D2A

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
I	E	U+2C52D	筰		2C52D 筰 竹 118.3 GZJW-00569
I	E	U+2C889	覘		2C889 覘 见 147.5 GZFY-00669
I	F	U+2CEB0	才	才	2CEB0 才 一 1.1 JMJ-059293
I	F	U+2CEB1	才	木	2CEB1 才 一 1.2 JMJ-056820
I	F	U+2CEB7	豸	豸	2CEB7 豸 一 1.3 SAT-05296
I	F	U+2CEBB	豸	豸	2CEBB 豸 一 1.4 JMJ-056829
I	F	U+2CECC	東	東	2CECC 東 一 1.6 GZ-2701110
I	F	U+2CECD	東	東	2CECD 東 一 1.6 GZ-3461211
I	F	U+2CF2B	心	心	2CF2B 心 乙 5.8 JMJ-057893
I	F	U+2D0B8	覘		2D0B8 覘 几 16.11 SAT-00025
I	F	U+2D110	斨		2D110 斨 刀 18.12 SAT-01853
I	F	U+2D1B1	斨		2D1B1 斨 又 29.9 SAT-02031
I	F	U+2D1C1	吾	吾	2D1C1 吾 口 30.3 JMJ-057145
I	F	U+2D57F	虫	虫	2D57F 虫 中 45.3 JMJ-057375
I	F	U+2D6A0	戍	戍	2D6A0 戍 戈 56.2 SAT-02143
I	F	U+2D80D	戈	戈	2D80D 戈 手 64.0 JMJ-059643
I	F	U+2D928	斨		2D928 斨 方 70.2 SAT-60402
I	F	U+2D95D	曷		2D95D 曷 日 72.4 SAT-00302
I	F	U+2DA72	杲		2DA72 杲 木 75.5 JMJ-057717

Category K—[K]atakana Component

Han ideographs with this property value include one or more components that visually resemble a katakana syllable (although 𠄎, the PRC simplified form of 𠄎, is included, Han ideographs that include it as a component have been explicitly excluded). In addition to being tagged with the letter “K,” the code points for the katakana or katakana-like components are also specified.

Category	Block	Code Point	Ideograph	Katakana	Code Chart Excerpt
K	B	U+211A5	𠄎	ト ¹	211A5 □ 31.2 𠄎 𠄎 UCS2003 GHZ-10710.12
K	B	U+22016	𠄎	ス	22016 工 48.2 𠄎 𠄎 𠄎 𠄎 UCS2003 GBK VUJ-22016 UTC-00069
K	B	U+282A3	𠄎	ト ²	282A3 車 159.2 𠄎 𠄎 UCS2003 TF-2D52
K	C	U+2A708	𠄎	モ	2A708 2.3 𠄎 JK-65004
K	D	U+2B742	𠄎	ツ	2B742 — 1.6 𠄎 JH-IB0687
K	E	U+2B9A4	𠄎	カ	2B9A4 力 19.1 𠄎 JK-65047
K	E	U+2B9AB	𠄎	カナ	2B9AB 力 19.7 𠄎 JK-65050
K	E	U+2BCCD	𠄎	ウツホ	2BCCD 宀 40.7 𠄎 JK-65130
K	E	U+2C711	𠄎	カ ³	2C711 舟 137.2 𠄎 V4-5261
K	F	U+2CEC0	𠄎	サ	2CEC0 — 1.5 𠄎 JMJ-046311
K	F	U+2CECB	𠄎	サ	2CECB — 1.6 𠄎 JMJ-056833
K	F	U+2CF00	𠄎	シテ	2CF00 丿 4.1 𠄎 JMJ-056854
K	F	U+2CF61	𠄎	ス	2CF61 人 9.2 𠄎 JMJ-056902
K	F	U+2D580	𠄎	ス	2D580 山 46.2 𠄎 JMJ-057377
K	F	U+2D6DD	𠄎	エ	2D6DD 彳 60.3 𠄎 JMJ-059588
K	F	U+2DF86	𠄎	ケ	2DF86 皿 108.8 𠄎 JMJ-058147

Category	Block	Code Point	Ideograph	Katakana	Code Chart Excerpt
K	F	U+2E307	肉	ス	2E307 肉 肉 130.0 JMJ-058377
K	F	U+2E695	賢	ケ	2E695 賢 貝 154.9 JMJ-060205

- 1 U+211A5 囿 is an abbreviated form that means “library” (トシヨカン, which is the reading of 図書館 *toshokan*).
- 2 U+282A3 軚 is an abbreviated form that means “truck” (トラック *torakku*), as in a type of vehicle (車).
- 3 U+2C711 舢 is an abbreviated form that means “cutter” (カッター *kattā*), as in a type of ship (舟).

Category M—[M]irrored

Han ideographs with this property value are either mirrored or include one or more components that are mirrored. In addition to being tagged with the letter “M,” the code point for the corresponding unmirrored Han ideograph, if any and as shown in the “Reference” column, is also specified.

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
M	URO	U+4EFA	𠂇		4EFA 𠂇 𠂇 人 9.4 GE-3050 T3-2276
M	URO	U+5350	𠂈	𠂈	5350 𠂈 𠂈 十 24.4 G5-303E T3-232D
M	B	U+2009C	𠂉	𠂉	2009C 𠂉 𠂉 𠂉 丿 4.4 UCS2003 GHZ-10036.03 T6-2145
M	B	U+20141	𠂊	亡	20141 𠂊 𠂊 一 8.2 UCS2003 GHZ-10279.06
M	B	U+2091C	𠂋	𠂋	2091C 𠂋 𠂋 匕 21.7 UCS2003 T6-2F30
M	B	U+22044	𠂌		22044 𠂌 𠂌 己 49.8 UCS2003 T5-322C
M	B	U+23944	𠂍	正	23944 𠂍 𠂍 𠂍 止 77.1 UCS2003 GKX-0574.08 T6-232E
M	B	U+23957	𠂎	𠂎	23957 𠂎 𠂎 𠂎 止 77.4 UCS2003 GKX-0576.08 T6-2C39
M	B	U+2456A	𠂏	𠂏	2456A 𠂏 𠂏 𠂏 月 90.0 UCS2003 GKX-0691.11 T6-2225
M	B	U+26B62	𠂐 ¹		26B62 𠂐 𠂐 𠂐 艸 140.5 UCS2003 GHZ-80035.12 T6-343F

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
M	B	U+28668	邑	邑	28668 邑 163.0 邑 邑 邑 UCS2003 GHZ-63753.02 T6-2930
M	B	U+2907F	雪	雪	2907F 雨 173.3 雪 雪 UCS2003 GHZ-64057.05
M	G	U+30002			30002 — 1.2 E UTC-00969
M	G	U+30004		厶	30004 — 1.2 E SAT-05803

1 U+26B62 𠂇 is not actually mirrored, but its construction gives such an impression.

Category O—[O]dd Component

Han ideographs with this property value include one or more components that are symbol-like or are otherwise considered odd. In addition to being tagged with the letter “O,” the code point for a related character, if any and as shown in the “Reference” column, is also specified.

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
O	A	U+3403	个		3403 2.2 个 K3-2122
O	B	U+200E0	𠂇 ¹		200E0 乙 5.4 𠂇 𠂇 𠂇 UCS2003 GHZ-10052.09 T6-222A
O	B	U+20137	冫		20137 冫 7.8 冫 冫 UCS2003 T6-352C
O	B	U+205F1	臧		205F1 彳 15.10 臧 臧 臧 UCS2003 GKX-0133.11 T6-4662
O	B	U+20696	囧		20696 凵 17.9 囧 囧 囧 UCS2003 GHZ-10309.15 T6-3D44
O	B	U+2069C	囧		2069C 凵 17.13 囧 囧 UCS2003 GHZ-10310.05
O	B	U+206A1	囧		206A1 凵 17.19 囧 囧 UCS2003 T7-4E3E
O	B	U+20953	囧		20953 凵 22.10 囧 囧 囧 UCS2003 GHZ-10089.07 T6-3563
O	B	U+20967	囧		20967 凵 22.17 囧 囧 UCS2003 GHZ-10090.12
O	B	U+20969	囧		20969 凵 22.18 囧 囧 囧 UCS2003 GHZ-10091.05 T7-3F23
O	B	U+2096A	囧		2096A 凵 22.20 囧 囧 囧 UCS2003 GHZ-10091.07 T7-4D44

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
O	B	U+2096B	𡗗		2096B 𠃉 22.24 𡗗 𡗗 𡗗 UCS2003 GHZ-10091.08 T7-6069
O	B	U+2096C	𡗘		2096C 𠃉 22.28 𡗘 𡗘 𡗘 UCS2003 GHZ-10091.10 T7-6443
O	B	U+21261	坐		21261 土 32.4 坐 坐 UCS2003 T6-2665
O	B	U+242C5	熨		242C5 火 86.9 熨 熨 UCS2003 GKX-0678.13
O	B	U+24548	𪗇		24548 爪 87.19 𪗇 𪗇 UCS2003 T7-5368
O	B	U+26B99	蓼		26B99 艸 140.6 蓼 蓼 UCS2003 T6-3B62
O	B	U+2700D	𪗇		2700D 艸 140.14 𪗇 𪗇 𪗇 UCS2003 GHZ-80036.28 T7-4933
O	B	U+291E7	非		291E7 非 175.2 非 非 非 UCS2003 GKX-1382.12 T6-2E49
O	B	U+2A6D7		合	2A6D7 口 30.3 合 合 UCS2003 UTC-03160
O	B	U+2A6D8		四	2A6D8 口 31.2 四 四 UCS2003 UTC-03161
O	B	U+2A6D9		一	2A6D9 一 1.0 一 一 UCS2003 UTC-03162
O	B	U+2A6DA		上	2A6DA 一 1.2 上 上 UCS2003 UTC-03163
O	B	U+2A6DB		尺	2A6DB 尸 44.1 尺 尺 UCS2003 UTC-03164
O	B	U+2A6DC		工	2A6DC 工 48.0 工 工 UCS2003 UTC-03165
O	B	U+2A6DD		凡	2A6DD 几 16.1 凡 凡 UCS2003 UTC-03166
O	F	U+2CF01	𠃉	𠃉 ²	2CF01 丿 4.1 𠃉 JMJ-056851
O	F	U+2CF04	𠃉	𠃉 ³	2CF04 丿 4.3 𠃉 JMJ-056852
O	F	U+2D1AC	𠃉		2D1AC 又 29.7 𠃉 JMJ-057138
O	F	U+2DF86	𠃉		2DF86 Ⅲ 108.8 𠃉 JMJ-058147

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
O	F	U+2DF8B	監		2DF8B 監 Ⅲ 108.9 JMJ-058148
O	F	U+2DF8F	監		2DF8F 監 Ⅲ 108.10 JMJ-058151
O	F	U+2E34C	呂		2E34C 呂 臣 131.0 JMJ-058406
O	F	U+2E34D	𠂔		2E34D 𠂔 臣 131.2 JMJ-058407
O	F	U+2E350	臧		2E350 臧 臣 131.8 JMJ-058408
O	F	U+2E5D8	覽		2E5D8 覽 見 147.9 JMJ-058722
O	F	U+2EA08	頤		2EA08 頤 頁 181.6 JMJ-059025

- 1 If Japan were to horizontally-extend U+200E0 𠂔 with [JMJ-030425](#) as its source reference, the two 丶 components would be rendered as 丶 components, hence its assignment to this category.
- 2 U+0292 ɜ LATIN SMALL LETTER EZH is the symbol for “dram,” and U+2CF01 𠂔 carries the same meaning.
- 3 U+2125 ɝ OUNCE SIGN is the symbol for “ounce,” and U+2CF04 𠂔 carries the same meaning.

Category R—[R]otated

Han ideographs with this property value are either rotated or include one or more components that are rotated. In addition to being tagged with the letter “R,” the code point for the corresponding unrotated Han ideograph, if any and as shown in the “Reference” column, is also specified.

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
R	B	U+2010F	𠂔	了	2010F 𠂔 𠂔 𠂔 J 6.1 UCS2003 GKX-0085.14 T5-2128
R	B	U+20114	𠂔	予	20114 𠂔 𠂔 𠂔 J 6.3 UCS2003 GKX-0085.19 T6-2149
R	B	U+20432	儻		20432 儻 儻 儻 人 9.16 UCS2003 GHZ-10236.05 T5-6131
R	B	U+20544	𠂔	𠂔	20544 𠂔 𠂔 𠂔 冂 13.3 UCS2003 GKX-0129.05 T5-2152
R	B	U+221B4	𠂔	𠂔	221B4 𠂔 𠂔 𠂔 彡 52.2 UCS2003 GHZ-21093.05 T6-2277

Category	Block	Code Point	Ideograph	Reference	Code Chart Excerpt
R	B	U+22A0B	𪗇	1	22A0B 戈 62.12 𪗇 𪗈 𪗉 UCS2003 GKX-0414.17 T7-2E27
R	B	U+23028	𪗊		23028 支 66.16 𪗊 𪗋 𪗌 UCS2003 GKX-0476.27 T7-4D75
R	B	U+23952	𪗍	𪗍	23952 止 77.4 𪗍 𪗎 𪗏 UCS2003 GKX-0576.01 T6-2C33
R	B	U+24173	𪗐		24173 水 85.23 𪗐 𪗑 𪗒 UCS2003 GKX-0664.22 T5-7A2A
R	B	U+24489	𪗔	𪗔	24489 火 86.16 𪗔 𪗕 UCS2003 T7-4E34
R	B	U+24493	𪗖		24493 火 86.16 𪗖 𪗗 𪗘 UCS2003 GHZ-32246.19 T7-4E39
R	B	U+27951	𪗙		27951 角 148.16 𪗙 𪗚 𪗛 UCS2003 GKX-1145.24 T7-5C65
R	B	U+27E42	𪗜	𪗜	27E42 貝 154.16 𪗜 𪗝 UCS2003 GHC
R	E	U+2BA66	𪗞	𪗞	2BA66 口 30.5 𪗞 UTC-00004
R	E	U+2C886	𪗟		2C886 見 147.16 𪗟 JK-65735
R	F	U+2E5D9	𪗡		2E5D9 見 147.10 𪗡 SAT-00380
R	G	U+304A5		𪗣	304A5 戈 62.4 𪗣 UK-01373
R	G	U+30A07			30A07 示 113.8 𪗥 UK-01397
R	G	U+30C9E		戲	30C9E 虎 141.6 𪗨 UK-01411

1 U+304B2 𪗣或或 (Extension G) is the equivalent Han ideograph without a rotated component.

Category S—[S]troke-heavy

Han ideographs with this property value have 40 or more strokes, covering 22 Han ideographs. If this threshold were to be decreased to 35 or 30 strokes, the number of Han ideographs with this property value would increase to 71 or 336, respectively. In addition to being tagged with the letter “S,” the *kTotalStrokes* value is also specified.

Category	Block	Code Point	Ideograph	Strokes	Code Chart Excerpt
S	URO	U+9F98	音龍龍	48	9F98 龍 212.32 音龍龍 GE-5830 音龍龍 HB2-F9D5 音龍龍 T2-7244 音龍龍 K2-752D
S	A	U+4A3B	雷雷雷	52	4A3B 雨 173.44 雷雷雷 GKX-1381.18 雷雷雷 T3-6246
S	A	U+4C9C	魚魚魚	44	4C9C 魚 195.33 魚魚魚 GKX-1480.51 魚魚魚 T4-6E5B
S	B	U+2053B	興興興	64	2053B 白 134.58 興興興 UCS2003 興興興 GHZ-10254.12
S	B	U+269C4	𪛗𪛗𪛗	42	269C4 白 134.36 𪛗𪛗𪛗 UCS2003 𪛗𪛗𪛗 GKX-1006.21 𪛗𪛗𪛗 T7-6653
S	B	U+269C5	𪛘𪛘𪛘	48	269C5 白 134.42 𪛘𪛘𪛘 UCS2003 𪛘𪛘𪛘 GHZ-10254.11 𪛘𪛘𪛘 T5-7C50
S	B	U+27198	𪛙𪛙𪛙	43	27198 艸 140.39 𪛙𪛙𪛙 UCS2003 𪛙𪛙𪛙 GKX-1072.64 𪛙𪛙𪛙 T5-7C4F
S	B	U+278B1	𪛚𪛚𪛚	44	278B1 見 147.37 𪛚𪛚𪛚 UCS2003 𪛚𪛚𪛚 GKX-1139.05 𪛚𪛚𪛚 T7-6654
S	B	U+291D3	𪛛𪛛𪛛	40	291D3 雨 173.32 𪛛𪛛𪛛 UCS2003 𪛛𪛛𪛛 GKX-1381.17 𪛛𪛛𪛛 T7-6651
S	B	U+291D4	𪛜𪛜𪛜	48	291D4 雨 173.40 𪛜𪛜𪛜 UCS2003 𪛜𪛜𪛜 GHZ-64085.21 𪛜𪛜𪛜 T4-6E5C
S	B	U+29663	𪛝𪛝𪛝	46	29663 風 182.37 𪛝𪛝𪛝 UCS2003 𪛝𪛝𪛝 GHZ-74494.02
S	B	U+29664	𪛞𪛞𪛞	48	29664 風 182.39 𪛞𪛞𪛞 UCS2003 𪛞𪛞𪛞 GKX-1415.13 𪛞𪛞𪛞 T7-6655
S	B	U+2A4CA	𪛟𪛟𪛟	41	2A4CA 黑 203.29 𪛟𪛟𪛟 UCS2003 𪛟𪛟𪛟 GKX-1522.44 𪛟𪛟𪛟 T7-6652
S	B	U+2A68D	𪛠𪛠𪛠	40	2A68D 齒 211.25 𪛠𪛠𪛠 UCS2003 𪛠𪛠𪛠 GKX-1536.32 𪛠𪛠𪛠 T5-7C4E
S	B	U+2A68E	𪛡𪛡𪛡	40	2A68E 齒 211.25 𪛡𪛡𪛡 UCS2003 𪛡𪛡𪛡 GHZ-74802.20 𪛡𪛡𪛡 T5-7C4D
S	B	U+2A6A5	龍龍龍	64	2A6A5 龍 212.48 龍龍龍 UCS2003 龍龍龍 GHZ-74806.10 龍龍龍 T5-7C51
S	E	U+2C6A9	𪛣𪛣𪛣	53	2C6A9 耳 128.47 𪛣𪛣𪛣 JK-65150
S	F	U+2E8F1	𪛤𪛤𪛤	41	2E8F1 金 167.33 𪛤𪛤𪛤 KC-05835
S	G	U+30EDD	𪛥𪛥𪛥	43	30EDD 元 162.39 𪛥𪛥𪛥 UTC-01312

Category	Block	Code Point	Ideograph	Strokes	Code Chart Excerpt
S	G	U+30EDE		58	30EDE 癩 疒 162.54 UTC-00791
S	G	U+30F54		76	30F54 鏡鏡 金 167.68 UK-02961
S	G	U+3106C		84	3106C 霖 雨 173.76 UK-02960

Category U—[U]nusual Arrangement/Structure

Han ideographs with this property value have an unusual structure or component arrangement. This includes clusters of four or more identical elements, along with three identical elements in a row arranged horizontally or vertically. Note that while 叒/叕/叕/叕/叕/叕/叕/叕/叕/叕 as stand-alone Han ideographs are considered unusual, their use as components of other Han ideographs is not, and Han ideographs that include such components have therefore been explicitly excluded.

Category	Block	Code Point	Ideograph	Code Chart Excerpt
U	URO	U+53D5	叕	53D5 叕 又 29.6 G5-3539 T3-276B J14-235F K2-262D
U	URO	U+58E8	𠄎	58E8 𠄎 土 32.20 GE-353B HB2-F7D2 T2-6F21 K2-2B38
U	URO	U+6724	崩	6724 崩 月 74.12 GE-3C3D T3-5126
U	URO	U+71DA	焱	71DA 焱 火 86.12 G3-5056 HB2-EA57 T2-5843 J1-4A3A K2-4540
U	URO	U+833B	𠄎	833B 𠄎 艸 140.6 GE-4949 HB2-DB5C T2-3F41
U	URO	U+96E6	𠄎	96E6 𠄎 隹 172.16 GE-5348 T3-6125
U	URO	U+971B	𠄎	971B 𠄎 雨 173.9 G5-735E H-90DB T3-5675 J1-6725
U	A	U+35CA	𠄎	35CA 𠄎 口 30.9 G3-3667 T4-3663 H-9D46
U	A	U+37A1	𠄎	37A1 𠄎 尸 44.16 GKX-0304.05 T3-5A37
U	A	U+382D	𠄎	382D 𠄎 工 48.9 G5-3551 T3-3B38 H-FBEA
U	A	U+3D07	𠄎	3D07 𠄎 水 85.8 GKX-0633.32 T3-3C5F

Category	Block	Code Point	Ideograph	Code Chart Excerpt
U	A	U+3D58	灑	3D58 灑 85.12 灑灑 灑灑 GHZ-31734.06 T3-514B
U	A	U+3E1A	爨	3E1A 爨 89.4 爨爨 爨爨 G5-3033 T3-297B
U	A	U+4A3B	雷	4A3B 雷 173.44 雷雷 雷雷 GKX-1381.18 T3-6246
U	A	U+4C9C	魚	4C9C 魚 195.33 魚魚 魚魚 GKX-1480.51 T4-6E5B
U	B	U+20060	𠄎	20060 𠄎 1.19 𠄎 𠄎 UCS2003 GHZ-10028.01
U	B	U+20069	𠄎	20069 𠄎 2.7 𠄎 𠄎 𠄎 UCS2003 GKX-0080.05 T6-293B
U	B	U+2006E	𠄎	2006E 𠄎 2.8 𠄎 𠄎 𠄎 UCS2003 GKX-0080.07 T6-2E4A
U	B	U+200AD	𠄎	200AD 𠄎 4.5 𠄎 𠄎 UCS2003 G4K-25986
U	B	U+200EC	𠄎	200EC 𠄎 5.6 𠄎 𠄎 UCS2003 GHZ-10053.16
U	B	U+2011E	𠄎	2011E 𠄎 7.0 𠄎 𠄎 𠄎 UCS2003 GKX-0086.03 T6-2127
U	B	U+2011F	𠄎	2011F 𠄎 7.0 𠄎 𠄎 𠄎 UCS2003 GKX-0086.04 T6-2128
U	B	U+20120	𠄎	20120 𠄎 7.0 𠄎 𠄎 UCS2003 T6-2129
U	B	U+2018F	𠄎	2018F 𠄎 8.14 𠄎 𠄎 UCS2003 T7-2C3E
U	B	U+2020C	𠄎	2020C 𠄎 9.6 𠄎 𠄎 𠄎 𠄎 UCS2003 GKX-0102.22 T4-2535 H-927D
U	B	U+204D9	𠄎	204D9 𠄎 10.22 𠄎 𠄎 UCS2003 GHZ-10275.16
U	B	U+2053B	興	2053B 興 134.58 興興 興興 UCS2003 GHZ-10254.12
U	B	U+2055E	𠄎	2055E 𠄎 13.8 𠄎 𠄎 𠄎 UCS2003 GKX-0129.28 T6-3543
U	B	U+20562	𠄎	20562 𠄎 13.9 𠄎 𠄎 UCS2003 T6-3D3D
U	B	U+20572	𠄎	20572 𠄎 13.20 𠄎 𠄎 𠄎 UCS2003 GKX-0130.11 T7-574F

Category	Block	Code Point	Ideograph	Code Chart Excerpt
U	B	U+20658	𩇛	20658 𩇛 𩇛 𩇛 儿 16.9 UCS2003 GKX-0134.28 T6-3D42
U	B	U+20674	𩇜	20674 𩇜 𩇜 儿 17.0 UCS2003 GKX-0134.40
U	B	U+20692	𩇞	20692 𩇞 𩇞 𩇞 儿 17.8 UCS2003 GKX-0135.20 T6-3548
U	B	U+20908	𩇠	20908 𩇠 𩇠 𩇠 勺 20.15 UCS2003 GKX-0152.14 T7-3723
U	B	U+20AEC	𩇡	20AEC 𩇡 𩇡 𩇡 厶 28.6 UCS2003 GKX-0164.21 T6-2A2E
U	B	U+20B11	𩇣	20B11 𩇣 𩇣 𩇣 厶 28.13 UCS2003 GKX-0164.41 T7-2145
U	B	U+20B97	𩇥	20B97 𩇥 𩇥 𩇥 又 29.22 UCS2003 GKX-0167.15 T7-9E51
U	B	U+20C60	𩇨	20C60 𩇨 𩇨 𩇨 口 30.6 UCS2003 GKX-0188.13 T5-2848
U	B	U+20D3F	𩇪	20D3F 𩇪 𩇪 𩇪 口 30.8 UCS2003 GKX-0196.22 T6-3D7D
U	B	U+21236	𩇬	21236 𩇬 𩇬 口 31.17 UCS2003 GHZ-10727.11
U	B	U+21239	𩇭	21239 𩇭 𩇭 𩇭 口 31.18 UCS2003 GKX-0221.18 T7-5321
U	B	U+214FF	𩇯	214FF 𩇯 𩇯 𩇯 土 32.18 UCS2003 GHZ-10502.03 T5-6F72
U	B	U+21547	𩇱	21547 𩇱 𩇱 土 33.15 UCS2003 GHZ-80012.02
U	B	U+21685	𩇳	21685 𩇳 𩇳 𩇳 大 37.12 UCS2003 GHZ-10549.06 T5-4C52
U	B	U+2168C	𩇴	2168C 𩇴 𩇴 𩇴 大 37.13 UCS2003 GHZ-10549.10 T7-2C7A
U	B	U+216A6	女	216A6 女 女 女 38.1 UCS2003 V2-736D
U	B	U+2189B	𩇶	2189B 𩇶 𩇶 𩇶 女 38.13 UCS2003 GKX-0272.25 T7-2D2B
U	B	U+21966	𩇸	21966 𩇸 𩇸 𩇸 子 39.6 UCS2003 GHZ-21015.14 T6-3022
U	B	U+2198F	𩇺	2198F 𩇺 𩇺 𩇺 子 39.10 UCS2003 GHZ-21018.12 T4-3C69

Category	Block	Code Point	Ideograph	Code Chart Excerpt
U	B	U+219AA	孛	219AA 子 39.15 孛 孛 UCS2003 GHZ-21020.06
U	B	U+219B7	孛	219B7 子 39.19 孛 孛 UCS2003 GHZ-21021.01
U	B	U+21ADF	窶	21ADF 宀 40.15 窶 窶 窶 UCS2003 GKX-0293.02 T5-614E
U	B	U+21AE9	窶	21AE9 宀 40.15 窶 窶 窶 UCS2003 GHZ-20957.06 T7-3F42
U	B	U+21AF3	窶	21AF3 宀 40.16 窶 窶 窶 UCS2003 GHZ-20957.09 T7-4654
U	B	U+21AFC	塞	21AFC 宀 40.18 塞 塞 塞 UCS2003 GKX-0293.17 T7-532C
U	B	U+21AFE	窶	21AFE 宀 40.18 窶 窶 窶 UCS2003 GKX-0293.20 T7-532D
U	B	U+21B1E	尋	21B1E 寸 41.3 尋 尋 UCS2003 GHZ-10504.03
U	B	U+21B6F	𣎵	21B6F 小 42.6 𣎵 𣎵 𣎵 UCS2003 GHZ-10564.07 T6-3033
U	B	U+21B90	𣎵	21B90 小 42.9 𣎵 𣎵 𣎵 UCS2003 GHZ-10565.11 T6-4773
U	B	U+21B9F	絲	21B9F 小 42.11 絲 絲 絲 UCS2003 GKX-0297.29 T6-5C33
U	B	U+2201A	巨	2201A 工 48.3 巨 巨 UCS2003 GKX-0325.17
U	B	U+22191	𣎵	22191 干 51.6 𣎵 𣎵 𣎵 UCS2003 GKX-0341.05 T6-3069
U	B	U+22330	𣎵	22330 井 55.3 𣎵 𣎵 UCS2003 GKX-0353.13
U	B	U+2233D	𣎵	2233D 井 55.5 𣎵 𣎵 UCS2003 T5-262E
U	B	U+223DD	弼	223DD 弓 57.6 弼 弼 UCS2003 GHZ-20996.03
U	B	U+22434	弼	22434 弓 57.15 弼 弼 UCS2003 T7-3F52
U	B	U+2244D	𣎵	2244D 弓 57.25 𣎵 𣎵 UCS2003 T7-6446
U	B	U+2247D	𣎵	2247D 丩 58.19 𣎵 𣎵 𣎵 UCS2003 GHZ-20963.10 T7-5771

Category	Block	Code Point	Ideograph	Code Chart Excerpt
U	B	U+224B9	𪗇	224B9 𪗇 𪗇 𪗇 彡 59.19 UCS2003 GKX-0364.30 T5-7341
U	B	U+22911	𪗇	22911 𪗇 𪗇 𪗇 心 61.15 UCS2003 GKX-0407.53 T7-4677
U	B	U+2295B	𪗇	2295B 𪗇 𪗇 𪗇 心 61.18 UCS2003 GKX-0408.50 T7-5773
U	B	U+2295C	𪗇	2295C 𪗇 𪗇 𪗇 心 61.18 UCS2003 GKX-0408.51 T7-5774
U	B	U+22973	𪗇	22973 𪗇 𪗇 心 61.20 UCS2003 GKX-0409.24
U	B	U+229DF	𪗇	229DF 𪗇 𪗇 𪗇 戈 62.9 UCS2003 GHZ-21409.05 T6-5270
U	B	U+22A55	𪗇	22A55 𪗇 𪗇 𪗇 戶 63.8 UCS2003 GHZ-32264.11 T5-385E
U	B	U+22EA6	𪗇	22EA6 𪗇 𪗇 手 64.21 UCS2003 T7-5E68
U	B	U+232AB	𪗇	232AB 𪗇 𪗇 日 72.12 UCS2003 H-93B9
U	B	U+232AD	𪗇	232AD 𪗇 𪗇 日 72.12 UCS2003 H-93B7
U	B	U+23320	𪗇	23320 𪗇 𪗇 日 72.32 UCS2003 GHZ-21543.12
U	B	U+23786	𪗇	23786 𪗇 𪗇 𪗇 木 75.14 UCS2003 GHZ-21311.06 T5-622A
U	B	U+2384D	𪗇	2384D 𪗇 𪗇 𪗇 木 75.20 UCS2003 GKX-0564.08 T7-5E6E
U	B	U+23855	𪗇	23855 𪗇 𪗇 木 75.20 UCS2003 GHZ-21325.08
U	B	U+2387A	𪗇	2387A 𪗇 𪗇 𪗇 木 75.26 UCS2003 GKX-0564.27 T7-656B
U	B	U+2387D	𪗇	2387D 𪗇 𪗇 木 75.28 UCS2003 GHZ-21327.12
U	B	U+2387E	𪗇	2387E 𪗇 𪗇 木 75.28 UCS2003 GHZ-21327.13
U	B	U+23B05	𪗇	23B05 𪗇 𪗇 𪗇 比 81.4 UCS2003 GKX-0591.02 T6-2C44
U	B	U+23C9C	𪗇	23C9C 𪗇 𪗇 水 85.4 UCS2003 GHZ-31556.06

Category	Block	Code Point	Ideograph	Code Chart Excerpt
U	B	U+240CA	溝	240CA 溝 溝 水 85.16 UCS2003 T7-4761
U	B	U+24181	泉	24181 泉 泉 泉 水 85.32 UCS2003 GHZ-31799.13
U	B	U+243CE	燧	243CE 燧 燧 火 86.12 UCS2003 TF-5568
U	B	U+2452A	爰	2452A 爰 爰 爰 爪 87.11 UCS2003 GKX-0689.26 T7-2479
U	B	U+2452D	𠄎	2452D 𠄎 𠄎 爪 87.11 UCS2003 GHZ-32036.23
U	B	U+2453C	𠄏	2453C 𠄏 𠄏 爪 87.13 UCS2003 GHZ-32037.05
U	B	U+24540	爰	24540 爰 爰 爰 爪 87.15 UCS2003 GHZ-32037.11 T5-6838
U	B	U+2459A	𠄑	2459A 𠄑 𠄑 𠄑 月 90.12 UCS2003 GHZ-42378.20 T7-2521
U	B	U+246ED	犇	246ED 犇 犇 牛 93.12 UCS2003 GHZ-31820.01
U	B	U+247B9	獬	247B9 獬 獬 獬 犬 94.7 UCS2003 GHZ-80022.11 T6-394F
U	B	U+249A1	𠄒	249A1 𠄒 𠄒 𠄒 玉 96.8 UCS2003 GHZ-21120.01 T6-5532
U	B	U+24CF3	𠄓	24CF3 𠄓 𠄓 𠄓 田 102.15 UCS2003 GKX-0767.03 T7-4E48
U	B	U+24CF5	𠄔	24CF5 𠄔 𠄔 田 102.15 UCS2003 GHZ-42555.05
U	B	U+24CF9	𠄕	24CF9 𠄕 𠄕 𠄕 田 102.16 UCS2003 GKX-0767.05 T7-5377
U	B	U+24D04	𠄖	24D04 𠄖 𠄖 𠄖 田 102.18 UCS2003 GHZ-42556.02 T7-5B7C
U	B	U+24D07	𠄗	24D07 𠄗 𠄗 𠄗 田 102.21 UCS2003 GKX-0767.12 T7-623E
U	B	U+24D0A	𠄘	24D0A 𠄘 𠄘 田 102.21 UCS2003 GHZ-42556.07
U	B	U+24D0C	𠄙	24D0C 𠄙 𠄙 𠄙 田 102.22 UCS2003 GHZ-42556.10 T7-635C
U	B	U+24D10	𠄚	24D10 𠄚 𠄚 𠄚 田 102.27 UCS2003 GKX-0767.14 T7-6629

Category	Block	Code Point	Ideograph	Code Chart Excerpt
U	B	U+24D11	𪛱	24D11 田 102.28 𪛱 𪛱 𪛱 UCS2003 GKX-0767.15 T7-6635
U	B	U+24D12	𪛲	24D12 田 102.31 𪛲 𪛲 𪛲 UCS2003 GHZ-80031.14 T7-6646
U	B	U+24FC4	𪛴	24FC4 白 106.20 𪛴 𪛴 UCS2003 GHZ-42653.14
U	B	U+2516B	𪛶	2516B 目 109.6 𪛶 𪛶 𪛶 UCS2003 GKX-0808.01 T6-4254
U	B	U+253C0	𪛸	253C0 矢 111.6 𪛸 𪛸 𪛸 UCS2003 GKX-0824.26 T6-425B
U	B	U+25506	𪛺	25506 石 112.9 𪛺 𪛺 𪛺 UCS2003 GKX-0833.24 T6-5F5A
U	B	U+255C9	𪛼	255C9 石 112.15 𪛼 𪛼 𪛼 UCS2003 GHZ-42462.14 T7-4E5D
U	B	U+2597C	𪛾	2597C 穴 116.7 𪛾 𪛾 𪛾 UCS2003 GKX-0866.02 T6-4C52
U	B	U+25AD3	𪛿	25AD3 立 117.18 𪛿 𪛿 UCS2003 GHZ-80032.10
U	B	U+25D10	筩	25D10 竹 118.12 筩 筩 UCS2003 GHZ-53013.06
U	B	U+25DE0	籩	25DE0 竹 118.17 籩 籩 UCS2003 T7-5C35
U	B	U+25DF9	𪛻	25DF9 竹 118.18 𪛻 𪛻 UCS2003 GHZ-53033.16
U	B	U+25F6E	糲	25F6E 米 119.17 糲 糲 糲 UCS2003 GKX-0914.08 T7-5C38
U	B	U+2616A	𪛿	2616A 糸 120.12 𪛿 𪛿 𪛿 UCS2003 GHZ-53453.14 T7-415A
U	B	U+26269	𪛿	26269 缶 121.25 𪛿 𪛿 𪛿 UCS2003 GKX-0946.19 T7-662A
U	B	U+263F2	羽	263F2 羽 124.2 羽 羽 羽 UCS2003 T6-2D57 UTC-00125
U	B	U+264CB	𪛿	264CB 老 125.18 𪛿 𪛿 UCS2003 GHZ-42782.12
U	B	U+267ED	𪛿	267ED 肉 130.11 𪛿 𪛿 UCS2003 TF-5154
U	B	U+26817	𪛿	26817 肉 130.12 𪛿 𪛿 𪛿 UCS2003 GKX-0995.11 T7-316F

Category	Block	Code Point	Ideograph	Code Chart Excerpt
U	B	U+268F7	𪗇	268F7 臣 131.23 𪗇 𪗇 𪗇 UCS2003 GKX-1000.06 T7-653D
U	B	U+2697A	𪗊	2697A 白 134.7 𪗊 𪗊 UCS2003 T6-6076
U	B	U+269F5	𪗕	269F5 舌 135.12 𪗕 𪗕 𪗕 UCS2003 GKX-1008.04 T7-422A
U	B	U+26A67	𪗙	26A67 舟 137.9 𪗙 𪗙 𪗙 UCS2003 GKX-1011.47 T5-5031
U	B	U+26B8F	𪗞	26B8F 艸 140.6 𪗞 𪗞 𪗞 UCS2003 GKX-1031.33 T6-3B57
U	B	U+26C60	𪗟	26C60 艸 140.8 𪗟 𪗟 𪗟 UCS2003 GKX-1041.27 T6-6132
U	B	U+26C79	𪗠	26C79 艸 140.8 𪗠 𪗠 𪗠 UCS2003 GKX-1042.22 T6-6131
U	B	U+26D9B	𪗣	26D9B 艸 140.10 𪗣 𪗣 𪗣 UCS2003 GKX-1052.05 T7-3227
U	B	U+26DF6	𪗦	26DF6 艸 140.10 𪗦 𪗦 𪗦 UCS2003 GHZ-53263.01 T7-3226
U	B	U+26F71	𪗱	26F71 艸 140.13 𪗱 𪗱 𪗱 UCS2003 GKX-1062.44 T7-4935
U	B	U+26FD1	𪗳	26FD1 艸 140.14 𪗳 𪗳 𪗳 UCS2003 GKX-1064.32 T7-4F46
U	B	U+27047	𪗷	27047 艸 140.15 𪗷 𪗷 𪗷 UCS2003 GKX-1066.30 T7-4F47
U	B	U+27172	𪗻	27172 艸 140.21 𪗻 𪗻 𪗻 UCS2003 GKX-1072.34 T7-613E
U	B	U+27195	𪗼	27195 艸 140.25 𪗼 𪗼 𪗼 UCS2003 GKX-1072.61 T5-7B66
U	B	U+27198	𪗽	27198 艸 140.39 𪗽 𪗽 𪗽 UCS2003 GKX-1072.64 T5-7C4F
U	B	U+2749F	𪗟	2749F 虫 142.13 𪗟 𪗟 𪗟 UCS2003 GKX-1100.19 T7-4968
U	B	U+27517	𪗡	27517 虫 142.15 𪗡 𪗡 UCS2003 GHZ-42902.18
U	B	U+2752F	𪗢	2752F 虫 142.16 𪗢 𪗢 𪗢 UCS2003 GKX-1102.42 T7-5928
U	B	U+27589	𪗧	27589 虫 142.21 𪗧 𪗧 UCS2003 GKX-1105.07

Category	Block	Code Point	Ideograph	Code Chart Excerpt
U	B	U+2758E	𧈧	2758E 𧈧 虫 142.21 UCS2003 𧈧 田比 虫 虫 田比 虫 虫 GHZ-42910.16 T7-6370
U	B	U+27738	𧈨	27738 𧈨 衣 145.11 UCS2003 𧈨 𧈨 T7-3B5A
U	B	U+27751	𧈩	27751 𧈩 衣 145.12 UCS2003 𧈩 𧈩 𧈩 GKX-1125.01 T5-6453
U	B	U+27763	𧈪	27763 𧈪 衣 145.12 UCS2003 𧈪 𧈪 𧈪 GHZ-53113.03 T7-4276
U	B	U+277DC	𧈫	277DC 𧈫 衣 145.28 UCS2003 𧈫 𧈫 GHZ-53124.13
U	B	U+2789B	𧈬	2789B 𧈬 見 147.14 UCS2003 𧈬 𧈬 GHZ-63676.07
U	B	U+278B0	𧈭	278B0 𧈭 見 147.30 UCS2003 𧈭 𧈭 GHZ-63679.01
U	B	U+27B5B	𧈮	27B5B 𧈮 言 149.14 UCS2003 𧈮 𧈮 𧈮 GHZ-64028.07 T7-5535
U	B	U+27B9F	𧈯	27B9F 𧈯 言 149.20 UCS2003 𧈯 𧈯 𧈯 GKX-1188.12 T7-6374
U	B	U+27BA6	𧈰	27BA6 𧈰 言 149.21 UCS2003 𧈰 𧈰 GHZ-64035.08
U	B	U+27C8F	𧈱	27C8F 𧈱 豕 152.14 UCS2003 𧈱 𧈱 𧈱 GKX-1199.22 T7-5538
U	B	U+27F9C	𧈲	27F9C 𧈲 走 156.14 UCS2003 𧈲 𧈲 𧈲 GKX-1220.40 T7-553F
U	B	U+27FAD	𧈳	27FAD 𧈳 走 156.16 UCS2003 𧈳 𧈳 𧈳 𧈳 GHZ-21447.05 T7-5C76
U	B	U+283FF	𧈴	283FF 𧈴 車 159.21 UCS2003 𧈴 𧈴 GHZ-53563.09
U	B	U+2840B	辛	2840B 辛 160.0 UCS2003 辛 辛 辛 GKX-1250.26 T6-292B
U	B	U+28944	金	28944 金 167.3 UCS2003 金 金 金 GKX-1297.14 T6-4577
U	B	U+28C3B	銍	28C3B 銍 金 167.24 UCS2003 銍 銍 銍 銍 GHZ-64279.03 TF-6D35 H-95E3
U	B	U+28D1F	關	28D1F 關 門 169.6 UCS2003 關 關 關 GHZ-74297.03 T6-635B
U	B	U+28DFE	門門	28DFE 門門 門門 門門 UCS2003 門門 門門 GHZ-74322.03

Category	Block	Code Point	Ideograph	Code Chart Excerpt
U	B	U+2900F	雓	2900F 隹 172.9 UCS2003 GKX-1368.25 T7-3D43
U	B	U+29176	霽	29176 雨 173.12 UCS2003 GHZ-64077.14 T7-5130
U	B	U+291C3	霽	291C3 雨 173.18 UCS2003 TF-6C59
U	B	U+291D3	雷	291D3 雨 173.32 UCS2003 GKX-1381.17 T7-6651
U	B	U+291D4	雲	291D4 雨 173.40 UCS2003 GHZ-64085.21 T4-6E5C
U	B	U+2938E	棘	2938E 革 177.24 UCS2003 GKX-1393.04 T7-6639
U	B	U+29661	風	29661 風 182.27 UCS2003 GKX-1415.12 T5-7C47
U	B	U+29663	風	29663 風 182.37 UCS2003 GHZ-74494.02
U	B	U+29664	風	29664 風 182.39 UCS2003 GKX-1415.13 T7-6655
U	B	U+29867	馬	29867 馬 187.0 UCS2003 GKX-1433.05 T5-364B
U	B	U+299DD	驤	299DD 馬 187.18 UCS2003 GHZ-74585.03
U	B	U+299E2	騮	299E2 馬 187.20 UCS2003 GKX-1447.21 T7-666A
U	B	U+2A235	鸛	2A235 鳥 196.20 UCS2003 GHZ-74673.01 T7-6621
U	B	U+2A240	鸛	2A240 鳥 196.25 UCS2003 GKX-1505.14 T7-6645
U	B	U+2A6A5	龍	2A6A5 龍 212.48 UCS2003 GHZ-74806.10 T5-7C51
U	C	U+2AC76	𣎵	2AC76 木 75.4 JK-65229
U	C	U+2AE9A	鱸	2AE9A 爪 87.33 GZJW-01269
U	E	U+2BB2F	𤝵	2BB2F 口 30.17 GKX-1123.33
U	E	U+2C348	𤝵	2C348 犬 94.13 GZJW-01289

Category	Block	Code Point	Ideograph	Code Chart Excerpt
U	E	U+2C47D	𪛗	2C47D 𪛗 石 112.4 JK-65452
U	E	U+2C6A9	𪛙	2C6A9 𪛙 耳 128.47 JK-65150
U	F	U+2CEB9	𪛛	2CEB9 𪛛 一 1.3 SAT-02570
U	F	U+2CEDF	𪛝	2CEDF 𪛝 一 1.9 SAT-04334
U	F	U+2D05F	𪛟	2D05F 𪛟 冂 13.2 SAT-02671
U	F	U+2D0BC	𪛛	2D0BC 𪛛 凵 17.8 SAT-04867
U	F	U+2D16B	𪛟	2D16B 𪛟 十 24.16 SAT-80003
U	F	U+2D1E9	𪛟	2D1E9 𪛟 口 30.6 SAT-02102
U	F	U+2D2B2	𪛟	2D2B2 𪛟 口 30.12 KC-06100
U	F	U+2D2B6	𪛟	2D2B6 𪛟 口 30.12 SAT-04350
U	F	U+2D337	𪛟	2D337 𪛟 口 30.19 SAT-01573
U	F	U+2D359	𪛟	2D359 𪛟 口 30.32 SAT-00455
U	F	U+2D4DD	𪛟	2D4DD 𪛟 子 39.25 KC-04970
U	F	U+2D588	𪛟	2D588 𪛟 山 46.4 SAT-04325
U	F	U+2D5B2	𪛟	2D5B2 𪛟 山 46.9 SAT-05235
U	F	U+2D600	𪛟	2D600 𪛟 彡 47.6 JMJ-057403
U	F	U+2D651	𪛟	2D651 𪛟 广 53.3 SAT-00026
U	F	U+2D6D5	𪛟	2D6D5 𪛟 彡 59.10 SAT-04342
U	F	U+2D6D6	𪛟	2D6D6 𪛟 彡 59.11 SAT-04343

Category	Block	Code Point	Ideograph	Code Chart Excerpt
U	F	U+2D8D5	𠄎	2D8D5 𠄎 支 65.2 SAT-00027
U	F	U+2DB74	𠄎	2DB74 𠄎 止 77.12 GCY-1830.00
U	F	U+2DEF9	𠄎	2DEF9 𠄎 田 102.17 KC-07082
U	F	U+2E3B3	𠄎	2E3B3 𠄎 艸 140.6 SAT-05293
U	F	U+2EB5F	𠄎	2EB5F 𠄎 鳥 196.18 JMJ-059248
U	G	U+30030		30030 𠄎 乙 5.2 GHZR-10058.08
U	G	U+30031		30031 𠄎 乙 5.3 GHZR-10060.06
U	G	U+3016F		3016F 𠄎 十 24.3 GHZR-10069.06
U	G	U+30649		30649 来来 木 75.24 GHZR-10031.13
U	G	U+3080A		3080A 𠄎 爪 87.20 GHZR-10077.12
U	G	U+3088A		3088A 𠄎 玉 96.10 T13-2E2A
U	G	U+308DE		308DE 𠄎 田 102.23 GHZR-52737.12
U	G	U+30D3F		30D3F 𠄎 言 149.9 UK-01455
U	G	U+30F54		30F54 鏡鏡 金 167.68 UK-02961
U	G	U+3106A		3106A 𠄎 雨 173.23 UK-01554
U	G	U+31152		31152 𠄎 馬 187.6 UK-02959

That is all.