

## Title: CJK & Unihan Group Recommendations for UTC #166 Meeting

**Author:** Ken Lunde and CJK & Unihan Group

**Date:** 2021-01-15

This document provides the CJK & Unihan Group recommendations for UTC #166 based on a meeting that took place from 6 to 9PM PST on 2021-01-08, which was attended by Eiso Chan, Lee Collins, John Jenkins, Ken Lunde, William Nelson, Stephan Hyeonjun Stiller, Yifán Wáng, and Selena Wei via [Zoom](#). John Jenkins and Ken Lunde co-chaired the meeting.

The CJK & Unihan Group reviewed public feedback and documents that were received since UTC #165. Comments are marked in **green**, and Copy&Paste-ready Recommendations to the UTC are marked in **red**.

## 1) UAX #45 / U-Source Documents

The documents in this section were discussed by the group, and for convenience, the *USourceData-additions-20210108.txt* (PDF attachment) file includes all of the recommended UAX #45 *USourceData.txt* data file additions based on those documents. These recommended data file additions are also shown inline, following the Recommendations. In addition, the *UTCHan2021u166-Regular.ttf* TrueType font (PDF attachment) includes the representative glyphs for adding to the UAX #45 *UTCHan.ttf* TrueType font.

## L2/20-277: Proposal to Add One UTC-Source Ideograph to UAX #45

**Comments:** This document proposes that one ideograph be added to UAX #45 as a new U-Source ideograph, and provides sufficient metadata and evidence. As the proposal demonstrates, this ideograph is a well-attested variant of U+5B78 學, and is therefore also a variant of U+5B66 学 and U+6588 孝. Whether this ideograph is unifiable with an existing ideograph is not a barrier to adding it to UAX #45.

**Recommendations (Unihan-UTC166-R01):** The group recommends to the UTC the following disposition ➡ Accept one new U-Source ideograph as **UTC-03234** with a UAX #45 status value of V, based on document L2/20-277 and Unihan-UTC166-R01 in document L2/21-015, for Unicode Version 14.0. **Action Item for John Jenkins:** Add one new record to *USourceData.txt* and its representative glyph to *USourceGlyphs.pdf*, based on document L2/20-277 and Unihan-UTC166-R01 in document L2/21-015, for Unicode Version 14.0.






UTC-03234;V;U+5B78;39.13;;白一文字;UTCDoc L2/20-277;;16;3



## L2/21-025: Proposal to Add to UAX #45 Four Ideographs from Japan

**Comments:** This document proposes that four ideographs be added to UAX #45 as new U-Source ideographs, and provides sufficient metadata and evidence. The group noted that the IDS for the fourth ideograph includes as a component an Extension G ideograph that is not

yet broadly supported in fonts, but concluded that its use is appropriate. An expert from TCA noted that the first two ideographs are included in the CNS 11643 standard as [12-227E](#) and [12-2578](#), respectively, meaning that TCA is likely to submit them for the next IRG working set.

**Recommendations (Unihan-UTC166-R02):** The group recommends to the UTC the following disposition ➡ Accept four new U-Source ideographs as **UTC-03235** through **UTC-03238** with a UAX #45 status value of N, based on document L2/21-025 and Unihan-UTC166-R02 in document L2/21-015, for Unicode Version 14.0. **Action Item for John Jenkins:** Add four new records to *USourceData.txt* and their representative glyphs to *USourceGlyphs.pdf*, based on document L2/21-025 and Unihan-UTC166-R02 in document L2/21-015, for Unicode Version 14.0.

UTC-03235;N;;15.3;;夕;UTCDoc L2/21-025 1;kSpoofingVariant U+6C50;5;3  
UTC-03236;N;;32.3;;土夕;UTCDoc L2/21-025 2;;6;3  
UTC-03237;N;;86.12;;晶;UTCDoc L2/21-025 3;kJapaneseOn SHOU;16;2  
UTC-03238;N;;162.27;;;UTCDoc L2/21-025 4;;31;1

**Note:** The last component of the IDS for UTC-03238 is not displayed as intended in this document due to the lack of a font with a glyph for Extension G ideograph U+30182 whose own IDS is 南南南.

## 2) UAX #38 / Unihan Database Public Feedback

The single item of public feedback from [L2/21-011](#) that is in this section was discussed by the group.

Date/Time: **Thu Jan 7 15:18:08 CST 2021**

Name: William T. Nelson

Report Type: Error Report

Opt Subject: **UAX38 kMandarin readings for two ideographs**

U+7B7D 箕 has kMandarin value o which is its Korean reading. Please change the value to wú as per 两万汉字中日韩越英俄读音释义字典 page 846 entry 17174.

U+9730 霰 has kMandarin value sǎn, but the correct reading is xiàn according to character dictionaries. (The PRI #297 feedback page has an error report from Markus Scherer regarding this value.)

**Comments:** The group reviewed this feedback, and agreed that the suggested *kMandarin* property value changes are appropriate. The group noted that the existing *kMandarin* property value for U+9730 霰, *sǎn*, is completely valid, but because this property can specify only a single reading for zh-Hans (CN), the more common reading, *xiàn*, should be specified.

**Recommendations (Unihan-UTC166-R03):** The group recommends to the UTC the following disposition ➡ **Action Item for Peter Edberg:** Ask the CLDR-TC to check the proposed *kMandarin* property value changes for U+7B7D 箕 and U+9730 霰 then report back to the UTC. See document L2/21-011 and Unihan-UTC166-R03 in document L2/21-015.

### 3) UAX #38 / Unihan Database Documents

The documents in this section were discussed by the group.

#### L2/21-022: Status on the Update to the Unihan kCantonese Field

**Comments:** The group discussed this document, which conveys the current status of the update to the *kCantonese* property as proposed in L2/20-153 and per Action Item 164-A11 to which John Jenkins was assigned. John indicated that the 26,698 ideographs in the *kCantonese-Values.txt* data file, which is a PDF attachment of L2/21-022, are stable and can be accepted. The remaining 3,470 ideographs that are listed in the *kCantonese-Lookup.txt* data file, which is also a PDF attachment of L2/21-022, have uncertain *kCantonese* property values, and therefore need to be checked by Cantonese experts. John will post the 3,470 uncertain *kCantonese* property values to the #cantonese channel in the Unicode Slack workspace for verification by Cantonese experts.

**Recommendations (Unihan-UTC166-R04):** The group recommends to the UTC the following disposition ⇒ Accept the 26,698 *kCantonese* property values as specified in the *kCantonese-Values.txt* data file that is attached to L2/21-022, based on Unihan-UTC166-R04 in document L2/21-015, for Unicode Version 14.0. **Action Item for John Jenkins:** Update the Unihan database by replacing the existing *kCantonese* property values with the 26,698 *kCantonese* property values, based on document L2/21-022 and Unihan-UTC166-R04 in document L2/21-015, for Unicode Version 14.0.

#### L2/21-032: Proposal to remove and improve provisional Unihan database properties (draft)

**Comments:** The group discussed this draft proposal for removing the provisional *kIRGDaiKanwaZiten* property and enhancing the provisional *kMorohashi* property. This represents a considerable expansion that brings this property to nearly full coverage of the 大漢和辭典 kanji dictionary to which it corresponds. CITPC (Character Information Technology Promotion Council) has tentatively granted to the UTC permission to use the Moji Jōhō Kiban (文字情報基盤) database to 1) establish the provisional *kMojiJoho* property as proposed in L2/20-146; and 2) improve and expand the existing the *kMorohashi* property as proposed in this draft proposal. Formal permission, which will effectively bypass the CC BY-SA 2.1 JP license, is expected to be received shortly. After formal permission has been received, Ken Lunde will submit a revised version of L2/20-146, along with a final version of this proposal.

**Recommendations (Unihan-UTC166-R05):** The group recommends to the UTC the following disposition ⇒ **Action Item for Ken Lunde:** Follow up with CITPC's liaison contact, Taro YAMAMOTO, about the status of the request for permission to use the Moji Jōhō Kiban Database to 1) establish the provisional *kMojiJoho* property as proposed in L2/20-146; and 2) improve and expand the existing the *kMorohashi* property as proposed in L2/21-032 (draft).

## 4) Other Unihan-related Documents

The documents in this section were discussed by the group, and for convenience, the *Unihan-additions-20210108.txt*, *Unihan-removals-20210108.txt*, *Unihan-changes-20210108.txt*, and *USource-changes-20210108.txt* (PDF attachments) files include all of the recommended Unihan database and *USourceData.txt* additions, removals, and changes based on those documents. These recommended Unihan database and *USourceData.txt* additions, removals, and changes are also shown inline, following the Recommendations.

### L2/20-276: Suggestion concerning tentative roadmap placement of Kanbun Extended block

**Comments:** The group discussed this proposal to encode the proposed Kanbun Extended block in the BMP instead of in the SMP. The group didn't see a valid reason for moving the not-yet-accepted block to the BMP. The group further felt that it is prudent to keep that unassigned block open for characters that do have a valid reason for being encoded in the BMP. In addition, a recently-revised version of the original proposal that has not yet been reviewed increases the number of proposed characters beyond 16, which effectively renders the proposal to move the 16-character block to the BMP moot.

**Recommendations (Unihan-UTC166-R06):** The group recommends to the UTC the following disposition ➡ **Action Item for Ken Lunde:** Convey to the proposal author the CJK & Unihan Group feedback.

### L2/20-291: Request for consideration to disunify U+3B3F (IRG N2443)

**Comments:** The group discussed this proposal to disunify U+3B3F 𪛗, which is a de facto UNC (*Urgently Needed Character*) proposal. The group agreed that the justification for disunification is sound based on semantics and the different form of Radical #130 for some regions. The next available code point is U+2B736 (Extension C). The representative glyph for the disunified U-Source ideograph, UTC-00732, was also discussed, because it is a Cantonese ideograph whose form should adhere to the regional conventions of Hong Kong SAR. The group agreed that the representative glyph for this U-Source ideograph should be modified accordingly. It was also determined that eight additional Cantonese U-Source ideographs require the same treatment, and one of the experts prepared the updated glyphs (see the table below). The *UTCHan2021u166-Regular.ttf* TrueType font (PDF attachment) includes the representative glyphs for modifying the UAX #45 *UTCHan.ttf* TrueType font. One of the experts noted that UTC-00443 should no longer be flagged as a duplicate of UTC-00345, because their representative glyphs do not share the same left-side radical. For future horizontal extension purposes, the same expert also noted that UTC-00731 is included in IRG Working Set 2017 as serial number 01658 with UK-Source source reference UK-10851.

U-Source	Current Glyph	Proposed Glyph
UTC-00345	𢦏	𢦏
UTC-00414	𢦏	𢦏
UTC-00728	𢦏	𢦏
UTC-00729	𢦏	𢦏
UTC-00730	𢦏	𢦏
UTC-00731	𢦏	𢦏
UTC-00732	𢦏	𢦏
UTC-00734	𢦏	𢦏
UTC-00735	𢦏	𢦏

**Recommendations (Unihan-UTC166-R07):** The group recommends to the UTC the following disposition ⇨ Accept the disunification proposed in L2/20-291, and encode the disunified ideograph at code point U+2B736 with Unihan database changes, based on Unihan-UTC166-R07 in document L2/21-015, for Unicode Version 14.0. **Action Item for Ken Whistler:** Update the pipeline to add the disunified ideograph with code point U+2B736. See Unihan-UTC166-R07 in document L2/21-015. **Action Item for John Jenkins and Michel Suignard:** Update the Unihan database by adding, removing, and changing property values, based on document L2/20-291 and Unihan-UTC166-R07 in document L2/21-015, and as amended by the group, for Unicode Version 14.0.

Add:

U+3B3F	kSpoofingVariant	U+2B736
U+3B3F	kVietnamese	thôn
U+2B736	kIRG_USource	UTC-00732

U+2B736	kIRG_VSource	V2-8166
U+2B736	kRSUnicode	130.12
U+2B736	kTotalStrokes	16
U+2B736	kDefinition	cheeks
U+2B736	kCheungBauerIndex	453.10
U+2B736	kVietnamese	trôn
U+2B736	kSpoofingVariant	U+3B3F

Remove:

U+3B3F	kIRG_USource	UTC-00732
--------	--------------	-----------

Change:

U+3B3F	kIRG_VSource	VU-03B3F
--------	--------------	----------

**Action Item for John Jenkins:** Update the records for UTC-00443 and UTC-00732 in *USourceData.txt*, based on document L2/20-291 and Unihan-UTC166-R07 in document L2/21-015, for Unicode Version 14.0.

UTC-00443;N;;;74.8;;𠂇月枕;kCowles 129;;;12;1

UTC-00732;C;U+2B736;130.12;;𠂇月敦;kCheungBauerIndex 453.10;;16;4

**Action Item for John Jenkins:** Update the representative glyphs for UTC-00345, UTC-00414, UTC-00728 through UTC-00732, UTC-00734, and UTC-00735 to reflect a left-side form of Radical #130 that adheres to Hong Kong SAR regional conventions, based on document L2/20-291 and Unihan-UTC166-R07 in document L2/21-015, for Unicode Version 14.0. **Action Item for John Jenkins and Lee Collins:** Provide updated U- and V-Source fonts to Michel Suignard.

## L2/21-018: Mismatched T-Source Identifiers

**Comments:** The group discussed this proposal to correct three T-Source source references. Based on the information that is available at the CNS 11643 website for [U+55B9](#), [U+841C](#), and [U+2B74E](#), the corrections appear to be justified.

**Recommendations (Unihan-UTC166-R08):** The group recommends to the UTC the following disposition ➡ Make changes to the Unihan database, based on document L2/21-018 and Unihan-UTC166-R08 in document L2/21-015, for Unicode Version 14.0. **Action Item for John Jenkins and Michel Suignard:** Update the Unihan database by changing three *kIRG\_TSource* property values, based on document L2/21-018 and Unihan-UTC166-R08 in document L2/21-015, for Unicode Version 14.0.

U+55B9	kIRG_TSource	TE-5F2F
U+841C	kIRG_TSource	TE-5D48
U+2B74E	kIRG_TSource	TB-7334

## L2/21-029: Proposal to Correct Four Vietnamese Glyphs (IRG N2445)

**Comments:** The group discussed this proposal to correct the representative glyphs for four V-Source ideographs, one of which requires Unihan database changes. These corrections seem justified per the supplied evidence, as do the proposed Unihan database property value changes.

**Recommendations (Unihan-UTC166-R09):** The group recommends to the UTC the following disposition ⇒ Make changes to the Unihan database, based on document L2/21-029 and Unihan-UTC166-R09 in document L2/21-015, for Unicode Version 14.0. **Action Item for Lee Collins:** Provide an updated V-Source font to Michel Suignard. **Action Item for John Jenkins and Michel Suignard:** Update the Unihan database by changing property values, based on document L2/21-029 and Unihan-UTC166-R09 in document L2/21-015, for Unicode Version 14.0.

U+26F28	kRSUnicode	140.13
U+26F28	kTotalStrokes	17
U+26F28	kRSKangXi	140.13

## L2/21-044: UNC Proposal for One G-Source Ideograph (IRG N2446)

**Comments:** The group discussed this UNC (*Urgently Needed Character*) proposal for one G-Source ideograph, which is the simplified form of U+287AA 壽, and the consensus was that there is sufficient justification to treat this ideograph as a UNC. The implicit request to append this ideograph to the URO conflicts with Macao SAR's UNC proposal that was accepted during UTC #165, which consumes the last remaining code points at the end of the URO (3) and Extension B (2) blocks. The group recommends using the next available code point, which is U+2B737 (Extension C).

**Recommendations (Unihan-UTC166-R10):** The group recommends to the UTC the following disposition ⇒ Accept the urgently needed character proposed in L2/21-044 with code point U+2B737, based on Unihan-UTC166-R10 in L2/21-015, for Unicode Version 14.0. **Action Item for Ken Whistler:** Update the pipeline to add the urgently needed character with code point U+2B737. See Unihan-UTC166-R10 in document L2/21-015. **Action Item for China:** Provide a font to Michel Suignard. **Action Item for John Jenkins and Michel Suignard:** Update the Unihan database by adding property values, based on document L2/21-044 and Unihan-UTC166-R10 in document L2/21-015, for Unicode Version 14.0.

U+287AA	kSimplifiedVariant	U+2B737
U+2B737	kIRG_GSource	GDM-00221
U+2B737	kRSUnicode	163.7
U+2B737	kTotalStrokes	10
U+2B737	kMandarin	shòu
U+2B737	kTraditionalVariant	U+287AA

## 5) Other Unihan-related Topics

The UTC has established a liaison relationship with CITPC (*Character Information Technology Promotion Council* or 文字情報技術促進協議会 in Japanese). Ken Lunde serves as the UTC's liaison, and Taro YAMAMOTO (山本太郎) serves as CITPC's liaison.

## **6) IRG-related Topics**

The IRG issued IRG Working Set 2017 Version 5.2 as IRG N2444, which was posted to the UTC document register as [L2/20-023](#). Note that its attributes file (Microsoft Excel) is a PDF attachment. A review schedule has not yet been announced.

That is all.