# **Old Hungarian**

Range: 10C80-10CFF

This file contains an excerpt from the character code tables and list of character names for *The Unicode Standard. Version 17.0* 

This file may be changed at any time without notice to reflect errata, or other updates to the Unicode Standard.

## See https://www.unicode.org/errata/ for an up-to-date list of errata.

See https://www.unicode.org/charts/ for access to a complete list of the latest character code charts. See https://www.unicode.org/charts/PDF/Unicode-17.0/ for charts showing only the characters added in Unicode 17.0. See https://www.unicode.org/Public/17.0.0/charts/ for a complete archived file of character code charts for Unicode 17.0. See https://www.unicode.org/charts/About.html#Conventions for conventions used in these code charts, and other general information.

#### Disclaimer

These charts are provided as the online reference to the character contents of the Unicode Standard, Version 17.0 but do not provide all the information needed to fully support individual scripts using the Unicode Standard. For a complete understanding of the use of the characters contained in this file, please consult the appropriate sections of The Unicode Standard, Version 17.0, online at https://www.unicode.org/versions/Unicode17.0.0/, as well as the Unicode Standard Annexes, the other Unicode Technical Reports and Standards, and the Unicode Character Database, which are available online.

# See https://www.unicode.org/ucd/ and https://www.unicode.org/reports/

A thorough understanding of the information contained in these additional sources is required for a successful implementation.

#### **Fonts**

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts.

See https://www.unicode.org/charts/fonts.html for a list.

### **Terms of Use**

© 1991–2025 Unicode, Inc. This publication is protected by copyright, and permission must be obtained from Unicode, Inc. prior to any reproduction, modification, or other use not permitted by the Terms of Use (https://www.unicode.org/copyright.html). Specifically, you may make copies of this publication and may annotate and translate it solely for personal or internal business purposes and not for public distribution, provided that any such permitted copies and modifications fully reproduce all copyright and other legal notices contained in the original. You may not make copies of or modifications to this publication for public distribution, or incorporate it in whole or in part into any product or publication without the express written permission of Unicode.

The Unicode Consortium specifically grants ISO a license to produce such code charts with their associated character names list to show the repertoire of characters for that standard, as a normatively referenced, integral part of that standard.

Unicode uses most fonts under restricted license from the original font owner. You may not extract, copy, modify, or distribute fonts or font data from any Unicode Products, including this publication, without license from the font owner.

Use of all Unicode Products, including this publication, is governed by the Unicode Terms of Use (https://www.unicode.org/copyright.html). The authors, contributors, and publishers have taken care in the preparation of this publication, but make no express or implied representation or warranty of any kind and assume no responsibility or liability for errors or omissions or for consequential or incidental damages that may arise therefrom. This publication is provided "AS-IS" without charge as a convenience to users.

Unicode and the Unicode Logo are registered trademarks of Unicode, Inc., in the United States and other countries.

	10C8	10C9	10CA	10CB	10CC	10CD	10CE	10CF
0	10080	10090	<b>1</b> 0CA0	10CB0	10000	<b>†</b>	<b>3</b>	<b>Y</b>
1	10C81	T 10C91	10CA1	<b>₩</b> 10CB1	10001	T 10CD1	10CE1	<b>₩</b> 10CF1
2	10C82	1	10CA2	10CB2	X 10CC2	1	<b>H</b>	<b>0</b>
3	$\alpha$	$\Diamond$	/	10CB2	$\alpha$	<b>\Q</b>	/	10012
4	10C83	10093	10CA3		10CC3	10CD3	10CE3	
5	10C84	10094	10CA4		10CC4 <b>\$</b>	10CD4	10CE4	
6	10C85	10C95	10CA5		10CC5	10CD5	10CE5	
7	10086	10096	10CA6		10006	10CD6	10CE6	
8	10087	10097	10CA7		10CC7	10CD7	10CE7	
	10C88	10098	10CA8		10CC8	10CD8	10CE8	
9	10C89	10C99 D	10CA9		10CC9	10CD9	10CE9	_
Α	10C8A	10C9A	10CAA		<b>X</b> 10CCA	D 10CDA	10CEA	10CFA
В	10C8B	10C9B	10CAB		\$ 10CCB	<b>)</b> 10CDB	10CEB	10CFB
С	10C8C	10C9C	10CAC		<b>8</b>	10CDC	X 10CEC	10CFC
D	10C8D	10C9D	10CAD		A 10CCD	<b>\</b>	10CED	10CFD
Ε	# 10C8E	10C9E	10CAE		# 10CCE	K 10CDE	10CEE	X 10CFE
F	<b>X</b> 10C8F	<b>3</b>	10CAF		<b>X</b> 10CCF	X 10CDF	10CEF	<b>*</b> 10CFF

This script has contemporary usage in Hungary, where users often prefer the name Szekely-Hungarian Rovas.	10CA1  ⚠ OLD HUNGARIAN CAPITAL LETTER EMP 10CA2 H OLD HUNGARIAN CAPITAL LETTER ER
Uppercase letters	= R
The use of uppercase letters is a modern innovation.	10CA3 - OLD HUNGARIAN CAPITAL LETTER SHORT ER 10CA4 \(\Lambda\) OLD HUNGARIAN CAPITAL LETTER ES
10C80 1 OLD HUNGARIAN CAPITAL LETTER A 10C81 1 OLD HUNGARIAN CAPITAL LETTER AA = Á	= S 10CA5   OLD HUNGARIAN CAPITAL LETTER ESZ = Sz
10C82 X OLD HUNGARIAN CAPITAL LETTER EB	10CA6 Y OLD HUNGARIAN CAPITAL LETTER ET
10C83	10CA7 'Y' OLD HUNGARIAN CAPITAL LETTER ENT  • also used for Ant and Int
= C 10C85	10CA8 X OLD HUNGARIAN CAPITAL LETTER ETY = Ty
10C86 以 OLD HUNGARIAN CAPITAL LETTER ECS	10CA9 X OLD HUNGARIAN CAPITAL LETTER ECH
= Cs 10C87 + OLD HUNGARIAN CAPITAL LETTER ED = D	10CAA ☆ OLD HUNGARIAN CAPITAL LETTER U 10CAB ⋈ OLD HUNGARIAN CAPITAL LETTER UU = Ú
10C88 X OLD HUNGARIAN CAPITAL LETTER AND 10C89 X OLD HUNGARIAN CAPITAL LETTER E	10CAC XX OLD HUNGARIAN CAPITAL LETTER NIKOLSBURG UE
10C8A	=Ü
= Ë 10C8B > OLD HUNGARIAN CAPITAL LETTER EE = É	also used for Ö  used for Ü in Sándor Forrai's orthography  OLD HUNGARIAN CAPITAL LETTER
10C8C ♦ OLD HUNGARIAN CAPITAL LETTER EF = F	RUDIMENTA UE = Ü, Ű
10C8D Λ OLD HUNGARIAN CAPITAL LETTER EG = G	<ul> <li>used for Ü in Sándor Forrai's orthography</li> <li>10CAE M OLD HUNGARIAN CAPITAL LETTER EV</li> </ul>
10C8E	= ∨ 10CAF ⊭ OLD HUNGARIAN CAPITAL LETTER EZ
10C8F	= Z 10CB0 Y OLD HUNGARIAN CAPITAL LETTER EZS
10C90 1 OLD HUNGARIAN CAPITAL LETTER I	= Zs 10CB1 <b>※</b> OLD HUNGARIAN CAPITAL LETTER ENT-
= [	SHAPED SIGN
10C92 1 OLD HUNGARIAN CAPITAL LETTER EJ	10CB2
10C93 ♦ OLD HUNGARIAN CAPITAL LETTER EK	10CC0 1 OLD HUNGARIAN SMALL LETTER A
= K 10C94 1 OLD HUNGARIAN CAPITAL LETTER AK	10CC1 4 OLD HUNGARIAN SMALL LETTER AA
10C95   COLD HUNGARIAN CAPITAL LETTER UNK  10C95   COLD HUNGARIAN CAPITAL LETTER UNK	= á
10C96 / OLD HUNGARIAN CAPITAL LETTER EL	10CC2 x OLD HUNGARIAN SMALL LETTER EB = b
10C97 Ø OLD HUNGARIAN CAPITAL LETTER ELY	10CC3    OLD HUNGARIAN SMALL LETTER AMB  OLD HUNGARIAN SMALL LETTER EC
= Ly 10C98	= c  10CC5
= M 10C99 ) OLD HUNGARIAN CAPITAL LETTER EN	10CC6 # OLD HUNGARIAN SMALL LETTER ENC
= N 10C9A D OLD HUNGARIAN CAPITAL LETTER ENY	= cs 10CC7 + OLD HUNGARIAN SMALL LETTER ED = d
= Ny 10C9B ⇒ OLD HUNGARIAN CAPITAL LETTER O	10CC8 * OLD HUNGARIAN SMALL LETTER AND
= O	10CC9 ¾ OLD HUNGARIAN SMALL LETTER E 10CCA ¾ OLD HUNGARIAN SMALL LETTER CLOSE E
10C9C → OLD HUNGARIAN CAPITAL LETTER OO = Ó	= ë
10C9D COLD HUNGARIAN CAPITAL LETTER NIKOLSBURG OE	10CCB > OLD HUNGARIAN SMALL LETTER EE = é
= Ö	10CCC • OLD HUNGARIAN SMALL LETTER EF
10C9E K OLD HUNGARIAN CAPITAL LETTER RUDIMENTA OE = Ö	10CCD A OLD HUNGARIAN SMALL LETTER EG = g
10C9F & OLD HUNGARIAN CAPITAL LETTER OEE = Ő	10CCE ≱ OLD HUNGARIAN SMALL LETTER EGY = qy
10CA0 1 OLD HUNGARIAN CAPITAL LETTER EP = P	10CCF * OLD HUNGARIAN SMALL LETTER EH = h

10CD0 †		10CF0 Y OLD HUNGARIAN SMALL LETTER EZS = zs
10CD2 1		10CF1 SIGN  10CF1 (1) OLD HUNGARIAN SMALL LETTER ENT-SHAPED SIGN
10CD3 ◊	= j OLD HUNGARIAN SMALL LETTER EK = k	<ul> <li>in earlier literature called "tprus" (later recognized as an abbreviation for "temperius")</li> <li>10CF2 OLD HUNGARIAN SMALL LETTER US</li> </ul>
10CD4 1	OLD HUNGARIAN SMALL LETTER AK	Numbers
10CD5 × 10CD6 A	OLD HUNGARIAN SMALL LETTER EL	The numbers for one, five, and ten have a clear relationship to Roman numerals.
10CD7 @		10CFA   OLD HUNGARIAN NUMBER ONE 10CFB V OLD HUNGARIAN NUMBER FIVE
10CD8 4	= ly OLD HUNGARIAN SMALL LETTER EM = m	10CFC X OLD HUNGARIAN NUMBER TEN 10CFD V OLD HUNGARIAN NUMBER FIFTY
10CD9 >	OLD HUNGARIAN SMALL LETTER EN	10CFE X OLD HUNGARIAN NUMBER ONE HUNDRED 10CFF X OLD HUNGARIAN NUMBER ONE THOUSAND
10CDA Þ	OLD HUNGARIAN SMALL LETTER ENY = ny	
10CDB ⇒ 10CDC ∂	OLD HUNGARIAN SMALL LETTER O	
10CDD ≥		
	OE = ö • also used for ü	
10CDE K		
10CDF ∂	OLD HUNGARIAN SMALL LETTER OEE	
10CE0 a		
10CE1 ю 10CE2 н	OLD HUNGARIAN SMALL LETTER EMP	
10CE3 ~ 10CE4 ^	OLD HUNGARIAN SMALL LETTER SHORT ER OLD HUNGARIAN SMALL LETTER ES	
10СЕ5 I	= S OLD HUNGARIAN SMALL LETTER ESZ = SZ	
10CE6 Y		
10CE7 →	OLD HUNGARIAN SMALL LETTER ENT  • also used for ant and int	
10CE8 %	OLD HUNGARIAN SMALL LETTER ETY = ty	
10CE9 x	,	
	OLD HUNGARIAN SMALL LETTER UU = ú	
10CEC p	-	
10CED ч	UE = ü, ű	
10CEE M	• used for ü in Sándor Forrai's orthography OLD HUNGARIAN SMALL LETTER EV	
10CEF #	= V OLD HUNGARIAN SMALL LETTER EZ = Z	