Supplemental Mathematical Operators

Range: 2A00-2AFF

This file contains an excerpt from the character code tables and list of character names for *The Unicode Standard. Version 17.0*

This file may be changed at any time without notice to reflect errata, or other updates to the Unicode Standard.

See https://www.unicode.org/errata/ for an up-to-date list of errata.

See https://www.unicode.org/charts/ for access to a complete list of the latest character code charts. See https://www.unicode.org/charts/PDF/Unicode-17.0/ for charts showing only the characters added in Unicode 17.0. See https://www.unicode.org/Public/17.0.0/charts/ for a complete archived file of character code charts for Unicode 17.0. See https://www.unicode.org/charts/About.html#Conventions for conventions used in these code charts, and other general information.

Disclaimer

These charts are provided as the online reference to the character contents of the Unicode Standard, Version 17.0 but do not provide all the information needed to fully support individual scripts using the Unicode Standard. For a complete understanding of the use of the characters contained in this file, please consult the appropriate sections of The Unicode Standard, Version 17.0, online at https://www.unicode.org/versions/Unicode17.0.0/, as well as the Unicode Standard Annexes, the other Unicode Technical Reports and Standards, and the Unicode Character Database, which are available online.

See https://www.unicode.org/ucd/ and https://www.unicode.org/reports/

A thorough understanding of the information contained in these additional sources is required for a successful implementation.

Fonts

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts.

See https://www.unicode.org/charts/fonts.html for a list.

Terms of Use


© 1991–2025 Unicode, Inc. This publication is protected by copyright, and permission must be obtained from Unicode, Inc. prior to any reproduction, modification, or other use not permitted by the Terms of Use (https://www.unicode.org/copyright.html). Specifically, you may make copies of this publication and may annotate and translate it solely for personal or internal business purposes and not for public distribution, provided that any such permitted copies and modifications fully reproduce all copyright and other legal notices contained in the original. You may not make copies of or modifications to this publication for public distribution, or incorporate it in whole or in part into any product or publication without the express written permission of Unicode.

The Unicode Consortium specifically grants ISO a license to produce such code charts with their associated character names list to show the repertoire of characters for that standard, as a normatively referenced, integral part of that standard.

Unicode uses most fonts under restricted license from the original font owner. You may not extract, copy, modify, or distribute fonts or font data from any Unicode Products, including this publication, without license from the font owner.

Use of all Unicode Products, including this publication, is governed by the Unicode Terms of Use (https://www.unicode.org/copyright.html). The authors, contributors, and publishers have taken care in the preparation of this publication, but make no express or implied representation or warranty of any kind and assume no responsibility or liability for errors or omissions or for consequential or incidental damages that may arise therefrom. This publication is provided "AS-IS" without charge as a convenience to users.

Unicode and the Unicode Logo are registered trademarks of Unicode, Inc., in the United States and other countries.



N-ary operators			2A1F	8	Z NOTATION SCHEMA COMPOSITION
2A00		N-ARY CIRCLED DOT OPERATOR		9	→ 2A3E; z notation relational composition
27100	\cup	→ 2299 ⊙ circled dot operator	2A20	\gg	Z NOTATION SCHEMA PIPING
		→ 25C9 (a) fisheye			→ 226B ≫ much greater-than
2A01	\oplus	N-ARY CIRCLED PLUS OPERATOR	2A21	1	Z NOTATION SCHEMA PROJECTION
	•	→ 2295 ⊕ circled plus			→ 21BE ↑ upwards harpoon with barb
2A02	\otimes	N-ARY CIRCLED TIMES OPERATOR			rightwards
		→ 2297 ⊗ circled times	Plus a	and r	minus sign operators
		→ 2B59 🛇 heavy circled saltire	2A22	ů	PLUS SIGN WITH SMALL CIRCLE ABOVE
2A03	\cup	N-ARY UNION OPERATOR WITH DOT	2A23	Î	PLUS SIGN WITH CIRCUMFLEX ACCENT ABOVE
0404		→ 228D ⊍ multiset multiplication	2A24	Ŧ	PLUS SIGN WITH TILDE ABOVE
2A04	\forall	N-ARY UNION OPERATOR WITH PLUS			= positive difference or sum
2405		→ 228E ⊎ multiset union	2A25	÷	PLUS SIGN WITH DOT BELOW
2A05		N-ARY SQUARE INTERSECTION OPERATOR → 2293 □ square cap	0.4.00		→ 2214 ∔ dot plus
2A06	Ц	N-ARY SQUARE UNION OPERATOR	2A26	ŧ	PLUS SIGN WITH TILDE BELOW = sum or positive difference
2/100	Ш	→ 2294 ⊔ square cup	2A27	+5	PLUS SIGN WITH SUBSCRIPT TWO
2A07	\wedge	TWO LOGICAL AND OPERATOR	21121	12	= nim-addition
	// \\	= merge	2A28	+	PLUS SIGN WITH BLACK TRIANGLE
		→ 2A55 ∧ two intersecting logical and	2A29	•	MINUS SIGN WITH COMMA ABOVE
2A08	W	TWO LOGICAL OR OPERATOR	2A2A	÷	MINUS SIGN WITH DOT BELOW
		\rightarrow 2A56 w two intersecting logical or			→ 2238 ÷ dot minus
2A09	X	N-ARY TIMES OPERATOR	2A2B	÷	MINUS SIGN WITH FALLING DOTS
		\rightarrow 00D7 \times multiplication sign	2A2C	÷	MINUS SIGN WITH RISING DOTS
Sumr	natio	ons and integrals	2A2D	-	PLUS SIGN IN LEFT HALF CIRCLE
2A0A	Σ	MODULO TWO SUM	2A2E	Ð	PLUS SIGN IN RIGHT HALF CIRCLE
	_	\rightarrow 2211 \sum n-ary summation	Multi	plica	tion and division sign operators
2A0B	≴	SUMMATION WITH INTEGRAL	2A2F	×	VECTOR OR CROSS PRODUCT
2A0C	Ĵ∭	QUADRUPLE INTEGRAL OPERATOR			→ 00D7 × multiplication sign
		→ 222D ∭ triple integral	2A30	×	MULTIPLICATION SIGN WITH DOT ABOVE
		$\approx 222B \int 222B \int 222B \int$	2A31	×	MULTIPLICATION SIGN WITH UNDERBAR
2A0D	£	FINITE PART INTEGRAL	2A32	×	SEMIDIRECT PRODUCT WITH BOTTOM CLOSED
2A0E	£	INTEGRAL WITH DOUBLE STROKE	2A33	*	SMASH PRODUCT
2A0F	£	INTEGRAL AVERAGE WITH SLASH	2A34	(×	MULTIPLICATION SIGN IN LEFT HALF CIRCLE
2A10	£	CIRCULATION FUNCTION	2A35	×	MULTIPLICATION SIGN IN RIGHT HALF CIRCLE
2A11	£	ANTICLOCKWISE INTEGRATION	2A36	Ô	CIRCLED MULTIPLICATION SIGN WITH
2A12	j	LINE INTEGRATION WITH RECTANGULAR PATH		_	CIRCUMFLEX ACCENT
2113	Ç	AROUND POLE	2A37	⊗	MULTIPLICATION SIGN IN DOUBLE CIRCLE
2A13	بخ	LINE INTEGRATION WITH SEMICIRCULAR PATH AROUND POLE	2A38	\oplus	CIRCLED DIVISION SIGN
2A14	ß	LINE INTEGRATION NOT INCLUDING THE POLE	Misce	llan	eous mathematical operators
2A15	ģ	INTEGRAL AROUND A POINT OPERATOR	2A39	\triangle	PLUS SIGN IN TRIANGLE
	J	→ 222E ∮ contour integral	2A3A	Δ	MINUS SIGN IN TRIANGLE
2A16	⊭	QUATERNION INTEGRAL OPERATOR	2A3B	\triangle	MULTIPLICATION SIGN IN TRIANGLE
2A17	÷	INTEGRAL WITH LEFTWARDS ARROW WITH	2A3C	_	INTERIOR PRODUCT
	J	HOOK			→ 230B J right floor
2A18	⋠	INTEGRAL WITH TIMES SIGN			\sim 2A3C FE00 \rfloor tall variant with narrow foot
2A19	Ŋ	INTEGRAL WITH INTERSECTION	2A3D	_	RIGHTHAND INTERIOR PRODUCT
2A1A	Ý	INTEGRAL WITH UNION			→ 230A [left floor
2A1B	ſ	INTEGRAL WITH OVERBAR			→ 2319 L turned not sign
0440	c	= upper integral	0.425		~ 2A3D FE00 L tall variant with narrow foot
2A1C	<u>J</u>	INTEGRAL WITH UNDERBAR	2A3E	9	Z NOTATION RELATIONAL COMPOSITION
		= lower integral	2A3F	Ш	→ 2A1F § z notation schema composition AMALGAMATION OR COPRODUCT
Miscellaneous large operators			ZASE	Ц	→ 2210 ∐ n-ary coproduct
2A1D	\bowtie				_
		= large bowtie			ons and unions
		• relational database theory	2A40	Θ	INTERSECTION WITH DOT
		→ 22C8 M bowtie			→ 2227 ∧ logical and
244	,	→ 27D7 ★ full outer join	0.4.4		→ 27D1 A and with dot
2A1E	\triangleleft	LARGE LEFT TRIANGLE OPERATOR	2A41	\forall	UNION WITH MINUS SIGN
		 relational database theory → 25C1 < white left-pointing triangle 			= z notation bag subtraction → 228E ⊌ multiset union

2A42	Ū	UNION WITH OVERBAR	2A6B	∻	TILDE OPERATOR WITH RISING DOTS
2A43	Ō	INTERSECTION WITH OVERBAR			→ 223B ∻ homothetic
2A44	Ω	INTERSECTION WITH LOGICAL AND	2A6C	≈	SIMILAR MINUS SIMILAR
2A45	$oldsymbol{oldsymbol{eta}}$	UNION WITH LOGICAL OR	2A6D	≐	CONGRUENT WITH DOT ABOVE
2A46	Ų	UNION ABOVE INTERSECTION			→ 2245 ≅ approximately equal to
2A47	A	INTERSECTION ABOVE UNION	2A6E	<u>*</u>	EQUALS WITH ASTERISK
2A48	A H	UNION ABOVE BAR ABOVE INTERSECTION			→ 225B ± star equals
2A49	Й	INTERSECTION ABOVE BAR ABOVE UNION	2A6F	â	ALMOST EQUAL TO WITH CIRCUMFLEX
2A4A	Ü	UNION BESIDE AND JOINED WITH UNION			ACCENT
2A4B	m	INTERSECTION BESIDE AND JOINED WITH	2A70	≊	APPROXIMATELY EQUAL OR EQUAL TO
27110		INTERSECTION			→ 2245 ≅ approximately equal to
2A4C	U	CLOSED UNION WITH SERIFS	2A71	₹	EQUALS SIGN ABOVE PLUS SIGN
		→ 222A U union			 black stands slightly better (chess notation)
2A4D	Ω	CLOSED INTERSECTION WITH SERIFS	2A72	±	PLUS SIGN ABOVE EQUALS SIGN
	_	→ 2229 n intersection			 white stands slightly better (chess notation)
2A4E	Ш	DOUBLE SQUARE INTERSECTION	2A73	≂	EQUALS SIGN ABOVE TILDE OPERATOR
2A4F	Ш	DOUBLE SQUARE UNION	2A74		DOUBLE COLON EQUAL
2A50	-	CLOSED UNION WITH SERIFS AND SMASH			$\approx 003A: 003A: 003D =$
	•	PRODUCT	2A75	==	TWO CONSECUTIVE EQUALS SIGNS
Logic	al an	ds and ors			$\approx 003D = 003D =$
_			2A76	===	THREE CONSECUTIVE EQUALS SIGNS
2A51		LOGICAL AND WITH DOT ABOVE			$\approx 003D = 003D = 003D =$
2A52	Ÿ	LOGICAL OR WITH DOT ABOVE	2A77	:	EQUALS SIGN WITH TWO DOTS ABOVE AND
2A53	A	DOUBLE LOGICAL AND			TWO DOTS BELOW
2A54	٧	DOUBLE LOGICAL OR	2A78	≡	EQUIVALENT WITH FOUR DOTS ABOVE
2A55	W	TWO INTERSECTING LOGICAL AND	2A79	≪	LESS-THAN WITH CIRCLE INSIDE
		\rightarrow 2A07 \bigwedge two logical and operator	2A7A	≽	GREATER-THAN WITH CIRCLE INSIDE
2A56	W	TWO INTERSECTING LOGICAL OR	2A7B	₹	LESS-THAN WITH QUESTION MARK ABOVE
0457		→ 2A08 W two logical or operator	2A7C	>	GREATER-THAN WITH QUESTION MARK ABOVE
2A57	V	SLOPING LARGE OR	2A7D	<	LESS-THAN OR SLANTED EQUAL TO
2A58	1	SLOPING LARGE AND			\rightarrow 2264 \leq less-than or equal to
2A59	Ж	LOGICAL OR OVERLAPPING LOGICAL AND	2A7E	≥	GREATER-THAN OR SLANTED EQUAL TO
2A5A	$\mathbf{\Lambda}$	LOGICAL AND WITH MIDDLE STEM			\rightarrow 2265 \geq greater-than or equal to
2A5B	Ψ	LOGICAL OR WITH MIDDLE STEM	2A7F	€	LESS-THAN OR SLANTED EQUAL TO WITH DOT
2A5C	A	LOGICAL AND WITH HORIZONTAL DASH			INSIDE
2A5D	\	LOGICAL OR WITH HORIZONTAL DASH	2A80	≽	GREATER-THAN OR SLANTED EQUAL TO WITH
2A5E	⊼	LOGICAL AND WITH DOUBLE OVERBAR			DOT INSIDE
0455		→ 2306 ₹ perspective	2A81	≼	LESS-THAN OR SLANTED EQUAL TO WITH DOT
2A5F	Δ	LOGICAL AND WITH UNDERBAR	0400		ABOVE
2A60	\triangle	LOGICAL AND WITH DOUBLE UNDERBAR	2A82	≽	GREATER-THAN OR SLANTED EQUAL TO WITH DOT ABOVE
0404		→ 2259 ≜ estimates	2A83	≼ਂ	LESS-THAN OR SLANTED EQUAL TO WITH DOT
2A61	×	SMALL VEE WITH UNDERBAR	ZA03	~	ABOVE RIGHT
0.4.00	=	→ 225A ¥ equiangular to	2A84	≽	GREATER-THAN OR SLANTED EQUAL TO WITH
2A62	$\overline{\nabla}$	LOGICAL OR WITH DOUBLE OVERBAR	2/10-	-	DOT ABOVE LEFT
2A63	$\underline{\vee}$	LOGICAL OR WITH DOUBLE UNDERBAR	2A85	<	LESS-THAN OR APPROXIMATE
		→ 225A ¥ equiangular to	2A86	×≈∧≈	GREATER-THAN OR APPROXIMATE
Misce	llan	eous mathematical operators	2A87	≈ ¥	LESS-THAN AND SINGLE-LINE NOT EQUAL TO
2A64	\triangleleft	Z NOTATION DOMAIN ANTIRESTRICTION	_,	+	→ 2268 ≨ less-than but not equal to
2A65	\triangleright	Z NOTATION RANGE ANTIRESTRICTION	2A88	≥	GREATER-THAN AND SINGLE-LINE NOT EQUAL
		→ 2332 ⊳ conical taper	_,	+	TO
Relational operators					\rightarrow 2269 \geq greater-than but not equal to
			2A89	≨	LESS-THAN AND NOT APPROXIMATE
2A66	÷	EQUALS SIGN WITH DOT BELOW	2A8A	V#\#VII/	GREATER-THAN AND NOT APPROXIMATE
2467	·	→ 2250 = approaches the limit	2A8B	\(\begin{array}{c}\)	LESS-THAN ABOVE DOUBLE-LINE EQUAL
2A67	≐	IDENTICAL WITH DOT ABOVE			ABOVE GREATER-THAN
2A68	#	TRIPLE HORIZONTAL BAR WITH DOUBLE VERTICAL STROKE			→ 22DA ⋚ less-than equal to or greater-than
		= identical and parallel to	2A8C	⋛	GREATER-THAN ABOVE DOUBLE-LINE EQUAL
		→ 22D5 # equal and parallel to		`	ABOVE LESS-THAN
		→ 29E5 # identical to and slanted parallel	-		\rightarrow 22DB \geq greater-than equal to or less-than
2A69	#	TRIPLE HORIZONTAL BAR WITH TRIPLE	2A8D	≥	LESS-THAN ABOVE SIMILAR OR EQUAL
_, 100	111	VERTICAL STROKE	2A8E	VRARV	GREATER-THAN ABOVE SIMILAR OR EQUAL
2A6A	$\dot{\sim}$	TILDE OPERATOR WITH DOT ABOVE	2A8F	⋛	LESS-THAN ABOVE SIMILAR ABOVE GREATER-
					THAN

2A90	≳	GREATER-THAN ABOVE SIMILAR ABOVE LESS-	2AB3	≦	PRECEDES ABOVE EQUALS SIGN
	_	THAN	2AB4		SUCCEEDS ABOVE EQUALS SIGN
2A91	≦	LESS-THAN ABOVE GREATER-THAN ABOVE	2AB5	*Y	PRECEDES ABOVE NOT EQUAL TO
	=	DOUBLE-LINE EQUAL	2AB6	₹	SUCCEEDS ABOVE NOT EQUAL TO
2A92	≧	GREATER-THAN ABOVE LESS-THAN ABOVE	2AB7	≠	PRECEDES ABOVE ALMOST EQUAL TO
	_	DOUBLE-LINE EQUAL	2AB8	≈	SUCCEEDS ABOVE ALMOST EQUAL TO
2A93		LESS-THAN ABOVE SLANTED EQUAL ABOVE	2AB0	≋	
	-	GREATER-THAN ABOVE SLANTED EQUAL		₹Υ≋Υ≋	PRECEDES ABOVE NOT ALMOST EQUAL TO
2A94	≷	GREATER-THAN ABOVE SLANTED EQUAL	2ABA		SUCCEEDS ABOVE NOT ALMOST EQUAL TO
		ABOVE LESS-THAN ABOVE SLANTED EQUAL	2ABB	\leftarrow	DOUBLE PRECEDES
2A95	<	SLANTED EQUAL TO OR LESS-THAN	2ABC	\gg	DOUBLE SUCCEEDS
		→ 22DC < equal to or less-than	Subse	et an	d superset relations
2A96	≽	SLANTED EQUAL TO OR GREATER-THAN	2ABD	c	SUBSET WITH DOT
		→ 22DD ⋝ equal to or greater-than	2ABE	∍	SUPERSET WITH DOT
2A97	€	SLANTED EQUAL TO OR LESS-THAN WITH DOT	2ABF	Ç	SUBSET WITH PLUS SIGN BELOW
		INSIDE	2AC0	⊋	SUPERSET WITH PLUS SIGN BELOW
2A98	≽	SLANTED EQUAL TO OR GREATER-THAN WITH	2AC1	Ž	SUBSET WITH MULTIPLICATION SIGN BELOW
		DOT INSIDE	2AC2	Ž∝	
2A99	₹	DOUBLE-LINE EQUAL TO OR LESS-THAN			SUPERSET WITH MULTIPLICATION SIGN BELOW
	•	→ 22DC ⋜ equal to or less-than	2AC3	≐	SUBSET OF OR EQUAL TO WITH DOT ABOVE
2A9A	₹	DOUBLE-LINE EQUAL TO OR GREATER-THAN	2AC4	≟	SUPERSET OF OR EQUAL TO WITH DOT ABOVE
		→ 22DD ⋝ equal to or greater-than	2AC5	\subseteq	SUBSET OF ABOVE EQUALS SIGN
2A9B	1	DOUBLE-LINE SLANTED EQUAL TO OR LESS-	2AC6	≅	SUPERSET OF ABOVE EQUALS SIGN
		THAN	2AC7	\subseteq	SUBSET OF ABOVE TILDE OPERATOR
2A9C	░	DOUBLE-LINE SLANTED EQUAL TO OR	2AC8	\gtrsim	SUPERSET OF ABOVE TILDE OPERATOR
		GREATER-THAN	2AC9	U≋∩≋∪₩	SUBSET OF ABOVE ALMOST EQUAL TO
2A9D	\approx	SIMILAR OR LESS-THAN	2ACA	≳	SUPERSET OF ABOVE ALMOST EQUAL TO
	•	~ 2A9D FE00 with similar following the slant	2ACB	⊊	SUBSET OF ABOVE NOT EQUAL TO
		of the upper leg		•	~ 2ACB FE00 ⊊ with stroke through bottom
2A9E	\approx	SIMILAR OR GREATER-THAN			members
		~ 2A9E FE00 ≯ with similar following the slant	2ACC	⊋	SUPERSET OF ABOVE NOT EQUAL TO
		of the upper leg			~ 2ACC FE00 ⊋ with stroke through bottom
2A9F	≅	SIMILAR ABOVE LESS-THAN ABOVE EQUALS			members
		SIGN	2ACD	_	SQUARE LEFT OPEN BOX OPERATOR
2AA0	\cong	SIMILAR ABOVE GREATER-THAN ABOVE	2ACE	\neg	SQUARE RIGHT OPEN BOX OPERATOR
		EQUALS SIGN	2ACF		CLOSED SUBSET
2AA1	≪	DOUBLE NESTED LESS-THAN			→ 2282 ⊂ subset of
		= absolute continuity	2AD0	D	CLOSED SUPERSET
		→ 226A ≪ much less-than			→ 2283 ⊃ superset of
2AA2	≫	DOUBLE NESTED GREATER-THAN	2AD1	ք	CLOSED SUBSET OR EQUAL TO
		→ 226B ≫ much greater-than	2AD2	₽	CLOSED SUPERSET OR EQUAL TO
2AA3	\leq	DOUBLE NESTED LESS-THAN WITH UNDERBAR	2AD3	\subseteq	SUBSET ABOVE SUPERSET
2AA4	×	GREATER-THAN OVERLAPPING LESS-THAN	2AD4	5	SUPERSET ABOVE SUBSET
2AA5	><	GREATER-THAN BESIDE LESS-THAN	2AD5	UU	SUBSET ABOVE SUBSET
2AA6	\triangleleft	LESS-THAN CLOSED BY CURVE	2AD6	J.	SUPERSET ABOVE SUPERSET
2AA7	\triangleright	GREATER-THAN CLOSED BY CURVE			SUPERSET BESIDE SUBSET
2AA8		LESS-THAN CLOSED BY CURVE ABOVE			SUPERSET BESIDE AND JOINED BY DASH WITH
		SLANTED EQUAL	50		SUBSET
2AA9	\triangleright	GREATER-THAN CLOSED BY CURVE ABOVE	Fl		
		SLANTED EQUAL	Forks		
2AAA	<	SMALLER THAN	2AD9	M	ELEMENT OF OPENING DOWNWARDS
2AAB	>	LARGER THAN			→ 2208 ∈ element of
2AAC	≤	SMALLER THAN OR EQUAL TO			\rightarrow 27D2 ψ element of opening upwards
		~ 2AAC FE00 € with slanted equal	2ADA	Ψ	PITCHFORK WITH TEE TOP
2AAD	≥	LARGER THAN OR EQUAL TO			→ 22D4 ft pitchfork
	_	~ 2AAD FE00 ≥ with slanted equal	2ADB	ψ	TRANSVERSAL INTERSECTION
2AAE	≘	EQUALS SIGN WITH BUMPY ABOVE			→ 22D4 n pitchfork
	_	→ 224F ≃ difference between	2ADC	业	FORKING
2AAF	≤	PRECEDES ABOVE SINGLE-LINE EQUALS SIGN			= not independent
					 an equational logic symbol, not a computing
		\rightarrow 22/C \leq precedes or equal to			
2AB0		→ 227C ≼ precedes or equal to SUCCEEDS ABOVE SINGLE-LINE EOUALS SIGN			science symbol
2AB0	≥	SUCCEEDS ABOVE SINGLE-LINE EQUALS SIGN			science symbolnon-independence (original concept) is related
	≥	SUCCEEDS ABOVE SINGLE-LINE EQUALS SIGN → 227D ≽ succeeds or equal to			 science symbol non-independence (original concept) is related to forking
2AB0 2AB1 2AB2		SUCCEEDS ABOVE SINGLE-LINE EQUALS SIGN			science symbolnon-independence (original concept) is related

2AF2

2AF3

2AF4

2AF5

Ш

#

2ADD ψ NONFORKING = independent • an equational logic symbol, not a computing science symbol • independence (original concept) is related to non-forking **Tacks and turnstiles** 2ADE → SHORT LEFT TACK → 22A3 H left tack 2ADF SHORT DOWN TACK → 22A4 T down tack 2AE0 SHORT UP TACK __ \rightarrow 22A5 \perp up tack 2AE1 s PERPENDICULAR WITH S 2AE2 **VERTICAL BAR TRIPLE RIGHT TURNSTILE** = ordinarily satisfies 2AE3 -II DOUBLE VERTICAL BAR LEFT TURNSTILE → 22A9 IF forces 2AE4 = VERTICAL BAR DOUBLE LEFT TURNSTILE → 22A8 ⊨ true DOUBLE VERTICAL BAR DOUBLE LEFT TURNSTII F 2AE6 ⊩ LONG DASH FROM LEFT MEMBER OF DOUBLE **VERTICAL** → 22A9 IF forces 2AE7 = SHORT DOWN TACK WITH OVERBAR → 22A4 T down tack \rightarrow 2351 $\overline{\top}$ apl functional symbol up tack overbar → 3012 〒 postal mark 2AE8 ± SHORT UP TACK WITH UNDERBAR \rightarrow 22A5 \perp up tack \rightarrow 234A \perp apl functional symbol down tack underbar SHORT UP TACK ABOVE SHORT DOWN TACK 2AE9 2AEA **DOUBLE DOWN TACK** П 2AEB Ш DOUBLE UP TACK = independence probability theory 2AEC **DOUBLE STROKE NOT SIGN** \rightarrow 00AC \neg not sign 2AED ⊨ REVERSED DOUBLE STROKE NOT SIGN → 2310 r reversed not sign **Vertical line operators** DOES NOT DIVIDE WITH REVERSED NEGATION 2AEE + **SLASH** → 2224 ∤ does not divide 2AEF VERTICAL LINE WITH CIRCLE ABOVE VERTICAL LINE WITH CIRCLE BELOW 2AF0 2AF1 Ĭ DOWN TACK WITH CIRCLE BELOW = necessarily satisfies → 27DF ¶ up tack with circle above

PARALLEL WITH HORIZONTAL STROKE

PARALLEL WITH TILDE OPERATOR

→ 2980 ||| triple vertical bar delimiter
TRIPLE VERTICAL BAR WITH HORIZONTAL

→ 27CA † vertical bar with horizontal stroke

TRIPLE VERTICAL BAR BINARY RELATION

→ 27CA † vertical bar with horizontal stroke

→ 2226 ∦ not parallel to

= interleave

STROKE

Miscellaneous mathematical operator

2AF6 : TRIPLE COLON OPERATOR

• logic

→ 205D: tricolon

→ 22EE : vertical ellipsis

Relations

→ 22D8 ≪ very much less-than

2AF8 ➤ TRIPLE NESTED GREATER-THAN

→ 22D9 >>> very much greater-than

2AF9

DOUBLE-LINE SLANTED LESS-THAN OR EQUAL
TO

 \rightarrow 2266 \leq less-than over equal to

2AFA DOUBLE-LINE SLANTED GREATER-THAN OR EQUAL TO

→ 2267 ≥ greater-than over equal to

2AFB /// TRIPLE SOLIDUS BINARY RELATION

→ 2AF4 ||| triple vertical bar binary relation

Operators

2AFC | LARGE TRIPLE VERTICAL BAR OPERATOR

• often n-ary

→ 2AF4 ||| triple vertical bar binary relation

→ 2980 ||| triple vertical bar delimiter

2AFD // DOUBLE SOLIDUS OPERATOR

→ 2225 || parallel to

2AFE I WHITE VERTICAL BAR

= Dijkstra choice

2AFF N-ARY WHITE VERTICAL BAR

= n-ary Dijkstra choice

