

Universal Multiple-Octet Coded Character Set UCS

ISO/IEC JTC1/SC2/WG2/IRG **N 718**

Date: 2000-05-09

Source: Zhang Zhoucai , IRG Rapporteur,

Title: **SuperCJK , Version 10.0** ☐
☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐**with Kangxi & HYD Data**

Action: Review with CJK Extension B (Revised CD)

Distribution: IRG Editors

Rapporteur's Note for the Version 10.0

This version of SuperCJK is produced based on the Editorial Report IRG N 712R dated on 2000-02-01, by IRG Technical Editor Ms.Wang Xiaoming. Up to now, CJK Extension B, the major portion of SuperCJK is still under ballot. Hence this version can not reflect the disposition of WG2 to the comments on CJK Extension B. The SuperCJK 10.0 and the Revised CD of CJK Extension B should be regarded as IRG's INTERNAL WORKING DOCUMENTS only.

After WG2 #38 Meeting to be held in Beijing on 21, March 2000, IRG will formally generate new versions of SuperCJK and CJK Extension B to be in line with the Resolutions / Dispositions to be made by WG2#38.

The SuperCJK **10.0** contains **70,272** Ideograph records while the CJK Extension B Revised CD has **42,778** Ideographs. See below:

	G	T	J	K	V	H	Total
SuperCJK 10.0	57,655	54,453	13,118	17,394	9,299	1,103	70,272
CJK Extension CDr	30,559	30,178	301	168	4,234	1,086	42,778

Appendix: Modifications on SuperCJK 9.0 .

Disunification in SCJK90





The following characters should be added for disunification.

Character to be added	Counnerpart's UCS code	Corresponding pairs in SuperCJK9.0	Suggested KXI Index of new character	More comments
亭	2-0279	2-0279 00606 00612 0089.201 10291.020 G. HZ T6-5052 亭 亭 一 11	0089.201	Right separate
謹	2-126A	2-126A 07241 07211 0215.221 10707.070 G. HZ T7-5B47 謹 謹 口 19	0215.271	Right separate
巖	2-20E7	2-20E7 13287 13242 0323.131 10809.050 G. HZ TF-6C26 巖 巖 山 21	0323.141	Right separate
敍	2-308B	2-308B 19840 19776 0473.040 21465.080 G. KX T5-3271 敍 敍 支 8	0474.131	Right separate
敔	2-3A9B	0-3A9B 19875 19810 0473.210 21469.090 G3-4730 T4-3D5A 敔 敔 支 9	0474.131	Right separate
敔	2-3102	2-3102 20004 19939 0475.240 21476.120 G. KX T5-5467 敔 敔 支 12	0475.321	Right separate
齧	2-3AD9	2-3AD9 24489 24409 0578.140 21447.070 G. KX T7-5B63 齧 齧 止 20	0578.131	Right separate
璿	2-4BEC	2-4BEC 31933 31867 0745.051 TF-627D HA-0696 璿 璿 玉 15	0745.051	Right separate
鳶	2-660A	2-660A 42674 42584 0961.140 42782.060 G. KX T7-2726 鳶 鳶 老 9	0961.131	Right separate
茱	2-6D2C	2-6D2C 45739 45644 1036.260 53239.050 G. KX T5-3525 茱 茱 7	1036.401	Right separate
躡	2-8206	2-8206 54628 54525 1230.290 63727.040 G. KX T7-3422 躡 躡 足 9	1230.291	Right separate
閤	2-8E9D	2-8E9D 60166 60063 1337.110 74309.080 G. KX T4-544E 閤 閤 8	1338.081	Right separate
剛	2-086C	2-086C 03280 03283 0142.281 80010.200 G. HZ T6-3D4B 剛 剛 刀 9	0142.281	Right separate

Character to be added	Counnerpart's UCS code	Corresponding pairs in SuperCJK9.0	Suggested KXI Index of new character	More comments
𠂔	2-093A	2-093A G_KX 03584 T5-2233 𠂔𠂔 03585 力 5 0147.050 10368.070	0147.071	Right eparate
堀	2-156A	2-156A G_KX 08607 T4-4F76 堀堀 08573 土 13 0240.240 10494.060	0240.301	T separate
𠂔	2-24BD	2-24BD G_KX 14723 T6-246B 𠂔𠂔 14670 弓 3 0357.100 10019.070	0357.101	Right separate
𠂔	2-2D93	2-2D93 G_KX 18675 T6-5D2D 𠂔𠂔 18621 手 10 0448.330 31927.060	0582.351	T separate
𠂔	2-3567	2-3567 G_KX 22051 T6-3852 𠂔𠂔 21979 木 6 0526.210 10627.170	0526.211	Right separate
刂	2-07B3	2-07B3 G_KX 02972 T5-222B 刂刂 02974 刀 4 0137.140 10327.010	0137.301	T5-222B separate
臺	0-365C	0-365C G5-7964 08293 T3-4055 臺臺 08259 土 10 0235.210 10473.160	0235.210	Left separate, KXI index of 0-365C should be 0236.341, change left font
嬢	0-3736	0-3736 G_KX 10629 T3-5C37 嬢嬢 10586 女 17 0274.010 21090.130	0274.010	Left separate, KXI index of 0-3736 should be 0274.171, change left font
𠂔	0-37AF	0-37AF G_117 12175 T5-3556 𠂔𠂔 12136 山 3 1307.371 0762.010	0307.271	Hyd=10762.010 separate, and change left font
𠂔	0-3ABF	0-3ABF G_HZ 20256 T6-3830 𠂔𠂔 20185 JA-2352 斤 5 0479.151 32024.060	0475.161	Hyd=10762.010 separate, and change left font
𠂔	0-3DD7	0-3DD7 G_KX 28721 T6-5454 𠂔𠂔 28650 K3-2A34 火 9 0678.130 32218.180	0678.130	KXI index of 0-3DD7 should be 0678.161, Kxi=0678.130 separate
𠂔	0-4CF9	𠂔	1500.091	0-4CF9(G3-5E3 4)separate
𠂔	2-1151	2-1151 G_KX 06875 T5-5376 𠂔𠂔 06853 口 14 0211.400 10697.120	0211.121	T SEPARATE
𠂔	2-4264	2-4264 G_KX 27989 T5-7042 𠂔𠂔 27915 水 19 0663.260 31796.060	0663.191	T SEPARATE

Character to be added	Counerpairs' UCS code	Corresponding pairs in SuperCJK9.0	Suggested KXI Index of new character	More comments
𪗇	2-4849	2-4829 G_KX 30244 T7-4058 30174 0704.400 31821.080 𪗇 𪗇 牛 15	0704.351	T Separate
𪗈	0-6747	0-6747 G3-404B 21610 T2-243F 21537 J1-4279 0511.020 K2-395A 21156.140 V1-5939 𪗈 𪗈 木 3	0513.011	J Separate
𪗉	0-93F8	0-93F8 G3-7723 59057 T2-6A4A 58952 J1-6550 1321.140 K2-6A41 𪗉 𪗉 金 12		J Separate
𪗊 𪗊-6CCA			1036.401	Hyd=53215.120 Separate, and change left font
𪗋 𪗋-574D			0870.131	Hyd=42748.030 Separate, and change left font

Glyph Errors in SCJK90

Serial No	Glyph(s)	Comments
19749	2-3055 G_HZ 19749 19687 0470.291 21457.030  	Delete right one, duplicated with 19744 2-3050 19744 T6-3827 0470.291 
63314	2-96DC G_KX 63314 T7-6326 63208 1410.370 74397.030 	Move right glyph to 63319 2-96E1 G_4K 63319 63213 1410.411 
01565	2-0403 G_KX 01565 T6-4653 01574 0114.040 10203.160 	T6-4653 font change to
03425	0-5284 GE-2344 03425 T2-4C61 03428 0144.261 10356.030 V1-4D34 	T2-4C61 font change to
03855	2-09DC G_KX 03855 T4-2B76 03859 0151.220 10259.140 	T4-2B76 font change to
04072	2-0A73 G_KX 04072 T7-4D45 04077 0155.150 42803.040 	T7-4D45 font change to and move it following 04073.
22815	0-69A3 G3-4268 22815 T1-6938 22739 0543.300 21265.060 K2-3C33 	T1-6938 font change to
23285	2-37B5 G_KX 23285 T7-2E67 23207 0554.140 21289.030 	T7-2E67 font change to
31593	2-4B1B G_KX 31593 T7-2536 31527 0739.070 21130.040 	Change left font
36597	0-796C G5-5754 36597 T3-3766 36529 0843.060 42396.060 	T3-3766 font change to
39402	2-5E60 TF-6337 39402 39321 0901.281 	TF-6337 font change to
43173	2-675C G_KX 43173 T5-2B30 43081 0971.050 53166.040 	T5-2B30 font change to
45746	2-6D32 G_KX 45746 T6-442A 45651 1036.330 53204.050 	Change left font (Ref. KangXi dictionary)
50985	0-89B9 G5-4A79 50985 T2-6978 50886 1137.210 63676.010 K2-5F6C 	T2-6978 font change to

Serial No	Glyph(s)	Comments
53044	2-7E3D G_HZ 53044 T7-3363 52943 1202.341 63915.040 𤝵 9	T7-3363 font change to 𤝵
60266	2-8ED9 G_KX 60266 T5-655C 60163 1341.030 74315.150 𤝵 10	Change left font, and HYD=74315.150 separate, kxi=1341.141
02410	2-0634 G_KX 02410 T5-6134 02417 0128.250 10254.020 𤝵 16	Change both fonts 𤝵
04183	2-0AC4 G_KX 04183 T7-3726 04187 0157.200 10067.090 𤝵 16	Take notice that there is a dot at the lower left part of the glyph. 𤝵, Change left font, and T separate, kxi=0157.191
24016	2-3995 TF-6C2D 24016 23935 0564.231 𤝵 22	Change right glyph's radical. 𤝵
53288	2-7ED8 G_KX 53288 T6-6267 53187 1209.080 53643.070 𤝵 7	Change right glyph like the left one. 𤝵 and change tcode to T4-4757, T6-6267 unify to super90=11255
70160	2-A7DB G_HZ 70160 T7-6570 70039 1536.251 74801.230 𤝵 15	Change right glyph like the left one. 𤝵
44328	2-69FB G_KX 44328 T4-6A6E 44234 0998.220 32127.040 𤝵 17	Change right glyph like the left one. 𤝵 and Tcode to T7-544F
01907	0-34A2 01907 01917 0119.231 K3-2164 𤝵 13	Change left font, change KXI 121.291. 𤝵
02123	0-34A8 G5-3329 02123 T7-574C 02133 0122.061 10239.050 𤝵 20	Change left font, but it shows the left glyph in T column of Extension A. 𤝵
03651	0-351F 03651 03655 0147.381 JA-2150 𤝵 7	Change left font like that in BMP. 𤝵
03964	0-352F G3-3048 03964 T4-234B 03968 0153.280 10085.050 𤝵 5	Change left font like that in BMP. 𤝵 𤝵 053/047 𤝵 𤝵 352F 3-3048 4-234B 3-1640 4-0343
20179	0-3AB3 20179 20110 0478.011 K3-272C 𤝵 1	Change left font like that in BMP. 𤝵 058/179 𤝵 3AB3 3-272C 3-0712
20356	0-3AC8 20356 20284 0482.101 K3-2737 𤝵 5	Change left font like that in BMP. 𤝵 058/200 𤝵 3AC8 3-2737 3-0723

Serial No	Glyph(s)		Comments
34306	0-400C 34306 34236 0798.211	K3-2C4A 皿 17	Change left font like that in BMP. 064/012 400C
39257	0-7C06 39257 39176 0898.371 53011.100	GE-373 T2-5E37 J1-5260 K2-5065 筵 11	Change left font like that in BMP. 124/006 7C06
42127	0-7F90 42127 42041 0951.120 53200.020	GE-3922 T4-2F30 J1-5529 芡 3	Change left font like that in BMP. 127/144 7F90
47960	0-8641 47960 47858 1072.071 53336.031	GE-3B7 T3-602F J1-3866 K1-5B7D 夔 19	Change left font like that in BMP. 134/065 8641
51480	0-46CE 51480 51382 1155.080 53957.060	G3-727A T4-3B29 訖 5	Change left font like that in BMP. 070/206 46CE
52267	0-471C 52267 52168 1184.300 64027.120	G3-742C T4-673E 譖 14	Change left font like that in BMP. 071/028 471C
60285	0-95D9 60285 60182 1341.040 74316.040	GE-4378 T7-4B40 J1-663C 闕 11	Change left font like that in BMP. 149/217 95D9
61257	0-96D7 61257 61151 1368.290 64104.030	G5-733F T2-643C K2-6C30 韃 10	Change left font like that in BMP. 150/215 96D7
63963	0-4B47 63963 63856 1422.110 74460.140	G5-785F T4-5522 K3-354F 餉 8	Change left font like that in BMP. 075/071 4B47

Unification in SCJK90

The following characters (in the most left column) found in Extension B should be removed for unification.

UCS code of the character that to be removed for unification	SuperCJK9.0 number of the character that to be removed for unification	UCS code of the character that to be unified with	SuperCJK9.0 number of the character that to be unified with
2-144F	08099	0-578B	07798
2-18F8	10171	0-36FC	10062
2-210E	13336	0-5DE2	13332
2-2439	14550	0-5EFE	14549
2-2567	14978	0-38C7	14972
2-259E	15055	0-5F62	15040
2-274C	15793	0-6081	15922
2-2863	16359	0-60C7	16101
2-2CAB	18222	0-62FC	17889
2-2DEC	18852	0-63A9	18270
2-2EEA	19231	0-6477	18841
2-32F6	20818	2-32F6	20744
2-3373	21022	0-3B08	20962
2-35F9	22396	0-681F	21973
2-3655	22545	0-6914	22419
2-3A18	24223	2-39CE	24098
2-3A67	24342	0-3C4E	24345
2-3E01	25808	0-6CBF	25701
2-3E87	26132	0-6D85	26042
2-3FD4	26857	0-3D33	26770
2-42B3	28105	0-7070	28093
2-42C8	28171	0-707D	28119
2-442B	28800	2-438D	28537
2-46ED	29784	0-7250	29816
2-4798	30041	0-7280	30028
2-48AA	30464	2-4862	30328
2-4BBD	31865	0-7485	31671
2-4C74	32144	0-3F1B	32102
2-4D5D	32504	0-753E	32483
2-5193	34150	0-3F1B	34102
2-580B	36802	0-798F	36736
2-5BE8	38311	2-5BE3	38306
2-5BEA	38314	0-7AEE	38290
2-5CEA	38809	2-5CEB	38810
2-5E27	39336	0-4227	38960
2-5EAD	39515	2-5DC0	39168
2-61F9	40952	0-7DC7	40777
2-62EA	41355	0-7E45	41133
2-6474	42074	0-7F7A	42017
2-6F45	46664	0-84F1	46369
2-7225	47819	2-70F4	47365
2-74CA	48926	0-8728	48701
2-74F0	48991	0-8779	48904
2-8897	57229	2-887B	57184
2-8906	57386	0-911B	57250
2-8CE4	59306	0-9145	59100

2-9101	61143	0-96C3	61097
2-A176	67722	0-9CFD	67530
2-A401	68796	2-A3E9	68761
2-A676	69658	0-9F16	69650
2-4707	29814	2-4703	29809
2-60CF	40320	2-60C9	40314
2-6CF3	45601	0-83BD	45822
2-7D6E	52748	0-8CFF	52747
2-86E0	56580	2-8709	56626
2-0CC3	04924	0-5406	04886
2-2ADE	17327	0-621B	17322
2-4232	27909	0-701B	27789
2-5890	36985	0-79C4	36984
2-6D8F	45929	0-83FB	45928
2-0956	03641	0-52C7	03637
2-1439	08074	2-1438	08073
2-2FB6	19535	2-2FB5	19534
2-3FD4	26857	0-3D33	26770
2-6EC2	46469	0-4544	46901
2-92B9	61737	2-92BD	61741
2-A1C2	67853	2-A1AE	67815
2-A31A	68410	2-A31C	68412
2-A48D	68997	2-A48C	68996
2-A4AF	69039	2-A4AD	69037
2-A63A	69568	0-9F00	69562
2-0CDB	04983	0-5448	05018
2-2914	16668	0-614C	16509
2-2617	15250	0-5F9A	15317
2-5C0E	38360	0-8D11	53525
2-24EA	14798	2-0BF3	04614
2-1E0C	12058	0-5C6E	12055
	16334		16130
	17120		17121

2-255E(JPN 073) was withdrawn by Japan and should be removed from Ext. B.
The left font of SCJK9.0 65638 is wrong, seeing HYD=74520.100, SCJK9.0 65638 is unified to SCJK9.0 63720.

2-2914 (KXI 0401.310; T6-5D26; SCJK9.0 16668) is unified to 0-614C (KXI 0398.090; T1-637D; SCJK9.0 16509) and is suggested to be put into the suggested CJK Compatibility Zone in Plane 2.

Source errors for SCJK90

The following characters' source information are incorrect or missing.

Extension B Code	SCJK9.0 No	Wrong / Missing Source Code	Source Code to be Added / changed
0-3574	05062	T4-2351 (Duplicate with 04946)	Delete T4-2351 source and font.
2-2BAB	17661	T6-2722 (Wrong source)	Change to T6-2772. (Font no change)
2-735E	48231		Add T7-5C24 source
2-1089	06601		Add T7-2149 source
2-115D	06895		Add T7-3732 source
2-1265	07234		Add T7-5752 source
2-12D1	07400		Add T6-2D34 source
2-168D	09000		Add T6-2265 source
2-1A08	10614		Add T7-4650 source
2-1C76	11524		Add T6-3032 source
2-1E0C	12058		Add T4-2135 source
2-2129	13371		Add T5-237C source
2-21B8	13603		Add T6-3060 source
2-21BB	13606		Add T6-3066 source
2-21C7	13622		Add T6-372A source
2-238A	14301		Add TF-3A66 source
2-2451	14584		Add T6-3073 source
2-2466	14606		Add T6-3F4E source
2-2553	14949		Add T5-6C26 source
2-26C0	15491		Add T6-2326 source
2-26EA	15602		Add T3-257E source
2-2748	15777		Add T6-3759 source
2-278B	15944		Add T6-3F6B source
2-2AE7	17339		Add T4-375C source
2-2B36	17445		Add T7-472D source
2-2B8E	17593		Add T5-226F source
2-2C80	18128		Add T6-4028 source
2-2EA0	19124		Add T7-2E35 source
2-2FE4	19598		Add T4-2D3E source
2-319F	20210		Add T6-495C source
2-31AE	20234		Add T4-5F6C source
2-31D8	20298		Add T3-4731 source
2-33C0	21156		Add T4-5055 source
2-34DC	21591		Add T6-2522 source
2-35CE	22274		Add T6-4060 source
2-3716	22954		Add T3-474B source
2-3964	23954		Add T7-5B61 source
2-3A25	24244		Add T6-5D76 source
2-3A8E	24397		Add T5-2835 source
2-3BFA	24909		Add T7-4031 source
2-3BFE	24914		Add T7-474C source

2-3C3F	24998		Add T5-214A source
2-3D3A	25330		Add T7-386B source
2-4044	27088		Add T6-5E3C source
2-404C	27105		Add T6-5E38 source
2-4161	27600		Add T3-553A source
2-41E5	27787		Add T7-475B source
2-434D	28404		Add T5-2E4D source
2-45CD	29428		Add T5-7043 source
2-4830	30255		Add T7-4E3F source
2-48FD	30617		Add T6-4B38 source
2-4908	30633		Add T5-3A28 source
2-49D9	30954		Add T7-3935 source
2-4B3E	31648		Add T3-4826 source
2-4B67	31719		Add T7-253D source
2-4BC1	31875		Add T4-6028 source
2-4C53	32078		Add T7-623B source
2-4D01	32367		Add T7-4066 source
2-4D11	32385		Add T6-3479 source
2-4D3A	32443		Add T6-395D source
2-50E9	33914		Add T7-4E4F source
2-511D	33984		Add T6-4B6F source
2-5207	48231		Add T7-5C24 source
2-5888	36969		Add T4-217E source
2-59DA	37556		Add T7-3978 source
2-5A6B	37749		Add T3-2A45 source
2-5B8E	38167		Add T5-7934 source
2-5C5A	38514		Add T6-427B source
2-5C78	38588		Add T6-4C5D source
2-5CB0	38690		Add T6-5631 source
2-5CEB	38810		Add T6-6024 source
2-5D53	38902		Add T4-5240 source
2-5DD2	39203		Add T7-3A29 source
2-5F26	39678		Add T7-5C34 source
2-5FAF	39902		Add T6-4C62 source
2-604B	40138		Add T7-3A35 source
2-60A9	40263		Add T7-5857 source
2-60C9	40314		Add T6-2D52 source
2-612F	40544		Add T6-4C6D source
2-61B5	40818		Add T6-6035 source
2-65F7	42640		Add T7-5863 source
2-6621	42706		Add T7-2729 source
2-6727	43105		Add T3-5863 source
2-673F	43134		Add T7-4877 source
2-67FF	43510		Add T6-3B2F source
2-68E2	43919		Add T6-606A source
2-6D5D	45792		Add T5-3528 source
2-6E2A	46232		Add T6-5765 source

2-6EA6	46396		Add T6-6133 source
2-7235	47836		Add T7-5876 source
0-85C4	49385		Add T7-496B source
2-771E	49792		Add T7-547A source
2-798D	50870		Add T6-623B source
2-7DA7	52832		Add T5-5133 source
2-8867	57156		Add T6-4F62 source
2-88C6	57306		Add T7-297E source
2-898F	57614		Add T6-6349 source
2-8A47	57889		Add T7-5D27 source
2-8A8F	58002		Add T6-3C64 source
2-8AB3	58120		Add T6-4F77 source
2-8C23	58973		Add T5-6A34 source
2-8C6C	59115		Add T7-5071 source
2-8CFE	59336		Add T7-5965 source
2-8F65	60496		Add T6-255D source
2-9041	60869		Add T4-4829 source
2-9297	61691		Add T5-6A48 source
2-955C	62715		Add T7-5148 source
0-4AA3	62721		Add T7-5148 source
2-97C4	63692		Add T6-3C75 source
2-9AD8	64999		Add T7-5A41 source
2-9BFD	65477		Add T7-5D61 source
2-9DB0	66072		Add T7-5D70 source
2-9EAC	66385		Add T5-4B63 source
2-A0A3	67266		Add T7-6331 source
0-4D56	69265		Add T5-6F54 source
2-A57C	69309		Add T7-2C35 source
2-A652	69597		Add T7-5B2D source
2-A6F1	69828		Add T7-3670 source
2-3486	21446	KXI index 0505.041	KXI index 0084.201
2-5890	36985		Add T4-2755 source
2-6D8F	45929		Add T6-4D7C source
2-6031	40095	V3-083D	V2-803D
2-05F5	02328		Add T6-5064 source
2-19FF	10600		Add T7-3F41 source
2-1BA7	11255		Add T6-6267 source
2-7ED8	53288	T6-6267	Change to T4-4757
2-20FC	13301		Add T6-216D source
2-225E	13859		Add T7-2D52 Source
2-239E	14329		Add T6-5248 source
2-25AE	15079		Add T6-3F5B source
2-39FC	24179		Add T5-3946 source
2-72B8	48004		Add T7-613D source
2-893C	57457		Add T7-5F6B source
2-8E2C	59989		Add T3-3F6D source
2-A391	68557		Add T7-6630 source

2-27C4	16047		Add T6-3766 source
2-69FB	44328	T4-6A6E	T7-544F
2-6A10	44354		Add T4-6A6E source
2-34F5	21667		Add J-source JPN092
2-9AC7	64973		Add T7-564E source
	08136		T3-3A4F
	68866		T7-572C
	14524		T6-2B2C
	04574		T6-215D
	36985		T4-2755
	45929		T6-4D7C
	40095	V2-083D	V2-803D
	41106	V2-087D	V2-807D

The following pairs are originally supposed to be unified but rejected, T source codes and fonts should be added to SCJK90.

SCJK 9.0 Character		Corres-ponding T source	May be unified to SCJK 9.0 character	
00488		6-2348	00489	
04797		6-5B3D	04807	
04809		3-5039	04808	
04875		6-225C	04841	
04924		3-233C	04886	
05166		5-2549	05111	
05313		6-2F57	05317	
07296		7-6231	07299	
07599		6-2434	07575	
08932		6-266C	08929	
08997		6-2264	08996	
09268		3-347E	09232	
09873		6-3E49	09872	
10547		5-5B36	10460	
11482		7-375B	11485	
11547		6-3E61	11538	
13094		7-2D45	13131	
13200		7-4660	13219	
13416		6-2A7E	13427	
14309		4-3D2C	14330	
14400		7-225F	14310	
14530		6-2B2E	14529	
14579		3-2A39	14589	
17158		7-5339	17083	
17936		5-2948	18018	
18069		6-3772	18186	
18187		6-4031	18186	
19810		6-4958	19809	
19963		7-2349	20009	
24457		7-2425	24461	

SCJK 9.0 Character		Corres-ponding T source	May be unified to SCJK 9.0 character	
24494		5-2149	24491	
25396		6-334C	36541	
26049		6-3925	26405	
26442		6-4A62	26324	
27907		7-4E2C	27699	
28078		5-7B41	28077	
29382		7-4E32	29437	
29836		7-2525	29828	
30310		6-2537	30301	
30358		6-285C	30378	
30831		6-5E6F	30304	
31078		4-245C	31064	
31129		6-2D23	31153	
32498		4-2741	32489	
32933		6-327E	32991	
33754		5-273C	33750	
35929		4-3F43	35928	
36344		7-483A	36286	
36555		6-334B	36548	
36692		6-4C3F	36681	
36864		7-3972	36783	
36926		7-5C2A	36917	
37244		6-557A	37243	
38276		6-562C	38275	
39676		7-5C33	39547	
39967		6-602E	39966	
42143		6-3A73	42196	
49036		7-3264		
52788		6-4F23	52787	
62836		4-416C	62837	
65105		7-6164	65121	
65367		4-5E6F	65366	
65560		7-6037	65559	
66144		6-646E	66151	
11088		6-3E59	11089	
04574		6-215D	02786	

Missing characters in SCJK90

The following characters are missing in SCJK90.

Glyph	Source information	Kangxi Index
兜	TF-394A	0134.351
協	T6-2975	0157.041
𩇑	T7-6633	0163.191
𩇒	G-KX, T5-417B	0990.060
𩇓	G-KX, T5-5731	0994.170
𩇔	G-KX, T5-6D2B	0998.140
𩇕	TF-2D2D	0980.141
𩇖	T6-616F	1088.341
𩇗	T6-2556	0083.011
𩇘	TF-642C	1267.191
𩇙	TF-5D2E	1316.111
𩇚	JPN095	0513.011
𩇛	JPN283	1318.281

General Comments for SCJK90

Serial No.	Glyph(s)	Comments
15116	2-25C9 15116 15063 0364.271 20858.050 G_HZ T7-4D62 𠂇 𠂇 17	T7-4D62 font missing
21446	2-3486 21446 21371 0505.041 G_4K 𠂇 𠂇 月 ← 4	Change KXI to 0977.041 肉
46436	2-6EB8 46436 46339 1049.120 53260.100 G_KX T6-614C 菜 菜 艸 10	Move T source from J source column to T source column. T column wrong position?