








IRG N1795 CJK-B font changes form TCA








The updated CJK-B's T-source fonts since the Da Nang meeting are as follows:

1. Mapping change

UCS Codes	Fonts in UCS 2003	Fonts in ISO/IEC 10646 v3	Comments
29974	 29974	<div>29974 馬 187.11</div> <div> GKX-1444.30</div> <div> T7-564E</div> <div> UCS-29974</div>	Changes font and T-source of U+29974 to T5-7234.
29984	 UCS-29984	<div> GKX-1445.05</div> <div> T5-7234</div>	Changes font and T-source of U+29984 to T7-564E.

2. Font changed (Total 205 characters)

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
20004	工 20004	20004 — 1.2 𠂇 工 T6-212D UCS-20004	T6-212D's font changed to same of that in UCS2003
200B0	𠂇 200B0	200B0 厂 27.5 𠂇 𠂇 T6-2562 UCS-200B0	T2-2562's font changed to same of that in UCS2003
20099	耒 20099	20099 丩 4.4 耒 耒 T6-222F UCS-20099	T6-222F's font changed to same of that in UCS2003
20104	乾 20104	20104 乙 5.12 乾 乾 T6-5051 UCS-20104	T6-5051's font changed to same of that in UCS2003
20137	𠂇 20137	20137 二 7.8 𠂇 𠂇 T6-352C UCS-20137	T6-352C's font changed to same of that in UCS2003
20180	亭 20180	20180 → 8.11 亭 亭 UCS2003 T6-5052	T6-5052's font changed to same of that in UCS2003







UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
20189	𢇛	 UCS2003 GHZ-10293.01 T7-2123	T7-2123's font changed to same of that in UCS2003
2018F	𢇛	 2018F T7-2C3E UCS-2018F	T7-2C3E's font changed to same of that in UCS2003
201C3	𢇛	 201C3 UCS2003 T6-234B	T6-234B's font changed to same of that in UCS2003
2030B	𢇛 2030B	 2030B T5-3657 UCS-2030B	T5-3657's font changed to same of that in UCS2003
20382	𢇛	 20382 T6-5A67 UCS-20382	T6-5A67's font changed to same of that in UCS2003
2051C	𢇛	 UCS2003 GKX-0128.16 T6-353E	T6-353E's font changed to same of that in UCS2003
20534	𢇛	 20534 TF-534F UCS-20534	TF-534F's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
20535	騎	20535 <small>八 12.14</small> 据 騎 <small>TF-5350 UCS-20535</small>	TF-5350's font changed to same of that in UCS2003
20536	眞	20536 <small>八 12.16</small> 眞 騎 <small>GKX-0128.25 T5-6134</small> 眞 <small>UCS-20536</small>	T5-6134's font changed to same of that in UCS2003
20537	𢀿	20537 <small>八 12.16</small> 眞 𢀿 <small>TF-5E33 UCS-20537</small>	TF-5E33's font changed to same of that in UCS2003
20538	𢀻	20538 <small>八 12.17</small> 眞 𢀿 <small>GKX-0128.26 T7-462A</small> 𢀻 <small>UCS-20538</small>	T7-462A's font changed to same of that in UCS2003
20539	𢀼	20539 <small>八 12.17</small> 𢀻 𢀻 <small>GKX-0128.27 T7-462B</small> 𢀼 <small>UCS-20539</small>	T7-462B's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
20768	徠	20768 刀 18.9 徠 徠 徠 UCS2003 GKX-0142.26 T5-365E	T5-365E's font changed to same of that in UCS2003
2086D	劼	劼 劼 GKX-0147.42 T4-2B74	T4-2B74's font changed to same of that in UCS2003
20994	𡗗	20994 十 24.5 𡗗 𡗗 T6-2375 UCS-20994	T6-2375's font changed to same of that in UCS2003
209B1	𡗗	209B1 十 24.10 𡗗 𡗗 TF-3954 UCS-209B1	TF-3954's font changed to same of that in UCS2003
20A7D	厖	20A7D 厂 27.9 厖 厖 厖 UCS2003 GKX-0162.19 T6-3D5D	T6-3D5D's font changed to same of that in UCS2003
20AA0	厖	20AA0 厂 27.12 厖 厖 TF-466D UCS-20AA0	TF-466D's font changed to same of that in UCS2003
20AB3	厖	20AB3 厂 27.13 厖 T7-2142	T7-2142's font changed to same of that in UCS2003
20ABD	厖	20ABD 厂 27.14 厖 厖 TF-5359 UCS-20ABD	TF-5359's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
20D51	喝	20D51 □ 30.8 喝 喝 T5-3138 UCS-20D51	T5-3138's font changed to same of that in UCS2003
20E87	喜	20E87 □ 30.10 喜 喜 UCS2003 TF-405C	TF-405C's font changed to same of that in UCS2003
21178	謹	21178 □ 30.20 謹 謹 T7-5B47 UCS-21178	T7-5B47's font changed to same of that in UCS2003
21422	真	真 真 真 UCS2003 GKX-0239.06 T7-216F	T7-216F's font changed to same of that in UCS2003
214B4	𪛗 214B4	214B4 ± 32.15 𪛗 𪛗 T7-3F33 UCS-214B4	T7-3F33's font changed to same of that in UCS2003
21502	塞	21502 ± 32.19 塞 塞 塞 UCS2003 GKX-0242.28 T7-575B	T7-575B's font changed to same of that in UCS2003
21552	𠂇	21552 々 34.0 𠂇 𠂇 𠂇 UCS2003 GKX-0244.1B T5-212F	T5-212F's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
2157C	爰 2157C	2157C 爰 35.15 爰 爰 GKX0245.25 T7-464A	T7-464A's font changed to same of that in UCS2003
21660	葵	21660 大 37.10 葵 葵 UCS2003 T4-3C5D	T4-3C5D's font changed to same of that in UCS2003
2167C	𪛗 2167C	2167C 大 37.12 𪛗 T7-217E	T7-217E's font changed to same of that in UCS2003
21711	晏	21711 女 38.6 晏 晏 UCS2003 T6-2F7E	T6-2F7E's font changed to same of that in UCS2003
218A9	嬾	218A9 女 38.13 嬾 嬾 TF-5423 UCS-218A9	TF-5423's font changed to same of that in UCS2003
218D5	嬪	218D5 女 38.14 嬪 嬪 UCS2003 T4-5625	T4-5625's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
219B9	𩇛	 UCS2003 T6-2169	T6-2169's font changed to same of that in UCS2003
219C2	𡩋	219C2 <small>↔ 40.3</small>  T4-225A UCS-219C2	T4-225A's font changed to same of that in UCS2003
219F4	𡩌	219F4 <small>↔ 40.6</small>  T6-3029 UCS-219F4	T6-3029's font changed to same of that in UCS2003
21A34	𡩍	21A34 <small>↔ 40.8</small>  GHZ-20936.13 T4-312F H-FBCE UCS-21A34	T4-312F's font changed to same of that in UCS2003
21D12	𡩎 21D12	21D12 <small>中 45.6</small>  T5-2876	T5-2876's font changed to same of that in UCS2003
21F82	𡩏	21F82 <small>山 46.15</small>  UCS2003 GKX-0321.38 T7-465A	T7-465A's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
2203B	卷	2203B 己 49.6 卷 卷 T6-3058 UCS-2203B	T6-3058's font changed to same of that in UCS2003
2209E	希	2209E 巾 50.6 希 希 UCS2003 T6-305A	T6-305A's font changed to same of that in UCS2003
220AE	幌	幌 幌 幌 UCS2003 GHZ-10736.21 T6-3064	T6-3064's font changed to same of that in UCS2003
22110	幪	22110 巾 50.10 幪 幪 幪 UCS2003 GKX-0334.40 T4-3D24	T4-3D24's font changed to same of that in UCS2003
221D6	𢇛	221D6 幺 52.19 𢇛 𢇛 𢇛 UCS2003 GHZ-21097.07 T7-576D	T7-576D's font changed to same of that in UCS2003
221ED	应	221ED 广 53.4 应 应 T6-2743 UCS-221ED	T6-2743's font changed to same of that in UCS2003
2235E	𠂔	𠂔 𠂔 𠂔 UCS2003 GKX-0354.27 T6-4851	T6-4851's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
22384	𠂇	<p>22384 𠂇 56.5</p> <p>𠂇 𠂇</p> <p>GKX-0355.10 T6-2B32</p> <p>𠂇</p> <p>UCS-22384</p>	T6-2b32's font changed to same of that in UCS2003
223B2	𠂇	<p>223B2 𠂇 57.3</p> <p>𠂇 𠂇</p> <p>T6-246A UCS-223B2</p>	T6-246A's font changed to same of that in UCS2003
225FB	𠂇	<p>225FB 𠂇 61.4</p> <p>𠂇 𠂇</p> <p>T6-2B43 UCS-225FB</p>	T6-2B43's font changed to same of that in UCS2003
2271A	𠂇	<p>2271A 𠂇 61.8</p> <p>𠂇 𠂇 𠂇</p> <p>UCS2003 GHZ-42318.12 T6-3F78</p>	T6-3F78's font changed to same of that in UCS2003
227C2	𠂇	<p>227C2 𠂇 61.10</p> <p>𠂇 𠂇</p> <p>UCS2003 TF-4828</p>	TF-4828's font changed to same of that in UCS2003
229CD	𠂇	<p>229CD 𠂇 62.8</p> <p>𠂇 𠂇</p> <p>UCS2003 T6-4929</p>	T6-4929's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
22AC2	搽 UCS2003	22AC2 手 64.5 搽 搽 UCS2003 T6-2B62	T6-2B62's font changed to same of that in UCS2003
22B49	搥	22B49 手 64.7 搥 搥 搥 UCS2003 GKX-0434.17 T6-3157	T6-3157's font changed to same of that in UCS2003
22BAE	搥	22BAE 手 64.8 搥 搥 UCS2003 T6-402E	T6-402E's font changed to same of that in UCS2003
22C80	搥	22C80 手 64.10 搥 搥 UCS2003 T5-3F4F	T5-3F4F's font changed to same of that in UCS2003
22E0F	搥	22E0F 手 64.15 搥 搥 UCS2003 TF-5E69	TF-5E69's font changed to same of that in UCS2003
22E95	攪	攪 攪 攪 UCS2003 GHC T7-577B	T7-577B's font changed to same of that in UCS2003
22EAC	攪	攪 攪 UCS2003 T7-6238	T7-6238's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
22FE9	𪗇	𪗇 T7-2E49	T7-2E49's font changed to same of that in UCS2003
2300A	𪗈 2300A	2300A 支 66.13 𪗈 T5-5B5B	T5-5B5B's font changed to same of that in UCS2003
23031	𪗉 23031	23031 支 66.17 𪗉 T5-7026	T5-7026's font changed to same of that in UCS2003
23086	𪗊	𪗊 T4-436A	T4-436A's font changed to same of that in UCS2003
2327B	𪗋	2327B 日 72.11 𪗋 𪗋 𪗋 UCS2003 GKX-0499.08 T7-2	T7-2361's font changed to same of that in UCS2003
23286	𪗌 23286	23286 日 72.11 𪗌 T7-2362	T7-2362's font changed to same of that in UCS2003
232AE	𪗍	232AE 日 72.12 𪗍 𪗍 UCS2003 T7-2E54	T7-2E54's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
23390	𢄐	𢄐 𢄐 UCS2003 T6-5D5E	T6-5D5E's font changed to same of that in UCS2003
23399	𢄑	23399 𢄑 𢄑 月 74.11 UCS2003 TF-4F3C	TF-4F3C's font changed to same of that in UCS2003
233BB	𢄒	𢄒 𢄒 UCS2003 T6-247E	T6-247E's font changed to same of that in UCS2003
233C5	𢄓	𢄓 𢄓 UCS2003 T6-282B	T6-282B's font changed to same of that in UCS2003
2347E	𢄔	2347E 𢄔 𢄔 木 75.6 UCS2003 T6-3852	T6-3852's font changed to same of that in UCS2003
2348F	𢄕	𢄕 𢄕 UCS2003 T6-4063	T6-4063's font changed to same of that in UCS2003
2368E	𢄖	𢄖 T4-505F	T4-505F's font changed to same of that in UCS2003


















UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
23767	爾 23767	23767 木 75.14 爾 T7-3F7C	T7-3F7C's font changed to same of that in UCS2003
23789	橐 23789	23789 木 75.14 橐 T7-4022	T7-4022's font changed to same of that in UCS2003
237BF	櫛	櫛 櫛 UCS2003 TF-625E	TF-625E's font changed to same of that in UCS2003
2384F	𪔐 2384F	2384F 木 75.20 𪔐 T7-6071	T7-6071's font changed to same of that in UCS2003
23951	𪔑	𪔑 T6-2C36	T6-2C36's font changed to same of that in UCS2003
23998	𪔒 23998	23998 止 77.11 𪔒 𪔒 T7-2421 UCS-23998	T7-2421's font changed to same of that in UCS2003
23A4C	𪔓	𪔓 𪔓 UCS2003 T6-5D2D	T6-5D2D's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
23C87	汙	23C87 水 85.3 汙 汙 UCS2003 TF-225C	TF-225C's font changed to same of that in UCS2003
23E8F	滿	滿 滿 UCS2003 T6-5440	T6-5440's font changed to same of that in UCS2003
240D4	濬	濬 濬 UCS2003 TF-6271	TF-6271's font changed to same of that in UCS2003
24239	炎	24239 火 86.7 炎 炎 UCS2003 T6-4153	T6-4153's font changed to same of that in UCS2003
2442F	爚	爚 爚 GKX-0686.05 T4-5B63	T4-5B63's font changed to same of that in UCS2003
2444B	𤇀 2444B	2444B 火 86.14 𤇀 T7-392A	T7-392A's font changed to same of that in UCS2003
24548	𤇀	𤇀 𤇀 UCS2003 T7-5368	T7-5368's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
2458A	𢇛	2458A 𢇛 90.8 𢇛 UCS2003 𢇛 T6-4B25	T6-4B25's font changed to same of that in UCS2003
24AEC	𢇛	24AEC 𢇛 97.4 𢇛 UCS2003 𢇛 GKX-0746.07 𢇛 T5-2A46	T5-2A46's font changed to same of that in UCS2003
24BA1	𢇛	24BA1 𢇛 98.14 𢇛 UCS2003 𢇛 T5-683F	T5-683F's font changed to same of that in UCS2003
24BA9	𢇛	𢇛 𢇛 𢇛 UCS2003 GKX-0753.06 T5-704B	T5-704B's font changed to same of that in UCS2003
24F54	𢇛	𢇛 T6-3329	T6-3329's font changed to same of that in UCS2003
25085	𢇛	𢇛 𢇛 UCS2003 T6-5F4B	T6-5F4B's font changed to same of that in UCS2003
25149	𢇛	25149 𢇛 109.5 𢇛 UCS2003 𢇛 T6-3A2B	T6-3A2B's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
253F0	𪛗 UCS-253F0	253F0 𪛗 111.9 𪛗 𪛗 𪛗 UCS2003 GHZ-10483.09 T5-4770	T5-4770's font changed to same of that in UCS2003
2560D	𪛘 UCS-2560D	2560D 𪛘 113.3 𪛘 𪛘 T6-2D48 UCS-2560D	T6-2D48's font changed to same of that in UCS2003
25677	𪛙 UCS-25677	25677 𪛙 113.7 𪛙 𪛙 T6-4C36 UCS-25677	T6-4C36's font changed to same of that in UCS2003
25747	𪛚 UCS-25747	25747 𪛚 114.11 𪛚 𪛚 T7-3060 UCS-25747	T7-3060's font changed to same of that in UCS2003
2570A	𪛛 UCS-2570A	2570A 𪛛 113.13 𪛛 𪛛 UCS2003 TF-5B50	TF-5B50's font changed to same of that in UCS2003
257DE	𪛜 UCS-257DE	257DE 𪛜 115.8 𪛜 𪛜 T6-557C UCS-257DE	T6-557C's font changed to same of that in UCS2003
25873	𪛝 UCS-25873	25873 𪛝 115.11 𪛝 𪛝 T7-306C UCS-25873	T7-306C's font changed to same of that in UCS2003
25874	𪛞 UCS-25874	25874 𪛞 115.11 𪛞 𪛞 UCS2003 T7-3061	T7-3061's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
259FD	𪗇 UCS-259FD	259FD 穴 116.11 𪗇 𪗇 𪗇 UCS2003 GKX-0868.21 T5-5655	T5-5655's font changed to same of that in UCS2003
25A10	𪗈 UCS-25A10	25A10 穴 116.12 𪗈 𪗈 GKX-0868.36 T4-574E	T4-574E's font changed to same of that in UCS2003
25B03	𪗉 UCS-25B03	25B03 竹 118.4 𪗉 𪗉 TF-3168 UCS-25B03	TF-3168's font changed to same of that in UCS2003
25B1F	𪗊 25B1F	25B1F 竹 118.5 𪗊 T6-4278	T6-4278's font changed to same of that in UCS2003
25C09	𪗋 UCS-25C09	25C09 竹 118.9 𪗋 𪗋 T7-2652 UCS-25C09	T7-2652's font changed to same of that in UCS2003
25C4D	𪗌 25C4D	25C4D 竹 118.10 𪗌 𪗌 UCS2003 T5-565B	T5-565B's font changed to same of that in UCS2003
25E07	𪗍 25E07	25E07 竹 118.19 𪗍 T7-612D	T7-612D's font changed to same of that in UCS2003
25EA0	𪗎 UCS-25EA0	25EA0 米 119.8 𪗎 𪗎 GKX-0910.15 T6-6032	T6-6032's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
25F22	 UCS-25F22	25F22 米 119.12   T7-4E78 UCS-25F22	T7-4E78's font changed to same of that in UCS2003
26065	 UCS-26065	26065 糸 120.8  T6-6038	T6-6038's font changed to same of that in UCS2003
2618F	 2618F	2618F 糸 120.13  T7-485E	T7-485E's font changed to same of that in UCS2003
26328	 UCS-26328	26328 网 122.13   T7-3A4A UCS-26328	T7-3A4A's font changed to same of that in UCS2003
263AB	 UCS-263AB	 T4-4C48	T4-4C48's font changed to same of that in UCS2003
2649B	 2649B	2649B 羽 124.12  T7-416B	T7-416B's font changed to same of that in UCS2003
264C1	 264C1	264C1 老 125.8   T7-2726 UCS-264C1	T7-2726's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
26565	聾 UCS-26565	26565 耳 128.6 聾 聾 T5-3B43 UCS-26565	T6-4D35's font changed to same of that in UCS2003
26566	𪛗 UCS-26566	26566 耳 128.6 𪛗 𪛗 T6-4D35 UCS-26566	T6-4D35's font changed to same of that in UCS2003
26720	腴 26720	26720 肉 130.8 腴 T6-4D47	T6-4D47's font changed to same of that in UCS2003
2683C	臘 2683C	2683C 肉 130.12 臘 臘 UCS2003 T7-4221	T7-4221's font changed to same of that in UCS2003
26870	膊 26870	膊 膊 GKX-0996.26 T4-5C75	T4-5C75's font changed to same of that in UCS2003
26883	膳 UCS-26883	26883 肉 130.14 膳 膳 T7-417D UCS-26883	T7-417D's font changed to same of that in UCS2003
268FD	𠂔 268FD	𠂔 𠂔 GKX-1000.13 T6-2D70	T6-2D70's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
2699F	𪚦 UCS-2699F	𪚦 TF-6044	TF-6044's font changed to same of that in UCS2003
269B4	𪚴 UCS-269B4	𪚴 TF-6835	TF-6835's font changed to same of that in UCS2003
26A37	𪚦 UCS-26A37	26A37 舟 137.6 𪚦 𪚦 GHZ-53061.03 T4-3A53	T4-3A53's font changed to same of that in UCS2003
26AC1	𪚦 UCS-26AC1	26AC1 舟 137.16 𪚦 𪚦 T7-5450 UCS-26AC1	T7-5450's font changed to same of that in UCS2003
26AC2	𪚦 UCS-26AC2	𪚦 T7-5451	T7-5451's font changed to same of that in UCS2003
26C27	𪚦	𪚦 T5-3525	T5-3525's font changed to same of that in UCS2003
26C60	𪚦 UCS-26C60	26C60 艸 140.8 𪚦 𪚦 GKX-1041.27 T6-6132	T6-6132's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
26D20	蔺 UCS-26D20	26D20 艸 140.9 蔺 蔺 T6-5759 UCS-26D20	T6-5759's font changed to same of that in UCS2003
26DBC	蒨	26DBC 艸 140.10 蒨 UCS2003 TF-4B6F	TF-4B6F's font provided same of that in UCS2003
26E49	葬	26E49 艸 140.11 葬 葬 UCS2003 T7-275A	T7-575C's font changed to same of that in UCS2003
26EC3	萑 UCS-26EC3	26EC3 艸 140.12 萑 萑 GKX-1059.18 T5-575C	T5-575C's font changed to same of that in UCS2003
26EDE	藁	26EDE 艸 140.12 藁 藁 T5-5757 UCS-26EDE	T5-5757's font changed to same of that in UCS2003
26EE9	螢	26EE9 艸 140.12 螢 螢 T7-3259 UCS-26EE9	T7-3259's font changed to same of that in UCS2003
26F71	𦵁 UCS-26F71	26F71 艸 140.13 𦵁 𦵁 GKX-1062.44 T7-4935	T7-4935's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
27056	蓄	27056 艸 140.15 蓄 UCS2003 蓄 T7-4948	T7-275A's font changed to same of that in UCS2003
27097	蓐	27097 艸 140.16 蓐 UCS2003 蓐 GKX-1068.24 蓐 T7-4F62	T7-4F62's font changed to same of that in UCS2003
2710B	𪔐 2710B	2710B 艸 140.17 𪔐 T7-5458	T7-5458's font changed to same of that in UCS2003
271D5	𪔑 271D5	271D5 𪔑 141.9 𪔑 T7-2828	T7-2828's font changed to same of that in UCS2003
272F0	𪔒 UCS-272F0	272F0 虫 142.7 𪔒 T7-496B 𪔒 UCS-272F0	T7-496B's font changed to same of that in UCS2003
273C2	𪔓	273C2 虫 142.10 𪔓 UCS2003 𪔓 GKX-1094.06 𪔓 T5-5773	T5-5773's font changed to same of that in UCS2003
273DD	𪔔 UCS-273DD	𪔔 T7-3323	T7-3323's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
27468	𧈧 UCS-27468	27468 虫 142.12 𧈧 𧈧 GKX-1098.30 T7-4269	T7-4269's font changed to same of that in UCS2003
2758F	𧈧	2758F 虫 142.21 𧈧 𧈧 UCS2003 T7-636D	T7-636D's font changed to same of that in UCS2003
275E6	術	術 術 GKX-1109.07 T5-3036	T5-3036's font changed to same of that in UCS2003
27664	祿 UCS-27664	27664 衣 145.6 祿 祿 GKX-1116.14 T5-3C33	T5-3C33's font changed to same of that in UCS2003
27762	褻 27762	27762 衣 145.12 褻 T7-4323	T7-4323's font changed to same of that in UCS2003
27711	褌 UCS-27711	27711 衣 145.10 褌 褌 T7-332E UCS-27711	T7-332E's font changed to same of that in UCS2003
2778C	襦 UCS-2778C	2778C 衣 145.13 襦 襦 T7-4F7D UCS-2778C	T7-4F7D's font changed to same of that in UCS2003
















UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
27856	覷 UCS-27856	27856 見 147.8 覷 覷 T5-506E UCS-27856	T5-506E's font changed to same of that in UCS2003
27860	覷 UCS-27860	27860 見 147.8 覷 覷 GHZ-80038.17 T7-2861	T7-2861's font changed to same of that in UCS2003
278AE	覷 UCS-278AE	覷 T4-6E3B	T4-6E3B's font changed to same of that in UCS2003
27982	𣎵 UCS-27982	𣎵 T6-4475	T6-4475's font changed to same of that in UCS2003
27986	𣎵 UCS-27986	27986 言 149.4 𣎵 𣎵 T6-446E UCS-27986	T6-446E's font changed to same of that in UCS2003
279BB	𣎵	279BB 言 149.5 𣎵 𣎵 𣎵 UCS2003 GHZ-80040.15 T6-4E75	T6-4E75's font changed to same of that in UCS2003
27B08	𣎵 UCS-27B08	27B08 言 149.12 𣎵 𣎵 GKX-1180.21 T4-6141	T4-6141's font changed to same of that in UCS2003











UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
27BB8	𪛗 27BB8	𪛗 𪛗 GKX-1190.09 T4-474D	T4-474D's font changed to same of that in UCS2003
27DEB	𪛘 27DEB	27DEB 𪛘 𪛘 貝 154.11 TF-6076 UCS-27DEB	TF-6067's font changed to same of that in UCS2003
27E2E	𪛚 UCS-27E2E	𪛚 𪛚 TF-684F UCS-27E2E	TF-684F's font changed to same of that in UCS2003
27FAB	𪛜 UCS2003	27FAB 𪛜 𪛜 𪛜 走 156.16 UCS2003 GHZ-53504.06 T7-594B	T7-594B's font changed to same of that in UCS2003
281BC	𪛞 281BC	281BC 𪛞 𪛞 足 157.14 TF-6852 H-9045 𪛞 UCS-281BC	TF-6854's font changed to same of that in UCS2003
2837F	𪛠 UCS-2837F	𪛠 𪛠 T5-5F24 UCS-2837F	T5-5F24's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
28443	辰 UCS-28443	辰 辰 GKX-1252.19 T6-292C	T6-292C's font changed to same of that in UCS2003
284D2	遄 284D2	284D2 遄 遄 遄 162.7 T6-455A UCS-284D2	T6-455A's font changed to same of that in UCS2003
28531	逵 28531	28531 逵 逵 遄 162.9 GKX-1262.19 T6-5933 逵 UCS-28531	T6-5933's font changed to same of that in UCS2003
2855B	遽 2855B	2855B 遽 遽 遄 162.9 UCS2003 T5-4357	T5-4357's font changed to same of that in UCS2003
28598	遹 UCS-28598	遹 遹 TF-5252 UCS-28598	TF-5252's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
2860E	遼 2860E	2860E 遼 162.14 遼 TF-612B 遼 UCS-2860E	TF-612B's font changed to same of that in UCS2003
28622	邊 28622	28622 邊 162.15 邊 GKO-1267.18 T7-4B22 邊 UCS-28622	T7-4B22's font changed to same of that in UCS2003
287C8	鄒 UCS-287C8	鄒 T7-442A 鄒 UCS-287C8	T7-442A's font changed to same of that in UCS2003
2884B	醅 UCS-2884B	醅 T7-2A28 醅 UCS-2884B	T7-2A28's font changed to same of that in UCS2003
288B1	𪛗 288B1	𪛗 T7-4436 𪛗 UCS-288B1	T7-4436's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
28888	𨮔 UCS-28888	𨮔 𨮔 GKX-1286.02 T5-5F43	T5-5F43's font changed to same of that in UCS2003
28938	𨮔 28938	28938 𨮔 𨮔 里 166.13 TF-685D UCS-28938	TF-685D's font changed to same of that in UCS2003
289FE	𨮔 289FE	289FE 𨮔 𨮔 金 167.8 T5-5933 UCS-289FE	T5-5933's font changed to same of that in UCS2003
28A9F	𨮔 28A9F	28A9F 𨮔 𨮔 金 167.10 T5-6555 UCS-28A9F	T5-6555's font changed to same of that in UCS2003
28B34	𨮔	28B34 𨮔 𨮔 金 167.12 UCS2003 TF-6662	TF-6662's font changed to same of that in UCS2003
28C58	𨮔 UCS-28C58	𨮔 𨮔 T6-2934 UCS-28C58	T6-2934's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
28F71	 28F71	28F70 阜 170.21  UCS2003 28F71 阜 170.21  UCS2003  GKX-1363.19  T7-5F78	T7-5F78's font changed to same of that in UCS2003
290AD	 290AD	 T6-637E  UCS-290AD	T6-637E's font changed to same of that in UCS2003
290BE	 290BE	290BE 雨 173.7  GKX-1374.16  T5-5243  UCS-290BE	T5-5243's font changed to same of that in UCS2003
293B7	 UCS-293B7	 GHZ-74506.17  T5-595A	T5-595A's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
294F1	頤 UCS-294F1	 頤 T7-3D6B  頤 UCS-294F1	T7-3D6B's font changed to same of that in UCS2003
29563	 顗 UCS-29563	 顗 GKX-1410.08  顗 T7-5A2F	T7-5A2F's font changed to same of that in UCS2003
295DF	 颿 UCS-295DF	 颿 T5-5975  颿 UCS-295DF	T5-5975's font changed to same of that in UCS2003
2976E	飮	2976E 食 184.10 飮 飮 UCS2003 T7-4529	T7-4529's font changed to same of that in UCS2003
2979F	饗	2979F 食 184.11 饗 饗 UCS2003 T4-653E	T4-653's font changed to same of that in UCS2003
2986E	馱 UCS-2986E	 馱 T6-5047  馱 UCS-2986E	T6-5047's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
298DB	𩇛 298DB	298DB 馬 187.7 𩇛 𩇛 GKX-1439.13 T7-3E27 𩇛 UCS-298DB	T7-3E27's font changed to same of that in UCS2003
2995C	𩇜 2995C	𩇜 𩇜 T7-5167 UCS-2995C	T7-5167's font changed to same of that in UCS2003
29995	𩇝 29995	29995 馬 187.12 𩇝 𩇝 TF-6A38 UCS-29995	TF-6A38's font changed to same of that in UCS2003
29AD7	𩇞 29AD7	𩇞 𩇞 T5-6040 UCS-29AD7	T5-6040's font changed to same of that in UCS2003
29540	𩇟 29540	29540 頁 181.11 𩇟 𩇟 GHZ-74389.04 T4-6534 𩇟 UCS-29540	T4-6534's font changed to same of that in UCS2003

UCS Codes	Fonts in UCS2003	Fonts in ISO/IEC 10646 v3	Comments
2A2E5	麋 2A2E5	2A2E5 鹿 198.12 麋 麋 GHZ-74735.16 T7-5E3A 麋 UCS-2A2E5	T7-5E3A's font changed to same of that in UCS2003
2A5F2	齡 UCS-2A5F2	齡 齡 T4-4878 UCS-2A5F2	T4-4878's font changed to same of that in UCS2003
2A170	鷲 2A170	2A170 鳥 196.12 鷲 鷲 GKX-1500.17 T7-5E27 鷲 UCS-2A170	T7-5E27's font changed to same of that in UCS2003