Jurchen

Range: 18E00–19191

This chart contains an excerpt from the character code tables and list of character names for
ISO/IEC DIS 10646:2026(en) - 7th Edition Draft

This file will not be updated with errata, or when additional characters are assigned to ISO/IEC 10646. These charts constitute a Unicode product per Terms of Use expressed below.

Fonts

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts.

See https://www.unicode.org/charts/fonts.html for a list.

Terms of Use

© 1991—2026 Unicode, Inc. This publication is protected by copyright, and permission must be obtained from Unicode, Inc. prior to any reproduction, modification, or other use not permitted by the Terms of Use (https://www.unicode.org/copyright.html). Specifically, you may make copies of this publication and may annotate and translate it solely for personal or internal business purposes and not for public distribution, provided that any such permitted copies and modifications fully reproduce all copyright and other legal notices contained in the original. You may not make copies of or modifications to this publication for public distribution, or incorporate it in whole or in part into any product or publication without the express written permission of Unicode.

The Unicode Consortium specifically grants ISO a license to produce such code charts with their associated character names list to show the repertoire of characters for that standard, as a normatively referenced, integral part of that standard.

Unicode uses most fonts under restricted license from the original font owner. You may not extract, copy, modify, or distribute fonts or font data from any Unicode Products, including this publication, without license from the font owner.

Use of all Unicode Products, including this publication, is governed by the Unicode Terms of Use (https://www.unicode.org/copyright.html). The authors, contributors, and publishers have taken care in the preparation of this publication, but make no express or implied representation or warranty of any kind and assume no responsibility or liability for errors or omissions or for consequential or incidental damages that may arise therefrom. This publication is provided "AS-IS" without charge as a convenience to users.

Unicode and the Unicode Logo are registered trademarks of Unicode, Inc., in the United States and other countries.

18E00 一 1.3	 NC:002.02	18E14 一 1.6	 NC:010.01	18E28 一 1.7	 NC:014.04	18E3C ノ 2.4	 NC:020.01	18E50 十 4.4	 NC:069.04
18E01 一 1.3	 NC:002.04	18E15 一 1.6	 NC:009.02	18E29 一 1.7	 NC:014.05	18E3D ノ 2.4	 NC:020.02	18E51 十 4.4	 NC:025.02
18E02 一 1.4	 NC:145.04	18E16 一 1.6	 NC:009.03	18E2A 一 1.7	 NC:014.06	18E3E ノ 2.4	 NC:020.03	18E52 十 4.4	 NC:025.03
18E03 一 1.4	 NC:004.02	18E17 一 1.6	 NC:010.04	18E2B 一 1.7	 NC:015.01	18E3F ノ 2.4	 NC:020.05	18E53 十 4.4	 NC:026.02
18E04 一 1.4	 NC:148.03	18E18 一 1.6	 NC:010.05	18E2C 一 1.7	 NC:015.02	18E40 ノ 2.4	 NC:021.01	18E54 十 4.4	 NC:027.01
18E05 一 1.5	 NC:003.04	18E19 一 1.6	 NC:011.01	18E2D 一 1.7	 NC:012.07	18E41 ノ 2.5	 NC:021.02	18E55 十 4.4	 NC:027.02
18E06 一 1.5	 NC:004.06	18E1A 一 1.6	 NC:011.02	18E2E 一 1.7	 NC:015.03	18E42 ノ 2.5	 NC:021.05	18E56 十 4.5	 NC:027.03
18E07 一 1.5	 NC:005.01	18E1B 一 1.6	 NC:011.03	18E2F 一 1.8	 NC:015.04	18E43 ノ 2.5	 NC:022.01	18E57 十 4.5	 NC:027.04
18E08 一 1.5	 NC:005.02	18E1C 一 1.6	 NC:011.04	18E30 一 1.8	 NC:012.11	18E44 ノ 2.5	 NC:022.02	18E58 十 4.5	 NC:027.05
18E09 一 1.5	 NC:006.01	18E1D 一 1.6	 NC:011.05	18E31 一 1.8	 NC:016.03	18E45 ノ 2.6	 NC:022.04	18E59 十 4.5	 NC:028.01
18E0A 一 1.5	 NC:006.02	18E1E 一 1.6	 NC:012.06	18E32 一 1.8	 NC:174.03	18E46 ノ 2.6	 NC:022.05	18E5A 十 4.5	 NC:028.02
18E0B 一 1.5	 NC:006.03	18E1F 一 1.6	 NC:012.09	18E33 一 1.8	 NC:016.05	18E47 ノ 2.6	 N5131:X-1383	18E5B 十 4.5	 NC:188.01
18E0C 一 1.5	 NC:007.02	18E20 一 1.6	 N5131:X-1379	18E34 一 1.9	 NC:018.02	18E48 ノ 2.7	 NC:023.01	18E5C 十 4.5	 NC:028.04
18E0D 一 1.5	 NC:156.08	18E21 一 1.6	 N5131:X-1380	18E35 一 1.9	 NC:018.03	18E49 乂 3.3	 NC:144.02	18E5D 十 4.6	 NC:028.05
18E0E 一 1.5	 NC:007.05	18E22 一 1.6	 N5131:X-1381	18E36 ノ 2.2	 NC:018.04	18E4A 乂 3.3	 NC:023.02	18E5E 十 4.6	 NC:028.06
18E0F 一 1.5	 NC:007.08	18E23 一 1.7	 NC:013.01	18E37 ノ 2.3	 NC:019.01	18E4B 乂 3.4	 NC:023.03	18E5F 十 4.6	 NC:029.02
18E10 一 1.5	 NC:008.01	18E24 一 1.7	 NC:013.03	18E38 ノ 2.4	 NC:019.02	18E4C 乂 3.5	 NC:024.01	18E60 十 4.6	 NC:029.03
18E11 一 1.5	 NC:008.02	18E25 一 1.7	 NC:013.05	18E39 ノ 2.4	 NC:019.03	18E4D 乂 3.5	 NC:024.02	18E61 十 4.6	 NC:029.05
18E12 一 1.5	 NC:008.03	18E26 一 1.7	 NC:013.07	18E3A ノ 2.4	 NC:019.04	18E4E 乂 3.5	 NC:024.03	18E62 十 4.6	 NC:029.08
18E13 一 1.5	 N5131:X-1378	18E27 一 1.7	 NC:013.08	18E3B ノ 2.4	 NC:019.05	18E4F 十 4.3	 NC:024.04	18E63 十 4.6	 NC:030.02

18E64 十 4.7  NC:030.04
18E65 十 4.7  NC:030.05
18E66 十 4.7  NC:030.07
18E67 十 4.7  NC:031.02
18E68 十 4.7  NC:031.03
18E69 十 4.7  NC:032.02
18E6A 十 4.7  NC:031.04
18E6B 十 4.7  NC:033.01
18E6C 十 4.8  NC:032.01
18E6D 十 4.8  NC:032.04
18E6E 十 4.8  NC:032.06
18E6F 十 4.8  NC:241.01
18E70 十 4.9  NC:033.05
18E71 十 4.9  NC:033.06
18E72 广 5.3  NC:034.02
18E73 广 5.4  NC:035.01
18E74 广 5.4  NC:035.02
18E75 广 5.5  NC:035.04
18E76 广 5.5  NC:035.07
18E77 广 5.5  NC:037.01

18E78 广 5.5  NC:037.02
18E79 广 5.6  NC:039.01
18E7A 广 5.6  NC:039.03
18E7B 广 5.6  NC:039.04
18E7C 广 5.6  NC:040.01
18E7D 广 5.6  NC:040.03
18E7E 广 5.6  NC:041.01
18E7F 广 5.7  NC:040.04
18E80 广 5.7  NC:040.05
18E81 广 5.7  NC:041.02
18E82 广 5.9  NC:041.04
18E83 厂 6.5  NC:041.05
18E84 厂 6.6  NC:041.08
18E85 厂 6.6  NC:185.04
18E86 厂 6.6  NC:042.01
18E87 厂 6.6  NC:042.02
18E88 厂 6.7  NC:042.03
18E89 厂 6.7  NC:188.03
18E8A 厂 6.8  NC:043.04
18E8B 尸 7.4  NC:043.08

18E8C 尸 7.4 NC:043.09,044.01
18E8D 尸 7.4 NC:044.02
18E8E 尸 7.4 NC:044.03
18E8F 尸 7.4 NC:044.04
18E90 尸 7.4 NC:045.02
18E91 尸 7.4 NC:045.03
18E92 尸 7.4 NC:045.05
18E93 尸 7.5 NC:046.01
18E94 尸 7.5 NC:046.02
18E95 尸 7.5 NC:047.02
18E96 尸 7.5 NC:047.03
18E97 尸 7.5 NC:047.05
18E98 尸 7.5 NC:047.06
18E99 尸 7.5 NC:048.02
18E9A 尸 7.5 NC:048.04
18E9B 尸 7.5 NC:048.06
18E9C 尸 7.5 NC:052.02
18E9D 尸 7.5 NC:046.04
18E9E 尸 7.6 NC:049.01
18E9F 尸 7.6 NC:049.03

18EA0 尸 7.6 NC:049.05
18EA1 尸 7.6 NC:049.06
18EA2 尸 7.6 NC:049.07
18EA3 尸 7.6 NC:050.01
18EA4 尸 7.6 NC:050.03
18EA5 尸 7.6 NC:050.07
18EA6 尸 7.6 NC:051.01
18EA7 尸 7.6 NC:051.03
18EA8 尸 7.6 NC:051.04
18EA9 尸 7.6 NC:051.06
18EAA 尸 7.7 NC:052.04
18EAB 尸 7.7 NC:052.06
18EAC 尸 7.7 NC:053.01
18EAD 尸 7.7 NC:053.02
18EAE 尸 7.7 NC:053.03
18EAF 尸 7.7 NC:054.01
18EB0 尸 7.8 NC:054.07
18EB1 疋 8.6 NC:055.04
18EB2 疋 8.6 NC:055.01
18EB3 疋 8.6 NC:055.03

18EB4 疋 8.6 NC:056.03
18EB5 疋 8.6 NC:056.04
18EB6 疋 8.7 NC:057.01
18EB7 疋 8.7 NC:057.04
18EB8 疋 8.9 NC:058.01
18EB9 丰 9.4 NC:058.02
18EBA 丰 9.5 NC:151.01
18EBB 丰 9.6 NC:059.03
18EBC 丰 9.6 NC:059.05
18EBD 丰 9.6 NC:060.01
18EBE 丰 9.7 NC:059.02
18EBF 丰 9.7 NC:060.06
18EC0 丰 9.7 NC:060.07
18EC1 干 10.4 NC:060.08
18EC2 干 10.5 NC:061.01
18EC3 干 10.7 NC:170.05
18EC4 干 10.7 NC:014.03
18EC5 干 10.7 NC:061.05
18EC6 干 10.7 NC:061.06
18EC7 干 10.9 NC:237.04

ISO/IEC DIS 10646:2026(en), Copyright © 1991-2026 Unicode, Inc. All rights reserved.

18EC8 土 11.4  NC:062.01

18EC9 土 11.4  NC:063.02

18ECA 土 11.5  NC:063.03

18ECB 土 11.5  NC:063.05

18ECC 土 11.5  NC:063.06

18ECD 土 11.6  NC:064.03

18ECE 土 11.6  NC:064.04

18ECF 土 11.6  NC:064.06

18ED0 土 11.6  NC:065.02

18ED1 土 11.6  NC:066.02

18ED2 土 11.6  NC:066.03

18ED3 土 11.6  NC:067.01

18ED4 土 11.7  NC:068.02

18ED5 土 11.7  NC:068.03

18ED6 土 11.8  NC:069.01

18ED7 土 11.8  NC:069.03

18ED8 大 12.5  NC:070.01

18ED9 大 12.5  NC:070.02

18EDA 大 12.6  NC:070.03

18EDB 大 12.6  NC:070.04

18EDC 大 12.6  NC:070.05

18EDD 大 12.7  NC:071.01

18EDE 大 12.7  NC:205.02

18EDF 大 12.8  NC:071.02

18EE0 大 12.8  NC:071.03

18EE1 丈 13.4  NC:072.03

18EE2 丈 13.4  NC:072.04

18EE3 丈 13.4  NC:072.05

18EE4 丈 13.5  NC:230.03

18EE5 丈 13.7  NC:072.06

18EE6 王 14.4  NC:073.02

18EE7 王 14.5  NC:073.03

18EE8 王 14.5  NC:073.04

18EE9 王 14.6  NC:074.02

18EEA 王 14.6  NC:075.01

18EEB 王 14.6  NC:075.02

18EEC 王 14.8  NC:075.04

18EED 王 14.8  NC:076.01

18EEE 王 14.8  NC:076.02

18EEF 王 14.10  N5131:X-1391

18EF0 ⺶ 15.6 NC:076.03

18EF1 ⺶ 15.7 NC:077.01

18EF2 木 16.4 NC:078.04

18EF3 木 16.4 NC:078.05

18EF4 木 16.5 NC:079.01

18EF5 木 16.5 NC:079.03

18EF6 木 16.5 NC:079.04

18EF7 木 16.6 NC:080.05

18EF8 木 16.6 NC:080.07

18EF9 木 16.7 NC:081.01

18EFA 木 16.7 NC:082.03

18EFB 木 16.7 NC:275.03

18EFC 木 16.7 NC:081.02

18EFD 木 16.7 NC:081.03

18EFE 木 16.7 NC:082.02

18EFF 木 16.9 NC:082.05

18F00 丨 17.3 NC:083.02

18F01 丨 17.3 NC:083.03

18F02 丨 17.3 NC:083.04

18F03 丨 17.3 NC:083.05

18F04 丨 17.4 NC:084.03

18F05 丨 17.4 NC:084.07

18F06 丨 17.5 NC:085.06

18F07 丨 17.6 NC:085.05

18F08 丨 17.6 NC:085.07

18F09 卜 18.5 NC:086.04

18F0A 卜 18.5 NC:087.03

18F0B 卜 18.5 NC:087.04

18F0C 卜 18.5 NC:087.06

18F0D 卜 18.5 NC:088.01

18F0E 卜 18.6 NC:088.02

18F0F 卜 18.7 NC:088.03

18F10 卜 18.10 NC:088.08

18F11 刂 19.5 NC:089.07

18F12 刂 19.6 NC:090.02

18F13 刂 19.8 NC:091.01

18F14 艹 20.4 NC:091.03

18F15 艹 20.5 NC:092.02

18F16 艹 20.6 NC:092.03

18F17 艹 20.6 NC:092.04

18F18 艹 21.8 NC:093.02

18F19 艹 22.8 NC:093.01

18F1A 艹 22.8 NC:093.03

18F1B 艹 22.10 NC:093.04

18F1C 冂 23.3 NC:093.05

18F1D 冂 23.4 NC:094.01

18F1E 冂 23.5 NC:097.03

18F1F 冂 23.5 NC:097.04

18F20 冂 23.5 NC:097.05

18F21 冂 23.5 NC:098.01

18F22 冂 23.5 NC:098.03

18F23 冂 23.5 NC:098.05

18F24 冂 23.6 NC:100.05

18F25 冂 23.6 NC:101.02

18F26 冂 23.6 NC:101.03

18F27 冂 23.6 NC:102.01

18F28 冂 23.6 NC:103.02

18F29 冂 23.7 NC:103.03

18F2A 冖 24.4 NC:094.03

18F2B 冖 24.4 NC:094.04

18F2C 24.4 NC:095.01
18F2D 24.4 NC:095.02
18F2E 24.4 NC:096.01
18F2F 24.4 NC:097.01
18F30 24.5 NC:098.06
18F31 24.5 NC:099.02
18F32 24.5 NC:099.04
18F33 24.5 NC:100.03
18F34 24.6 NC:102.02
18F35 24.6 NC:102.03
18F36 24.6 NC:102.04
18F37 24.6 NC:102.05
18F38 24.6 NC:103.01
18F39 24.7 NC:103.04
18F3A 24.7 NC:103.05
18F3B 24.7 NC:103.06
18F3C 24.7 NC:016.06
18F3D 25.5 NC:105.02
18F3E 25.5 NC:105.03
18F3F 25.5 NC:105.04

18F40 25.5 NC:105.05
18F41 25.5 NC:106.01
18F42 25.5 NC:106.03
18F43 25.6 NC:106.04
18F44 25.6 NC:107.01
18F45 25.6 NC:107.02
18F46 25.6 NC:107.03
18F47 25.6 NC:107.04
18F48 25.6 NC:108.01
18F49 25.6 NC:108.02
18F4A 25.6 NC:109.01
18F4B 25.6 NC:109.02
18F4C 25.6 NC:110.01
18F4D 25.6 NC:110.02
18F4E 25.6 NC:110.05
18F4F 25.6 NC:110.07
18F50 25.6 NC:111.01
18F51 25.6 NC:111.02
18F52 25.6 NC:112.02
18F53 25.7 NC:112.04

18F54 25.7 NC:113.01
18F55 25.7 NC:113.03
18F56 25.7 NC:113.04
18F57 25.7 NC:114.01
18F58 25.7 NC:114.02
18F59 25.7 NC:114.03
18F5A 25.7 NC:114.05
18F5B 25.8 NC:114.07
18F5C 25.8 NC:115.01
18F5D 25.9 NC:115.02
18F5E 26.6 NC:116.01
18F5F 26.6 NC:116.03
18F60 26.6 NC:116.02
18F61 26.6 NC:116.04
18F62 26.7 NC:117.01
18F63 26.7 NC:117.02
18F64 26.7 NC:117.03
18F65 26.7 NC:117.04
18F66 26.7 NC:118.01
18F67 26.7 NC:118.02

18F68 26.10 NC:118.04
18F69 27.5 NC:261.02
18F6A 27.5 NC:119.01
18F6B 27.6 NC:119.03
18F6C 27.6 NC:119.04
18F6D 27.6 NC:120.02
18F6E 27.6 N5131:X-1382
18F6F 27.7 NC:120.04
18F70 27.7 NC:121.01
18F71 27.7 NC:121.03
18F72 27.7 NC:121.04
18F73 27.7 NC:121.07
18F74 27.7 NC:120.03
18F75 27.8 NC:121.08
18F76 27.8 NC:122.01
18F77 27.8 NC:122.02
18F78 27.9 NC:122.03
18F79 27.10 NC:123.01
18F7A 28.5 NC:123.02
18F7B 28.6 NC:124.02

18F7C 28.7 NC:124.03
18F7D 28.7 NC:125.01
18F7E 28.7 NC:125.02
18F7F 28.7 NC:126.01
18F80 28.8 NC:126.02
18F81 28.8 NC:126.03
18F82 28.8 NC:126.04
18F83 28.9 NC:127.01
18F84 29.5 NC:127.02
18F85 29.5 NC:128.01
18F86 29.5 NC:129.01
18F87 29.5 NC:098.02
18F88 29.5 NC:129.03
18F89 29.5 NC:129.05
18F8A 29.5 NC:130.01
18F8B 29.6 NC:130.02
18F8C 29.6 NC:130.03
18F8D 29.6 NC:131.02
18F8E 29.6 NC:131.03
18F8F 29.6 NC:131.07

ISO/IEC DIS 10646:2026(en), Copyright © 1991-2026 Unicode, Inc. All rights reserved.

18F90 中 29.6 NC:132.01
18F91 中 29.6 NC:132.03
18F92 中 29.6 NC:133.01
18F93 中 29.6 NC:133.05
18F94 中 29.6 NC:134.01
18F95 中 29.6 SJ-B:007A.1
18F96 中 29.7 NC:135.01
18F97 中 29.7 NC:135.02
18F98 中 29.7 NC:135.03
18F99 中 29.8 NC:135.05
18F9A 中 29.9 NC:135.04
18F9B 中 29.10 NC:135.06
18F9C 30.5 NC:137.02
18F9D 30.6 NC:136.01
18F9E 30.6 NC:136.02
18F9F 30.6 NC:136.03
18FA0 30.6 NC:136.04
18FA1 30.6 NC:137.01
18FA2 30.7 NC:137.03
18FA3 30.7 NC:138.03
18FA4 30.7 NC:138.05
18FA5 30.7 NC:139.01
18FA6 30.7 NC:140.01
18FA7 30.7 NC:140.03
18FA8 30.7 NC:137.04
18FA9 30.8 NC:140.04
18FAA 30.8 NC:141.01
18FAB 30.8 NC:141.02
18FAC 30.8 NC:141.03
18FAD 30.8 NC:141.04
18FAE 30.8 NC:141.05
18FAF 30.9 NC:142.01
18FB0 30.9 NC:142.03
18FB1 30.10 NC:142.04
18FB2 30.10 NC:142.05
18FB3 31.3 NC:144.03
18FB4 31.3 NC:149.01
18FB5 31.4 NC:144.04
18FB6 31.4 NC:145.01
18FB7 31.4 NC:145.03
18FB8 31.4 NC:146.01
18FB9 31.4 NC:146.02
18FBA 31.4 NC:147.01
18FBB 31.4 NC:147.03
18FBC 31.4 SJ-B:039A.2
18FBD 31.4 NC:147.05
18FBE 31.4 NC:148.01
18FBF 31.4 NC:148.02
18FC0 31.4 NC:149.02
18FC1 31.4 NC:149.03
18FC2 31.4 NC:150.01
18FC3 31.4 NC:151.04
18FC4 31.4 NC:229.02
18FC5 31.5 NC:150.02
18FC6 31.5 NC:151.02
18FC7 31.5 NC:225.02
18FC8 31.5 NC:151.03
18FC9 31.5 NC:225.03
18FCA 31.5 NC:152.03
18FCB 31.5 NC:145.02
18FCC 31.5 NC:153.01
18FCD 31.5 NC:153.05
18FCE 31.5 NC:153.07
18FCF 31.5 NC:153.08
18FD0 31.5 NC:154.01
18FD1 31.5 NC:154.02
18FD2 31.5 NC:155.01
18FD3 31.5 NC:156.02
18FD4 31.5 NC:271.02
18FD5 31.5 NC:156.05
18FD6 31.5 NC:156.06
18FD7 31.5 NC:157.02
18FD8 31.5 NC:158.01
18FD9 31.5 NC:169.01
18FDA 31.6 NC:158.03
18FDB 31.6 NC:158.04
18FDC 31.6 NC:159.01
18FDD 31.6 NC:159.02
18FDE 31.6 NC:159.03
18FDF 31.6 NC:159.04
18FE0 31.6 NC:160.03
18FE1 31.6 NC:160.05
18FE2 31.6 NC:160.07
18FE3 31.6 NC:161.02
18FE4 31.6 NC:161.05
18FE5 31.6 NC:162.04
18FE6 31.6 NC:162.06
18FE7 31.6 NC:163.01
18FE8 31.6 NC:163.02
18FE9 31.6 NC:163.03
18FEA 31.6 NC:163.04
18FEB 31.6 NC:164.01
18FEC 31.6 NC:165.03
18FED 31.6 NC:165.06
18FEE 31.6 NC:165.07
18FEF 31.6 NC:157.01
18FF0 31.6 NC:166.02
18FF1 31.6 NC:166.03
18FF2 31.6 NC:167.01
18FF3 31.6 NC:167.04

ISO/IEC DIS 10646:2026(en), Copyright © 1991-2026 Unicode, Inc. All rights reserved.

18FF4 ˊ 31.6  NC:167.06

18FF5 ˊ 31.6  NC:168.01

18FF6 ˊ 31.6  NC:157.03

18FF7 ˊ 31.6  NC:168.04

18FF8 ˊ 31.7  NC:169.02

18FF9 ˊ 31.7  NC:169.04

18FFA ˊ 31.7  NC:170.01

18FFB ˊ 31.7  NC:170.02

18FFC ˊ 31.7  NC:170.03

18FFD ˊ 31.7  NC:171.01

18FFE ˊ 31.7  NC:172.02

18FFF ˊ 31.7  NC:172.04

19000 ˊ 31.7  NC:173.02

19001 ˊ 31.7  NC:173.06

19002 ˊ 31.7  NC:173.07

19003 ˊ 31.7  NC:174.01

19004 ˊ 31.7  NC:174.02

19005 ˊ 31.7  NC:174.04

19006 ˊ 31.7  NC:175.01

19007 ˊ 31.7  NC:175.02

19008 ˊ 31.7  N5131:X-1384

19009 ˊ 31.8  NC:175.08

1900A ˊ 31.8  NC:175.10

1900B ˊ 31.8  NC:175.04

1900C ˊ 31.8  NC:175.06

1900D ˊ 31.8  NC:176.01

1900E ˊ 31.8  NC:177.01

1900F ˊ 31.8  NC:177.02

19010 ˊ 31.8  NC:178.02

19011 ˊ 31.8  NC:178.03

19012 ˊ 31.8  NC:178.04

19013 ˊ 31.9  N5131:X-1390

19014 ㇒ 32.2  NC:179.02

19015 ㇒ 32.3  NC:180.01

19016 ㇒ 32.3  NC:180.06

19017 ㇒ 32.4  NC:181.02

19018 ㇒ 32.4  NC:104.06

19019 ㇒ 32.4  NC:181.04

1901A ㇒ 32.5  NC:181.07

1901B ㇒ 32.5  NC:182.01

1901C ㇒ 32.5 NC:181.08

1901D ㇒ 32.5 NC:182.03

1901E ㇒ 32.5 NC:182.06

1901F ㇒ 32.5 NC:183.01

19020 ㇒ 32.5 NC:183.02

19021 ㇒ 32.5 NC:196.05

19022 ㇒ 32.5 NC:183.06

19023 ㇒ 32.5 NC:158.02

19024 ㇒ 32.5 NC:183.08

19025 ㇒ 32.6 NC:074.03

19026 ㇒ 32.6 NC:184.02

19027 ㇒ 32.6 NC:185.02

19028 ㇒ 32.6 NC:182.05

19029 ㇒ 32.6 NC:185.05

1902A ㇒ 32.6 NC:185.06

1902B ㇒ 32.6 NC:186.02

1902C ㇒ 32.6 NC:186.03

1902D ㇒ 32.6 NC:186.04

1902E ㇒ 32.6 NC:187.03

1902F ㇒ 32.6 NC:187.04

19030 ㇒ 32.6 NC:187.06

19031 ㇒ 32.6 NC:187.07

19032 ㇒ 32.6 NC:188.02

19033 ㇒ 32.7 NC:189.07

19034 ㇒ 32.7 NC:188.04

19035 ㇒ 32.7 NC:189.02

19036 ㇒ 32.7 NC:189.03

19037 ㇒ 32.7 NC:190.03

19038 ㇒ 32.7 NC:190.04

19039 ㇒ 32.8 NC:190.05

1903A ㇒ 32.8 NC:191.01

1903B ㇒ 32.8 NC:191.03

1903C ㇒ 32.8 NC:191.04

1903D ㇒ 32.8 NC:192.01

1903E ㇒ 32.8 NC:192.02

1903F ㇒ 32.9 NC:192.03

19040 ㇓ 33.5 NC:193.04

19041 ㇓ 33.5 NC:193.05

19042 ㇓ 33.5 NC:196.03

19043 ㇓ 33.5 NC:242.05

19044 ㇓ 33.6 NC:195.01

19045 ㇓ 33.6 NC:195.03

19046 ㇓ 33.6 NC:195.04

19047 ㇓ 33.6 NC:196.02

19048 ㇓ 33.6 NC:197.02

19049 ㇔ 34.1 NC:001.01

1904A ㇔ 34.2 NC:002.01

1904B ㇔ 34.2 NC:200.03

1904C ㇔ 34.3 NC:200.05

1904D ㇔ 34.4 NC:151.05

1904E ㇔ 34.4 NC:193.02

1904F ㇔ 34.4 NC:262.02

19050 ㇔ 34.4 NC:200.08

19051 ㇔ 34.4 NC:078.03

19052 ㇔ 34.4 NC:201.02

19053 ㇔ 34.4 NC:201.04

19054 ㇔ 34.4 NC:202.01

19055 ㇔ 34.4 NC:202.02

19056 ㇔ 34.4 NC:203.01

19057 ㇔ 34.4 NC:203.03

ISO/IEC DIS 10646:2026(en), Copyright © 1991-2026 Unicode, Inc. All rights reserved.

19058 ⺕ 34.4

NC:194.03

19059 ⺕ 34.4

NC:258.02

1905A ⺕ 34.4

NC:262.03

1905B ⺕ 34.4

NC:204.01

1905C ⺕ 34.5

NC:194.04

1905D ⺕ 34.5

NC:195.02

1905E ⺕ 34.5

NC:204.06

1905F ⺕ 34.5

NC:196.01

19060 ⺕ 34.6

NC:198.04

19061 ⺕ 34.6

NC:197.03

19062 ⺕ 34.6

NC:197.04

19063 ⺕ 34.6

NC:205.01

19064 ⺕ 34.6

NC:205.03

19065 ⺕ 34.6

NC:205.04

19066 ⺕ 34.7

NC:198.03

19067 ⺕ 34.7

NC:205.06

19068 ⺕ 34.7

NC:206.01

19069 ⺕ 34.7

NC:206.02

1906A ⺕ 34.7

NC:206.03

1906B ⺕ 34.8

NC:199.02

1906C ⺕ 34.8

NC:206.04

1906D ⺅ 35.4

NC:207.01

1906E ⺅ 35.5

NC:220.04

1906F ⺅ 35.5

NC:207.03

19070 ⺅ 35.5

NC:208.01

19071 ⺅ 35.5

NC:208.04

19072 ⺅ 35.5

NC:208.06

19073 ⺅ 35.5

NC:209.01

19074 ⺅ 35.5

NC:212.01

19075 ⺅ 35.6

NC:209.02

19076 ⺅ 35.6

NC:209.03

19077 ⺅ 35.6

NC:210.01

19078 ⺅ 35.6

NC:211.02

19079 ⺅ 35.6

NC:211.03

1907A ⺅ 35.6

NC:212.02

1907B ⺅ 35.6

NC:219.07

1907C ⺅ 35.6

NC:217.05

1907D ⺅ 35.6

NC:212.09

1907E ⺅ 35.6

NC:212.10

1907F ⺅ 35.6

NC:213.02

19080 ⺅ 35.6

NC:213.03

19081 ⺅ 35.7

NC:213.04

19082 ⺅ 35.7

NC:213.05

19083 ⺅ 35.7

NC:213.06

19084 ⺅ 35.7

NC:214.05

19085 ⺅ 35.7

NC:214.07

19086 ⺅ 35.8

NC:214.09

19087 ⺅ 35.8

NC:215.02

19088 ⺅ 35.8

NC:215.03

19089 ⺅ 35.8

NC:215.04

1908A ⺅ 35.8

NC:215.05

1908B ⺅ 35.8

NC:215.06

1908C ⺅ 35.9

NC:216.04

1908D ⺅ 35.9

NC:216.05

1908E ⺅ 35.9

NC:216.07

1908F ⺅ 35.9

NC:216.09

19090 ⺅ 35.10

NC:216.03

19091 ⺈ 36.4

NC:217.02

19092 ⺈ 36.5

SJ-B:087B.2

19093 ⺈ 36.6

NC:218.05

19094 ⺈ 36.6

NC:212.05

19095 ⺈ 36.6

NC:218.07

19096 ⺈ 36.6

NC:222.01

19097 ⺈ 36.7

NC:218.06

19098 ⺈ 36.7

NC:219.06

19099 ⺈ 36.7

NC:220.01

1909A ⺈ 36.7

NC:220.02

1909B ⺈ 37.5

NC:220.03

1909C ⺈ 37.6

NC:221.01

1909D ⺈ 37.6

NC:221.02

1909E ⺈ 37.6

NC:222.03

1909F ⺈ 37.7

NC:223.01

190A0 ⺈ 37.7

NC:219.05

190A1 ⺈ 37.7

NC:223.02

190A2 ⺈ 37.8

NC:223.03

190A3 ⺁ 38.5

NC:224.01

190A4 ⺁ 38.5

NC:224.02

190A5 ⺁ 38.5

NC:224.03

190A6 ⺁ 38.5

NC:225.01

190A7 ⺁ 38.5

NC:225.04

190A8 ⺁ 38.6

NC:226.01

190A9 ⺁ 38.6

NC:227.01

190AA ⺁ 38.6

NC:227.02

190AB ⺁ 38.7

NC:228.01

190AC ⺁ 38.7

NC:228.05

190AD ⺁ 38.8

NC:228.08

190AE ⺁ 38.8

NC:228.10

190AF ⺅ 39.4

NC:229.01

190B0 ⺅ 39.4

NC:230.01

190B1 ⺅ 39.5

NC:230.04

190B2 ⺅ 39.5

NC:233.01

190B3 ⺅ 39.5

NC:231.03

190B4 ⺅ 39.6

NC:231.04

190B5 ⺅ 39.6

NC:231.06

190B6 ⺅ 39.6

NC:232.02

190B7 ⺅ 39.6

NC:233.02

190B8 ⺅ 39.6

NC:235.03

190B9 ⺅ 39.7

NC:231.05

190BA ⺅ 39.7

JJ:363

190BB ⺅ 39.7

NC:233.05

190BC	39.7	NC:234.01	190D0	40.6	NC:239.04	190E4	43.6	NC:248.02	190F8	44.8	NC:253.03	1910C	46.6	NC:260.03
190BD	39.7	NC:234.03	190D1	40.7	NC:240.01	190E5	43.6	NC:248.03	190F9	44.8	NC:253.04	1910D	46.6	NC:260.04
190BE	39.7	NC:234.04	190D2	40.7	NC:240.02	190E6	43.6	NC:249.02	190FA	45.5	NC:253.05	1910E	46.6	NC:261.03
190BF	39.7	NC:235.02	190D3	40.8	NC:240.03	190E7	43.7	NC:249.03	190FB	45.5	NC:254.01	1910F	46.8	NC:261.04
190C0	39.7	NC:235.04	190D4	41.4	NC:007.10	190E8	43.7	NC:249.04	190FC	45.5	NC:254.02	19110	46.10	NC:179.01
190C1	39.7	NC:235.05	190D5	41.5	NC:241.05	190E9	43.8	NC:250.01	190FD	45.5	NC:255.02	19111	47.4	NC:261.05
190C2	39.7	NC:235.06	190D6	41.5	NC:242.01	190EA	43.8	NC:250.02	190FE	45.5	NC:255.05	19112	47.5	NC:262.05
190C3	39.7	NC:235.07	190D7	41.6	NC:242.02	190EB	43.8	NC:250.04	190FF	45.8	NC:256.01	19113	47.5	NC:262.07
190C4	39.7	NC:236.01	190D8	41.8	NC:017.03	190EC	43.9	NC:017.05	19100	46.3	NC:257.01	19114	47.5	NC:263.02
190C5	39.8	NC:236.02	190D9	42.4	NC:242.06	190ED	44.6	NC:251.01	19101	46.4	NC:257.02	19115	47.5	NC:263.03
190C6	39.8	NC:236.04	190DA	42.4	NC:243.01	190EE	44.6	NC:251.02	19102	46.4	NC:258.01	19116	47.5	NC:263.05
190C7	39.8	NC:237.01	190DB	42.6	NC:245.01	190EF	44.6	NC:251.03	19103	46.4	NC:257.05	19117	47.5	NC:263.06
190C8	39.8	NC:237.02	190DC	43.4	NC:246.01	190F0	44.6	NC:251.04	19104	46.4	N5131:X-1377	19118	47.5	NC:264.01
190C9	39.8	N5131:X-1387	190DD	43.4	NC:246.02	190F1	44.6	NC:251.05	19105	46.4	NC:261.01	19119	47.5	NC:265.05
190CA	40.4	NC:237.05	190DE	43.5	NC:247.01	190F2	44.7	NC:251.08	19106	46.5	NC:258.03	1911A	47.6	NC:265.01
190CB	40.4	NC:238.01	190DF	43.6	NC:247.02	190F3	44.7	NC:252.01	19107	46.5	NC:259.04	1911B	47.6	NC:265.09
190CC	40.5	NC:238.02	190E0	43.6	NC:247.03	190F4	44.7	NC:252.02	19108	46.5	NC:259.05	1911C	47.6	NC:265.07
190CD	40.5	NC:239.01	190E1	43.6	NC:247.04	190F5	44.7	NC:252.03	19109	46.5	NC:260.01	1911D	47.7	NC:266.02
190CE	40.5	NC:239.02	190E2	43.6	NC:247.05	190F6	44.7	NC:253.01	1910A	46.5	N5131:X-1386	1911E	47.7	NC:266.04
190CF	40.5	NC:239.03	190E3	43.6	NC:248.01	190F7	44.8	NC:253.02	1910B	46.6	NC:260.02	1911F	47.9	NC:266.05

ISO/IEC DIS 10646:2026(en), Copyright © 1991-2026 Unicode, Inc. All rights reserved.

19120 47.9 NC:266.06
19121 47.10 NC:266.07
19122 48.5 NC:267.01
19123 48.5 NC:267.02
19124 48.5 NC:267.03
19125 48.5 NC:268.01
19126 48.6 NC:269.01
19127 48.7 NC:268.04
19128 48.7 NC:268.05
19129 49.4 NC:270.05
1912A 49.5 NC:004.04
1912B 49.5 NC:270.07
1912C 49.5 NC:271.04
1912D 49.6 NC:271.07
1912E 49.6 NC:161.06
1912F 49.6 NC:272.02
19130 49.6 NC:272.03
19131 49.6 NC:222.02
19132 49.7 NC:273.05
19133 49.7 NC:273.06
19134 49.7 NC:273.07
19135 49.7 NC:274.01
19136 49.7 NC:274.02
19137 49.7 NC:274.04
19138 49.7 NC:275.01
19139 49.7 NC:275.02
1913A 49.7 NC:275.04
1913B 49.8 NC:275.05
1913C 49.8 NC:276.01
1913D 49.8 NC:276.04
1913E 49.8 NC:276.05
1913F 49.8 NC:177.03
19140 49.9 N5131:X-1388
19141 50.4 NC:277.02
19142 50.4 NC:277.03
19143 50.5 NC:277.04
19144 50.5 NC:278.01
19145 50.5 NC:278.03
19146 50.5 NC:278.05
19147 50.5 NC:280.01
19148 50.5 NC:280.02
19149 50.6 NC:281.03
1914A 50.6 NC:282.02
1914B 50.6 NC:282.03
1914C 50.6 NC:282.04
1914D 50.6 NC:282.05
1914E 50.6 NC:282.06
1914F 50.6 NC:283.01
19150 50.6 NC:283.02
19151 50.6 NC:283.03
19152 50.6 NC:283.04
19153 50.6 NC:284.01
19154 50.6 NC:284.02
19155 50.6 NC:284.04
19156 50.6 NC:284.06
19157 50.6 NC:134.02
19158 50.6 NC:285.01
19159 50.6 NC:285.02
1915A 50.6 NC:286.01
1915B 50.6 NC:286.02
1915C 50.6 NC:286.03
1915D 50.7 NC:281.01
1915E 50.7 NC:287.03
1915F 50.7 NC:288.01
19160 50.7 NC:288.02
19161 50.7 NC:288.03
19162 50.7 NC:289.01
19163 50.7 NC:289.02
19164 50.7 NC:289.03
19165 50.7 NC:290.01
19166 50.7 NC:290.03
19167 50.7 NC:290.07
19168 50.7 NC:291.01
19169 50.7 NC:291.02
1916A 50.7 NC:291.03
1916B 50.7 NC:292.01
1916C 50.7 NC:292.02
1916D 50.7 NC:292.03
1916E 50.7 NC:292.04
1916F 50.7 NC:292.06
19170 50.7 NC:292.07
19171 50.7 NC:293.02
19172 50.7 NC:293.03
19173 50.7 NC:293.04
19174 50.7 NC:293.05
19175 50.7 NC:293.06
19176 50.7 NC:294.01
19177 50.7 NC:294.03
19178 50.7 NC:294.05
19179 50.8 NC:294.06
1917A 50.8 NC:295.01
1917B 50.8 NC:295.02
1917C 50.8 NC:296.01
1917D 50.8 NC:296.03
1917E 50.8 NC:296.04
1917F 50.8 NC:296.05
19180 50.8 NC:297.01
19181 50.8 NC:297.02
19182 50.8 NC:297.03
19183 50.8 NC:298.01

ISO/IEC DIS 10646:2026(en), Copyright © 1991-2026 Unicode, Inc. All rights reserved.















19184	50.8	𡿨 NC:298.02
19185	50.8	𡿩 NC:298.03
19186	50.8	𡿪 N5131:X-1389
19187	50.9	𡿫 SJ-B:006B.3
19188	50.9	𡿬 NC:298.05
19189	50.10	𡿭 NC:298.07
1918A	51.6	𡿮 NC:299.02
1918B	51.6	𡿯 NC:299.03
1918C	51.7	𡿰 NC:299.04
1918D	51.7	𡿱 NC:299.05
1918E	51.7	𡿲 NC:299.06
1918F	51.8	𡿳 NC:300.01
19190	51.8	𡿴 NC:300.02
19191	51.10	𡿵 NC:300.04















ISO/IEC DIS 10646:2026(en), Copyright © 1991-2026 Unicode, Inc. All rights reserved.