Supplemental Arrows-C

Range: 1F800–1F8FF

This chart contains an excerpt from the character code tables and list of character names for
ISO/IEC DIS 10646:2026(en) - 7th Edition Draft

This file will not be updated with errata, or when additional characters are assigned to ISO/IEC 10646. These charts constitute a Unicode product per Terms of Use expressed below.

Fonts

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts.

See https://www.unicode.org/charts/fonts.html for a list.

Terms of Use

© 1991—2026 Unicode, Inc. This publication is protected by copyright, and permission must be obtained from Unicode, Inc. prior to any reproduction, modification, or other use not permitted by the Terms of Use (https://www.unicode.org/copyright.html). Specifically, you may make copies of this publication and may annotate and translate it solely for personal or internal business purposes and not for public distribution, provided that any such permitted copies and modifications fully reproduce all copyright and other legal notices contained in the original. You may not make copies of or modifications to this publication for public distribution, or incorporate it in whole or in part into any product or publication without the express written permission of Unicode.

The Unicode Consortium specifically grants ISO a license to produce such code charts with their associated character names list to show the repertoire of characters for that standard, as a normatively referenced, integral part of that standard.

Unicode uses most fonts under restricted license from the original font owner. You may not extract, copy, modify, or distribute fonts or font data from any Unicode Products, including this publication, without license from the font owner.

Use of all Unicode Products, including this publication, is governed by the Unicode Terms of Use (https://www.unicode.org/copyright.html). The authors, contributors, and publishers have taken care in the preparation of this publication, but make no express or implied representation or warranty of any kind and assume no responsibility or liability for errors or omissions or for consequential or incidental damages that may arise therefrom. This publication is provided "AS-IS" without charge as a convenience to users.

Unicode and the Unicode Logo are registered trademarks of Unicode, Inc., in the United States and other countries.



ISO/IEC DIS 10646:2026(en), Copyright © 1991-2026 Unicode, Inc. All rights reserved.

Arrows with triangle arrowheads

1F800 ← LEFTWARDS ARROW WITH SMALL TRIANGLE ARROWHEAD
1F801 ↑ UPWARDS ARROW WITH SMALL TRIANGLE ARROWHEAD
1F802 → RIGHTWARDS ARROW WITH SMALL TRIANGLE ARROWHEAD
1F803 ↓ DOWNWARDS ARROW WITH SMALL TRIANGLE ARROWHEAD
1F804 ← LEFTWARDS ARROW WITH MEDIUM TRIANGLE ARROWHEAD
1F805 ↑ UPWARDS ARROW WITH MEDIUM TRIANGLE ARROWHEAD
1F806 → RIGHTWARDS ARROW WITH MEDIUM TRIANGLE ARROWHEAD
1F807 ↓ DOWNWARDS ARROW WITH MEDIUM TRIANGLE ARROWHEAD
1F808 ← LEFTWARDS ARROW WITH LARGE TRIANGLE ARROWHEAD
1F809 ↑ UPWARDS ARROW WITH LARGE TRIANGLE ARROWHEAD
1F80A → RIGHTWARDS ARROW WITH LARGE TRIANGLE ARROWHEAD
1F80B ↓ DOWNWARDS ARROW WITH LARGE TRIANGLE ARROWHEAD

Arrows with equilateral triangle arrowheads

1F810 ← LEFTWARDS ARROW WITH SMALL EQUILATERAL ARROWHEAD
1F811 ↑ UPWARDS ARROW WITH SMALL EQUILATERAL ARROWHEAD
1F812 → RIGHTWARDS ARROW WITH SMALL EQUILATERAL ARROWHEAD
1F813 ↓ DOWNWARDS ARROW WITH SMALL EQUILATERAL ARROWHEAD
1F814 ← LEFTWARDS ARROW WITH EQUILATERAL ARROWHEAD
1F815 ↑ UPWARDS ARROW WITH EQUILATERAL ARROWHEAD
1F816 → RIGHTWARDS ARROW WITH EQUILATERAL ARROWHEAD
1F817 ↓ DOWNWARDS ARROW WITH EQUILATERAL ARROWHEAD
1F818 ← HEAVY LEFTWARDS ARROW WITH EQUILATERAL ARROWHEAD
1F819 ↑ HEAVY UPWARDS ARROW WITH EQUILATERAL ARROWHEAD
1F81A → HEAVY RIGHTWARDS ARROW WITH EQUILATERAL ARROWHEAD
1F81B ↓ HEAVY DOWNWARDS ARROW WITH EQUILATERAL ARROWHEAD
1F81C ← HEAVY LEFTWARDS ARROW WITH LARGE EQUILATERAL ARROWHEAD
1F81D ↑ HEAVY UPWARDS ARROW WITH LARGE EQUILATERAL ARROWHEAD
1F81E → HEAVY RIGHTWARDS ARROW WITH LARGE EQUILATERAL ARROWHEAD
1F81F ↓ HEAVY DOWNWARDS ARROW WITH LARGE EQUILATERAL ARROWHEAD

Triangle headed arrows with different shaft weights

1F820 ← LEFTWARDS TRIANGLE-HEADED ARROW WITH NARROW SHAFT
1F821 ↑ UPWARDS TRIANGLE-HEADED ARROW WITH NARROW SHAFT
1F822 → RIGHTWARDS TRIANGLE-HEADED ARROW WITH NARROW SHAFT
1F823 ↓ DOWNWARDS TRIANGLE-HEADED ARROW WITH NARROW SHAFT
1F824 ← LEFTWARDS TRIANGLE-HEADED ARROW WITH MEDIUM SHAFT
1F825 ↑ UPWARDS TRIANGLE-HEADED ARROW WITH MEDIUM SHAFT
1F826 → RIGHTWARDS TRIANGLE-HEADED ARROW WITH MEDIUM SHAFT
1F827 ↓ DOWNWARDS TRIANGLE-HEADED ARROW WITH MEDIUM SHAFT
1F828 ← LEFTWARDS TRIANGLE-HEADED ARROW WITH BOLD SHAFT
1F829 ↑ UPWARDS TRIANGLE-HEADED ARROW WITH BOLD SHAFT
1F82A → RIGHTWARDS TRIANGLE-HEADED ARROW WITH BOLD SHAFT
1F82B ↓ DOWNWARDS TRIANGLE-HEADED ARROW WITH BOLD SHAFT
1F82C ← LEFTWARDS TRIANGLE-HEADED ARROW WITH HEAVY SHAFT
1F82D ↑ UPWARDS TRIANGLE-HEADED ARROW WITH HEAVY SHAFT
1F82E → RIGHTWARDS TRIANGLE-HEADED ARROW WITH HEAVY SHAFT
1F82F ↓ DOWNWARDS TRIANGLE-HEADED ARROW WITH HEAVY SHAFT
1F830 ← LEFTWARDS TRIANGLE-HEADED ARROW WITH VERY HEAVY SHAFT
1F831 ↑ UPWARDS TRIANGLE-HEADED ARROW WITH VERY HEAVY SHAFT
1F832 → RIGHTWARDS TRIANGLE-HEADED ARROW WITH VERY HEAVY SHAFT
1F833 ↓ DOWNWARDS TRIANGLE-HEADED ARROW WITH VERY HEAVY SHAFT

Finger-post arrows

1F834 ← LEFTWARDS FINGER-POST ARROW
1F835 ↑ UPWARDS FINGER-POST ARROW
1F836 → RIGHTWARDS FINGER-POST ARROW
1F837 ↓ DOWNWARDS FINGER-POST ARROW

Squared arrows

1F838 ← LEFTWARDS SQUARED ARROW
1F839 ↑ UPWARDS SQUARED ARROW
1F83A → RIGHTWARDS SQUARED ARROW
1F83B ↓ DOWNWARDS SQUARED ARROW

Compressed arrows

1F83C ← LEFTWARDS COMPRESSED ARROW
1F83D ↑ UPWARDS COMPRESSED ARROW
1F83E → RIGHTWARDS COMPRESSED ARROW
1F83F ↓ DOWNWARDS COMPRESSED ARROW
1F840 ← LEFTWARDS HEAVY COMPRESSED ARROW
1F841 ↑ UPWARDS HEAVY COMPRESSED ARROW
1F842 → RIGHTWARDS HEAVY COMPRESSED ARROW
→ 27A7 ➧ squat black rightwards arrow
1F843 ↓ DOWNWARDS HEAVY COMPRESSED ARROW

Heavy arrows

1F844 ← LEFTWARDS HEAVY ARROW
1F845 ↑ UPWARDS HEAVY ARROW
1F846 → RIGHTWARDS HEAVY ARROW
1F847 ↓ DOWNWARDS HEAVY ARROW

Sans-serif arrows

1F850 ← LEFTWARDS SANS-SERIF ARROW
→ 2190 ← leftwards arrow

1F851 ↑ UPWARDS SANS-SERIF ARROW
→ 2191 ↑ upwards arrow
1F852 → RIGHTWARDS SANS-SERIF ARROW
→ 2192 → rightwards arrow
1F853 ↓ DOWNWARDS SANS-SERIF ARROW
→ 2193 ↓ downwards arrow
1F854 ↖ NORTH WEST SANS-SERIF ARROW
→ 2196 ↖ north west arrow
1F855 ↗ NORTH EAST SANS-SERIF ARROW
→ 2197 ↗ north east arrow
1F856 ↘ SOUTH EAST SANS-SERIF ARROW
→ 2198 ↘ south east arrow
1F857 ↙ SOUTH WEST SANS-SERIF ARROW
→ 2199 ↙ south west arrow
1F858 ↔ LEFT RIGHT SANS-SERIF ARROW
→ 2194 ↔ left right arrow
1F859 ↕ UP DOWN SANS-SERIF ARROW
→ 2195 ↕ up down arrow

Wide-headed barb arrows

1F860 ← WIDE-HEADED LEFTWARDS LIGHT BARB ARROW
1F861 ↑ WIDE-HEADED UPWARDS LIGHT BARB ARROW
1F862 → WIDE-HEADED RIGHTWARDS LIGHT BARB ARROW
1F863 ↓ WIDE-HEADED DOWNWARDS LIGHT BARB ARROW
1F864 ↖ WIDE-HEADED NORTH WEST LIGHT BARB ARROW
1F865 ↗ WIDE-HEADED NORTH EAST LIGHT BARB ARROW
1F866 ↘ WIDE-HEADED SOUTH EAST LIGHT BARB ARROW
1F867 ↙ WIDE-HEADED SOUTH WEST LIGHT BARB ARROW
1F868 ← WIDE-HEADED LEFTWARDS BARB ARROW
1F869 ↑ WIDE-HEADED UPWARDS BARB ARROW
1F86A → WIDE-HEADED RIGHTWARDS BARB ARROW
1F86B ↓ WIDE-HEADED DOWNWARDS BARB ARROW
1F86C ↖ WIDE-HEADED NORTH WEST BARB ARROW
1F86D ↗ WIDE-HEADED NORTH EAST BARB ARROW
1F86E ↘ WIDE-HEADED SOUTH EAST BARB ARROW
1F86F ↙ WIDE-HEADED SOUTH WEST BARB ARROW
1F870 ← WIDE-HEADED LEFTWARDS MEDIUM BARB ARROW
1F871 ↑ WIDE-HEADED UPWARDS MEDIUM BARB ARROW
1F872 → WIDE-HEADED RIGHTWARDS MEDIUM BARB ARROW
→ 2794 → heavy wide-headed rightwards arrow
1F873 ↓ WIDE-HEADED DOWNWARDS MEDIUM BARB ARROW
1F874 ↖ WIDE-HEADED NORTH WEST MEDIUM BARB ARROW
1F875 ↗ WIDE-HEADED NORTH EAST MEDIUM BARB ARROW
1F876 ↘ WIDE-HEADED SOUTH EAST MEDIUM BARB ARROW
1F877 ↙ WIDE-HEADED SOUTH WEST MEDIUM BARB ARROW
1F878 ← WIDE-HEADED LEFTWARDS HEAVY BARB ARROW
1F879 ↑ WIDE-HEADED UPWARDS HEAVY BARB ARROW
1F87A → WIDE-HEADED RIGHTWARDS HEAVY BARB ARROW
1F87B ↓ WIDE-HEADED DOWNWARDS HEAVY BARB ARROW
1F87C ↖ WIDE-HEADED NORTH WEST HEAVY BARB ARROW
1F87D ↗ WIDE-HEADED NORTH EAST HEAVY BARB ARROW
1F87E ↘ WIDE-HEADED SOUTH EAST HEAVY BARB ARROW
1F87F ↙ WIDE-HEADED SOUTH WEST HEAVY BARB ARROW
1F880 ← WIDE-HEADED LEFTWARDS VERY HEAVY BARB ARROW
1F881 ↑ WIDE-HEADED UPWARDS VERY HEAVY BARB ARROW
1F882 → WIDE-HEADED RIGHTWARDS VERY HEAVY BARB ARROW
1F883 ↓ WIDE-HEADED DOWNWARDS VERY HEAVY BARB ARROW
1F884 ↖ WIDE-HEADED NORTH WEST VERY HEAVY BARB ARROW
1F885 ↗ WIDE-HEADED NORTH EAST VERY HEAVY BARB ARROW
1F886 ↘ WIDE-HEADED SOUTH EAST VERY HEAVY BARB ARROW
1F887 ↙ WIDE-HEADED SOUTH WEST VERY HEAVY BARB ARROW

Arrowheads

1F890 ◂ LEFTWARDS TRIANGLE ARROWHEAD
1F891 ▴ UPWARDS TRIANGLE ARROWHEAD
1F892 ▸ RIGHTWARDS TRIANGLE ARROWHEAD
1F893 ▾ DOWNWARDS TRIANGLE ARROWHEAD
1F894 ◃ LEFTWARDS WHITE ARROW WITHIN TRIANGLE ARROWHEAD
1F895 ▵ UPWARDS WHITE ARROW WITHIN TRIANGLE ARROWHEAD
1F896 ▹ RIGHTWARDS WHITE ARROW WITHIN TRIANGLE ARROWHEAD
1F897 ▿ DOWNWARDS WHITE ARROW WITHIN TRIANGLE ARROWHEAD

Notched arrows

1F898 ⬅ LEFTWARDS ARROW WITH NOTCHED TAIL
1F899 ⬆ UPWARDS ARROW WITH NOTCHED TAIL
1F89A ➡ RIGHTWARDS ARROW WITH NOTCHED TAIL
→ 27AF ⇨ notched lower right-shadowed white rightwards arrow
1F89B ⬇ DOWNWARDS ARROW WITH NOTCHED TAIL

Heavy arrow shafts

The vertical alignment and thickness of this set are compatible with heavy shaft arrows.

1F89C ▬ HEAVY ARROW SHAFT WIDTH ONE
1F89D ▪ HEAVY ARROW SHAFT WIDTH TWO THIRDS
1F89E ▪ HEAVY ARROW SHAFT WIDTH ONE HALF
1F89F ▪ HEAVY ARROW SHAFT WIDTH ONE THIRD

Shaded white arrows

1F8A0 ⇦ LEFTWARDS BOTTOM-SHADED WHITE ARROW
1F8A1 ⇨ RIGHTWARDS BOTTOM SHADED WHITE ARROW
1F8A2 ⇦ LEFTWARDS TOP SHADED WHITE ARROW
1F8A3 ⇨ RIGHTWARDS TOP SHADED WHITE ARROW
1F8A4 ⇦ LEFTWARDS LEFT-SHADED WHITE ARROW

ISO/IEC DIS 10646:2026(en), Copyright © 1991-2026 Unicode, Inc. All rights reserved.

1F8A5 ⇨ RIGHTWARDS RIGHT-SHADED WHITE ARROW
→ 27A9 ⇨ right-shaded white rightwards arrow
1F8A6 ⇦ LEFTWARDS RIGHT-SHADED WHITE ARROW
1F8A7 ⇨ RIGHTWARDS LEFT-SHADED WHITE ARROW
→ 27AA ⇨ left-shaded white rightwards arrow
1F8A8 ⇦ LEFTWARDS BACK-TILTED SHADOWED WHITE ARROW
1F8A9 ⇨ RIGHTWARDS BACK-TILTED SHADOWED WHITE ARROW
→ 27AB ⇨ back-tilted shadowed white rightwards arrow
1F8AA ⇦ LEFTWARDS FRONT-TILTED SHADOWED WHITE ARROW
1F8AB ⇨ RIGHTWARDS FRONT-TILTED SHADOWED WHITE ARROW
→ 27AC ⇨ front-tilted shadowed white rightwards arrow

White arrow shafts

The vertical alignment and thickness of this set are compatible with white arrows.

1F8AC ▫ WHITE ARROW SHAFT WIDTH ONE
1F8AD ▫ WHITE ARROW SHAFT WIDTH TWO THIRDS

Arrows for legacy computing

1F8B0 ↰ ARROW POINTING UPWARDS THEN NORTH WEST
1F8B1 ↲ ARROW POINTING RIGHTWARDS THEN CURVING SOUTH WEST
1F8B2 ↷ RIGHTWARDS ARROW WITH LOWER HOOK
1F8B3 ⬇ DOWNWARDS BLACK ARROW TO BAR
1F8B4 ⬅ NEGATIVE SQUARED LEFTWARDS ARROW
1F8B5 ⬆ NEGATIVE SQUARED UPWARDS ARROW
1F8B6 ➡ NEGATIVE SQUARED RIGHTWARDS ARROW
1F8B7 ⬇ NEGATIVE SQUARED DOWNWARDS ARROW
1F8B8 ↖ NORTH WEST ARROW FROM BAR
1F8B9 ↗ NORTH EAST ARROW FROM BAR
1F8BA ↘ SOUTH EAST ARROW FROM BAR
1F8BB ↙ SOUTH WEST ARROW FROM BAR

Arrows for Egyptology

1F8C0 ↰ LEFTWARDS ARROW FROM DOWNWARDS ARROW
• indicates writing in columns, hieroglyphs facing left (reading direction LTR)
1F8C1 ↱ RIGHTWARDS ARROW FROM DOWNWARDS ARROW
• indicates writing in columns, hieroglyphs facing right (reading direction RTL)

Reaction arrows for chemistry

These connect reactants with products in a formula showing a chemical reaction. They constitute a set as follows: 27F5-27F7, 1F8D0-1F8D8

1F8D0 ⇄ LONG RIGHTWARDS ARROW OVER LONG LEFTWARDS ARROW
→ 21C4 ⇄ rightwards arrow over leftwards arrow
1F8D1 ⇌ LONG RIGHTWARDS HARPOON OVER LONG LEFTWARDS HARPOON
→ 21CC ⇌ rightwards harpoon over leftwards harpoon
1F8D2 ⇀ LONG RIGHTWARDS HARPOON ABOVE SHORT LEFTWARDS HARPOON
1F8D3 ⇀ SHORT RIGHTWARDS HARPOON ABOVE LONG LEFTWARDS HARPOON
1F8D4 ⇀ LONG LEFTWARDS HARPOON ABOVE SHORT RIGHTWARDS HARPOON
→ 21CB ⇋ leftwards harpoon over rightwards harpoon
1F8D5 ⇀ SHORT LEFTWARDS HARPOON ABOVE LONG RIGHTWARDS HARPOON

Unsuccessful reaction arrows for chemistry

1F8D6 ↛ LONG RIGHTWARDS ARROW THROUGH X
1F8D7 ↛ LONG RIGHTWARDS ARROW WITH DOUBLE SLASH

Isolobal arrow

1F8D8 ⥊ LONG LEFT RIGHT ARROW WITH DEPENDENT LOBE
• indicates that the two sides have the same arrangement of electron lobes

ISO/IEC DIS 10646:2026(en), Copyright © 1991-2026 Unicode, Inc. All rights reserved.