Symbols for Legacy Computing

Range: 1FB00–1FBFF

This chart contains an excerpt from the character code tables and list of character names for
ISO/IEC DIS 10646:2026(en) - 7th Edition Draft

This file will not be updated with errata, or when additional characters are assigned to ISO/IEC 10646. These charts constitute a Unicode product per Terms of Use expressed below.

Fonts

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts.

See https://www.unicode.org/charts/fonts.html for a list.

Terms of Use

© 1991—2026 Unicode, Inc. This publication is protected by copyright, and permission must be obtained from Unicode, Inc. prior to any reproduction, modification, or other use not permitted by the Terms of Use (https://www.unicode.org/copyright.html). Specifically, you may make copies of this publication and may annotate and translate it solely for personal or internal business purposes and not for public distribution, provided that any such permitted copies and modifications fully reproduce all copyright and other legal notices contained in the original. You may not make copies of or modifications to this publication for public distribution, or incorporate it in whole or in part into any product or publication without the express written permission of Unicode.

The Unicode Consortium specifically grants ISO a license to produce such code charts with their associated character names list to show the repertoire of characters for that standard, as a normatively referenced, integral part of that standard.

Unicode uses most fonts under restricted license from the original font owner. You may not extract, copy, modify, or distribute fonts or font data from any Unicode Products, including this publication, without license from the font owner.

Use of all Unicode Products, including this publication, is governed by the Unicode Terms of Use (https://www.unicode.org/copyright.html). The authors, contributors, and publishers have taken care in the preparation of this publication, but make no express or implied representation or warranty of any kind and assume no responsibility or liability for errors or omissions or for consequential or incidental damages that may arise therefrom. This publication is provided "AS-IS" without charge as a convenience to users.

Unicode and the Unicode Logo are registered trademarks of Unicode, Inc., in the United States and other countries.



ISO/IEC DIS 10646:2026(en), Copyright © 1991-2026 Unicode, Inc. All rights reserved.

Block mosaic terminal graphic characters

The term "sextant" refers to block mosaics divided into six parts.

1FB00 BLOCK SEXTANT-1
1FB01 BLOCK SEXTANT-2
1FB02 BLOCK SEXTANT-12
• upper one third block
1FB03 BLOCK SEXTANT-3
1FB04 BLOCK SEXTANT-13
1FB05 BLOCK SEXTANT-23
1FB06 BLOCK SEXTANT-123
1FB07 BLOCK SEXTANT-4
1FB08 BLOCK SEXTANT-14
1FB09 BLOCK SEXTANT-24
1FB0A BLOCK SEXTANT-124
1FB0B BLOCK SEXTANT-34
• middle one third block
1FB0C BLOCK SEXTANT-134
1FB0D BLOCK SEXTANT-234
1FB0E BLOCK SEXTANT-1234
• upper two thirds block
1FB0F BLOCK SEXTANT-5
1FB10 BLOCK SEXTANT-15
1FB11 BLOCK SEXTANT-25
1FB12 BLOCK SEXTANT-125
1FB13 BLOCK SEXTANT-35
1FB14 BLOCK SEXTANT-235
1FB15 BLOCK SEXTANT-1235
1FB16 BLOCK SEXTANT-45
1FB17 BLOCK SEXTANT-145
1FB18 BLOCK SEXTANT-245
1FB19 BLOCK SEXTANT-1245
1FB1A BLOCK SEXTANT-345
1FB1B BLOCK SEXTANT-1345
1FB1C BLOCK SEXTANT-2345
1FB1D BLOCK SEXTANT-12345
1FB1E BLOCK SEXTANT-6
1FB1F BLOCK SEXTANT-16
1FB20 BLOCK SEXTANT-26
1FB21 BLOCK SEXTANT-126
1FB22 BLOCK SEXTANT-36
1FB23 BLOCK SEXTANT-136
1FB24 BLOCK SEXTANT-236
1FB25 BLOCK SEXTANT-1236
1FB26 BLOCK SEXTANT-46
1FB27 BLOCK SEXTANT-146
1FB28 BLOCK SEXTANT-1246
1FB29 BLOCK SEXTANT-346
1FB2A BLOCK SEXTANT-1346
1FB2B BLOCK SEXTANT-2346
1FB2C BLOCK SEXTANT-12346
1FB2D BLOCK SEXTANT-56
• lower one third block
1FB2E BLOCK SEXTANT-156
1FB2F BLOCK SEXTANT-256
1FB30 BLOCK SEXTANT-1256
• upper and lower one third block
1FB31 BLOCK SEXTANT-356
1FB32 BLOCK SEXTANT-1356
1FB33 BLOCK SEXTANT-2356
1FB34 BLOCK SEXTANT-12356
1FB35 BLOCK SEXTANT-456
1FB36 BLOCK SEXTANT-1456
1FB37 BLOCK SEXTANT-2456
1FB38 BLOCK SEXTANT-12456
1FB39 BLOCK SEXTANT-3456
• lower two thirds block
1FB3A BLOCK SEXTANT-13456
1FB3B BLOCK SEXTANT-23456

Smooth mosaic terminal graphic characters

1FB3C LOWER LEFT BLOCK DIAGONAL LOWER MIDDLE LEFT TO LOWER CENTRE
1FB3D LOWER LEFT BLOCK DIAGONAL LOWER MIDDLE LEFT TO LOWER RIGHT
1FB3E LOWER LEFT BLOCK DIAGONAL UPPER MIDDLE LEFT TO LOWER CENTRE
1FB3F LOWER LEFT BLOCK DIAGONAL UPPER MIDDLE LEFT TO LOWER RIGHT
1FB40 LOWER LEFT BLOCK DIAGONAL UPPER LEFT TO LOWER CENTRE
1FB41 LOWER RIGHT BLOCK DIAGONAL UPPER MIDDLE LEFT TO UPPER CENTRE
1FB42 LOWER RIGHT BLOCK DIAGONAL UPPER MIDDLE LEFT TO UPPER RIGHT
1FB43 LOWER RIGHT BLOCK DIAGONAL LOWER MIDDLE LEFT TO UPPER CENTRE
1FB44 LOWER RIGHT BLOCK DIAGONAL LOWER MIDDLE LEFT TO UPPER RIGHT
1FB45 LOWER RIGHT BLOCK DIAGONAL LOWER LEFT TO UPPER CENTRE
1FB46 LOWER RIGHT BLOCK DIAGONAL LOWER MIDDLE LEFT TO UPPER MIDDLE RIGHT
1FB47 LOWER RIGHT BLOCK DIAGONAL LOWER CENTRE TO LOWER MIDDLE RIGHT
1FB48 LOWER RIGHT BLOCK DIAGONAL LOWER LEFT TO LOWER MIDDLE RIGHT
1FB49 LOWER RIGHT BLOCK DIAGONAL LOWER CENTRE TO UPPER MIDDLE RIGHT
1FB4A LOWER RIGHT BLOCK DIAGONAL LOWER LEFT TO UPPER MIDDLE RIGHT
1FB4B LOWER RIGHT BLOCK DIAGONAL LOWER CENTRE TO UPPER RIGHT
1FB4C LOWER LEFT BLOCK DIAGONAL UPPER CENTRE TO UPPER MIDDLE RIGHT
1FB4D LOWER LEFT BLOCK DIAGONAL UPPER LEFT TO UPPER MIDDLE RIGHT
1FB4E LOWER LEFT BLOCK DIAGONAL UPPER CENTRE TO LOWER MIDDLE RIGHT
1FB4F LOWER LEFT BLOCK DIAGONAL UPPER LEFT TO LOWER MIDDLE RIGHT
1FB50 LOWER LEFT BLOCK DIAGONAL UPPER CENTRE TO LOWER RIGHT
1FB51 LOWER LEFT BLOCK DIAGONAL UPPER MIDDLE LEFT TO LOWER MIDDLE RIGHT
1FB52 UPPER RIGHT BLOCK DIAGONAL LOWER MIDDLE LEFT TO LOWER CENTRE
1FB53 UPPER RIGHT BLOCK DIAGONAL LOWER MIDDLE LEFT TO LOWER RIGHT
1FB54 UPPER RIGHT BLOCK DIAGONAL UPPER MIDDLE LEFT TO LOWER CENTRE
1FB55 UPPER RIGHT BLOCK DIAGONAL UPPER MIDDLE LEFT TO LOWER RIGHT
1FB56 UPPER RIGHT BLOCK DIAGONAL UPPER LEFT TO LOWER CENTRE
1FB57 UPPER LEFT BLOCK DIAGONAL UPPER MIDDLE LEFT TO UPPER CENTRE

ISO/IEC DIS 10646:2026(en), Copyright © 1991-2026 Unicode, Inc. All rights reserved.

1FB58 UPPER LEFT BLOCK DIAGONAL UPPER MIDDLE LEFT TO UPPER RIGHT
1FB59 UPPER LEFT BLOCK DIAGONAL LOWER MIDDLE LEFT TO UPPER CENTRE
1FB5A UPPER LEFT BLOCK DIAGONAL LOWER MIDDLE LEFT TO UPPER RIGHT
1FB5B UPPER LEFT BLOCK DIAGONAL LOWER LEFT TO UPPER CENTRE
1FB5C UPPER LEFT BLOCK DIAGONAL LOWER MIDDLE LEFT TO UPPER MIDDLE RIGHT
1FB5D UPPER LEFT BLOCK DIAGONAL LOWER CENTRE TO LOWER MIDDLE RIGHT
1FB5E UPPER LEFT BLOCK DIAGONAL LOWER LEFT TO LOWER MIDDLE RIGHT
1FB5F UPPER LEFT BLOCK DIAGONAL LOWER CENTRE TO UPPER MIDDLE RIGHT
1FB60 UPPER LEFT BLOCK DIAGONAL LOWER LEFT TO UPPER MIDDLE RIGHT
1FB61 UPPER LEFT BLOCK DIAGONAL LOWER CENTRE TO UPPER RIGHT
1FB62 UPPER RIGHT BLOCK DIAGONAL UPPER CENTRE TO UPPER MIDDLE RIGHT
1FB63 UPPER RIGHT BLOCK DIAGONAL UPPER LEFT TO UPPER MIDDLE RIGHT
1FB64 UPPER RIGHT BLOCK DIAGONAL UPPER CENTRE TO LOWER MIDDLE RIGHT
1FB65 UPPER RIGHT BLOCK DIAGONAL UPPER LEFT TO LOWER MIDDLE RIGHT
1FB66 UPPER RIGHT BLOCK DIAGONAL UPPER CENTRE TO LOWER RIGHT
1FB67 UPPER RIGHT BLOCK DIAGONAL UPPER MIDDLE LEFT TO LOWER MIDDLE RIGHT
1FB68 UPPER AND RIGHT AND LOWER TRIANGULAR THREE QUARTERS BLOCK
1FB69 LEFT AND LOWER AND RIGHT TRIANGULAR THREE QUARTERS BLOCK
1FB6A UPPER AND LEFT AND LOWER TRIANGULAR THREE QUARTERS BLOCK
1FB6B LEFT AND UPPER AND RIGHT TRIANGULAR THREE QUARTERS BLOCK
1FB6C LEFT TRIANGULAR ONE QUARTER BLOCK
1FB6D UPPER TRIANGULAR ONE QUARTER BLOCK
1FB6E RIGHT TRIANGULAR ONE QUARTER BLOCK
1FB6F LOWER TRIANGULAR ONE QUARTER BLOCK

Block elements

1FB70 VERTICAL ONE EIGHTH BLOCK-2
→ 258F left one eighth block
1FB71 VERTICAL ONE EIGHTH BLOCK-3
1FB72 VERTICAL ONE EIGHTH BLOCK-4
1FB73 VERTICAL ONE EIGHTH BLOCK-5
1FB74 VERTICAL ONE EIGHTH BLOCK-6
1FB75 VERTICAL ONE EIGHTH BLOCK-7
→ 2595 right one eighth block
1FB76 HORIZONTAL ONE EIGHTH BLOCK-2
→ 2594 upper one eighth block
1FB77 HORIZONTAL ONE EIGHTH BLOCK-3
1FB78 HORIZONTAL ONE EIGHTH BLOCK-4
1FB79 HORIZONTAL ONE EIGHTH BLOCK-5
1FB7A HORIZONTAL ONE EIGHTH BLOCK-6
1FB7B HORIZONTAL ONE EIGHTH BLOCK-7
→ 2581 lower one eighth block
1FB7C LEFT AND LOWER ONE EIGHTH BLOCK
1FB7D LEFT AND UPPER ONE EIGHTH BLOCK
1FB7E RIGHT AND UPPER ONE EIGHTH BLOCK
1FB7F RIGHT AND LOWER ONE EIGHTH BLOCK
1FB80 UPPER AND LOWER ONE EIGHTH BLOCK

Window title bar

This character is a legacy graphic used to draw the title bar of the active window. The lines corresponding to 3 and 5 are not actually block elements, but can show any horizontally repeating pattern.

1FB81 HORIZONTAL ONE EIGHTH BLOCK-1358

Block elements

1FB82 UPPER ONE QUARTER BLOCK
→ 2582 lower one quarter block
1FB83 UPPER THREE EIGHTHS BLOCK
→ 2583 lower three eighths block
1FB84 UPPER FIVE EIGHTHS BLOCK
→ 2585 lower five eighths block
1FB85 UPPER THREE QUARTERS BLOCK
→ 2586 lower three quarters block
1FB86 UPPER SEVEN EIGHTHS BLOCK
→ 2587 lower seven eighths block
1FB87 RIGHT ONE QUARTER BLOCK
→ 258E left one quarter block
1FB88 RIGHT THREE EIGHTHS BLOCK
→ 258D left three eighths block
1FB89 RIGHT FIVE EIGHTHS BLOCK
→ 258B left five eighths block
1FB8A RIGHT THREE QUARTERS BLOCK
→ 258A left three quarters block
1FB8B RIGHT SEVEN EIGHTHS BLOCK
→ 2589 left seven eighths block

Rectangular shade characters

1FB8C LEFT HALF MEDIUM SHADE
1FB8D RIGHT HALF MEDIUM SHADE
1FB8E UPPER HALF MEDIUM SHADE
1FB8F LOWER HALF MEDIUM SHADE
1FB90 INVERSE MEDIUM SHADE
→ 2592 medium shade
1FB91 UPPER HALF BLOCK AND LOWER HALF INVERSE MEDIUM SHADE
1FB92 UPPER HALF INVERSE MEDIUM SHADE AND LOWER HALF BLOCK
1FB93 <reserved>
1FB94 LEFT HALF INVERSE MEDIUM SHADE AND RIGHT HALF BLOCK

Fill characters

1FB95 CHECKER BOARD FILL
→ 259A quadrant upper left and lower right
→ 1F67F reverse checker board
1FB96 INVERSE CHECKER BOARD FILL
→ 259E quadrant upper right and lower left
→ 1F67E checker board
1FB97 HEAVY HORIZONTAL FILL
• upper middle and lower one quarter block
→ 3013 geta mark
→ 1CDB7 block octant-3478

ISO/IEC DIS 10646:2026(en), Copyright © 1991-2026 Unicode, Inc. All rights reserved.

Diagonal fill characters

The filled area for these diagonal fill characters typically covers between one quarter and one half the total area. The diagonal lines should be of uniform width.

1FB98 UPPER LEFT TO LOWER RIGHT FILL
→ 25A7 square with upper left to lower right fill

1FB99 UPPER RIGHT TO LOWER LEFT FILL
→ 25A8 square with upper right to lower left fill

Smooth mosaic terminal graphic characters

1FB9A UPPER AND LOWER TRIANGULAR HALF BLOCK
→ 29D7 black hourglass

1FB9B LEFT AND RIGHT TRIANGULAR HALF BLOCK
→ 29D3 black bowtie

Triangular shade characters

1FB9C UPPER LEFT TRIANGULAR MEDIUM SHADE
→ 25E4 black upper left triangle

1FB9D UPPER RIGHT TRIANGULAR MEDIUM SHADE
→ 25E5 black upper right triangle

1FB9E LOWER RIGHT TRIANGULAR MEDIUM SHADE
→ 25E2 black lower right triangle

1FB9F LOWER LEFT TRIANGULAR MEDIUM SHADE
→ 25E3 black lower left triangle

Character cell diagonals

1FBA0 BOX DRAWINGS LIGHT DIAGONAL UPPER CENTRE TO MIDDLE LEFT

1FBA1 BOX DRAWINGS LIGHT DIAGONAL UPPER CENTRE TO MIDDLE RIGHT

1FBA2 BOX DRAWINGS LIGHT DIAGONAL MIDDLE LEFT TO LOWER CENTRE

1FBA3 BOX DRAWINGS LIGHT DIAGONAL MIDDLE RIGHT TO LOWER CENTRE

1FBA4 BOX DRAWINGS LIGHT DIAGONAL UPPER CENTRE TO MIDDLE LEFT TO LOWER CENTRE

1FBA5 BOX DRAWINGS LIGHT DIAGONAL UPPER CENTRE TO MIDDLE RIGHT TO LOWER CENTRE

1FBA6 BOX DRAWINGS LIGHT DIAGONAL MIDDLE LEFT TO LOWER CENTRE TO MIDDLE RIGHT

1FBA7 BOX DRAWINGS LIGHT DIAGONAL MIDDLE LEFT TO UPPER CENTRE TO MIDDLE RIGHT

1FBA8 BOX DRAWINGS LIGHT DIAGONAL UPPER CENTRE TO MIDDLE LEFT AND MIDDLE RIGHT TO LOWER CENTRE

1FBA9 BOX DRAWINGS LIGHT DIAGONAL UPPER CENTRE TO MIDDLE RIGHT AND MIDDLE LEFT TO LOWER CENTRE

1FBAA BOX DRAWINGS LIGHT DIAGONAL UPPER CENTRE TO MIDDLE RIGHT TO LOWER CENTRE TO MIDDLE LEFT

1FBAB BOX DRAWINGS LIGHT DIAGONAL UPPER CENTRE TO MIDDLE LEFT TO LOWER CENTRE TO MIDDLE RIGHT

1FBAC BOX DRAWINGS LIGHT DIAGONAL MIDDLE LEFT TO UPPER CENTRE TO MIDDLE RIGHT TO LOWER CENTRE

1FBAD BOX DRAWINGS LIGHT DIAGONAL MIDDLE RIGHT TO UPPER CENTRE TO MIDDLE LEFT TO LOWER CENTRE

1FBAE BOX DRAWINGS LIGHT DIAGONAL DIAMOND
→ 25C7 ◇ white diamond

Light solid line with stroke

1FBAF BOX DRAWINGS LIGHT HORIZONTAL WITH VERTICAL STROKE
→ 2500 ─ box drawings light horizontal

Terminal graphic characters

1FBB0 ARROWHEAD-SHAPED POINTER
→ 27A4 ➤ black rightwards arrowhead

1FBB1 INVERSE CHECK MARK
→ 2713 ✓ check mark

1FBB2 LEFT HALF RUNNING MAN
- paired with 1FBB3 , faces to the right
- the Apple II documentation refers to these characters as "Running Man"

→ 1F3C3 runner

1FBB3 RIGHT HALF RUNNING MAN

Arrows

1FBB4 INVERSE DOWNWARDS ARROW WITH TIP LEFTWARDS
→ 21B2 ↲ downwards arrow with tip leftwards
→ 21B5 ↵ downwards arrow with corner leftwards

1FBB5 LEFTWARDS ARROW AND UPPER AND LOWER ONE EIGHTH BLOCK

1FBB6 RIGHTWARDS ARROW AND UPPER AND LOWER ONE EIGHTH BLOCK

1FBB7 DOWNWARDS ARROW AND RIGHT ONE EIGHTH BLOCK

1FBB8 UPWARDS ARROW AND RIGHT ONE EIGHTH BLOCK

Terminal graphic characters

1FBB9 LEFT HALF FOLDER
- paired with 1FBBA

→ 1F4C1 file folder
→ 1F5C0 folder

1FBBA RIGHT HALF FOLDER

1FBBB VOIDED GREEK CROSS
→ 0023 # number sign
→ 256C ╬ box drawings double vertical and horizontal
→ 2719 ✙ outlined greek cross
→ 271A ✚ heavy greek cross
→ 1F7A3 🞢 medium greek cross

1FBBC RIGHT OPEN SQUARED DOT
→ 22A1 ⊡ squared dot operator

Negative terminal graphic characters

The glyphs for these "negative" characters do not necessarily extend to the edges of the character cell.

1FBBD NEGATIVE DIAGONAL CROSS
- diagonals extend past the corners of the box, unlike in 274E ❎

→ 2573 ╳ box drawings light diagonal cross
→ 274E ❎ negative squared cross mark

1FBBE NEGATIVE DIAGONAL MIDDLE RIGHT TO LOWER CENTRE

1FBBF NEGATIVE DIAGONAL DIAMOND

Terminal graphic characters

1FBC0 WHITE HEAVY SALTIRE WITH ROUNDED CORNERS
→ 274C ❌ cross mark
→ 1F5D9 🗙 cancellation x
→ 1F7AC 🞬 heavy saltire

1FBC1 LEFT THIRD WHITE RIGHT POINTING INDEX
- glyph part, combined with 1FBC2 and 1FBC3
- → 261E ☞ white right pointing index

1FBC2 MIDDLE THIRD WHITE RIGHT POINTING INDEX
1FBC3 RIGHT THIRD WHITE RIGHT POINTING INDEX
1FBC4 NEGATIVE SQUARED QUESTION MARK
- glyph does not necessarily extend to the edges of the character cell
- → 003F ? question mark
- → 2BD1 ⯑ uncertainty sign
- → FFFD replacement character

1FBC5 STICK FIGURE
- → 1F6B9 🚹 mens symbol

1FBC6 STICK FIGURE WITH ARMS RAISED
1FBC7 STICK FIGURE LEANING LEFT
1FBC8 STICK FIGURE LEANING RIGHT
1FBC9 STICK FIGURE WITH DRESS
- → 1F6BA 🚺 womens symbol

1FBCA WHITE UP-POINTING CHEVRON
- → 21E7 ⇧ upwards white arrow
- → 2302 ⌂ house
- → 1F835 🠵 upwards finger-post arrow

Terminal graphic characters

1FBCB WHITE CROSS MARK
1FBCC RAISED SMALL LEFT SQUARE BRACKET
1FBCD BLACK SMALL UP-POINTING CHEVRON

Block elements

1FBCE LEFT TWO THIRDS BLOCK
1FBCF LEFT ONE THIRD BLOCK

Character cell diagonals

1FBD0 BOX DRAWINGS LIGHT DIAGONAL MIDDLE RIGHT TO LOWER LEFT
1FBD1 BOX DRAWINGS LIGHT DIAGONAL UPPER RIGHT TO MIDDLE LEFT
1FBD2 BOX DRAWINGS LIGHT DIAGONAL UPPER LEFT TO MIDDLE RIGHT
1FBD3 BOX DRAWINGS LIGHT DIAGONAL MIDDLE LEFT TO LOWER RIGHT
1FBD4 BOX DRAWINGS LIGHT DIAGONAL UPPER LEFT TO LOWER CENTRE
1FBD5 BOX DRAWINGS LIGHT DIAGONAL UPPER CENTRE TO LOWER RIGHT
1FBD6 BOX DRAWINGS LIGHT DIAGONAL UPPER RIGHT TO LOWER CENTRE
1FBD7 BOX DRAWINGS LIGHT DIAGONAL UPPER CENTRE TO LOWER LEFT
1FBD8 BOX DRAWINGS LIGHT DIAGONAL UPPER LEFT TO MIDDLE CENTRE TO UPPER RIGHT
1FBD9 BOX DRAWINGS LIGHT DIAGONAL UPPER RIGHT TO MIDDLE CENTRE TO LOWER RIGHT
1FBDA BOX DRAWINGS LIGHT DIAGONAL LOWER LEFT TO MIDDLE CENTRE TO LOWER RIGHT
1FBDB BOX DRAWINGS LIGHT DIAGONAL UPPER LEFT TO MIDDLE CENTRE TO LOWER LEFT
1FBDC BOX DRAWINGS LIGHT DIAGONAL UPPER LEFT TO LOWER CENTRE TO UPPER RIGHT
1FBDD BOX DRAWINGS LIGHT DIAGONAL UPPER RIGHT TO MIDDLE LEFT TO LOWER RIGHT
1FBDE BOX DRAWINGS LIGHT DIAGONAL LOWER LEFT TO UPPER CENTRE TO LOWER RIGHT
1FBDF BOX DRAWINGS LIGHT DIAGONAL UPPER LEFT TO MIDDLE RIGHT TO LOWER LEFT

Geometric shapes

1FBE0 TOP JUSTIFIED LOWER HALF WHITE CIRCLE
1FBE1 RIGHT JUSTIFIED LEFT HALF WHITE CIRCLE
1FBE2 BOTTOM JUSTIFIED UPPER HALF WHITE CIRCLE
1FBE3 LEFT JUSTIFIED RIGHT HALF WHITE CIRCLE
1FBE4 UPPER CENTRE ONE QUARTER BLOCK
1FBE5 LOWER CENTRE ONE QUARTER BLOCK
1FBE6 MIDDLE LEFT ONE QUARTER BLOCK
1FBE7 MIDDLE RIGHT ONE QUARTER BLOCK
1FBE8 TOP JUSTIFIED LOWER HALF BLACK CIRCLE
1FBE9 RIGHT JUSTIFIED LEFT HALF BLACK CIRCLE
1FBEA BOTTOM JUSTIFIED UPPER HALF BLACK CIRCLE
1FBEB LEFT JUSTIFIED RIGHT HALF BLACK CIRCLE
1FBEC TOP RIGHT JUSTIFIED LOWER LEFT QUARTER BLACK CIRCLE
1FBED BOTTOM LEFT JUSTIFIED UPPER RIGHT QUARTER BLACK CIRCLE
1FBEE BOTTOM RIGHT JUSTIFIED UPPER LEFT QUARTER BLACK CIRCLE
1FBEF TOP LEFT JUSTIFIED LOWER RIGHT QUARTER BLACK CIRCLE

Segmented digits

1FBF0 SEGMENTED DIGIT ZERO
- ≈ <font> 0030 0 digit zero

1FBF1 SEGMENTED DIGIT ONE
- ≈ <font> 0031 1 digit one

1FBF2 SEGMENTED DIGIT TWO
- ≈ <font> 0032 2 digit two

1FBF3 SEGMENTED DIGIT THREE
- ≈ <font> 0033 3 digit three

1FBF4 SEGMENTED DIGIT FOUR
- ≈ <font> 0034 4 digit four

1FBF5 SEGMENTED DIGIT FIVE
- ≈ <font> 0035 5 digit five

1FBF6 SEGMENTED DIGIT SIX
- ≈ <font> 0036 6 digit six

1FBF7 SEGMENTED DIGIT SEVEN
- ≈ <font> 0037 7 digit seven

1FBF8 SEGMENTED DIGIT EIGHT
- ≈ <font> 0038 8 digit eight

1FBF9 SEGMENTED DIGIT NINE
- ≈ <font> 0039 9 digit nine

Terminal graphic character

1FBFA ALARM BELL SYMBOL
- → 237E ⍾ bell symbol
- → 1F514 🔔 bell

ISO/IEC DIS 10646:2026(en), Copyright © 1991-2026 Unicode, Inc. All rights reserved.