Control Pictures

Range: 2400–243F

This chart contains an excerpt from the character code tables and list of character names for
ISO/IEC DIS 10646:2026(en) - 7th Edition Draft

This file will not be updated with errata, or when additional characters are assigned to ISO/IEC 10646. These charts constitute a Unicode product per Terms of Use expressed below.

Fonts

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts.

See https://www.unicode.org/charts/fonts.html for a list.

Terms of Use

© 1991—2026 Unicode, Inc. This publication is protected by copyright, and permission must be obtained from Unicode, Inc. prior to any reproduction, modification, or other use not permitted by the Terms of Use (https://www.unicode.org/copyright.html). Specifically, you may make copies of this publication and may annotate and translate it solely for personal or internal business purposes and not for public distribution, provided that any such permitted copies and modifications fully reproduce all copyright and other legal notices contained in the original. You may not make copies of or modifications to this publication for public distribution, or incorporate it in whole or in part into any product or publication without the express written permission of Unicode.

The Unicode Consortium specifically grants ISO a license to produce such code charts with their associated character names list to show the repertoire of characters for that standard, as a normatively referenced, integral part of that standard.

Unicode uses most fonts under restricted license from the original font owner. You may not extract, copy, modify, or distribute fonts or font data from any Unicode Products, including this publication, without license from the font owner.

Use of all Unicode Products, including this publication, is governed by the Unicode Terms of Use (https://www.unicode.org/copyright.html). The authors, contributors, and publishers have taken care in the preparation of this publication, but make no express or implied representation or warranty of any kind and assume no responsibility or liability for errors or omissions or for consequential or incidental damages that may arise therefrom. This publication is provided "AS-IS" without charge as a convenience to users.

Unicode and the Unicode Logo are registered trademarks of Unicode, Inc., in the United States and other countries.

	240	241	242	243
0	NUL 2400	DLE 2410	SP 2420	
1	SOH 2401	DC1 2411	DEL 2421	
2	STX 2402	DC2 2412	ƀ 2422	
3	ETX 2403	DC3 2413	␣ 2423	
4	EOT 2404	DC4 2414	NL 2424	
5	ENQ 2405	NAK 2415	2425	
6	ACK 2406	SYN 2416	ʕ 2426	
7	BEL 2407	ETB 2417	2427	
8	BS 2408	CAN 2418	2428	
9	HT 2409	EM 2419	2429	
A	LF 240A	SUB 241A		
B	VT 240B	ESC 241B		
C	FF 240C	FS 241C		
D	CR 240D	GS 241D		
E	SO 240E	RS 241E		
F	SI 240F	US 241F		

ISO/IEC DIS 10646:2026(en), Copyright © 1991-2026 Unicode, Inc. All rights reserved.

The diagonal lettering glyphs are only exemplary; alternate representations may be, and often are used in the visible display of control codes.

Graphic pictures for control codes

2400 ␀ SYMBOL FOR NULL
2401 ␁ SYMBOL FOR START OF HEADING
2402 ␂ SYMBOL FOR START OF TEXT
2403 ␃ SYMBOL FOR END OF TEXT
2404 ␄ SYMBOL FOR END OF TRANSMISSION
2405 ␅ SYMBOL FOR ENQUIRY
2406 ␆ SYMBOL FOR ACKNOWLEDGE
2407 ␇ SYMBOL FOR BELL
2408 ␈ SYMBOL FOR BACKSPACE
2409 ␉ SYMBOL FOR HORIZONTAL TABULATION
240A ␊ SYMBOL FOR LINE FEED
240B ␋ SYMBOL FOR VERTICAL TABULATION
240C ␌ SYMBOL FOR FORM FEED
240D ␍ SYMBOL FOR CARRIAGE RETURN
240E ␎ SYMBOL FOR SHIFT OUT
240F ␏ SYMBOL FOR SHIFT IN
2410 ␐ SYMBOL FOR DATA LINK ESCAPE
2411 ␑ SYMBOL FOR DEVICE CONTROL ONE
2412 ␒ SYMBOL FOR DEVICE CONTROL TWO
2413 ␓ SYMBOL FOR DEVICE CONTROL THREE
2414 ␔ SYMBOL FOR DEVICE CONTROL FOUR
2415 ␕ SYMBOL FOR NEGATIVE ACKNOWLEDGE
2416 ␖ SYMBOL FOR SYNCHRONOUS IDLE
2417 ␗ SYMBOL FOR END OF TRANSMISSION BLOCK
2418 ␘ SYMBOL FOR CANCEL
2419 ␙ SYMBOL FOR END OF MEDIUM
241A ␚ SYMBOL FOR SUBSTITUTE
241B ␛ SYMBOL FOR ESCAPE
241C ␜ SYMBOL FOR FILE SEPARATOR
241D ␝ SYMBOL FOR GROUP SEPARATOR
241E ␞ SYMBOL FOR RECORD SEPARATOR
241F ␟ SYMBOL FOR UNIT SEPARATOR
2420 ␠ SYMBOL FOR SPACE
2421 ␡ SYMBOL FOR DELETE

Specific symbols for space

2422 ␢ BLANK SYMBOL
- graphic for space
→ 0180 ƀ latin small letter b with stroke

2423 ␣ OPEN BOX
- graphic for space
→ 2334 ⌴ counterbore

Graphic picture for control code

2424 ␤ SYMBOL FOR NEWLINE

Keyboard symbol

2425 ␥ SYMBOL FOR DELETE FORM TWO
- from ISO/IEC 9995-7
- keyboard symbol for undoable delete

Specific symbol for control code

2426 ؟ SYMBOL FOR SUBSTITUTE FORM TWO
- from ISO 2047
→ 061F ؟ arabic question mark

Legacy computer symbols for delete

2427 ␦ SYMBOL FOR DELETE SQUARE CHECKER BOARD FORM
2428 ␧ SYMBOL FOR DELETE RECTANGULAR CHECKER BOARD FORM
2429 ␨ SYMBOL FOR DELETE MEDIUM SHADE FORM