Supplemental Mathematical Operators

Range: 2A00–2AFF

This chart contains an excerpt from the character code tables and list of character names for
ISO/IEC DIS 10646:2026(en) - 7th Edition Draft

This file will not be updated with errata, or when additional characters are assigned to ISO/IEC 10646. These charts constitute a Unicode product per Terms of Use expressed below.

Fonts

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts.

See https://www.unicode.org/charts/fonts.html for a list.

Terms of Use

© 1991—2026 Unicode, Inc. This publication is protected by copyright, and permission must be obtained from Unicode, Inc. prior to any reproduction, modification, or other use not permitted by the Terms of Use (https://www.unicode.org/copyright.html). Specifically, you may make copies of this publication and may annotate and translate it solely for personal or internal business purposes and not for public distribution, provided that any such permitted copies and modifications fully reproduce all copyright and other legal notices contained in the original. You may not make copies of or modifications to this publication for public distribution, or incorporate it in whole or in part into any product or publication without the express written permission of Unicode.

The Unicode Consortium specifically grants ISO a license to produce such code charts with their associated character names list to show the repertoire of characters for that standard, as a normatively referenced, integral part of that standard.

Unicode uses most fonts under restricted license from the original font owner. You may not extract, copy, modify, or distribute fonts or font data from any Unicode Products, including this publication, without license from the font owner.

Use of all Unicode Products, including this publication, is governed by the Unicode Terms of Use (https://www.unicode.org/copyright.html). The authors, contributors, and publishers have taken care in the preparation of this publication, but make no express or implied representation or warranty of any kind and assume no responsibility or liability for errors or omissions or for consequential or incidental damages that may arise therefrom. This publication is provided "AS-IS" without charge as a convenience to users.

Unicode and the Unicode Logo are registered trademarks of Unicode, Inc., in the United States and other countries.



ISO/IEC DIS 10646:2026(en), Copyright © 1991-2026 Unicode, Inc. All rights reserved.

N-ary operators

2A00 ⨀ N-ARY CIRCLED DOT OPERATOR
→ 2299 ⊙ circled dot operator
→ 25C9 ◉ fisheye
2A01 ⨁ N-ARY CIRCLED PLUS OPERATOR
→ 2295 ⊕ circled plus
2A02 ⨂ N-ARY CIRCLED TIMES OPERATOR
→ 2297 ⊗ circled times
→ 2B59 ⨷ heavy circled saltire
2A03 ⨃ N-ARY UNION OPERATOR WITH DOT
→ 228D ⊍ multiset multiplication
2A04 ⨄ N-ARY UNION OPERATOR WITH PLUS
→ 228E ⊎ multiset union
2A05 ⨅ N-ARY SQUARE INTERSECTION OPERATOR
→ 2293 ⊓ square cap
2A06 ⨆ N-ARY SQUARE UNION OPERATOR
→ 2294 ⊔ square cup
2A07 ⩓ TWO LOGICAL AND OPERATOR
= merge
→ 2A55 ⩕ two intersecting logical and
2A08 ⩔ TWO LOGICAL OR OPERATOR
→ 2A56 ⩖ two intersecting logical or
2A09 ⨉ N-ARY TIMES OPERATOR
→ 00D7 × multiplication sign

Summations and integrals

2A0A ⨊ MODULO TWO SUM
→ 2211 ∑ n-ary summation
2A0B ⨋ SUMMATION WITH INTEGRAL
2A0C ⨌ QUADRUPLE INTEGRAL OPERATOR
→ 222D ∭ triple integral
≈ 222B ∫ 222B ∫ 222B ∫ 222B ∫
2A0D ⨍ FINITE PART INTEGRAL
2A0E ⨎ INTEGRAL WITH DOUBLE STROKE
2A0F ⨏ INTEGRAL AVERAGE WITH SLASH
2A10 ⨐ CIRCULATION FUNCTION
2A11 ⨑ ANTICLOCKWISE INTEGRATION
2A12 ⨒ LINE INTEGRATION WITH RECTANGULAR PATH AROUND POLE
2A13 ⨓ LINE INTEGRATION WITH SEMICIRCULAR PATH AROUND POLE
2A14 ⨔ LINE INTEGRATION NOT INCLUDING THE POLE
2A15 ⨕ INTEGRAL AROUND A POINT OPERATOR
→ 222E ∮ contour integral
2A16 ⨖ QUATERNION INTEGRAL OPERATOR
2A17 ⨗ INTEGRAL WITH LEFTWARDS ARROW WITH HOOK
2A18 ⨘ INTEGRAL WITH TIMES SIGN
2A19 ⨙ INTEGRAL WITH INTERSECTION
2A1A ⨚ INTEGRAL WITH UNION
2A1B ⨛ INTEGRAL WITH OVERBAR
= upper integral
2A1C ⨜ INTEGRAL WITH UNDERBAR
= lower integral

Miscellaneous large operators

2A1D ⨝ JOIN
= large bowtie
• relational database theory
→ 22C8 ⋈ bowtie
→ 27D7 ⟗ full outer join
2A1E ⨞ LARGE LEFT TRIANGLE OPERATOR
• relational database theory
→ 25C1 ◁ white left-pointing triangle
2A1F ⨟ Z NOTATION SCHEMA COMPOSITION
→ 2A3E ⨟ z notation relational composition
2A20 ⨠ Z NOTATION SCHEMA PIPING
→ 226B ≫ much greater-than
2A21 ⨡ Z NOTATION SCHEMA PROJECTION
→ 21BE ↾ upwards harpoon with barb rightwards

Plus and minus sign operators

2A22 ⨢ PLUS SIGN WITH SMALL CIRCLE ABOVE
2A23 ⨣ PLUS SIGN WITH CIRCUMFLEX ACCENT ABOVE
2A24 ⨤ PLUS SIGN WITH TILDE ABOVE
= positive difference or sum
2A25 ⨥ PLUS SIGN WITH DOT BELOW
→ 2214 ∔ dot plus
2A26 ⨦ PLUS SIGN WITH TILDE BELOW
= sum or positive difference
2A27 ⨧ PLUS SIGN WITH SUBSCRIPT TWO
= nim-addition
2A28 ⨨ PLUS SIGN WITH BLACK TRIANGLE
2A29 ⨩ MINUS SIGN WITH COMMA ABOVE
2A2A ⨪ MINUS SIGN WITH DOT BELOW
→ 2238 ∸ dot minus
2A2B ⨫ MINUS SIGN WITH FALLING DOTS
2A2C ⨬ MINUS SIGN WITH RISING DOTS
2A2D ⨭ PLUS SIGN IN LEFT HALF CIRCLE
2A2E ⨮ PLUS SIGN IN RIGHT HALF CIRCLE

Multiplication and division sign operators

2A2F ⨯ VECTOR OR CROSS PRODUCT
→ 00D7 × multiplication sign
2A30 ⨰ MULTIPLICATION SIGN WITH DOT ABOVE
2A31 ⨱ MULTIPLICATION SIGN WITH UNDERBAR
2A32 ⨲ SEMIDIRECT PRODUCT WITH BOTTOM CLOSED
2A33 ⨳ SMASH PRODUCT
2A34 ⨴ MULTIPLICATION SIGN IN LEFT HALF CIRCLE
2A35 ⨵ MULTIPLICATION SIGN IN RIGHT HALF CIRCLE
2A36 ⨶ CIRCLED MULTIPLICATION SIGN WITH CIRCUMFLEX ACCENT
2A37 ⨷ MULTIPLICATION SIGN IN DOUBLE CIRCLE
2A38 ⨸ CIRCLED DIVISION SIGN

Miscellaneous mathematical operators

2A39 ⨹ PLUS SIGN IN TRIANGLE
2A3A ⨺ MINUS SIGN IN TRIANGLE
2A3B ⨻ MULTIPLICATION SIGN IN TRIANGLE
2A3C ⨼ INTERIOR PRODUCT
→ 230B ⌋ right floor
~ 2A3C FE00 ⨼ tall variant with narrow foot
2A3D ⨽ RIGHTHAND INTERIOR PRODUCT
→ 230A ⌊ left floor
→ 2319 ⌙ turned not sign
~ 2A3D FE00 ⨽ tall variant with narrow foot
2A3E ⨾ Z NOTATION RELATIONAL COMPOSITION
→ 2A1F ⨟ z notation schema composition
2A3F ⨿ AMALGAMATION OR COPRODUCT
→ 2210 ∐ n-ary coproduct

Intersections and unions

2A40 ⩀ INTERSECTION WITH DOT
→ 2227 ∧ logical and
→ 27D1 ⟑ and with dot
2A41 ⩁ UNION WITH MINUS SIGN
= z notation bag subtraction
→ 228E ⊎ multiset union

ISO/IEC DIS 10646:2026(en), Copyright © 1991-2026 Unicode, Inc. All rights reserved.

2A42 ⋃̅ UNION WITH OVERBAR
2A43 ⋂̅ INTERSECTION WITH OVERBAR
2A44 ⩀ INTERSECTION WITH LOGICAL AND
2A45 ⩁ UNION WITH LOGICAL OR
2A46 ⩂ UNION ABOVE INTERSECTION
2A47 ⩃ INTERSECTION ABOVE UNION
2A48 ⩄ UNION ABOVE BAR ABOVE INTERSECTION
2A49 ⩅ INTERSECTION ABOVE BAR ABOVE UNION
2A4A ⩊ UNION BESIDE AND JOINED WITH UNION
2A4B ⩌ INTERSECTION BESIDE AND JOINED WITH INTERSECTION
2A4C ⩏ CLOSED UNION WITH SERIFS
→ 222A ∪ union
2A4D ⩐ CLOSED INTERSECTION WITH SERIFS
→ 2229 ∩ intersection
2A4E ⩑ DOUBLE SQUARE INTERSECTION
2A4F ⩒ DOUBLE SQUARE UNION
2A50 ⩓ CLOSED UNION WITH SERIFS AND SMASH PRODUCT

Logical ands and ors

2A51 ⩓ LOGICAL AND WITH DOT ABOVE
2A52 ⩔ LOGICAL OR WITH DOT ABOVE
2A53 ⩕ DOUBLE LOGICAL AND
2A54 ⩖ DOUBLE LOGICAL OR
2A55 ⩗ TWO INTERSECTING LOGICAL AND
→ 2A07 ⩇ two logical and operator
2A56 ⩘ TWO INTERSECTING LOGICAL OR
→ 2A08 ⩈ two logical or operator
2A57 ⩗ SLOPING LARGE OR
2A58 ⩘ SLOPING LARGE AND
2A59 ⩙ LOGICAL OR OVERLAPPING LOGICAL AND
2A5A ⩚ LOGICAL AND WITH MIDDLE STEM
2A5B ⩛ LOGICAL OR WITH MIDDLE STEM
2A5C ⩜ LOGICAL AND WITH HORIZONTAL DASH
2A5D ⩝ LOGICAL OR WITH HORIZONTAL DASH
2A5E ⩞ LOGICAL AND WITH DOUBLE OVERBAR
→ 2306 ⌆ perspective
2A5F ⩟ LOGICAL AND WITH UNDERBAR
2A60 ⩠ LOGICAL AND WITH DOUBLE UNDERBAR
→ 2259 ≙ estimates
2A61 ⩡ SMALL VEE WITH UNDERBAR
→ 225A ≚ equiangular to
2A62 ⩢ LOGICAL OR WITH DOUBLE OVERBAR
2A63 ⩣ LOGICAL OR WITH DOUBLE UNDERBAR
→ 225A ≚ equiangular to

Miscellaneous mathematical operators

2A64 ⩤ Z NOTATION DOMAIN ANTIRESTRICTION
2A65 ⩥ Z NOTATION RANGE ANTIRESTRICTION
→ 2332 ⌲ conical taper

Relational operators

2A66 ⩦ EQUALS SIGN WITH DOT BELOW
→ 2250 ≐ approaches the limit
2A67 ⩧ IDENTICAL WITH DOT ABOVE
2A68 ⩨ TRIPLE HORIZONTAL BAR WITH DOUBLE VERTICAL STROKE
= identical and parallel to
→ 22D5 ⋕ equal and parallel to
→ 29E5 ⧣ identical to and slanted parallel
2A69 ⩩ TRIPLE HORIZONTAL BAR WITH TRIPLE VERTICAL STROKE
2A6A ⩪ TILDE OPERATOR WITH DOT ABOVE
2A6B ⩫ TILDE OPERATOR WITH RISING DOTS
→ 223B ∻ homothetic
2A6C ⩬ SIMILAR MINUS SIMILAR
~ 2A6C FE00 ⩬ using lazy S
2A6D ⩭ CONGRUENT WITH DOT ABOVE
→ 2245 ≅ approximately equal to
2A6E ⩮ EQUALS WITH ASTERISK
→ 225B ≛ star equals
2A6F ⩯ ALMOST EQUAL TO WITH CIRCUMFLEX ACCENT
2A70 ⩰ APPROXIMATELY EQUAL OR EQUAL TO
→ 2245 ≅ approximately equal to
2A71 ⩱ EQUALS SIGN ABOVE PLUS SIGN
• black stands slightly better (chess notation)
2A72 ⩲ PLUS SIGN ABOVE EQUALS SIGN
• white stands slightly better (chess notation)
2A73 ⩳ EQUALS SIGN ABOVE TILDE OPERATOR
2A74 ⩴ DOUBLE COLON EQUAL
≈ 003A : 003A : 003D =
2A75 ⩵ TWO CONSECUTIVE EQUALS SIGNS
≈ 003D = 003D =
2A76 ⩶ THREE CONSECUTIVE EQUALS SIGNS
≈ 003D = 003D = 003D =
2A77 ⩷ EQUALS SIGN WITH TWO DOTS ABOVE AND TWO DOTS BELOW
2A78 ⩸ EQUIVALENT WITH FOUR DOTS ABOVE
2A79 ⩹ LESS-THAN WITH CIRCLE INSIDE
2A7A ⩺ GREATER-THAN WITH CIRCLE INSIDE
2A7B ⩻ LESS-THAN WITH QUESTION MARK ABOVE
2A7C ⩼ GREATER-THAN WITH QUESTION MARK ABOVE
2A7D ⩽ LESS-THAN OR SLANTED EQUAL TO
→ 2264 ≤ less-than or equal to
2A7E ⩾ GREATER-THAN OR SLANTED EQUAL TO
→ 2265 ≥ greater-than or equal to
2A7F ⩿ LESS-THAN OR SLANTED EQUAL TO WITH DOT INSIDE
2A80 ⪀ GREATER-THAN OR SLANTED EQUAL TO WITH DOT INSIDE
2A81 ⪁ LESS-THAN OR SLANTED EQUAL TO WITH DOT ABOVE
2A82 ⪂ GREATER-THAN OR SLANTED EQUAL TO WITH DOT ABOVE
2A83 ⪃ LESS-THAN OR SLANTED EQUAL TO WITH DOT ABOVE RIGHT
2A84 ⪄ GREATER-THAN OR SLANTED EQUAL TO WITH DOT ABOVE LEFT
2A85 ⪅ LESS-THAN OR APPROXIMATE
2A86 ⪆ GREATER-THAN OR APPROXIMATE
2A87 ⪇ LESS-THAN AND SINGLE-LINE NOT EQUAL TO
→ 2268 ≨ less-than but not equal to
2A88 ⪈ GREATER-THAN AND SINGLE-LINE NOT EQUAL TO
→ 2269 ≩ greater-than but not equal to
2A89 ⪉ LESS-THAN AND NOT APPROXIMATE
2A8A ⪊ GREATER-THAN AND NOT APPROXIMATE
2A8B ⪋ LESS-THAN ABOVE DOUBLE-LINE EQUAL ABOVE GREATER-THAN
→ 22DA ⋚ less-than equal to or greater-than
2A8C ⪌ GREATER-THAN ABOVE DOUBLE-LINE EQUAL ABOVE LESS-THAN
→ 22DB ⋛ greater-than equal to or less-than
2A8D ⪍ LESS-THAN ABOVE SIMILAR OR EQUAL
2A8E ⪎ GREATER-THAN ABOVE SIMILAR OR EQUAL

ISO/IEC DIS 10646:2026(en), Copyright © 1991-2026 Unicode, Inc. All rights reserved.

2A8F ⪏ LESS-THAN ABOVE SIMILAR ABOVE GREATER-THAN
2A90 ⪐ GREATER-THAN ABOVE SIMILAR ABOVE LESS-THAN
2A91 ⪑ LESS-THAN ABOVE GREATER-THAN ABOVE DOUBLE-LINE EQUAL
2A92 ⪒ GREATER-THAN ABOVE LESS-THAN ABOVE DOUBLE-LINE EQUAL
2A93 ⪓ LESS-THAN ABOVE SLANTED EQUAL ABOVE GREATER-THAN ABOVE SLANTED EQUAL
2A94 ⪔ GREATER-THAN ABOVE SLANTED EQUAL ABOVE LESS-THAN ABOVE SLANTED EQUAL
2A95 ⪕ SLANTED EQUAL TO OR LESS-THAN
→ 22DC ⋜ equal to or less-than
2A96 ⪖ SLANTED EQUAL TO OR GREATER-THAN
→ 22DD ⋝ equal to or greater-than
2A97 ⪗ SLANTED EQUAL TO OR LESS-THAN WITH DOT INSIDE
2A98 ⪘ SLANTED EQUAL TO OR GREATER-THAN WITH DOT INSIDE
2A99 ⪙ DOUBLE-LINE EQUAL TO OR LESS-THAN
→ 22DC ⋜ equal to or less-than
2A9A ⪚ DOUBLE-LINE EQUAL TO OR GREATER-THAN
→ 22DD ⋝ equal to or greater-than
2A9B ⪛ DOUBLE-LINE SLANTED EQUAL TO OR LESS-THAN
2A9C ⪜ DOUBLE-LINE SLANTED EQUAL TO OR GREATER-THAN
2A9D ⪝ SIMILAR OR LESS-THAN
~ 2A9D FE00 ⪝ with similar following the slant of the upper leg
2A9E ⪞ SIMILAR OR GREATER-THAN
~ 2A9E FE00 ⪞ with similar following the slant of the upper leg
2A9F ⪟ SIMILAR ABOVE LESS-THAN ABOVE EQUALS SIGN
2AA0 ⪠ SIMILAR ABOVE GREATER-THAN ABOVE EQUALS SIGN
2AA1 ⪡ DOUBLE NESTED LESS-THAN
= absolute continuity
→ 226A ≪ much less-than
2AA2 ⪢ DOUBLE NESTED GREATER-THAN
→ 226B ≫ much greater-than
2AA3 ⪣ DOUBLE NESTED LESS-THAN WITH UNDERBAR
2AA4 ⪤ GREATER-THAN OVERLAPPING LESS-THAN
2AA5 ⪥ GREATER-THAN BESIDE LESS-THAN
2AA6 ⪦ LESS-THAN CLOSED BY CURVE
2AA7 ⪧ GREATER-THAN CLOSED BY CURVE
2AA8 ⪨ LESS-THAN CLOSED BY CURVE ABOVE SLANTED EQUAL
2AA9 ⪩ GREATER-THAN CLOSED BY CURVE ABOVE SLANTED EQUAL
2AAA ⪪ SMALLER THAN
2AAB ⪫ LARGER THAN
2AAC ⪬ SMALLER THAN OR EQUAL TO
~ 2AAC FE00 ⪬ with slanted equal
2AAD ⪭ LARGER THAN OR EQUAL TO
~ 2AAD FE00 ⪭ with slanted equal
2AAE ⪮ EQUALS SIGN WITH BUMPY ABOVE
→ 224F ≏ difference between
2AAF ⪯ PRECEDES ABOVE SINGLE-LINE EQUALS SIGN
→ 227C ≼ precedes or equal to
2AB0 ⪰ SUCCEEDS ABOVE SINGLE-LINE EQUALS SIGN
→ 227D ≽ succeeds or equal to
2AB1 ⪱ PRECEDES ABOVE SINGLE-LINE NOT EQUAL TO
2AB2 ⪲ SUCCEEDS ABOVE SINGLE-LINE NOT EQUAL TO
2AB3 ⪳ PRECEDES ABOVE EQUALS SIGN
2AB4 ⪴ SUCCEEDS ABOVE EQUALS SIGN
2AB5 ⪵ PRECEDES ABOVE NOT EQUAL TO
2AB6 ⪶ SUCCEEDS ABOVE NOT EQUAL TO
2AB7 ⪷ PRECEDES ABOVE ALMOST EQUAL TO
→ 227E ≾ precedes or equivalent to
2AB8 ⪸ SUCCEEDS ABOVE ALMOST EQUAL TO
→ 227F ≿ succeeds or equivalent to
2AB9 ⪹ PRECEDES ABOVE NOT ALMOST EQUAL TO
2ABA ⪺ SUCCEEDS ABOVE NOT ALMOST EQUAL TO
2ABB ⪻ DOUBLE PRECEDES
2ABC ⪼ DOUBLE SUCCEEDS

Subset and superset relations

2ABD ⪽ SUBSET WITH DOT
2ABE ⪾ SUPERSET WITH DOT
2ABF ⪿ SUBSET WITH PLUS SIGN BELOW
2AC0 ⫀ SUPERSET WITH PLUS SIGN BELOW
2AC1 ⫁ SUBSET WITH MULTIPLICATION SIGN BELOW
2AC2 ⫂ SUPERSET WITH MULTIPLICATION SIGN BELOW
2AC3 ⫃ SUBSET OF OR EQUAL TO WITH DOT ABOVE
2AC4 ⫄ SUPERSET OF OR EQUAL TO WITH DOT ABOVE
2AC5 ⫅ SUBSET OF ABOVE EQUALS SIGN
2AC6 ⫆ SUPERSET OF ABOVE EQUALS SIGN
2AC7 ⫇ SUBSET OF ABOVE TILDE OPERATOR
2AC8 ⫈ SUPERSET OF ABOVE TILDE OPERATOR
2AC9 ⫉ SUBSET OF ABOVE ALMOST EQUAL TO
2ACA ⫊ SUPERSET OF ABOVE ALMOST EQUAL TO
2ACB ⫋ SUBSET OF ABOVE NOT EQUAL TO
~ 2ACB FE00 ⫋ with stroke through bottom members
2ACC ⫌ SUPERSET OF ABOVE NOT EQUAL TO
~ 2ACC FE00 ⫌ with stroke through bottom members
2ACD ⫍ SQUARE LEFT OPEN BOX OPERATOR
2ACE ⫎ SQUARE RIGHT OPEN BOX OPERATOR
2ACF ⫏ CLOSED SUBSET
→ 2282 ⊂ subset of
2AD0 ⫐ CLOSED SUPERSET
→ 2283 ⊃ superset of
2AD1 ⫑ CLOSED SUBSET OR EQUAL TO
2AD2 ⫒ CLOSED SUPERSET OR EQUAL TO
2AD3 ⫓ SUBSET ABOVE SUPERSET
2AD4 ⫔ SUPERSET ABOVE SUBSET
2AD5 ⫕ SUBSET ABOVE SUBSET
2AD6 ⫖ SUPERSET ABOVE SUPERSET
2AD7 ⫗ SUPERSET BESIDE SUBSET
2AD8 ⫘ SUPERSET BESIDE AND JOINED BY DASH WITH SUBSET

Forks

2AD9 ⫙ ELEMENT OF OPENING DOWNWARDS
→ 2208 ∈ element of
→ 27D2 ⟒ element of opening upwards
2ADA ⫚ PITCHFORK WITH TEE TOP
→ 22D4 ⋔ pitchfork
2ADB ⫛ TRANSVERSAL INTERSECTION
→ 22D4 ⋔ pitchfork

ISO/IEC DIS 10646:2026(en), Copyright © 1991-2026 Unicode, Inc. All rights reserved.

2ADC ⫝̸ FORKING
= not independent
• an equational logic symbol, not a computing science symbol
• non-independence (original concept) is related to forking
≡ 2ADD ⫝ 0338 ∅

2ADD ⫝ NONFORKING
= independent
• an equational logic symbol, not a computing science symbol
• independence (original concept) is related to non-forking

Tacks and turnstiles

2ADE ⫞ SHORT LEFT TACK
→ 22A3 ⊣ left tack

2ADF ⫟ SHORT DOWN TACK
→ 22A4 ⊤ down tack

2AE0 ⫠ SHORT UP TACK
→ 22A5 ⊥ up tack

2AE1 ⫡ PERPENDICULAR WITH S

2AE2 ⫢ VERTICAL BAR TRIPLE RIGHT TURNSTILE
= ordinarily satisfies

2AE3 ⫣ DOUBLE VERTICAL BAR LEFT TURNSTILE
→ 22A9 ⊩ forces

2AE4 ⫤ VERTICAL BAR DOUBLE LEFT TURNSTILE
→ 22A8 ⊨ true

2AE5 ⫥ DOUBLE VERTICAL BAR DOUBLE LEFT TURNSTILE

2AE6 ⫦ LONG DASH FROM LEFT MEMBER OF DOUBLE VERTICAL
→ 22A9 ⊩ forces

2AE7 ⫧ SHORT DOWN TACK WITH OVERBAR
→ 22A4 ⊤ down tack
→ 2351 ⍑ apl functional symbol up tack overbar
→ 3012 〒 postal mark

2AE8 ⫨ SHORT UP TACK WITH UNDERBAR
→ 22A5 ⊥ up tack
→ 234A ⍊ apl functional symbol down tack underbar

2AE9 ⫩ SHORT UP TACK ABOVE SHORT DOWN TACK

2AEA ⫪ DOUBLE DOWN TACK

2AEB ⫫ DOUBLE UP TACK
= independence
• probability theory

2AEC ⫬ DOUBLE STROKE NOT SIGN
→ 00AC ¬ not sign

2AED ⫭ REVERSED DOUBLE STROKE NOT SIGN
→ 2310 ⌐ reversed not sign

Vertical line operators

2AEE ⫮ DOES NOT DIVIDE WITH REVERSED NEGATION SLASH
→ 2224 ∤ does not divide

2AEF ⫯ VERTICAL LINE WITH CIRCLE ABOVE

2AF0 ⫰ VERTICAL LINE WITH CIRCLE BELOW

2AF1 ⫱ DOWN TACK WITH CIRCLE BELOW
= necessarily satisfies
→ 27DF ⟟ up tack with circle above

2AF2 ⫲ PARALLEL WITH HORIZONTAL STROKE
→ 2226 ∦ not parallel to
→ 27CA ⧵ vertical bar with horizontal stroke

2AF3 ⫳ PARALLEL WITH TILDE OPERATOR

2AF4 ⫴ TRIPLE VERTICAL BAR BINARY RELATION
= interleave
→ 2980 ⦀ triple vertical bar delimiter

2AF5 ⫵ TRIPLE VERTICAL BAR WITH HORIZONTAL STROKE
→ 27CA ⧵ vertical bar with horizontal stroke

Miscellaneous mathematical operator

2AF6 ⫶ TRIPLE COLON OPERATOR
• logic
→ 205D ⁝ tricolon
→ 22EE ⋮ vertical ellipsis

Relations

2AF7 ⫷ TRIPLE NESTED LESS-THAN
→ 22D8 ⋘ very much less-than

2AF8 ⫸ TRIPLE NESTED GREATER-THAN
→ 22D9 ⋙ very much greater-than

2AF9 ⫹ DOUBLE-LINE SLANTED LESS-THAN OR EQUAL TO
→ 2266 ≦ less-than over equal to

2AFA ⫺ DOUBLE-LINE SLANTED GREATER-THAN OR EQUAL TO
→ 2267 ≧ greater-than over equal to

2AFB ⫻ TRIPLE SOLIDUS BINARY RELATION
→ 2AF4 ⫴ triple vertical bar binary relation

Operators

2AFC ⫼ LARGE TRIPLE VERTICAL BAR OPERATOR
• often n-ary
→ 2AF4 ⫴ triple vertical bar binary relation
→ 2980 ⦀ triple vertical bar delimiter

2AFD ⫽ DOUBLE SOLIDUS OPERATOR
→ 2225 ∥ parallel to

2AFE ⫾ WHITE VERTICAL BAR
= Dijkstra choice

2AFF ⫿ N-ARY WHITE VERTICAL BAR
= n-ary Dijkstra choice

ISO/IEC DIS 10646:2026(en), Copyright © 1991-2026 Unicode, Inc. All rights reserved.

Standardized Variation Sequences

2A3C ⌙ INTERIOR PRODUCT

2A3C



tall variant with narrow foot

2A3C FE00

2A3D ⌜ RIGHTHAND INTERIOR PRODUCT

2A3D



tall variant with narrow foot

2A3D FE00

2A6C ≊ SIMILAR MINUS SIMILAR

2A6C



using lazy S

2A6C FE00

2A9D ≲ SIMILAR OR LESS-THAN

2A9D



with similar following the slant of the upper leg

2A9D FE00

2A9E ≳ SIMILAR OR GREATER-THAN

2A9E



with similar following the slant of the upper leg

2A9E FE00

2AAC ⪅ SMALLER THAN OR EQUAL TO

2AAC



with slanted equal

2AAC FE00

2AAD ⪆ LARGER THAN OR EQUAL TO

2AAD



with slanted equal

2AAD FE00

2ACB ⫋ SUBSET OF ABOVE NOT EQUAL TO

2ACB



with stroke through bottom members

2ACB FE00

2ACC ⫌ SUPERSET OF ABOVE NOT EQUAL TO

2ACC



with stroke through bottom members

2ACC FE00