CJK Symbols and Punctuation

Range: 3000–303F

This chart contains an excerpt from the character code tables and list of character names for
ISO/IEC DIS 10646:2026(en) - 7th Edition Draft

This file will not be updated with errata, or when additional characters are assigned to ISO/IEC 10646. These charts constitute a Unicode product per Terms of Use expressed below.

Fonts

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts.

See https://www.unicode.org/charts/fonts.html for a list.

Terms of Use

© 1991—2026 Unicode, Inc. This publication is protected by copyright, and permission must be obtained from Unicode, Inc. prior to any reproduction, modification, or other use not permitted by the Terms of Use (https://www.unicode.org/copyright.html). Specifically, you may make copies of this publication and may annotate and translate it solely for personal or internal business purposes and not for public distribution, provided that any such permitted copies and modifications fully reproduce all copyright and other legal notices contained in the original. You may not make copies of or modifications to this publication for public distribution, or incorporate it in whole or in part into any product or publication without the express written permission of Unicode.

The Unicode Consortium specifically grants ISO a license to produce such code charts with their associated character names list to show the repertoire of characters for that standard, as a normatively referenced, integral part of that standard.

Unicode uses most fonts under restricted license from the original font owner. You may not extract, copy, modify, or distribute fonts or font data from any Unicode Products, including this publication, without license from the font owner.

Use of all Unicode Products, including this publication, is governed by the Unicode Terms of Use (https://www.unicode.org/copyright.html). The authors, contributors, and publishers have taken care in the preparation of this publication, but make no express or implied representation or warranty of any kind and assume no responsibility or liability for errors or omissions or for consequential or incidental damages that may arise therefrom. This publication is provided "AS-IS" without charge as a convenience to users.

Unicode and the Unicode Logo are registered trademarks of Unicode, Inc., in the United States and other countries.


300 301 302 303
0 1 2 3 4 5 6 7 8 9 A B C D E F
3000 3010 3020 3030
3001 3011 3021 3031
3002 3012 3022 3032
3003 3013 3023 3033
3004 3014 3024 3034
3005 3015 3025 3035
3006 3016 3026 3036
3007 3017 3027 3037
3008 3018 3028 3038
3009 3019 3029 3039
300A 301A 302A 303A
300B 301B 302B 303B
300C 301C 302C 303C
300D 301D 302D 303D
300E 301E 302E 303E
300F 301F 302F 303F

CJK symbols and punctuation

3000 IDEOGRAPHIC SPACE
→ 0020 space
≈ <wide> 0020
3001 、 IDEOGRAPHIC COMMA
• in Chinese, delimits items in a list or series
→ 002C , comma
→ FF0C ， fullwidth comma
→ FF64 、 halfwidth ideographic comma
~ 3001 FE00 ､ corner-justified form
~ 3001 FE01 ﹅ centered form
3002 。 IDEOGRAPHIC FULL STOP
→ 002E . full stop
→ FF0E ． fullwidth full stop
→ FF61 。 halfwidth ideographic full stop
~ 3002 FE00 ｡ corner-justified form
~ 3002 FE01 ﹒ centered form
3003 〃 DITTO MARK
→ 2033 ″ double prime
3004 ㍻ JAPANESE INDUSTRIAL STANDARD SYMBOL
3005 々 IDEOGRAPHIC ITERATION MARK
→ 206A4 𠚤
→ 16FE0 𖿠 tangut iteration mark
3006 〆 IDEOGRAPHIC CLOSING MARK
→ 4E44 𠂉
3007 〇 IDEOGRAPHIC NUMBER ZERO
→ 20DD ⃝ combining enclosing circle
→ 25CB ○ white circle
→ 25EF ◯ large circle

CJK angle brackets

3008 〈 LEFT ANGLE BRACKET
→ 003C < less-than sign
→ 2039 ‹ single left-pointing angle quotation mark
→ 2329 〈 left-pointing angle bracket
→ 27E8 ⟨ mathematical left angle bracket
3009 〉 RIGHT ANGLE BRACKET
→ 003E > greater-than sign
→ 203A › single right-pointing angle quotation mark
→ 232A 〉 right-pointing angle bracket
→ 27E9 ⟩ mathematical right angle bracket
300A 《 LEFT DOUBLE ANGLE BRACKET
→ 00AB « left-pointing double angle quotation mark
→ 27EA ⟪ mathematical left double angle bracket
300B 》 RIGHT DOUBLE ANGLE BRACKET
→ 00BB » right-pointing double angle quotation mark
→ 27EB ⟫ mathematical right double angle bracket

CJK corner brackets

The CJK corner brackets, which function as quotation marks, are not recommended for general-purpose corner brackets. See the ceiling and floor characters, instead.

300C 「 LEFT CORNER BRACKET
→ 2308 ⌈ left ceiling
300D 」 RIGHT CORNER BRACKET
→ 230B ⌋ right floor
300E 『 LEFT WHITE CORNER BRACKET
300F 』 RIGHT WHITE CORNER BRACKET

CJK brackets

3010 【 LEFT BLACK LENTICULAR BRACKET
3011 】 RIGHT BLACK LENTICULAR BRACKET

CJK symbols

3012 〒 POSTAL MARK
→ 20B8 ₸ tenge sign
→ 2AE7 ⫧ short down tack with overbar
→ 1F3E3 🏣 japanese post office
3013 〓 GETA MARK
• substitute for ideograph not in font
• editorial convention to represent ideographic lacuna
→ 25A1 □ white square
→ 1F7F0 🟰 heavy equals sign

CJK brackets

3014 〔 LEFT TORTOISE SHELL BRACKET
3015 〕 RIGHT TORTOISE SHELL BRACKET
3016 〖 LEFT WHITE LENTICULAR BRACKET
3017 〗 RIGHT WHITE LENTICULAR BRACKET
3018 〘 LEFT WHITE TORTOISE SHELL BRACKET
→ 27EC ⟬ mathematical left white tortoise shell bracket
3019 〙 RIGHT WHITE TORTOISE SHELL BRACKET
→ 27ED ⟭ mathematical right white tortoise shell bracket
301A 〚 LEFT WHITE SQUARE BRACKET
= left abstract syntax bracket
→ 27E6 ⟦ mathematical left white square bracket
301B 〛 RIGHT WHITE SQUARE BRACKET
= right abstract syntax bracket
→ 27E7 ⟧ mathematical right white square bracket

CJK punctuation

301C 〜 WAVE DASH
This character was encoded to match JIS C 6226-1978 1-33 "wave dash".
→ 2053 ⁓ swung dash
→ 3030 〰 wavy dash
→ FF5E ～ fullwidth tilde
301D 〝 REVERSED DOUBLE PRIME QUOTATION MARK
• sometimes depicted as double prime quotation mark
→ 201C “ left double quotation mark
→ 2036 ‶ reversed double prime
301E 〞 DOUBLE PRIME QUOTATION MARK
• this is a mistaken analogue to 201D ” ; 301F 〟 is preferred
→ 201D ” right double quotation mark
→ 2033 ″ double prime
301F 〟 LOW DOUBLE PRIME QUOTATION MARK
• may be depicted as low inverse double prime quotation mark

CJK symbol

3020 〠 POSTAL MARK FACE

Suzhou numerals

The Suzhou numerals (Chinese su1zhou1ma3zi) are special numeric forms used by traders to display the prices of goods. The use of "HANGZHOU" in the names is a misnomer.

3021 〡 HANGZHOU NUMERAL ONE
3022 〢 HANGZHOU NUMERAL TWO

ISO/IEC DIS 10646:2026(en), Copyright © 1991-2026 Unicode, Inc. All rights reserved.

3023 〢 HANGZHOU NUMERAL THREE
3024 〤 HANGZHOU NUMERAL FOUR
3025 〥 HANGZHOU NUMERAL FIVE
3026 〦 HANGZHOU NUMERAL SIX
= yangqin sign slow one half beat
• represents one half beat in the yangqin tempo marking system
→ 16FF4 ⅃ yangqin sign slow one beat
3027 〧 HANGZHOU NUMERAL SEVEN
3028 〨 HANGZHOU NUMERAL EIGHT
3029 〩 HANGZHOU NUMERAL NINE

Combining tone marks

302A ◌ IDEOGRAPHIC LEVEL TONE MARK
302B ◌ IDEOGRAPHIC RISING TONE MARK
302C ◌ IDEOGRAPHIC DEPARTING TONE MARK
302D ◌ IDEOGRAPHIC ENTERING TONE MARK
302E ·○ HANGUL SINGLE DOT TONE MARK
= single dot Bangjeom
302F :○ HANGUL DOUBLE DOT TONE MARK
= double dot Bangjeom

Other CJK punctuation

3030 〰 WAVY DASH
→ 2307 ⌇ wavy line
→ 301C 〜 wave dash

Kana repeat marks

These characters are only used in vertical writing of Japanese.

3031 〱 VERTICAL KANA REPEAT MARK
3032 〲 VERTICAL KANA REPEAT WITH VOICED SOUND MARK
• implemented as glyphs that are two-em tall
3033 〳 VERTICAL KANA REPEAT MARK UPPER HALF
3034 〴 VERTICAL KANA REPEAT WITH VOICED SOUND MARK UPPER HALF
• implemented as glyphs that are one-em tall and that combine with the following character to form ligated two-em glyphs for the complete repeat marks
3035 〵 VERTICAL KANA REPEAT MARK LOWER HALF

Other CJK symbols

3036 〒 CIRCLED POSTAL MARK
= symbol for type B electronics
• not used as a postal mark
→ 2B97 symbol for type a electronics
≈ 3012 〒 postal mark
3037 〷 IDEOGRAPHIC TELEGRAPH LINE FEED SEPARATOR SYMBOL

Additional Suzhou numerals

3038 〸 HANGZHOU NUMERAL TEN
≈ 5341 十
3039 〹 HANGZHOU NUMERAL TWENTY
≈ 5344 廿
303A 〺 HANGZHOU NUMERAL THIRTY
≈ 5345 卅

Other CJK punctuation

303B 〻 VERTICAL IDEOGRAPHIC ITERATION MARK
303C 〼 MASU MARK
• informal abbreviation for Japanese -masu ending
→ 29C4 ⧄ squared rising diagonal slash
303D 〽 PART ALTERNATION MARK
• marks the start of a song part in Japanese

Special CJK indicators

These are visibly displayed graphic characters, not invisible format control characters.

303E 〾 IDEOGRAPHIC VARIATION INDICATOR
• visual indicator that the following ideograph is to be taken as a variant of the intended character
303F 〿 IDEOGRAPHIC HALF FILL SPACE
• visual indicator of a screen space for half of an ideograph

ISO/IEC DIS 10646:2026(en), Copyright © 1991-2026 Unicode, Inc. All rights reserved.

Standardized Variation Sequences

3001 IDEOGRAPHIC COMMA



3001

corner-justified form



3001 FE00

centered form

3001 FE01

3002 IDEOGRAPHIC FULL STOP



3002

corner-justified form

3002 FE00

centered form



3002 FE01