# CJK Compatibility Forms

**Range: FE30–FE4F**

This chart contains an excerpt from the character code tables and list of character names for
*ISO/IEC DIS 10646:2026(en) - 7th Edition Draft*

This file will not be updated with errata, or when additional characters are assigned to ISO/IEC 10646. These charts constitute a Unicode product per Terms of Use expressed below.

### Fonts

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts.

*See https://www.unicode.org/charts/fonts.html for a list.*

### Terms of Use

© 1991—2026 Unicode, Inc. This publication is protected by copyright, and permission must be obtained from Unicode, Inc. prior to any reproduction, modification, or other use not permitted by the Terms of Use (https://www.unicode.org/copyright.html). Specifically, you may make copies of this publication and may annotate and translate it solely for personal or internal business purposes and not for public distribution, provided that any such permitted copies and modifications fully reproduce all copyright and other legal notices contained in the original. You may not make copies of or modifications to this publication for public distribution, or incorporate it in whole or in part into any product or publication without the express written permission of Unicode.

The Unicode Consortium specifically grants ISO a license to produce such code charts with their associated character names list to show the repertoire of characters for that standard, as a normatively referenced, integral part of that standard.

Unicode uses most fonts under restricted license from the original font owner. You may not extract, copy, modify, or distribute fonts or font data from any Unicode Products, including this publication, without license from the font owner.

Use of all Unicode Products, including this publication, is governed by the Unicode Terms of Use (https://www.unicode.org/copyright.html). The authors, contributors, and publishers have taken care in the preparation of this publication, but make no express or implied representation or warranty of any kind and assume no responsibility or liability for errors or omissions or for consequential or incidental damages that may arise therefrom. This publication is provided "AS-IS" without charge as a convenience to users.

Unicode and the Unicode Logo are registered trademarks of Unicode, Inc., in the United States and other countries.




ISO/IEC DIS 10646:2026(en), Copyright © 1991-2026 Unicode, Inc. All rights reserved. 

**Glyphs for vertical variants**

FE30 ⁚ PRESENTATION FORM FOR VERTICAL TWO DOT LEADER
≈ <vertical> 2025 ‥
FE31 ⏐ PRESENTATION FORM FOR VERTICAL EM DASH
≈ <vertical> 2014 —
FE32 ⏐ PRESENTATION FORM FOR VERTICAL EN DASH
≈ <vertical> 2013 –
FE33 ⏐ PRESENTATION FORM FOR VERTICAL LOW LINE
≈ <vertical> 005F _
FE34 ⏐ PRESENTATION FORM FOR VERTICAL WAVY LOW LINE
≈ <vertical> 005F _
FE35 ⏜ PRESENTATION FORM FOR VERTICAL LEFT PARENTHESIS
→ 23DC ⏜ top parenthesis
≈ <vertical> 0028 (
FE36 ⏝ PRESENTATION FORM FOR VERTICAL RIGHT PARENTHESIS
→ 23DD ⏝ bottom parenthesis
≈ <vertical> 0029 )
FE37 ⏞ PRESENTATION FORM FOR VERTICAL LEFT CURLY BRACKET
→ 23DE ⏞ top curly bracket
≈ <vertical> 007B {
FE38 ⏟ PRESENTATION FORM FOR VERTICAL RIGHT CURLY BRACKET
→ 23DF ⏟ bottom curly bracket
≈ <vertical> 007D }
FE39 ⏠ PRESENTATION FORM FOR VERTICAL LEFT TORTOISE SHELL BRACKET
→ 23E0 ⏠ top tortoise shell bracket
≈ <vertical> 3014 〔
FE3A ⏡ PRESENTATION FORM FOR VERTICAL RIGHT TORTOISE SHELL BRACKET
→ 23E1 ⏡ bottom tortoise shell bracket
≈ <vertical> 3015 〕
FE3B ⏢ PRESENTATION FORM FOR VERTICAL LEFT BLACK LENTICULAR BRACKET
≈ <vertical> 3010 【
FE3C ⏣ PRESENTATION FORM FOR VERTICAL RIGHT BLACK LENTICULAR BRACKET
≈ <vertical> 3011 】
FE3D ⏢ PRESENTATION FORM FOR VERTICAL LEFT DOUBLE ANGLE BRACKET
≈ <vertical> 300A 《
FE3E ⏣ PRESENTATION FORM FOR VERTICAL RIGHT DOUBLE ANGLE BRACKET
≈ <vertical> 300B 》
FE3F ⏢ PRESENTATION FORM FOR VERTICAL LEFT ANGLE BRACKET
≈ <vertical> 3008 〈
FE40 ⏣ PRESENTATION FORM FOR VERTICAL RIGHT ANGLE BRACKET
≈ <vertical> 3009 〉
FE41 ⏢ PRESENTATION FORM FOR VERTICAL LEFT CORNER BRACKET
≈ <vertical> 300C 「
FE42 ⏣ PRESENTATION FORM FOR VERTICAL RIGHT CORNER BRACKET
≈ <vertical> 300D 」
FE43 ⏢ PRESENTATION FORM FOR VERTICAL LEFT WHITE CORNER BRACKET
≈ <vertical> 300E 『
FE44 ⏣ PRESENTATION FORM FOR VERTICAL RIGHT WHITE CORNER BRACKET
≈ <vertical> 300F 』

**Sidelining emphasis marks**

FE45 ◥ SESAME DOT
→ FE51 、 small ideographic comma
FE46 ◹ WHITE SESAME DOT
• sesame dots are used beside vertical text for emphasis

**Glyphs for vertical variants**

FE47 ⏢ PRESENTATION FORM FOR VERTICAL LEFT SQUARE BRACKET
→ 23B4 ⏢ top square bracket
≈ <vertical> 005B [
FE48 ⏣ PRESENTATION FORM FOR VERTICAL RIGHT SQUARE BRACKET
→ 23B5 ⏣ bottom square bracket
≈ <vertical> 005D ]

**Overscores and underscores**

FE49 ⏐ DASHED OVERLINE
≈ 203E ‾ overline
FE4A ⏐ CENTRELINE OVERLINE
≈ 203E ‾ overline
FE4B ⏐ WAVY OVERLINE
≈ 203E ‾ overline
FE4C ⏐ DOUBLE WAVY OVERLINE
≈ 203E ‾ overline
FE4D ⏐ DASHED LOW LINE
≈ 005F _ low line
FE4E ⏐ CENTRELINE LOW LINE
≈ 005F _ low line
FE4F ⏐ WAVY LOW LINE
≈ 005F _ low line