Universal Multiple-Octet Coded Character Set International Organization for Standardization Organisation Internationale de Normalisation Международная организация по стандартизации

Doc Type: Working Group Document

Title: Proposal to encode three additional emoticons the UCS

Source: German NB

Status: National Body Contribution

Action: For consideration by JTC1/SC2/WG2 and UTC

Date: 2011-01-03

Replaces: L2/10-429 (character names and proposed code points unchanged)

1. Introduction

Smileys (in Unicode terminology: Emoticons) are often used in questionnaires, where users can submit their opinion on specific questions either on a three-level scale (positive / neutral / negative), or on a five-level-scale (good / fair / neutral / below average / bad; see fig. 1, 2, 3, 4, 5).

While the smileys used on the three-level scale are already encoded as:

U+263A WHITE SMILING FACE (positive)

U+1F610 NEUTRAL FACE (neutral)

U+2639 WHITE FROWNING FACE (negative),

the smileys for the intermediate answers on the five-level scale are not encoded yet.

The common representations for these intermediate levels are proposed here as SLIGHTLY SMILING FACE and SLIGHTLY FROWNING FACE.

Furthermore, a similar system was adopted by the Danish Ministry of Food, Agriculture and Fisheries (Ministeriet for Fødevarer, Landbrug og Fiskeri) for food inspection reports, which the inspected food shops and restaurants have to display (see http://www.findsmiley.dk/en-US/Forside.htm). In 2001, this was introduced as a four-level system, employing the levels good/fair/neutral/bad. In 2008, this system was augmented by an "elite" smiley, which also is proposed here (see fig. 6, 7, 8, 11).

The introduction of this system in other countries is requested by some Non-Governmental Organizations (see fig. 10, 11 for an example from Germany, showing two of the proposed characters in plain text).

The "elite smiley" is a true extension of the four-level smiley scale used before in that area and therefore is no logo, in the same way as the already existing smileys are no logos.

2. Proposed Characters

Block: Emoticons

Faces

U+1F641 SLIGHTLY FROWNING FACE

→ 2639 white frowning face

U+1F642 SLIGHTLY SMILING FACE

→ 263A white smiling face

U+1F643 SMILING ELITE FACE

Properties:

```
1F641; SLIGHTLY FROWNING FACE; So; 0; ON;;;;; N;;;;; 1F642; SLIGHTLY SMILING FACE; So; 0; ON;;;; N;;;; 1F643; SMILING ELITE FACE; So; 0; ON;;;;; N;;;;
```

Confusability issues:

None of the proposed symbols are intended to be usable in identifiers or IDNs (like URLs or e-mail addresses). Thus, no confusability issues are raised in this area.

3. Examples and Figures

Fig. 1: Excerpt from a file retrieved 2010-10-22 from http://www.wales.nhs.uk/sites3/docopen.cfm?orgid=451&id=83428&D4F91B09-1143-E756-5CB350A9F0C883AB




Fig. 2: Excerpts from material retrieved 2010-12-08 from: http://www.qis.at, showing a questionnaire for children and a related evaluation form.

31. Wie zufrieden bist du mit deiner LEHRERIN insgesamt? Bitte kreuze das Gesicht an, das am ehesten deine Zufriedenheit ausdrückt.






Fig. 3: Excerpt from an HTML page retrieved 2010-12-08 titled "Mitarbeiterumfrage Q2 2007" ("employee survey 2007"), from

http://www.egrade.de/Beispiele/DE/MitarbeiterSP/MitarbeiterSinglePage.asp

4.2) Wie beurteilen Sie die Effizienz von Besprechungen?



Fig. 4: Excerpt from an HTML page retrieved 2010-12-08 from http://www.sensorysims.com/sample4children.asp

SENSORY AND CONSUMER TESTING WITH CHILDREN

Example Smiley Face Scales:




Fig. 5: Excerpt from a file retrieved 2010-10-22 from http://childrens-research-centre.open.ac.uk/research/The_Exercise_q_ames_Wright.doc (using U+1F603, U+263A, U+1F610, the SLIGHTLY FROWNING FACE proposed herem and U+2639).

In questions 1-5 please tick the smiley face that matches what you think. Here's an example -

I love Manchester United



Fig. 6: http://www.findsmiley.dk/da-DK/om_findsmiley_dk/Forside.htm (retrieved 2010-10-22).



Fig. 7: http://www.findsmiley.dk/da-DK/lkoner/Forside.htm (retrieved 2010-10-22).




Fig. 8: Content of the font "Smiley FVST" downloadable as: http://www.findsmiley.dk/NR/rdonlyres/D89632D4-EC1E-4836-85BA-8B9C8F41D5E5/0/Smiley FVST.ttf

0030	0031	0032	0033	0034	0035	0036	0037	0038	0039
	<u></u>	<u></u>	<u>:</u>	(i)	5	WOIZ4 WOIZ4 WOO WOO WOO WOO WOO WOO WOO WO	KKOW, ROA FINAN FI	KONTRO SHANDO SHANDO	A NIA A NOMBOTH

Fig. 9: Example of a Danish control report, retrieved 2010-10-22 from: http://www.spiegel.de/fotostrecke/fotostrecke-59371-4.html




Fig. 10: Excerpt from p.1 of: (retrieved 2010-10-22)

http://www.foodwatch.de/foodwatch/content/e10/e26043/e26050/e26133/DasdaenischeSmiley-System ger.pdf

Vier Smileys zeigen Kontrollergebnisse

Kontrollen in Lebensmittelbetrieben erfolgen ohne vorherige Ankündigung. Bewertet wird die Einhaltung der gesetzlich festgelegten Lebensmittelstandards wie z. B. Hygiene, Eigenkontrolle, Kennzeichnung, Zulassungen, Zusatzstoffe, Kontaminanten usw. Seitdem müssen alle Lebensmittelverkaufsstätten, Restaurants, Imbisse, Kantinen und auch Küchen von Schulen oder Altersheimen ihren Kontrollbericht sofort an gut sichtbarer Stelle aushängen; zusätzlich wird dieser im Internet veröffentlicht. Vier verschiedene Smileys zeigen dem Verbraucher auf einen Blick das Ergebnis der Kontrolle:

- Die Kontrolle hat keine Beanstandungen ergeben
- Bestimmte Regeln müssen besser beachtet werden (Ermahnung)
- An das Unternehmen wurde durch die Kontrollbehörde eine Verfügung oder ein Verbot ausgesprochen
- Das Unternehmen hat eine Strafverfügung erhalten oder wurde an die Polizei gemeldet

Fig. 11: Excerpt from p.2 of: (retrieved 2010-10-22)

http://www.foodwatch.de/foodwatch/content/e10/e26043/e26050/e26133/DasdaenischeSmiley-System ger.pdf

Auch rein statistisch lässt sich die Erfolgsgeschichte des Smileys belegen:

Prozentuale Verteilung der vergebenen Smileys nach Jahren seit der Einführung, in Prozent

500557 e.s.s	2002	2003	2004	2005	2006	2007	2008
\odot	70,1	75,2	75,1	76,7	76,3	75,0	82,8
<u> </u>	26,2	21,1	21,2	19,6	19,6	17,5	12,7
Θ	1,9	1,6	1,7	1,5	1,4	2,0	1,2
<u> </u>	1,8	2,2	2,0	2,1	2,6	5,5	3,3
Gesamt	100	100	100	100	100	100	100

Dies zeigt deutlich, dass die überwiegende Zahl der kontrollierten Betriebe mittlerweile nach dem besten Smiley strebt, auch wenn es einen einstelligen Bodensatz von Betrieben gibt, die mit dem schlechtesten Smiley leben müssen.

Neues "Elite-Smiley"

Um das System weiter zu verbessern, wurde vom dänischen Lebensmittelministerium im Jahr 2008 das "Elite-Smiley" eingeführt, das mittlerweile gut 40 Prozent der kontrollierten Betriebe erhalten haben. Dieses Elite-Smiley erhalten alle Verkaufsstätten, die bei den letzten vier Prüfungen mit dem besten Smiley bewertet wurden und bei denen es zusätzlich in den letzten 12 Monaten zu keinerlei Beanstandungen gekommen ist.

ISO/IEC JTC 1/SC 2/WG 2 PROPOSAL SUMMARY FORM TO ACCOMPANY SUBMISSIONS FOR ADDITIONS TO THE REPERTOIRE OF ISO/IEC 10646.1

Please fill all the sections A, B and C below.

Please read Principles and Procedures Document (P & P) from ..http://www.dkuug.dk/JTC1/SC2/WG2/docs/principles.html .. for guidelines and details before filling this form.

Please ensure you are using the latest Form from ..http://www.dkuug.dk/JTC1/SC2/WG2/docs/summaryform.html ..

See also http://www.dkuug.dk/JTC1/SC2/WG2/docs/roadmaps.html for latest Roadmaps.

A. Administrative

1. Title: Proposal to encode three additional emoticons the	UCS					
2. Requester's name: German NB						
3. Requester type (Member body/Liaison/Individual contribution): National Body co	ontribution					
4. Submission date: 2011-01-	-03					
5. Requester's reference (if applicable):6. Choose one of the following:						
This is a complete proposal:	Yes					
(or) More information will be provided later:	700					
B. Technical – General						
Choose one of the following:						
a. This proposal is for a new script (set of characters): Proposed name of script:	No					
b. The proposal is for addition of character(s) to an existing block:	Yes					
Name of the existing block: Emoticons						
2. Number of characters in proposal:	3					
3. Proposed category (select one from below - see section 2.2 of P&P document):						
A-Contemporary X B.1-Specialized (small collection) B.2-Specialized (large	collection)					
C-Major extinct D-Attested extinct E-Minor extinct						
F-Archaic Hieroglyphic or Ideographic G-Obscure or questionable us	age symbols					
4. Is a repertoire including character names provided?	Yes					
a. If YES, are the names in accordance with the "character naming guidelines"	V					
in Annex L of P&P document? b. Are the character shapes attached in a legible form suitable for review?	Yes Yes					
5. Fonts related:	763					
a. Who will provide the appropriate computerized font to the Project Editor of 10646 for pu	ıblishina the					
standard?	ionorming the					
TBD						
b. Identify the party granting a license for use of the font by the editors (include address, e	e-mail, ftp-site, etc.):					
TBD						
6. References:	V					
 a. Are references (to other character sets, dictionaries, descriptive texts etc.) provided? b. Are published examples of use (such as samples from newspapers, magazines, or other 	Yes					
of proposed characters attached? Yes	er sources)					
7. Special encoding issues:						
Does the proposal address other aspects of character data processing (if applicable) such	n as input.					
presentation, sorting, searching, indexing, transliteration etc. (if yes please enclose inform						
8. Additional Information:						
Submitters are invited to provide any additional information about Properties of the proposed Cl						
that will assist in correct understanding of and correct linguistic processing of the proposed character(s) or script.						
Examples of such properties are: Casing information, Numeric information, Currency information, Display behaviour information such as line breaks, widths etc., Combining behaviour, Spacing behaviour, Directional behaviour, Default						
Collation behaviour, relevance in Mark Up contexts, Compatibility equivalence and other Unicode normalization						
related information. See the Unicode standard at http://www.unicode.org for such information on other scripts. Also						
see .http://www.unicode.org/Public/UNIDATA/UCD.html and associated Unicode Technical Reports for information						
needed for consideration by the Unicode Technical Committee for inclusion in the Unicode Standard.						

 $[\]substack{1.5 \text{ Form number: N3702-F (Original 1994-10-14; Revised 1995-01, 1995-04, 1996-04, 1996-08, 1999-03, 2001-05, 2001-09, 2003-11, 2005-01, 2005-09, 2005-10, 2007-03, 2008-05, 2009-11)}$

C. Technical - Justification

1. Has this proposal for addition of character(s) been submitted before?		'es
If YES explain This proposal replaces L2/10-429 which is an individual contribution not ye	t decide	d upon
2. Has contact been made to members of the user community (for example: National Body,		
user groups of the script or characters, other experts, etc.)?		/a
If YES, with whom? The characters are not confined to a specific user con	nmunity	
If YES, available relevant documents:		
3. Information on the user community for the proposed characters (for example:	_	
size, demographics, information technology use, or publishing use) is included?	Ever	уроау
Reference: See text	0	
4. The context of use for the proposed characters (type of use; common or rare) Reference: See text	Con	nmon
Tolorono.		
KVEO where O Deference	Y	es
If YES, where? Reference: See text 6. After giving due considerations to the principles in the P&P document must the proposed charact		ntiro lu
in the BMP?	ers be er	
If YES, is a rationale provided?		VO
If YES, reference:		
7. Should the proposed characters be kept together in a contiguous range (rather than being scatter	red)?	Yes
8. Can any of the proposed characters be considered a presentation form of an existing	cu):	700
character or character sequence?	^	Vo
If YES, is a rationale for its inclusion provided?		
If YES, reference:		
9. Can any of the proposed characters be encoded using a composed character sequence of either		
existing characters or other proposed characters?	٨	Vo
If YES, is a rationale for its inclusion provided?		
If YES, reference:		
10. Can any of the proposed character(s) be considered to be similar (in appearance or function)		
to an existing character?	٨	V O
If YES, is a rationale for its inclusion provided?		
If YES, reference:		
11. Does the proposal include use of combining characters and/or use of composite sequences?		VO
If YES, is a rationale for such use provided?		
If YES, reference: Is a list of composite sequences and their corresponding glyph images (graphic symbols) prov		
	/ided?	
If YES, reference:		
12. Does the proposal contain characters with any special properties such as	٨	do
control function or similar semantics?		VO
If YES, describe in detail (include attachment if necessary)		
13. Does the proposal contain any Ideographic compatibility character(s)?	٨	Vo.
If YES, is the equivalent corresponding unified ideographic character(s) identified?		••
If VES reference:		
ii 1E3, telefice.		