Universal Multiple-Octet Coded Character Set International Organization for Standardization Organisation Internationale de Normalisation Международная организация по стандартизации

**Doc Type: Working Group Document** 

Title: Revised Proposal to enable the use of Combining Triple Diacritics in Plain Text

Source: Irish NB and German NB **Status: National Body Contribution** 

Action: For consideration by JTC1/SC2/WG2 and UTC

Date: 2011-06-08

#### 1. Introduction

In several phonetic and dialectological transcription systems, diacritical marks are found which span over three base characters. Such marks are: conjoining bows above or below the base characters, and a tilde below the base characters.

As there many projects to encode characters for the dialectology of several countries are ongoing, such triple marks are urgently needed. Fig. 3 shows an example from Slovenia, proving that the triple marks are really productive.

The solution presented here follows the principle outlined in the UTC Action Item 120-A87 (see L2/09-225, re L2/09-281 COMBINING TRIPLE INVERTED BREVE and other triple-length combining marks" by Deborah Anderson), where is stated:

" Action Item for Peter Constable (UTC Liaison to WG2): Triple marks should be handled by the mechanism associated with two part diacritics in the Combining Half Marks block at U+FE20."

Note: WG2 N3915 = L2/10-353 "Preliminary Proposal to enable the use of Combining Triple Diacritics in Plain Text" had proposed to encode four triple diacritics as units rather than being composed of blocks:

U+1AFC COMBINING TRIPLE CIRCUMFLEX ABOVE (not addressed in this proposal)

U+1AFD COMBINING TRIPLE INVERTED BREVE ABOVE (also proposed in WG2 N3571)

U+1AFE COMBINING TRIPLE BREVE BELOW U+1AFF COMBINING TRIPLE TILDE BELOW

It is to be noted that MUFI 3.0 contains a U+F1FC COMBINING TRIPLE BREVE BELOW in its PUA.


First, this solution expands the scope of the already encoded characters:

U+FE20 COMBINING LIGATURE LEFT HALF U+FE26 COMBINING CONJOINING MACRON

U+FE21 COMBINING LIGATURE RIGHT HALF:

- Any sequence of one base character with U+FE20 applied, one or more base characters each with U+FE26 applied, and one base character with U+FE21 applied, shall yield a ligature bow over the complete sequence of base characters, starting with the one to which U+FE20 is applied, and ending with the one to which U+FE21 is applied.
- Then, the same applies to sequences regarding the proposed U+FE27, U+FE2B, U+FE28, except that the ligature bow goes under the character sequence.
- Likewise, the same applies to sequences regarding the proposed U+FE29, U+FE2B, U+FE2A, except that this yields a tilde under the character sequence.

# 2. Proposed Characters



### **Properties:**

FE27; COMBINING LIGATURE LEFT HALF BELOW; Mn; 230; NSM;;;; N;;;;; FE28; COMBINING LIGATURE RIGHT HALF BELOW; Mn; 230; NSM;;;;; N;;;; FE29; COMBINING TILDE LEFT HALF BELOW; Mn; 230; NSM;;;;; N;;;; FE2A; COMBINING TILDE RIGHT HALF BELOW; Mn; 230; NSM;;;;; N;;;;; FE2B; COMBINING CONJOINING MACRON BELOW; Mn; 230; NSM;;;;; N;;;;;

	FE2
0	6
	FE20
1	े FE21
2	ි FE22
3	ें
4	FE23
5	FE24
6	FE25
7	FE26 
8	् FE28
9	् FE29
Α	் FE2A
В	<u> </u>
С	
D	
E	
F	

### Combining half marks

- FE20 6 COMBINING LIGATURE LEFT HALF
- FE21 े COMBINING LIGATURE RIGHT HALF
  - → 0361 | © combining double inverted breve
- FE22 O COMBINING DOUBLE TILDE LEFT HALF
- FE23 O COMBINING DOUBLE TILDE RIGHT HALF
  - → 0360 ~ combining double tilde

### Continuous macrons for Coptic

These are used in combinations to represent continuous macrons over a sequence of Coptic letters.

- FE24 © COMBINING MACRON LEFT HALF FE25 © COMBINING MACRON RIGHT HALF
- FE26 

  □ COMBINING CONJOINING MACRON
  - →0304 5 combining macron
  - → 035E combining double macron

### Combining half marks below

- FE27 COMBINING LIGATURE LEFT HALF BELOW
- FE28 o COMBINING LIGATURE RIGHT HALF BELOW
  - → 035C \_combining double breve below
- FE29 ⊙ COMBINING DOUBLE TILDE LEFT HALF BELOW
- COMBINING DOUBLE TILDE RIGHT HALF BELOW FE2A o
- FE2B o COMBINING CONJOINING MACRON BELOW Used with combining left and right half ligature and double tilde below to extend over more than two characters.

## 3. Examples and Figures

**Fig. 1:** The diacritic "combining triple inverted breve" indicates a triphthong (a group of three vowels in one syllable) in the UPA. Example from Ossian Grotenfelt, "Pohjois-Hämeen kielimurteesta", in Suomi II:12 (page 321, rows 22–25).

This figure and its legend is copied from fig. 1 of WG2 N3571 = L2/09-028 "Proposal to encode additional characters for the Uralic Phonetic Alphabet" by Klaas Ruppel, Tero Aalto, Michael Everson, 2009-01-27.

Poikkeus. Kun se pehmennettävän konsonantin perästä tuleva yksinäinen vokaali on *i*, niin se, konsonantin pehmettyä, säilyy ja sulaa, muuttuen *e*:ksi, diftongin kanssa yhteen triftongiksi; esim. *ei tullt voaetuks*, *puoessa*.

**Fig. 2:** V. E. Nash-Williams, "The Early Christian Monuments of Wales". Cardiff, 1950: showing bows upon letter sequences of different length, which denote some features of the text, rather than marking special phonetic units with distinctive semantics. *Thanks to Andrew West for providing this example.* 


271. BARMOUTH (Fig. 182). 'Found buried in the sand twenty feet below high-water mark at latitude 52° 52".' 36 NW. Rough pillar-stone. 75" h.×14" w.×9" t. Local Cambrian grit. Latin inscription in three lines reading horizontally: AETERN[I(?)] / ET / AETERN[a)E(?)], (The stone) of Aeternus and Aeterna (?). Roman capitals, lightly cut, with three ligatures, including one of four letters in l. 1. For the name Aeternus cf. Nos. 97, 306. 5th-early 6th century A.D. Inside church, mounted against N. wall of nave at W. end. AC, 1932, pp. 105-7 (B. H. St. J. O'Neil); CIIC, 414.

**Fig.** 3: Excerpt from the PUA of the font ZRCola.ttf used for the Obščeslavjanskij ingvističeskij atlas, showing in its PUA several of transcription units using bows on three base letters (at EE0C, EE25...EE28, EE3D).

Thanks to Peter Weiss for providing that font.

	-			-
EE0C	EEOD	EE0E	EEOF	EE10
ú:ə	uə İ	uo.	ûo	uo
EE24	EE25	EE26	EE27	EE28
uu	û <u>x</u> ù	û:ù	uzu	u:u
EE3C	EE3D	EE3E	EE3F	EE40
$\widehat{u^{\mathtt{u}}}$	$\widehat{u^{\underline{i}}\ddot{a}}$	ue	ųį	ûo

Fig. 4: A specimen for the triple tilde below from:
Wenker, Georg, et al.: Deutscher Sprachatlas auf der Grundlage des Sprachatlas des
Deutschen Reichs, Marburg (Lahn) 1927-1956; introduction, p. 18.



**Fig.** 5: Introduction a triple breve below for a German dialectal orthography, from: Honnen, Peter: Rheinische Dokumenta. Lautschrift für rheinische Mundarten. Pulheim 1987, ISBN 3-7927-0947-3; p. 16.

Der <u>stimmhafte Reibelaut</u> sch (Garage) wird durch einen untergesetzten Bogen gekennzeichnet. Dieser Laut ist in den Mundarten des südlichen Rheinlands häufig anzutreffen: <u>intswische</u> (inzwischen), <u>gleisch</u> (gleich).

Fig. 6: Sample of the German dialectal orthography introduced in the source of fig. 5, from: Cornelissen, Georg, Honnen, Peter, Langensiepen, Fritz (ed.):

Das rheinische Platt • Eine Bestandsaufnahme (Handbuch der rheinischen Mundarten, Teil 1: Texte) – Köln 1989, ISBN 3-7927-0689-X; p. 495.

### 495 Mandel (Vbg. Rüdesheim)

- S Enck, Helmut, Jg. 1928, geb. in Mandel, lebt auch dort, Winzer.
- A 1982, 3.54 min.
- T Weihnachten, Mandel um 1933, spontan gesprochen.

Doo waa de alt Qoba noch, de °Ängge, also maim Fader sai Fader, deer hat doo ove sai Schdup gehat, un de hot doo gewoont und also das Säkrädärsche schdään [. . .], un isch waa doo sälischemoo finef, säks Joer alt. Ich kond-e bisje friier lääse wii dii Normaale, also ich kont mit finf Joer lääse ooder, däsch-e²: un läise, das waa drum, isch hon halt gelääse, soo mach ich-s hoit noch, also isch lääse tsäntnerwais Bischer

#### ISO/IEC JTC 1/SC 2/WG 2 PROPOSAL SUMMARY FORM TO ACCOMPANY SUBMISSIONS FOR ADDITIONS TO THE REPERTOIRE OF ISO/IEC 106461

Please fill all the sections A, B and C below.

Please read Principles and Procedures Document (P & P) from <a href="http://www.dkuug.dk/JTC1/SC2/WG2/docs/principles.html">http://www.dkuug.dk/JTC1/SC2/WG2/docs/principles.html</a> for guidelines and details before filling this form.

Please ensure you are using the latest Form from <a href="http://www.dkuug.dk/JTC1/SC2/WG2/docs/summaryform.html">http://www.dkuug.dk/JTC1/SC2/WG2/docs/summaryform.html</a>.

See also <a href="http://www.dkuug.dk/JTC1/SC2/WG2/docs/roadmaps.html">http://www.dkuug.dk/JTC1/SC2/WG2/docs/summaryform.html</a>.

See also <a href="http://www.dkuug.dk/JTC1/SC2/WG2/docs/roadmaps.html">http://www.dkuug.dk/JTC1/SC2/WG2/docs/summaryform.html</a>.

Α.	Aα	lmı	nıs	tra	tive

1. <b>Title:</b> Proposal to enable the use of Combining Triple Diacritics in 2. Requester's name: Irish NB + German NB	Plain Text			
	tribution			
4. Submission date: 2011-06-08	3			
5. Requester's reference (if applicable):				
6. Choose one of the following:				
This is a complete proposal:	Yes			
(or) More information will be provided later:	No			
B. Technical – General				
Choose one of the following:     a. This proposal is for a new script (set of characters):	No			
Dranged name of parint:	IVO			
b. The proposal is for addition of character(s) to an existing block:	Yes			
Name of the existing block: Combining Half Marks				
2. Number of characters in proposal:	5			
Proposed category (select one from below - see section 2.2 of P&P document):				
A-Contemporary X B.1-Specialized (small collection) B.2-Specialized (large co	llection)			
C-Major extinct D-Attested extinct E-Minor extinct				
F-Archaic Hieroglyphic or Ideographic G-Obscure or questionable usag	e symbols			
4. Is a repertoire including character names provided?	Yes			
a. If YES, are the names in accordance with the "character naming guidelines"				
in Annex L of P&P document?	Yes			
b. Are the character shapes attached in a legible form suitable for review?	Yes			
5. Fonts related:				
<ul> <li>a. Who will provide the appropriate computerized font to the Project Editor of 10646 for publ</li> </ul>	ishing the			
standard?				
Michael Everson				
b. Identify the party granting a license for use of the font by the editors (include address, e-n  Michael Everson	naii, ttp-site, etc.):			
6. References:  a. Are references (to other character sets, dictionaries, descriptive texts etc.) provided?	Yes			
b. Are published examples of use (such as samples from newspapers, magazines, or other sources)				
of proposed characters attached? Yes	000)			
7. Special encoding issues:				
Does the proposal address other aspects of character data processing (if applicable) such a	ıs input,			
presentation, sorting, searching, indexing, transliteration etc. (if yes please enclose informat				
Reference to the mechanism of "combining marks" (see text)				
8. Additional Information:				
Submitters are invited to provide any additional information about Properties of the proposed Cha				
that will assist in correct understanding of and correct linguistic processing of the proposed characteristic processing p				
Examples of such properties are: Casing information, Numeric information, Currency information,				
information such as line breaks, widths etc., Combining behaviour, Spacing behaviour, Directiona Collation behaviour, relevance in Mark Up contexts, Compatibility equivalence and other Unicode				
related information. See the Unicode standard at <a href="http://www.unicode.org">http://www.unicode.org</a> for such information on other scripts. Also				
see <a href="http://www.unicode.org/Public/UNIDATA/UCD.html">http://www.unicode.org/Public/UNIDATA/UCD.html</a> and associated Unicode Technical Report	ts for information			
needed for consideration by the Unicode Technical Committee for inclusion in the Unicode Standa				

Revised Proposal to enable the use of Combining Triple Diacritics within Plain Text 2011-06-08

<sup>&</sup>lt;sup>1</sup> Form number: N3702-F (Original 1994-10-14; Revised 1995-01, 1995-04, 1996-04, 1996-08, 1999-03, 2001-05, 2001-09, 2003-11, 2005-01, 2005-09, 2005-10, 2007-03, 2008-05, 2009-11)

# C. Technical - Justification

Has this proposal for addition of character(s) been submitted before?			
If YES explain (There was a preliminary proposal: WG2 N3915 = L2/10-353)			
2. Has contact been made to members of the user community (for example: National Body,	.,		
user groups of the script or characters, other experts, etc.)?	Yes		
If YES, with whom? See text			
If YES, available relevant documents:			
3. Information on the user community for the proposed characters (for example:	.,		
size, demographics, information technology use, or publishing use) is included?	Yes		
Reference: Scientific use (see text)			
4. The context of use for the proposed characters (type of use; common or rare)	Common		
Reference: See text			
5. Are the proposed characters in current use by the user community?	Yes		
If YES, where? Reference: See text			
6. After giving due considerations to the principles in the P&P document must the proposed character	•		
in the BMP?	Yes		
If YES, is a rationale provided?	Yes		
If YES, reference: To keep them in line with related characters			
7. Should the proposed characters be kept together in a contiguous range (rather than being scattered	ed)? Yes		
8. Can any of the proposed characters be considered a presentation form of an existing			
character or character sequence?	No		
If YES, is a rationale for its inclusion provided?			
If YES, reference:	<u>-</u>		
9. Can any of the proposed characters be encoded using a composed character sequence of either			
existing characters or other proposed characters?	No		
If YES, is a rationale for its inclusion provided?			
If YES, reference:			
10. Can any of the proposed character(s) be considered to be similar (in appearance or function)			
to an existing character?	No		
If YES, is a rationale for its inclusion provided?			
If YES, reference:			
11. Does the proposal include use of combining characters and/or use of composite sequences?	Yes		
If YES, is a rationale for such use provided?	Yes		
If YES, reference: See text			
Is a list of composite sequences and their corresponding glyph images (graphic symbols) provide	ded? Yes		
If YES, reference: See text			
12. Does the proposal contain characters with any special properties such as			
control function or similar semantics?	No		
If YES, describe in detail (include attachment if necessary)			
13. Does the proposal contain any Ideographic compatibility character(s)?	No		
If YES, is the equivalent corresponding unified ideographic character(s) identified?			
If YES, reference:			