

ISO/IEC JTC1/SC2/WG2
Coded Character Set
Secretariat: Japan (JISC)

Doc. Type: Disposition of comments

Title: Disposition of comments on CD.4 (consultation) to ISO/IEC 10646 7th edition

Source: Michel Suignard (project editor)

Project: JTC1 02.10646.00.00.00.07

Status: For SC2 consideration

Date: 2026-06-24

Distribution: WG2

Reference: SC2/N5034, SC2/N5048, WG2N5360

Medium: Paper, PDF file

Comments were received from the following members: China, India, Japan, and USA. All comments are accepted, although some in principle. From a repertoire point of view, the Chisoi script (40 characters) is removed. There is an addition of 17 standardized variation sequences, 9 glyph changes, and 4 name changes (not counting the name change affecting all 11,328 Small Seal characters). Finally, concerning data related to Small Seal characters, 6 characters have updated radical values, and 20 other characters have updated modern CJK character values.

Details of the consultation comments and their dispositions are provided on the following pages with a summary preceding them. Text highlighted in yellow in the India (BIS) comments came after the consultation end but are included.

It is expected that following these dispositions, a DIS for the 7th edition will be issued.

Changes related to these dispositions

Character removals (40):

Code	Glyph	Name
16D80..16D9D	ꠂ .. ꠂ	CHISOI LETTER A .. CHISOI SIGN SISO
16DA0..16DA9	ꠐ .. ꠐ	CHISOI DIGIT ZERO .. CHISOI DIGIT NINE

Standardized Variation sequences additions (17):

Code	Glyph	Name
31C0	ꠂ	31C0 FE00 CJK STROKE T “dotted T form”
31C6	ꠂ	31C6 FE00 CJK STROKE HZG “curved Z form”
	ꠂ	31C6 FE01 CJK STROKE HZG “rising H form”
31C9	ꠂ	31C9 FE00 CJK STROKE SZWG “slanted S form”
31CF	ꠂ	31CF FE00 CJK STROKE N “curved starting N form”
	ꠂ	31CF FE01 CJK STROKE N “flat N form”
31D0	ꠂ	31D0 FE00 CJK STROKE H “rising H form”
31D1	ꠂ	31D1 FE00 CJK STROKE S “slanted S form”
31D2	ꠂ	31D2 FE00 CJK STROKE P “flat P form”
31D4	ꠂ	31D4 FE00 CJK STROKE D “to bottom left form”
31D5	ꠂ	31D5 FE00 CJK STROKE HZ “slanted Z form”
31D7	ꠂ	31D7 FE00 CJK STROKE SZ “slanted S form”
31DB	ꠂ	31DB FE00 CJK STROKE PD “slanted SD form”
31DC	ꠂ	31DC FE00 CJK STROKE PZ “upwards T form”
31DD	ꠂ	31DD FE00 CJK STROKE TN “horizontal H curved N form”
	ꠂ	31DD FE01 CJK STROKE TN “upwards T flat N form”
31E5	ꠂ	31DC FE00 CJK STROKE SZP “slanted S form”

Glyph changes (9):

Code	Glyph	Name
06C4	ﻭ	ARABIC LETTER WAW WITH RING WITHIN
0C5C	శ్రీ	TELUGU ARCHAIC SHRII

0CDC		KANNADA ARCHAIC SHRII
13228		EGYPTIAN HIEROGLYPH NL008
2976E	2976E 食 184.10  T7-4529 JMJ-054061	(T source glyph update)
2B876	2B876 二 7.11  GGH-1000.16	(G source glyph update)
2B8A0	2B8A0 人 9.9  V4-407A	(V source glyph update)
2DB7C	2DB7C 止 77.24  KC-05216	(K source glyph update)
3F80E	3F80E 𪛗 472 𪛘 8821 TH-Y212	 D-09693 Change glyph for TH-Y212 to match the top detail of D-09693

Name Changes (4 + 11328):

Code	Old Name	New Name
11DF1	BENGALI LETTER ALTERNATE BA	BENGALI LETTER ALTERNATE BARGIYA BA
1DF90	LATIN SMALL LETTER C WITH SMALL SLASH	LATIN SMALL LETTER C WITH LOW SLASH
1DF91	LATIN SMALL LETTER C WITH DESCENDING LOOP	LATIN SMALL LETTER C WITH LOOPED CEDILLA
1DF93	LATIN SMALL LETTER D ROTUNDA WITH CROSSING LOOP	LATIN SMALL LETTER D ROTUNDA WITH DESCENDING CROSSING LOOP
3D000.. 3FC3F	SEAL CHARACTER-XXXXX	SMALL SEAL CHARACTER-XXXXX

Small Seal radical property changes (6):

Code	Glyph	Old kSEAL_Rad	New kSEAL_Rad
3DDF7		157.3DDF1	158.3DDF7
3DDF8		158.3DDF8	158.3DDF7
3DDF9		158.3DDF8	158.3DDF7
3DE44		168.3DE31	169.3DE44
3DE45		169.3DE45	169.3DE44
3DE46		169.3DE45	169.3DE44

Small Seal property change (20):

Code	Glyph	Old kSEAL_MCJK	New kSEAL_MCJK
3E894	𨾏	824E 𨾏	26A84 𨾏
3E9FB	𨾏	9B1F 𨾏	29BF4 𨾏
3EA95	𨾏	5D99 𨾏	21F64 𨾏
3EB4D	𨾏	787E 𨾏	2558C 𨾏
3EC24	𨾏	298B2 𨾏	298EC 𨾏
3EC25	𨾏	298CA 𨾏	2992D 𨾏
3EC28	𨾏	9A02 𨾏	2994D 𨾏
3EE45	𨾏	FA3E	6168 𨾏
3EF54	𨾏	61C7 𨾏	22846 𨾏
3F153	𨾏	703C 𨾏	2416D 𨾏
3F160	𨾏	6F35 𨾏	6F4A 𨾏
3F161	𨾏	6E2F 𨾏	23FD1 𨾏
3F163	𨾏	6FD4 𨾏	24164 𨾏
3F167	𨾏	6E98 𨾏	23E46 𨾏
3F2DB	𨾏	95E4 𨾏	28DE4 𨾏
3F80A	𨾏	867B 𨾏	8771 𨾏
3F8FD	𨾏	587E 𨾏	2150A 𨾏
3FA4E	𨾏	6235 𨾏	947A 𨾏
3FAFB	𨾏	8F54 𨾏	283CF 𨾏
3FB84	𨾏	25747 𨾏	25745 𨾏

Template for comments and secretariat observations

Date:2026-06-09

Document:

Project:

MB/ NC ¹	Line number	Clause/ Subclause	Paragraph/ Figure/Table	Type of comment ²	Comments	Proposed change	Observations of the secretariat
CN5- 001			2 nd paragraph	te	Annex L (informative) Character naming guidelines The Clause 30 of this standard specifies rules for name formation and name uniqueness. These rules are used in other information technology coded character set standards such as ISO/IEC 646, ISO/IEC 6937, ISO/IEC 8859, and ISO/IEC 10367. Annex L provides additional guidelines for the creation of these entity names. <i>These guidelines do not apply to the names of CJK ideographs, Tangut ideographs, Nushu characters, Khitan Small Script character, Egyptian hieroglyphs part of the extended block, and Hangul syllables which are formed using rules specified in 30.6, 30.7, 30.8, 30.9, 30.10, and 30.12 respectively.</i> Small Seal Characters are not mentioned here. The text should be changed as below. "These guidelines do not apply to the names of CJK ideographs, Tangut ideographs, Nüshu characters, Khitan Small Script character, Egyptian hieroglyphs part of the extended block, Hangul syllables, Jurchen characters and Small Seal characters which are formed using rules specified in 30.6, 30.7, 30.8, 30.9, 30.10, 30.11 and 30.12 respectively."	Change it.	Accepted in principle, minor editorial fix from 'Hangul syllables, Jurchen characters and Small Seal characters which are formed using rules specified in 30.6, 30.7, 30.8, 30.9, 30.10, 30.11 and 30.12 respectively' to 'Jurchen characters, Small Seal characters, and Hangul syllables which are formed using rules specified in 30.6, 30.7, 30.8, 30.9, 30.10, 30.11, 30.12, and 30.13 respectively'
JP- 002		24.2			The file name was changed without notice.	Add a note indicating that the file name was changed from "CJKSrc.txt" starting with ed.7.	Accepted
JP- 003		24.2, A.4.1, A.4.2, A.4.3, A.4.4		ed	The names "IRGSources.txt" and "Unihan_IRGSources.txt" seem to be used for the same file.	Use a single file name.	Accepted, the correct name is Unihan_IRGSources.txt.
CN2- 004		27.2	Page 39	ed	NOTE While the script is commonly named "Small Seal" and is described as such in this document, the script name, the script related properties, and the character names use the term 'Seal' in alignment with ISO 15924. Sometimes the term 'Large Seal' is used in contrast to Small Seal, but 'Large Seal' tends to refer to a broad range of forms. © ISO/IEC 2026 – All rights reserved 39 Should be "ISO 15924". (insert a "space") https://www.iso.org/standard/81905.html	Correct it.	Accepted

¹ **MB** = Member body / **NC** = National Committee (enter the ISO 3166 two-letter country code, e.g. CN for China; comments from the ISO/CS editing unit are identified by **)

² **Type of comment:** **ge** = general **te** = technical **ed** = editorial

Template for comments and secretariat observations

Date:2026-06-09

Document:

Project:

MB/ NC ¹	Line number	Clause/ Subclause	Paragraph/ Figure/Table	Type of comment ²	Comments	Proposed change	Observations of the secretariat
CN1- 005		27.2	Page 39	ed	1st field: UCS code point 2nd field: Tag indicating the type of information in the third field (kSEAL_CCZSrc, kSEAL_DYCSrc, kSEAL_QJZSrc, kSEAL_THXSrc, kSEAL_MGCR, Kseal_Rad) 3rd field: Information corresponding to the tag value specified by the second field. "Kseal_Rad" in the red box shall be corrected to "kSEAL_Rad".	Correct it.	Accepted
CN3- 006		27.3	Page 40	te	The graphic representation for the radical and the associated CJK ideograph are shown immediately below the code point, along with the radical number and the CJK ideograph code point. NOTE: The Seal radicals are not encoded separately; they are identified as the first element of their radical group. (i.e. all Seal characters sharing the same radical). Figure 8 shows an example for characters 3D000-3D003, 3D014-3D017, and 3D028-3D02B. The note under Clause 27.3 is a little lack of clarity and is proposed to be revised as follows: Note: Small Seal radicals are not encoded separately like CJK ideographs. Instead, they are encoded alongside all other Small Seal Characters in character groups, with consecutive code points assigned within each group. The Small Seal radical corresponds to the lowest code point in its respective group.	Change it.	Accepted
CN4- 007		30.12	Page 44	ed	30.12 Character names for Small Seal characters For Small Seal characters the names are algorithmically constructed by appending their coded representation in their five-hexadecimal digit notation to "SEAL CHARACTER-". For example, the first Small Seal character has the name "SEAL CHARACTER-3D000". The character names for Small Seal characters are not " SMALL SEAL CHARACTER-3XXXX" . But the current form matches Guideline 4 of Annex L (p. 3472).	Change all "SEAL CHARACTER-" to "SMALL SEAL CHARACTER-" in this paragraph.	Accepted, note that this is a technical change, not just editorial
US- 008		37.5	Arabic p. 117	te	Sources identified in L2/26-119 and L2/26-120 demonstrated that the ring on the representative glyph for U+06C4 ARABIC LETTER WAW WITH RING WITHIN should be on the final (tail) stroke of the letter, similar to the shape on the left, not as	Make the glyph correction to U+06C4.	Accepted

¹ **MB** = Member body / **NC** = National Committee (enter the ISO 3166 two-letter country code, e.g. CN for China; comments from the ISO/CS editing unit are identified by **)

² **Type of comment:** **ge** = general **te** = technical **ed** = editorial

Template for comments and secretariat observations

Date:2026-06-09

Document:

Project:

MB/ NC ¹	Line number	Clause/ Subclause	Paragraph/ Figure/Table	Type of comment ²	Comments	Proposed change	Observations of the secretariat
					appears in the current glyph (on right). 		
US- 009		37.5	Bengali Supplement p. 1469	te	Feedback was received from India that the name for U+11DF1 BENGALI LETTER ALTERNATE BA should be changed to BENGALI LETTER ALTERNATE BARGIYA BA	Change the name of U+11DF1 to BENGALI LETTER ALTERNATE BARGIYA BA.	Accepted
US- 010		37.5	CJK Strokes p. 419-420	te	CJK Strokes are sometimes used to describe the structure of ideographs in plain-text scenarios and it can be useful to separate variant strokes based on graphical differences. In order to represent these graphical differences, 17 Standardized Variation Sequences have been proposed in L2/26-073R and section 32 of L2/26-099 . The US supports this request and recommends adding the following 17 Standardized Variation Sequences: 31C0 FE00; dotted T form; # CJK STROKE T 31C6 FE00; curved Z form; # CJK STROKE HZG 31C6 FE01; rising H form; # CJK STROKE HZG 31C9 FE00; slanted S form; # CJK STROKE SZWG 31CF FE00; curved starting N form; # CJK STROKE N 31CF FE01; flat N form; # CJK STROKE N 31D0 FE00; rising H form; # CJK STROKE H 31D1 FE00; slanted S form; # CJK STROKE S 31D2 FE00; flat P form; # CJK STROKE P 31D4 FE00; to bottom left form; # CJK STROKE D 31D5 FE00; slanted Z form; # CJK STROKE HZ 31D7 FE00; slanted S form; # CJK STROKE SZ 31DB FE00; slanted SD form; # CJK STROKE PD 31DC FE00; upwards T form; # CJK STROKE PZ 31DD FE00; horizontal H curved N form; # CJK STROKE TN 31DD FE01; upwards T flat N form; # CJK	Add 17 Standardized Variation Sequences	Accepted

¹ **MB** = Member body / **NC** = National Committee (enter the ISO 3166 two-letter country code, e.g. CN for China; comments from the ISO/CS editing unit are identified by **)

² **Type of comment:** **ge** = general **te** = technical **ed** = editorial

Template for comments and secretariat observations

Date:2026-06-09

Document:

Project:

MB/ NC ¹	Line number	Clause/ Subclause	Paragraph/ Figure/Table	Type of comment ²	Comments	Proposed change	Observations of the secretariat
					STROKE TN 31E5 FE00; slanted S form; # CJK STROKE SZP		
US- 011		37.5	CJK Unified Ideographs Extension B p. 2703	te	In document IRG N2909 Recommendation M66.12, the IRG recommended changing the T-source representative glyph for U+2976E (T-source: T7-4529), based on document IRG N2927R. The US also recommends changing this glyph.	Change the T-source glyph for U+2976E.	Accepted
US- 012		37.5	CJK Unified Ideographs Extension E p. 2847	te	Two CJK glyphs in Extension E need to be corrected: 1. Feedback recorded in L2/26-099 Section 19 reported that the G-source glyph for U+2B876 (G-source: GGH-1000.16) does not follow China's regional conventions or the original evidence in IRG N1519. The glyph should be corrected. 2. Based on document L2/26-068 (Vietnam) and Section 20 of document L2/26-099 , the glyph for U+2B8A0 (V-source: V4-407A) should be changed to the shape as shown on page 3 of L2/26-068 .	Change the G-source glyph for U+2B876 and the V-source glyph for U+2B8A0.	Accepted
US- 013		37.5	CJK Unified Ideographs Extension F p. 2960	te	In document IRG N2909 Recommendation M66.13, the IRG recommended changing the K-source representative glyph for U+2DB7C (K-source: KC-05216), based on document IRG N2916. The US also recommends changing this glyph.	Change the K-source glyph for U+2DB7C.	Accepted
US- 014		37.5	Egyptian Hieroglyphs p. 1507	te	Feedback in L2/26-095 in https://www.unicode.org/review/pri536/ noted that the glyph for U+13228 in CD.4 should have two circles on either side of the spear tip (as on the left) instead of shape as shown on the right.	Fix the glyph for U+13228.	Accepted

1 **MB** = Member body / **NC** = National Committee (enter the ISO 3166 two-letter country code, e.g. CN for China; comments from the ISO/CS editing unit are identified by **)



2 **Type of comment:** **ge** = general **te** = technical **ed** = editorial

Template for comments and secretariat observations

Date:2026-06-09

Document:

Project:

MB/ NC ¹	Line number	Clause/ Subclause	Paragraph/ Figure/Table	Type of comment ²	Comments	Proposed change	Observations of the secretariat
					  5.2 CD4		
US- 015		37.5	Latin Extended-G p. 1861	te	Discussion with Leibniz experts and users has resulted in three name changes that were acceptable to the various parties: Change U+1DF90 LATIN SMALL LETTER C WITH SMALL SLASH to: LATIN SMALL LETTER C WITH LOW SLASH Change U+1DF91 LATIN SMALL LETTER C WITH DESCENDING LOOP to: LATIN SMALL LETTER C WITH LOOPEDED CEDILLA Change U+1DF93 LATIN SMALL LETTER D ROTUNDA WITH CROSSING LOOP to: LATIN SMALL LETTER D ROTUNDA WITH DESCENDING CROSSING LOOP	Make the three name changes to U+1DF90, U+1DF91, and U+1DF93.	Accepted
IN- 05- 016	-	37.5 (1.)	Devanagari Extended A, 11B0A, (Devanagari i Sindhi DDDA), at Page 1455	te	It has been concluded that the pronunciation of Sindhi (𑆚) closely resembles "𑆚". Therefore, instead of "𑆚", "𑆚" is used. This usage is followed in books published by National Council for Promotion of Sindhi Language (NCPSL), NCERT, CIL, WRLC, NIOS, CBSE, CHD, CSTT, Delhi Sindhi Academy, MP Sindhi Academy. In the present published text "Sindhu Maharani",	Therefore, Devanagari Extended, 11B0A, (Devanagari Sindhi DDDA) may not be included in code char of Devanagari Extended. Else, in the Names List or character names list, it should be clearly mentioned that "used for digitization purposes not in current use".	Accepted in principle as the character has already the following annotation' used for digitization purposes but not in current use'

1 MB = Member body / NC = National Committee (enter the ISO 3166 two-letter country code, e.g. CN for China; comments from the ISO/CS editing unit are identified by **)

2 Type of comment: ge = general te = technical ed = editorial

Template for comments and secretariat observations

Date:2026-06-09

Document:

Project:

MB/ NC ¹	Line number	Clause/ Subclause	Paragraph/ Figure/Table	Type of comment ²	Comments	Proposed change	Observations of the secretariat
					authored by Dr. Tapanlal Jetley, Sindhi language grammar usage, and other lexical books, this letter "𑌔" has been used.		
IN-02-017	-	37.5 (1.)	Oriya sign Double dot above, 0B54, page 154	te	We agree to the proposal. However, it may be noted that the diacritic marks are available at 0307 and 0308, which may be used as the application of these two characters is limited and observed only in Kui Bible.	NA	Noted There is a discussion in https://www.unicode.org/L2/L2019/19005r2-odia-overline.pdf on why you cannot use the diacritics in the the 03xx range for this purpose. In general, use of diacritics from that block in is discouraged for South-Asian scripts.
IN-01-018	-	37.5 (1.)	Oriya sign dot above, 0B53, page 154	te	We agree to the proposal. However, it may be noted that the diacritic marks are available at 0307 and 0308, which may be used as the application of these two characters is limited and observed only in Kui Bible.	NA	Noted. Same as above
IN-03-019	-	37.5 (1.)	Sharada Supplement, Page 1457	te	We agree to the proposal.	No comments.	Noted
IN-04-020	-	37.5 (1.)	Tolong Siki, Page 1467	te	We agree to the proposal.	No comments.	Noted
IN-06-021	-	37.5(1.)	Bengali Supplements Page 1469,	te	Bengali Sign Combining Anusvara Above used for the purpose of archiving and digitization of historic texts and manuscripts	No comments.	Noted. The name is changed to the name shown in comment,

¹ MB = Member body / NC = National Committee (enter the ISO 3166 two-letter country code, e.g. CN for China; comments from the ISO/CS editing unit are identified by **)

² Type of comment: ge = general te = technical ed = editorial

Template for comments and secretariat observations

Date:2026-06-09

Document:

Project:

MB/ NC ¹	Line number	Clause/ Subclause	Paragraph/ Figure/Table	Type of comment ²	Comments	Proposed change	Observations of the secretariat
			11DF0 , 11DF1		BENGALI LETTER ALTERNATE BARGIYA BA = Bargiya ba • used for the purpose of archiving and digitization of historic texts and manuscripts		see also US comment US-009
IN- 07- 022	-	37.5(1.)	Chisoi Page 1657 to 16DA9	te	It has been learnt that the Kurmali language is written in multiple scripts, i.e., Devanagari, Bengali, Odia. Chisoi is one of them. The proposal is premature, wider consultation with the community have not been done so far and also it is not backed by the state government or any other government organization. In view of above, proposer may be requested to submit any government backed evidence and evidence of wider consultations with the users across states, i.e., West Bengal, Jharkhand, Odisha, Assam etc, where Chisoi is spoken. Key Concerns on the proposal by the experts • Lack of consensus-building: Chisoi script appears developed by a single individual, with no broad scholarly validation or community consultation. • Need for expert and community consensus: - Limited group of members have build the consensus. - Ensure broader acceptance and stronger documentation required before encoding - Script adoption requires workshops, seminars, and collective linguistic engagement. • Impact on existing traditions: Replacing Devanagari, Bengali, and Odia scripts may disrupt		Encoding of Chisoi postponed for further feedback

1 **MB** = Member body / **NC** = National Committee (enter the ISO 3166 two-letter country code, e.g. CN for China; comments from the ISO/CS editing unit are identified by **)

2 **Type of comment:** **ge** = general **te** = technical **ed** = editorial

Template for comments and secretariat observations

Date:2026-06-09

Document:

Project:

MB/ NC ¹	Line number	Clause/ Subclause	Paragraph/ Figure/Table	Type of comment ²	Comments	Proposed change	Observations of the secretariat
					linguistic continuity - Devanagari used in Jharkhand - Bengali script used in West Bengal • Low publication presence: Few newspapers/journals in Chisoj, they have neither backed up by state govt nor by literary academic institutions e.g. Sahitya Academy • Unverified educational use: Teaching and education are being offered in the schools and universities in Devanagari & Bengali Script		
IN-08-023	-	37.5(1.)	Kannada (Archaic Shrii) Page 162, OCDC	te	It may be noted that Kannada Archaic Shrii may be added in the code chart. However, the proposed glyph in ISO/ IEC standard is not same as the one found in the inscriptions as given in the Unicode Proposals. And there has been many variations in the glyph with time. The Kannada character begins on the right side of the main body of the glyph from the upper half portion. Below image is from the one of the inscription given in the Unicode proposal. 	We may agree to the proposal, however the glyphs need to be different for Kannada and Telugu, as given in the reference figure. However, it may be noted there may be variations in the glyphs being used in various centuries, especially for Kannada, which may be considered later.	Accepted new glyph is.  Note that in the proposal in https://www.unicode.org/L2/L2022/22006-archaic-shrii.pdf many of the evidences use shapes close to the currently proposed glyph; nevertheless glyph changes can still be updated per India request.
IN-09-024	-	37.5(1.)	Telugu (Archaic Shrii) Page 159, OC5C	te	It may be noted that Telugu (Archaic Shrii) may be added in the code chart. However, the proposed glyph in ISO/ IEC standard is not same as the one found in the inscriptions as given in the Unicode Proposals. And there has been many variations in the glyph with time. The Telugu script sign or glyph for Shrii	We may agree to the proposal, however the glyphs need to be different for Kannada and Telugu, as given in the reference figure. However, it may be noted there may be variations in the glyphs being used in various centuries, especially for Kannada, which may be considered later.	Accepted, new glyph is: 

¹ **MB** = Member body / **NC** = National Committee (enter the ISO 3166 two-letter country code, e.g. CN for China; comments from the ISO/CS editing unit are identified by **)

² **Type of comment:** **ge** = general **te** = technical **ed** = editorial

Template for comments and secretariat observations

Date:2026-06-09	Document:	Project:
-----------------	-----------	----------

MB/ NC ¹	Line number	Clause/ Subclause	Paragraph/ Figure/Table	Type of comment ²	Comments	Proposed change	Observations of the secretariat
					will have the loop begin down below on the right side of the main body of the glyph from the lower half. Below image is from the one of the inscription given in the Unicode proposal. 		
CN6- 025		Small Seal code charts		te	Some data in Small Seal code charts such as radicals and modern CJKs should be corrected. See attached pages [below here].  CD_10646_4_comments seal.doc	Correct them.	Accepted, in addition there were 3 additional modern CJK corrections: U+3FB84 (25747 -> 25745) U+3EE45 (FA3E -> 6168) U+3EC25 (298CA ->2992D) and a glyph correction concerning U+3F80E so that the unified TH-Y version matches the original DYC source 3F80E 472 8821 篆 TH-Y212 篆 D-09693

1 MB = Member body / NC = National Committee (enter the ISO 3166 two-letter country code, e.g. CN for China; comments from the ISO/CS editing unit are identified by **)

2 Type of comment: ge = general te = technical ed = editorial

1. Correction of Radical values.

(1) 3DDF7

Code Chart	kSEAL_Rad		Conclusion
	Current Data	Correction	
3DDF7 旨 65E8 TH-03410 C-03521 K-03419 D-03361	U+3DDF7 kSEAL_Rad 157.3DDF1	158.3DDF7	1. After review, the radical should be corrected to U+3DDF7. 2. The Radical Number should be corrected to 158.
3DDF8 舌 2314C TH-03411 C-03522 K-03420 D-03362	U+3DDF8 kSEAL_Rad 158.3DDF8	3DDF7	The radical should be corrected to U+3DDF7.
3DDF9 嘗 5617 TH-03412 C-03523 K-03421 D-03363	U+3DDF9 kSEAL_Rad 158.3DDF8	3DDF7	The radical should be corrected to U+3DDF7.

(2) 3DE44

Code Chart	kSEAL_Rad		Conclusion
	Current Data	Correction	
3DE44 𧢲 8664 TH-03482 C-03595 K-03491 D-03469	U+3DE44 kSEAL_Rad 168.3DE31	169.3DE44	1. After review, the radical should be corrected to U+3DE44. 2. The Radical Number should be corrected to 169.
3DE45 𧢳 459C TH-03483 C-03596 K-03492 D-03470	U+3DE45 kSEAL_Rad 169.3DE45	3DE44	The radical should be corrected to U+3DE44.
3DE46 𧢴 8D19 TH-03484 C-03597 K-03493 D-03471	U+3DE46 kSEAL_Rad 169.3DE45	3DE44	The radical should be corrected to U+3DE44.

2. Correction of the modern CJK

(1) The form of the modern CJK should be matched the small seal character

According to the description in document [N5344R2](#) “3. Correspondence to the modern CJK characters Principle” “For Zhengzhuan characters that have a match in both form and meaning with a modern CJK unified ideograph, that CJK ideograph should be associated with the Zhengzhuan characters.”

Based on the principles outlined above, the modern CJK equivalent listed in the following table should be corrected.

NO	Code Chart	kSEAL_MCJK		Conclusion
		Current Data	Correction	
1.	3E894 月 309 鯨 824E TH-X216 C-06194	U+3E894 kSEAL_MCJK 824E	Change Modern CJK to “ 26A84 鯨”.	Please refer to document N5346A2 No.1796.
2.	3E9FB 𩇛 334 𩇛 9B1F TH-X225 C-06545	U+3E9FB kSEAL_MCJK 9B1F	Change Modern CJK to “ 29BF4 𩇛”.	Please refer to document N5346A2 No.1889.
3.	3EA95 𩇛 350 𩇛 5D99 TH-X229 C-06695	U+3EA95 kSEAL_MCJK 5D99	Change Modern CJK to “ 21F64 𩇛”.	Please refer to document N5346A2 No.1941.
4.	3EB4D 𩇛 357 𩇛 787E TH-X255 C-06872	U+3EB4D kSEAL_MCJK 787E	Change Modern CJK to “ 2558C 𩇛”.	Please refer to document N5346A2 No.1980.
5.	3EC24 𩇛 370 𩇛 298B2 TH-X257 C-07080	U+3EC24 kSEAL_MCJK 298B2 𩇛	Change Modern CJK to “ 298EC 𩇛”.	Please refer to document N5346A2 No.2037.
6.	3EC28 𩇛 370 𩇛 9A02 TH-X261 C-07084	U+3EC28 kSEAL_MCJK 9A02	Change Modern CJK to “ 2994D 𩇛”.	Please refer to document N5346A2 No.2039.
7.	3EF54 𩇛 408 𩇛 61C7 TH-X280 C-07876	U+3EF54 kSEAL_MCJK 61C7	Change Modern CJK to “ 22846 𩇛”.	Please refer to document N5346A2 No.2067.
8.	3F153 𩇛 410 𩇛 703C TH-X288 C-08374	U+3F153 kSEAL_MCJK 703C	Change Modern CJK to “ 2416D 𩇛”.	Please refer to document N5346A2 No.2375.

NO	Code Chart	KSEAL_MCJK		Conclusion
		Current Data	Correction	
9.	3F160     TH-X301 C-08387	U+3F160 	kSEAL_MCJK 6F35 Change Modern CJK to “6F4A激”.	Please refer to document N5346A2 No.2377.
10.	3F161     TH-X302 C-08388	U+3F161 	kSEAL_MCJK 6E2F Change Modern CJK to “23FD1港”.	Please refer to document N5346A2 No.2378.
11.	3F163     TH-X304 C-08390	U+3F163 	kSEAL_MCJK 6FD4 Change Modern CJK to “24164瀾”.	Please refer to document N5346A2 No.2379.
12.	3F167     TH-X308 C-08394	U+3F167 	kSEAL_MCJK 6E98 Change Modern CJK to “23E46湓”.	Please refer to document N5346A2 No.2380.
13.	3F2DB     TH-X319 C-08763	U+3F2DB kSEAL_MCJK 95E4	Change Modern CJK to “28DE4闐”.	Please refer to document N5346A2 No.2388.
14.	3F8FD     TH-X373 C-10293	U+3F8FD kSEAL_MCJK 587E	Change Modern CJK to “2150A𪚩”.	Please refer to document N5346A2 No.2899.
15.	3FAFB     TH-X393 C-10792	U+3FAFB 	kSEAL_MCJK 8F54 Change Modern CJK to “283CF𪚪”.	Please refer to document N5346A2 No.3016.

(2)The modern CJK is wrong and should be corrected

NO	Code Chart	kSEAL_MCJK		Conclusion
		Current Data	Correction	
1.	3EC25 𠂔 370 𠂔 298CA TH-X258 C-07081	U+3EC25 kSEAL_MCJK 298CA 𠂔	99E5 𠂔	The glyph, meaning, and pronunciation of '𠂔U+298CA' do not conform to the Small Seal Script glyph; it should be corrected to '𠂔U+99E5'. Please refer to document N5346A2 No.2038.
2.	3FA4E 𠂔 490 𠂔 6235 TH-X385 C-10624	U+3FA4E kSEAL_MCJK 6235 𠂔	947A 𠂔	The radical of “𠂔U+6235” is “ ”, it is not a character belonging to the “ ” radical — this is an error; “ 𠂔U+947A” should be used instead. Please refer to document N5346A2 No.2980.

(3)Other reasons

NO	Code Chart	kSEAL_MCJK		Conclusion										
		Current Data	Correction											
1.	3F80A 𠂔 472 𠂔 867B TH-09693 C-10056 K-09708 D-09690	U+3F80A kSEAL_MCJK 867B	8771	Change Modern CJK to “ U+8771”. In the document N5348R Kushim’ opinion is“U+3F80A should be ” China & TCA experts feedback is “Don't change Modern CJK yet. Replace it with this form after WS 2024 encoding.” <table><tr><td>03418</td><td>142.0 𠂔</td><td></td><td></td><td>𠂔</td></tr><tr><td></td><td>SC=9, FS=3, TS=15</td><td></td><td></td><td>SAT-10653</td></tr></table> But SAT-10653 in IRG 2024 was identified as the character “ U+8771”, so the Modern CJK should change to “ U+8771”.	03418	142.0 𠂔			𠂔		SC=9, FS=3, TS=15			SAT-10653
03418	142.0 𠂔			𠂔										
	SC=9, FS=3, TS=15			SAT-10653										